

United States of America Department of Homeland Security United States Coast Guard

16 May 2024 Certification Date: 16 May 2025 Expiration Date:

Temporary Certificate of Inspection

| receipt of Vessel Name | on board said vessel of the on | ginal certificate of inspect | on, this certificate | | alid after one year fro Call Sign | m the date of inspection. |
|--|--|---|----------------------|---------------------------|--------------------------------------|---|
| | | | IMU NUIT | ber | Can Sign | |
| KIRBY 10554 | | 068378 | | | | Tank Barge |
| Hailing Port | | | | | | |
| WILMINGTON, DE | | Hull Material | Hors | epower | Propulsion | |
| | | Steel | | | | |
| UNITED STATES | | | | | | |
| 6.8 | 10 12 P. 17 PACI | | | 1 9 2 00 | | 17-17-17 |
| Place Built | | Delivery Date K | eel Laid Date | Gross Tons | Net Toris | OWT Length |
| JEFFERSONVILLE, I | IN | 03Sep1998 0 | 1 1/1/1008 | R-718 | R-716 | R-195.0 |
| UNITED STATES | | 000ep1990 0 | 13411330 | j. | F | 1-0 |
| | | | | | | |
| | and the parties of | | | | | |
| Owner KIRBY INLAND MARI 55 WAUGH DR STE HOUSTON, TX 77007 UNITED STATES | 1000 | | 1835 CHA | Y INLAND 0 MARKET | , TX 77530 | |
| This vessel must be m 0 Certified Lifeboatme | anned with the follo | owing licensed an | d unlicense | d Personnel and 0 GMDS | . Included in v | which there must be |
| 0 Masters | 0 Licensed Mate | | | 0.0 | | |
| 0 Chief Mates | 0 First Class Pil | ots 0 First Ass | istant Enginee | rs | | |
| 0 Second Mates | 0 Radio Officers | 0 Second A | Assistant Engir | ieers | | |
| 0 Third Mates | 0 Able Seamen | 0 Third Ass | sistant Enginee | ers | | |
| 0 Master First Class Pili | ot 0 Ordinary Sear | nen 0 Licensed | Engineers | | | |
| 0 Mate First Class Pilots | s 0 Deckhands | 0 Qualified | Member Engir | neer | | |
| In addition, this vessel Persons allowed: 0 | may carry 0 Passe | | | | ns in addition t | o crew, and no Others. Total |
| Route Permitted An | d Conditions Of O | neration: | | | | |
| Lakes, Bays, | | | oastwise | 9 | | |
| This vessel has been vessel is operated: | n granted a fresh in salt water mor s per 46 CFR 31.1 | water service | examinatio | n interval | per 46 CFR | Marks and Carrabelle, 31.10-21(a)(2). If this sel must be inspected using riting as soon as this |
| This tank barge is p | participating in | the Eighth Coas | t Guard Di | strict's T | ank Barge St. | reamlined Inspection Program |
| ***SEE NEXT PAGE | | | | | | |
| With this Inspection for Inspection, Marine Safe aws and the rules and | Certification having ety Unit Port Arthur regulations prescrib | been completed certified the vess ped thereunder. | Lat Part Arti | NUE TY LINE | TED STATES | S, the Officer in Charge, Marine the applicable vessel inspection |
| Annua | al/Periodic/Re-Inspe | ection | Th | is certificate | issuadh | 71 (9) |
| Date Zo | ne A/P/R | Signature | | | 4, 3 | 13. USCG, By direction |
| | | | Offic | er in Charge, Man | ne inspection | - |
| | | | | | Marine Safety | Unit Port Arthur |
| | | | Insp | action Zone | | |



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 16 May 2024 Expiration Date: 16 May 2025

Temporary Certificate of Inspection

Vessel Name: KIRBY 10554

(TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

| Exam Type | Next Exam | Last Exam | Prior Exam |
|--------------------|-----------|-----------|------------|
| DryDock | 31May2034 | 16May2024 | 10Jan2014 |
| Internal Structure | 31May2029 | 16May2024 | 10Jan2019 |

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

| Authorization: FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS C. |
|---|
|---|

| Total Capacity Units Highest Grade Type Part151 Regulated Part15 | 3 Regulated | Part154 Regulated |
|--|-------------|-------------------|
|--|-------------|-------------------|

10667 Barrels A Yes No No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

| Tank Location Description | Max Cargo Weight per | Tank (short tons) | Maximum Density (lbs/gal |
|---------------------------|----------------------|-------------------|--------------------------|
| 1 | 595 | | 13.600 |
| 2 | 607 | | 13.600 |
| 3 | 607 | | 13.600 |

Loading Constraints - Stability

| Hull Type | Maximum Load (short tons) | Maximum Draft (ft/in) | Max Density (lbs/gal) | Route Description |
|-----------|---------------------------|-----------------------|--------------------------|-------------------|
| III | 1723 | 10ft 4in | 13.60 | R,LBS,LC 12 |
| II | 1495 | 9ft 3in | 13.60 | R,LBS,LC 12 |
| II | 1495 | 9ft 3in | 13.60 | |
| III — | 1723 | 10ft 4in | 13.60 | |

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # VN98008460, dated 31-Aug-00, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Vapor Control Authorization

Per 46 CFR, Part 39, excluding Part 39.40, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial # C2-9801873 dated May 29, 1998 and serial # C2-0100997 dated March 28, 2001, and found acceptable for collection of bulk liquid cargo vapors from those specific Subchapter "D" cargoes contained in the that letter, and those specified hazardous cargoes annotated a "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 16 May 2024 Expiration Date: 16 May 2025

Temporary Certificate of Inspection

Vessel Name: KIRBY 10554

authorized as the primary means of overfill protection required by 46 CFR 39.20-9. A high level and overfill alarm is required by 46 CFR 39.20-7.

Stability and Trim

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 8.7 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Cargo Tanks

| | Internal Exam | 1 | | External Exa | am | |
|---------|---------------|-----------|------------|------------------|-------|------|
| Tank Id | Previous | Last | Next | Previous | Last | Next |
| 1 | 10Jan2014 | 16May2024 | 31May2034 | | - | - |
| 2 | 10Jan2014 | 16May2024 | 31May2034 | | - 119 | 2 |
| 3 | 10Jan2014 | 16May2024 | 31May2034 | 14 (ng | - | - |
| | | | Hydro Test | | | |
| Tank Id | Safety Valve | S | Previous | Last | Next | |
| 1 | | | | Court Span State | | |
| 2 | | | | 5 100 | - | |
| 3 | | | - | - | - | |

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 40-B

END



Serial #: VN98008460 COI Ref: 31-Aug-00

Certificate of Inspection Cargo Authority Attachment

Vessel Name: KIRBY 10554 Official #: D1068378

Page 1 of 2

Hull #: 98-2356

| ist of Authorized C | ar | qoes |
|---------------------|----|------|
|---------------------|----|------|

| Cargo Identification | | | | | | Conditions of Carriage | | |
|--|--------------|-------------|-----|-------|--------------|------------------------|--|--|
| | | Comp | oat | | | | | |
| Name | Chem Code | Group No | Exc | Grade | Hull Type | Note | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | |
| Authorized Subchapter O Cargoes | | | | | | | | |
| Acrylonitrile | ACN | 15 | Υ | С | П | Т | .50-70(a), .55-1(e) | |
| Adiponitrile | ADN | 37 | Ν | E | II | V | No | |
| Anthracene oil (Coal tar fraction) | AHO | 33 | N | | II | | No | |
| Alkyl(C7-C9) nitrates | AKN | 34 | Υ | | 111 | V | .50-81, .50-86 | |
| Acetonitrile | ATN | 37 | N | С | 111 | Т | No | |
| Butyraldehyde (all isomers) | BAE | 19 | N | С | Ш | V | .55-1(h) | |
| Butyl acrylate (all isomers) | BAR | 14 | N | D | Ш | V | .50-70(a), .50-81(a), (b) | |
| Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more) | ВНА | 32 | Υ | | Ш | V | .50-60, .56-1(b), (d), (f), (g) | |
| Benzene hydrocarbon mixtures (having 10% Benzene ormore) | ВНВ | 32 | N | | III | V | .50-60 | |
| Butyl methacrylate | ВМН | 14 | N | D | 111 | V | .50-70(a), .50-81(a), (b) | |
| Benzene | BNZ | 32 | N | С | III | V | .50-60 | |
| Benzene, Toluene, Xylene mixtures (having 10% Benzeneor more) | BTX | 32 | N | B/C | III | V | .50-60 | |
| Carbon tetrachloride | CBT | 36 | N | | III | | No | |
| Cyclohexanone | ССН | 18 | N | D | III | V | .56-1(a), (b) | |
| Creosote (all isomers) | CCW | 21 | Y | E | III | V | No | |
| Crude hydrocarbon feedstock (containing Butyraldehydesand Ethylpropyl acrolein) | CHG | 0 | N | C | III | | No | |
| Camphor oil (light) | CPO | 18 | N | | II | | No | |
| Chlorobenzene | CRB | 36 | N | | | V | No | |
| Chloroform | CRF | 36 | N | E | 111 | | No | |
| Cresols (all isomers) | CRS | 21 | N | E | 111 | V | No | |
| Cresylic acid tar | CRX | 21 | N | | 111 | | .55-1(f) | |
| Cyclopentadiene, Styrene, Benzene mixture | CSB | 30 | N | D | 111 | | .50-60, .56-1(b) | |
| Protonaldehyde | CTA | 19 | Y | C | 11 | T | .55-1(h) | |
| I,N-Dimethylacetamide | DAC | | N | E | | | .56-1(b) | |
| Dichlorobenzenes (all isomers) | DBX | 10 36 | N | E | III | | .56-1(a), (b) | |
| ,1-Dichloroethane | DCH | 36 | | C | | | No | |
| Dichloromethane | DCM | | N | | | V | No | |
| ,2'-Dichloroethyl ether | | 36 | N | NF | <u> </u> | | | |
| Dimethylformamide | DEE | 41 | N | D | 11 | V | .55-1(f) | |
| | DMF | 10 | N | D | - 111 | V | .55-1(e) | |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | N | | 11 | V | No South | |
| Odecyldimethylamine, Tetradecyldimethylamine mixture | DOT | 7 | N | E | 111 | | .56-1(b) | |
| ,1-Dichloropropane | DPB | 36 | N | С | III | | No | |
| ,3-Dichloropropane | DPC | 36 | N | С | III | | No | |
| ,2-Dichloropropane | DPP | 36 | N | С | 111 | T | No | |
| ,3-Dichloropropene | DPU | 15 | N | D | | Т | No | |
| ithyl acrylate | EAC | 14 | N | С | III | V | .50-70(a), .50-81(a), (b) | |
| -Ethylhexyl acrylate | EAI | 14 | N | E | III | V | .50-70(a), .50-81(a), (b) | |
| thylene dichloride | EDC | 36 | Υ | С | III | V | No | |
| thylene glycol monoalkyl ethers | EGC | 40 | N | D/E | 111 | V | No | |
| thylene glycol hexyl ether | EGH | 40 | N | E | 111 | | No | |
| thylene glycol propyl ether | EGP | 40 | N | E | 111 | V | No | |
| -Ethyl-3-propylacrolein | EPA | 19 | Υ | E | III | V | No | |
| thylene cyanohydrin | ETC | 20 | N | E | 111 | V | No | |
| thyl methacrylate | ETM | 14 | N | С | III | V | .50-70(a) | |
| urfural | FFA | 19 | N | E | 111 | V | .55-1(h) | |
| ormaldehyde solution (37% to 50%) | FMS | 19 | Υ | D/E | 111 | V | .55-1(h) | |
| lutaraldehyde solution (50% or less) | GTA | 19 | N | NF | Ш | | No | |
| soprene | IPR | 30 | Ν | Α | 111 | V | .50-70(a), .50-81(a), (b) | |





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10554 Official #: D1068378

Page 2 of 2

Shipyard: JEFFBOAT

Hull #: 98-2356

Serial #:

COI Ref:

VN98008460

31-Aug-00

| Cargo Identification | | | | | | С | Conditions of Carriage | | |
|--|--------------|-------------|---|-------|--------------|------|--|--|--|
| Name | Chem Code | Group No | | Grade | Hull Type | Note | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | | |
| Methyl acrylate | MAM | 14 | N | С | III | V | .50-70(a), .50-81(a), (b) | | |
| Methylcyclopentadiene dimer | MCK | 30 | N | С | Ш | V | No | | |
| 2-Methyl-5-ethylpyridine | MEP | 9 | N | Е | Ш | V | .55-1(e) | | |
| Methyl methacrylate | MMM | 14 | N | С | Ш | V | .50-70(a), .50-81(a), (b) | | |
| Mesityl oxide | MSO | 18 | Υ | D | III | V | No | | |
| alpha-Methylstyrene | MSR | 30 | N | D | III | V | .50-70(a), .50-81(a), (b) | | |
| Coal tar naphtha solvent | NCT | 33 | N | D | 111 | V | .50-73 | | |
| 1- or 2-Nitropropane | NPM | 42 | N | D | Ш | V | .50-81 | | |
| 1,3-Pentadiene | PDE | 30 | N | Α | 111 | V | .50-70(a), .50-81 | | |
| Polyethylene polyamines | PEB | 7 | Υ | E | Ш | V | .55-1(e) | | |
| Perchloroethylene | PER | 36 | N | NF | HI | | No . | | |
| Pyridine | PRD | 9 | N | С | 111 | V | .55-1(e) | | |
| Sodium chlorate solution (50% or less) | SDD | 0 | Υ | NF | Ш | | .50-73 | | |
| Sodium hypochlorite solution (20% or less) | SHQ | 5 | N | NF | III | | .50-73, .56-1(a), (b) | | |
| Styrene monomer | STY | 30 | N | D | 111 | V | .50-70(a), .50-81(a), (b) | | |
| 1,2,4-Trichlorobenzene | TCB | 36 | Ν | E | 111 | | No | | |
| Trichloroethylene | TCL | 36 | Υ | | Ш | V | No | | |
| 1,1,2-Trichloroethane | TCM | 36 | N | | III | V | .50-73, .56-1(a) | | |
| 1,2,3-Trichloropropane | TCN | 36 | N | E | II | Т | .50-73, .56-1(a) | | |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | N | NF | III | | No | | |
| Triethylamine | TEN | 7 | N | ·C | II | Т | .55-1(e) | | |
| Tetrahydrofuran | THF | 41 | N | С | 111 | V | .50-70(b) | | |
| Urea, Ammonium nitrate solution (containing more than2% Ammonia) | UAS | 6 | N | | III | | .56-1(b) | | |
| Vinyl acetate | VAM | 13 | N | С | 111 | V | .50-70(a), .50-81(a), (b) | | |

Explanation of terms & symbols used in the Table:

| Cargo | Identificatio |
|-------|---------------|
|-------|---------------|

Chem Code

The proper shipping name as listed in 46 CFR Table 151.05.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables

Exceptions (Exc)

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A, B, C D. E

Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

NA. NF

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriag

See Certificate of Inspection for explaination of symbols used in this column.