



KIRBY 10556



Barge Strapping Tables





BARGE "KIRBY 10556"

ULLAGE TRIM TABLE

FORMERLY "S/R 107"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8
2 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
3 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

$$\begin{aligned}
 \text{FWD. DRAFT} &= 2'-00'' \\
 \text{AFT DRAFT} &= 4'-00'' \\
 \text{DIFF.} &= 2'-00'' \quad (\text{DOWN BY STERN})
 \end{aligned}$$

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 1/4"

LENGTH BETWEEN DRAFT MARKS: 157'-00"

July 23, 2004

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 10556"

1 CENTER ULLAGE TABLE

FORMERLY "SR 107"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
N	D	N	D	N	D	N	D	N	D	N	D	N	D	N	D	N	D	N	D
0	1,871.37	0	1,423.74	0	1,176.11	0	928.47	0	680.89	0	433.67	0	186.05	0		0		0	
1/4	1,866.21	1/4	1,418.58	1/4	1,170.95	1/4	923.31	1/4	675.84	1/4	428.51	1/4	180.89	1/4		1/4		1/4	
1/2	1,861.05	1/2	1,413.42	1/2	1,165.79	1/2	918.15	1/2	670.69	1/2	423.35	1/2	175.74	1/2		1/2		1/2	
3/4	1,855.89	3/4	1,408.26	3/4	1,160.63	3/4	913.00	3/4	665.55	3/4	418.20	3/4	170.59	3/4		3/4		3/4	
1	1,850.73	1	1,403.10	1	1,155.47	1	907.84	1	660.40	1	413.04	1	165.43	1		1		1	
1 1/4	1,845.57	1 1/4	1,397.94	1 1/4	1,150.31	1 1/4	902.68	1 1/4	655.25	1 1/4	407.88	1 1/4	160.28	1 1/4		1 1/4		1 1/4	
1 1/2	1,840.41	1 1/2	1,392.78	1 1/2	1,145.15	1 1/2	897.52	1 1/2	650.10	1 1/2	402.72	1 1/2	155.13	1 1/2		1 1/2		1 1/2	
1 3/4	1,835.25	1 3/4	1,387.62	1 3/4	1,139.99	1 3/4	892.36	1 3/4	644.96	1 3/4	397.56	1 3/4	149.98	1 3/4		1 3/4		1 3/4	
2	1,830.09	2	1,382.46	2	1,134.83	2	887.20	2	639.81	2	392.40	2	144.82	2		2		2	
2 1/4	1,824.93	2 1/4	1,377.30	2 1/4	1,129.67	2 1/4	882.04	2 1/4	634.66	2 1/4	387.24	2 1/4	139.67	2 1/4		2 1/4		2 1/4	
2 1/2	1,819.77	2 1/2	1,372.14	2 1/2	1,124.51	2 1/2	876.88	2 1/2	629.51	2 1/2	382.08	2 1/2	134.52	2 1/2		2 1/2		2 1/2	
2 3/4	1,814.62	2 3/4	1,366.99	2 3/4	1,119.36	2 3/4	871.73	2 3/4	624.36	2 3/4	376.93	2 3/4	129.37	2 3/4		2 3/4		2 3/4	
3	1,809.46	3	1,361.83	3	1,114.20	3	866.57	3	619.21	3	371.77	3	124.21	3		3		3	
3 1/4	1,804.30	3 1/4	1,356.67	3 1/4	1,109.04	3 1/4	861.41	3 1/4	614.06	3 1/4	366.61	3 1/4	119.06	3 1/4		3 1/4		3 1/4	
3 1/2	1,799.14	3 1/2	1,351.51	3 1/2	1,103.88	3 1/2	856.25	3 1/2	608.91	3 1/2	361.45	3 1/2	113.91	3 1/2		3 1/2		3 1/2	
3 3/4	1,793.98	3 3/4	1,346.35	3 3/4	1,098.72	3 3/4	851.09	3 3/4	603.77	3 3/4	356.29	3 3/4	108.75	3 3/4		3 3/4		3 3/4	
4	1,788.82	4	1,341.19	4	1,093.56	4	845.93	4	598.62	4	351.13	4	103.60	4		4		4	
4 1/4	1,783.66	4 1/4	1,336.03	4 1/4	1,088.40	4 1/4	840.77	4 1/4	593.47	4 1/4	345.97	4 1/4	98.44	4 1/4		4 1/4		4 1/4	
4 1/2	1,778.50	4 1/2	1,330.87	4 1/2	1,083.24	4 1/2	835.61	4 1/2	588.32	4 1/2	340.81	4 1/2	93.29	4 1/2		4 1/2		4 1/2	
4 3/4	1,773.35	4 3/4	1,325.72	4 3/4	1,078.09	4 3/4	830.45	4 3/4	583.18	4 3/4	335.66	4 3/4	88.14	4 3/4		4 3/4		4 3/4	
5	1,768.19	5	1,320.56	5	1,072.93	5	825.29	5	578.03	5	330.50	5	82.98	5		5		5	
5 1/4	1,763.03	5 1/4	1,315.40	5 1/4	1,067.77	5 1/4	820.13	5 1/4	572.88	5 1/4	325.34	5 1/4	77.83	5 1/4		5 1/4		5 1/4	
5 1/2	1,757.87	5 1/2	1,310.24	5 1/2	1,062.61	5 1/2	814.97	5 1/2	567.73	5 1/2	320.18	5 1/2	72.67	5 1/2		5 1/2		5 1/2	
5 3/4	1,752.71	5 3/4	1,305.08	5 3/4	1,057.45	5 3/4	809.82	5 3/4	562.59	5 3/4	315.02	5 3/4	67.52	5 3/4		5 3/4		5 3/4	
6	1,747.55	6	1,299.92	6	1,052.29	6	804.66	6	557.44	6	309.86	6	62.36	6		6		6	
6 1/4	1,742.39	6 1/4	1,294.76	6 1/4	1,047.13	6 1/4	799.50	6 1/4	552.29	6 1/4	304.70	6 1/4	57.20	6 1/4		6 1/4		6 1/4	
6 1/2	1,737.23	6 1/2	1,289.60	6 1/2	1,041.97	6 1/2	794.34	6 1/2	547.14	6 1/2	299.54	6 1/2	52.04	6 1/2		6 1/2		6 1/2	
6 3/4	1,732.07	6 3/4	1,284.45	6 3/4	1,036.81	6 3/4	789.18	6 3/4	541.98	6 3/4	294.39	6 3/4	46.89	6 3/4		6 3/4		6 3/4	
7	1,726.91	7	1,279.29	7	1,031.65	7	784.02	7	536.83	7	289.23	7	41.73	7		7		7	
7 1/4	1,721.75	7 1/4	1,274.13	7 1/4	1,026.49	7 1/4	778.86	7 1/4	531.67	7 1/4	284.07	7 1/4	36.57	7 1/4		7 1/4		7 1/4	
7 1/2	1,716.59	7 1/2	1,268.97	7 1/2	1,021.33	7 1/2	773.70	7 1/2	526.51	7 1/2	278.91	7 1/2	31.94	7 1/2		7 1/2		7 1/2	
7 3/4	1,711.44	7 3/4	1,263.81	7 3/4	1,016.18	7 3/4	768.55	7 3/4	521.36	7 3/4	273.75	7 3/4	27.30	7 3/4		7 3/4		7 3/4	
8	1,706.28	8	1,258.65	8	1,011.02	8	763.39	8	516.20	8	268.59	8	22.67	8		8		8	
8 1/4	1,701.12	8 1/4	1,253.49	8 1/4	1,005.86	8 1/4	758.23	8 1/4	511.04	8 1/4	263.43	8 1/4	18.03	8 1/4		8 1/4		8 1/4	
8 1/2	1,695.96	8 1/2	1,248.33	8 1/2	1,000.70	8 1/2	753.08	8 1/2	505.88	8 1/2	258.27	8 1/2	15.02	8 1/2		8 1/2		8 1/2	
8 3/4	1,690.80	8 3/4	1,243.17	8 3/4	995.54	8 3/4	747.93	8 3/4	500.73	8 3/4	253.12	8 3/4	12.01	8 3/4		8 3/4		8 3/4	
9	1,685.64	9	1,238.01	9	990.38	9	742.77	9	495.57	9	247.96	9	9.00	9		9		9	
9 1/4	1,680.48	9 1/4	1,232.85	9 1/4	985.22	9 1/4	737.62	9 1/4	490.41	9 1/4	242.80	9 1/4	5.99	9 1/4		9 1/4		9 1/4	
9 1/2	1,675.32	9 1/2	1,227.69	9 1/2	980.06	9 1/2	732.47	9 1/2	485.25	9 1/2	237.64	9 1/2	4.70	9 1/2		9 1/2		9 1/2	
9 3/4	1,670.17	9 3/4	1,222.54	9 3/4	974.91	9 3/4	727.33	9 3/4	480.10	9 3/4	232.48	9 3/4	3.42	9 3/4		9 3/4		9 3/4	
10	1,665.01	10	1,217.38	10	969.75	10	722.18	10	474.94	10	227.32	10	2.13	10		10		10	
10 1/4	1,659.85	10 1/4	1,212.22	10 1/4	964.59	10 1/4	717.03	10 1/4	469.78	10 1/4	222.16	10 1/4	0.84	10 1/4		10 1/4		10 1/4	
10 1/2	1,654.69	10 1/2	1,207.06	10 1/2	959.43	10 1/2	711.88	10 1/2	464.62	10 1/2	217.00	10 1/2		10 1/2		10 1/2		10 1/2	
10 3/4	1,649.53	10 3/4	1,201.90	10 3/4	954.27	10 3/4	706.73	10 3/4	459.46	10 3/4	211.85	10 3/4		10 3/4		10 3/4		10 3/4	
11	1,644.37	11	1,196.74	11	949.11	11	701.58	11	454.30	11	206.69	11		11		11		11	
11 1/4	1,639.21	11 1/4	1,191.58	11 1/4	943.95	11 1/4	696.43	11 1/4	449.14	11 1/4	201.53	11 1/4		11 1/4		11 1/4		11 1/4	
11 1/2	1,634.05	11 1/2	1,186.42	11 1/2	938.79	11 1/2	691.28	11 1/2	443.98	11 1/2	196.37	11 1/2		11 1/2		11 1/2		11 1/2	
11 3/4	1,628.90	11 3/4	1,181.27	11 3/4	933.63	11 3/4	686.14	11 3/4	438.83	11 3/4	191.21	11 3/4		11 3/4		11 3/4		11 3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/18/1999 ITS
DECK MEASUREMENTS: 07/23/2004 SW
REPRINTED: 07/26/2004 SW
CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2004

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.omsacorp.net



BARGE "KIRBY 10556"

2 CENTER ULLAGE TABLE

GAUGE HEIGHT 16'-11 1/4"

FORMERLY "SR 107"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		
N	W	N	W	N	W	N	W	N	W	N	W	N	W	N	W	N	W	N	W	
0	0	0	0	3,432.72	0	3,184.51	0	2,936.31	0	2,688.18	0	2,440.04	0	2,191.91	0	1,943.75	0	1,695.58	0	1,447.42
1/4	1/4	1/4	1/4	3,427.55	1/4	3,179.34	1/4	2,931.14	1/4	2,683.01	1/4	2,434.87	1/4	2,186.74	1/4	1,938.58	1/4	1,690.42	1/4	1,442.26
1/2	1/2	1/2	1/2	3,422.38	1/2	3,174.17	1/2	2,925.97	1/2	2,677.84	1/2	2,429.70	1/2	2,181.57	1/2	1,933.41	1/2	1,685.24	1/2	1,437.07
3/4	3/4	3/4	3/4	3,417.21	3/4	3,169.00	3/4	2,920.81	3/4	2,672.67	3/4	2,424.54	3/4	2,176.40	3/4	1,928.24	3/4	1,680.07	3/4	1,431.91
1	1	1	1	3,412.03	1	3,163.83	1	2,915.64	1	2,667.50	1	2,419.37	1	2,171.23	1	1,923.07	1	1,674.90	1	1,426.74
1 1/4	1 1/4	1 1/4	1 1/4	3,406.86	1 1/4	3,158.66	1 1/4	2,910.47	1 1/4	2,662.33	1 1/4	2,414.20	1 1/4	2,166.06	1 1/4	1,917.90	1 1/4	1,669.73	1 1/4	1,421.57
1 1/2	1 1/2	1 1/2	1 1/2	3,401.69	1 1/2	3,153.49	1 1/2	2,905.30	1 1/2	2,657.16	1 1/2	2,407.99	1 1/2	2,159.85	1 1/2	1,912.73	1 1/2	1,671.56	1 1/2	1,416.40
1 3/4	1 3/4	1 3/4	1 3/4	3,396.52	1 3/4	3,148.32	1 3/4	2,900.13	1 3/4	2,651.00	1 3/4	2,403.86	1 3/4	2,155.72	1 3/4	1,907.56	1 3/4	1,665.39	1 3/4	1,411.23
2	2	2	2	3,391.35	2	3,143.15	2	2,894.96	2	2,646.82	2	2,398.69	2	2,150.55	2	1,902.39	2	1,659.22	2	1,406.06
2 1/4	2 1/4	2 1/4	2 1/4	3,386.18	2 1/4	3,137.98	2 1/4	2,889.79	2 1/4	2,641.65	2 1/4	2,393.52	2 1/4	2,145.38	2 1/4	1,897.22	2 1/4	1,655.05	2 1/4	1,400.89
2 1/2	2 1/2	2 1/2	2 1/2	3,381.01	2 1/2	3,132.81	2 1/2	2,884.62	2 1/2	2,636.48	2 1/2	2,386.35	2 1/2	2,140.21	2 1/2	1,892.05	2 1/2	1,649.88	2 1/2	1,400.72
2 3/4	2 3/4	2 3/4	2 3/4	3,375.84	2 3/4	3,127.64	2 3/4	2,879.45	2 3/4	2,631.32	2 3/4	2,381.18	2 3/4	2,135.04	2 3/4	1,886.88	2 3/4	1,648.71	2 3/4	1,399.55
3	3	3	3	3,370.67	3	3,122.46	3	2,874.28	3	2,626.15	3	2,378.01	3	2,129.87	3	1,881.71	3	1,647.54	3	1,398.38
3 1/4	3 1/4	3 1/4	3 1/4	3,365.50	3 1/4	3,117.29	3 1/4	2,869.11	3 1/4	2,620.98	3 1/4	2,372.84	3 1/4	2,124.70	3 1/4	1,876.54	3 1/4	1,646.37	3 1/4	1,397.21
3 1/2	3 1/2	3 1/2	3 1/2	3,360.33	3 1/2	3,112.12	3 1/2	2,863.94	3 1/2	2,615.81	3 1/2	2,367.67	3 1/2	2,119.53	3 1/2	1,871.37	3 1/2	1,645.20	3 1/2	1,396.04
3 3/4	3 3/4	3 3/4	3 3/4	3,355.16	3 3/4	3,106.95	3 3/4	2,858.77	3 3/4	2,610.64	3 3/4	2,361.50	3 3/4	2,114.36	3 3/4	1,866.20	3 3/4	1,644.03	3 3/4	1,394.87
4	4	4	4	3,349.98	4	3,101.78	4	2,853.60	4	2,605.47	4	2,357.33	4	2,109.19	4	1,861.03	4	1,642.86	4	1,393.70
4 1/4	4 1/4	4 1/4	4 1/4	3,344.81	4 1/4	3,096.61	4 1/4	2,848.43	4 1/4	2,600.30	4 1/4	2,351.16	4 1/4	2,104.02	4 1/4	1,855.86	4 1/4	1,641.69	4 1/4	1,392.53
4 1/2	4 1/2	4 1/2	4 1/2	3,339.64	4 1/2	3,091.44	4 1/2	2,843.26	4 1/2	2,595.13	4 1/2	2,346.99	4 1/2	2,098.85	4 1/2	1,850.69	4 1/2	1,640.52	4 1/2	1,391.36
4 3/4	4 3/4	4 3/4	4 3/4	3,334.47	4 3/4	3,086.27	4 3/4	2,838.09	4 3/4	2,589.96	4 3/4	2,341.82	4 3/4	2,093.68	4 3/4	1,845.52	4 3/4	1,639.35	4 3/4	1,390.19
5	5	5	5	3,329.30	5	3,081.10	5	2,832.92	5	2,584.79	5	2,336.65	5	2,088.51	5	1,840.35	5	1,638.18	5	1,389.02
5 1/4	5 1/4	5 1/4	5 1/4	3,324.13	5 1/4	3,075.93	5 1/4	2,827.75	5 1/4	2,579.62	5 1/4	2,331.48	5 1/4	2,083.34	5 1/4	1,835.18	5 1/4	1,637.01	5 1/4	1,387.85
5 1/2	5 1/2	5 1/2	5 1/2	3,318.96	5 1/2	3,070.76	5 1/2	2,822.58	5 1/2	2,574.45	5 1/2	2,326.31	5 1/2	2,078.17	5 1/2	1,830.01	5 1/2	1,635.84	5 1/2	1,386.68
5 3/4	5 3/4	5 3/4	5 3/4	3,313.79	5 3/4	3,065.59	5 3/4	2,817.42	5 3/4	2,569.28	5 3/4	2,321.15	5 3/4	2,073.00	5 3/4	1,824.84	5 3/4	1,634.67	5 3/4	1,385.51
6	6	6	6	3,308.62	6	3,060.41	6	2,812.25	6	2,564.11	6	2,315.98	6	2,067.83	6	1,819.67	6	1,633.50	6	1,384.34
6 1/4	6 1/4	6 1/4	6 1/4	3,303.45	6 1/4	3,055.24	6 1/4	2,807.08	6 1/4	2,558.94	6 1/4	2,310.81	6 1/4	2,062.66	6 1/4	1,814.50	6 1/4	1,632.33	6 1/4	1,383.17
6 1/2	6 1/2	6 1/2	6 1/2	3,298.28	6 1/2	3,050.07	6 1/2	2,801.91	6 1/2	2,553.77	6 1/2	2,305.64	6 1/2	2,057.49	6 1/2	1,809.33	6 1/2	1,631.16	6 1/2	1,382.00
6 3/4	6 3/4	6 3/4	6 3/4	3,293.11	6 3/4	3,044.90	6 3/4	2,796.74	6 3/4	2,548.60	6 3/4	2,300.47	6 3/4	2,052.32	6 3/4	1,804.16	6 3/4	1,629.99	6 3/4	1,380.83
7	7	7	7	3,287.93	7	3,039.73	7	2,791.57	7	2,543.43	7	2,295.30	7	2,047.15	7	1,798.98	7	1,628.82	7	1,379.66
7 1/4	7 1/4	7 1/4	7 1/4	3,282.76	7 1/4	3,034.56	7 1/4	2,786.40	7 1/4	2,538.26	7 1/4	2,290.13	7 1/4	2,041.98	7 1/4	1,793.81	7 1/4	1,627.65	7 1/4	1,378.49
7 1/2	7 1/2	7 1/2	7 1/2	3,277.59	7 1/2	3,029.39	7 1/2	2,781.23	7 1/2	2,533.09	7 1/2	2,284.96	7 1/2	2,036.81	7 1/2	1,788.64	7 1/2	1,626.48	7 1/2	1,377.32
7 3/4	7 3/4	7 3/4	7 3/4	3,272.42	7 3/4	3,024.22	7 3/4	2,776.06	7 3/4	2,527.93	7 3/4	2,279.79	7 3/4	2,031.64	7 3/4	1,783.47	7 3/4	1,625.31	7 3/4	1,376.15
8	8	8	8	3,267.25	8	3,019.05	8	2,770.89	8	2,522.76	8	2,274.62	8	2,026.47	8	1,778.30	8	1,624.14	8	1,374.98
8 1/4	8 1/4	8 1/4	8 1/4	3,262.08	8 1/4	3,013.88	8 1/4	2,765.72	8 1/4	2,517.59	8 1/4	2,269.45	8 1/4	2,021.30	8 1/4	1,773.13	8 1/4	1,623.01	8 1/4	1,373.81
8 1/2	8 1/2	8 1/2	8 1/2	3,256.91	8 1/2	3,008.71	8 1/2	2,760.55	8 1/2	2,512.42	8 1/2	2,264.28	8 1/2	2,016.13	8 1/2	1,767.96	8 1/2	1,621.84	8 1/2	1,372.64
8 3/4	8 3/4	8 3/4	8 3/4	3,251.74	8 3/4	3,003.54	8 3/4	2,755.38	8 3/4	2,507.25	8 3/4	2,259.11	8 3/4	2,010.96	8 3/4	1,762.79	8 3/4	1,620.67	8 3/4	1,371.47
9	9	9	9	3,246.57	9	2,998.36	9	2,750.21	9	2,502.08	9	2,253.94	9	2,005.79	9	1,757.62	9	1,619.50	9	1,370.30
9 1/4	9 1/4	9 1/4	9 1/4	3,241.40	9 1/4	2,993.19	9 1/4	2,745.04	9 1/4	2,496.91	9 1/4	2,248.77	9 1/4	2,000.62	9 1/4	1,752.45	9 1/4	1,618.33	9 1/4	1,369.13
9 1/2	9 1/2	9 1/2	9 1/2	3,236.23	9 1/2	2,988.02	9 1/2	2,739.87	9 1/2	2,491.74	9 1/2	2,243.60	9 1/2	1,995.45	9 1/2	1,747.28	9 1/2	1,617.16	9 1/2	1,367.96
9 3/4	9 3/4	9 3/4	9 3/4	3,231.06	9 3/4	2,982.85	9 3/4	2,734.70	9 3/4	2,486.57	9 3/4	2,238.43	9 3/4	1,990.28	9 3/4	1,742.11	9 3/4	1,616.01	9 3/4	1,366.79
10	10	10	10	3,225.88	10	2,977.68	10	2,729.53	10	2,481.40	10	2,233.26	10	1,985.11	10	1,736.94	10	1,614.84	10	1,365.62
10 1/4	10 1/4	10 1/4	10 1/4	3,220.71	10 1/4	2,972.51	10 1/4	2,724.36	10 1/4	2,476.23	10 1/4	2,228.09	10 1/4	1,978.94	10 1/4	1,731.77	10 1/4	1,613.67	10 1/4	1,364.45
10 1/2	10 1/2	10 1/2	10 1/2	3,215.54	10 1/2	2,967.34	10 1/2	2,719.19	10 1/2	2,471.06	10 1/2	2,222.92	10 1/2	1,974.77	10 1/2	1,726.60	10 1/2	1,612.50	10 1/2	1,363.28
10 3/4	10 3/4	10 3/4	10 3/4	3,210.37	10 3/4	2,962.17	10 3/4	2,714.03	10 3/4	2,465.89	10 3/4	2,217.76	10 3/4	1,969.60	10 3/4	1,721.43	10 3/4	1,611.33	10 3/4	1,362.11
11	11	11	11	3,205.20	11	2,956.99	11	2,708.86	11	2,460.72	11	2,212.59	11	1,964.43	11	1,716.26	11	1,610.16	11	1,360.94
11 1/4	11 1/4	11 1/4	11 1/4	3,200.03	11 1/4	2,951.82	11 1/4	2,703.69	11 1/4	2,455.55	11 1/4	2,207.42	11 1/4	1,959.26	11 1/4	1,711.09	11 1/4	1,608.99	11 1/4	1,359.77
11 1/2	11 1/2	11 1/2	11 1/2	3,194.86	11 1/2	2,946.65	11 1/2	2,698.52	11 1/2	2,450.38	11 1/2	2,202.25	11							



BARGE "KIRBY 10556"

2 CENTER ULLAGE TABLE

FORMERLY "SR 107"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
N	0	N	0	N	0	N	0	N	0	N	0	N	0	N	0	N	0	N	0
0	1,695.58	0	1,447.43	0	1,199.27	0	951.12	0	703.07	0	455.26	0	207.12	0	0	0	0	0	0
1/4	1,690.41	1/4	1,442.26	1/4	1,194.10	1/4	945.95	1/4	697.91	1/4	450.09	1/4	201.95	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,685.24	1/2	1,437.09	1/2	1,188.93	1/2	940.78	1/2	692.75	1/2	444.92	1/2	196.78	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,680.07	3/4	1,431.92	3/4	1,183.76	3/4	935.61	3/4	687.59	3/4	439.76	3/4	191.62	3/4	3/4	3/4	3/4	3/4	3/4
1	1,674.90	1	1,426.75	1	1,178.59	1	930.44	1	682.43	1	434.59	1	186.45	1	1	1	1	1	1
1 1/4	1,669.73	1 1/4	1,421.58	1 1/4	1,173.42	1 1/4	925.27	1 1/4	677.27	1 1/4	429.42	1 1/4	181.28	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,664.56	1 1/2	1,416.41	1 1/2	1,168.25	1 1/2	920.10	1 1/2	672.11	1 1/2	424.25	1 1/2	176.12	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	1,659.39	1 3/4	1,411.24	1 3/4	1,163.08	1 3/4	914.93	1 3/4	666.95	1 3/4	419.08	1 3/4	170.95	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	1,654.22	2	1,406.07	2	1,157.91	2	909.76	2	661.78	2	413.91	2	165.78	2	2	2	2	2	2
2 1/4	1,649.05	2 1/4	1,400.90	2 1/4	1,152.74	2 1/4	904.59	2 1/4	656.63	2 1/4	408.74	2 1/4	160.62	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
2 1/2	1,643.88	2 1/2	1,395.73	2 1/2	1,147.57	2 1/2	899.42	2 1/2	651.47	2 1/2	403.57	2 1/2	155.46	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
2 3/4	1,638.71	2 3/4	1,390.56	2 3/4	1,142.40	2 3/4	894.25	2 3/4	646.32	2 3/4	398.40	2 3/4	150.29	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4	2 3/4
3	1,633.54	3	1,385.39	3	1,137.23	3	889.08	3	641.16	3	393.23	3	145.13	3	3	3	3	3	3
3 1/4	1,628.37	3 1/4	1,380.22	3 1/4	1,132.06	3 1/4	883.91	3 1/4	636.00	3 1/4	388.06	3 1/4	139.96	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4
3 1/2	1,623.20	3 1/2	1,375.05	3 1/2	1,126.89	3 1/2	878.74	3 1/2	630.84	3 1/2	382.89	3 1/2	134.80	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2
3 3/4	1,618.03	3 3/4	1,369.88	3 3/4	1,121.72	3 3/4	873.57	3 3/4	625.68	3 3/4	377.72	3 3/4	129.64	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4
4	1,612.86	4	1,364.71	4	1,116.55	4	868.40	4	620.52	4	372.55	4	124.47	4	4	4	4	4	4
4 1/4	1,607.69	4 1/4	1,359.54	4 1/4	1,111.38	4 1/4	863.23	4 1/4	615.36	4 1/4	367.38	4 1/4	119.31	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
4 1/2	1,602.52	4 1/2	1,354.37	4 1/2	1,106.21	4 1/2	858.06	4 1/2	610.20	4 1/2	362.21	4 1/2	114.15	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
4 3/4	1,597.35	4 3/4	1,349.20	4 3/4	1,101.05	4 3/4	852.89	4 3/4	605.05	4 3/4	357.04	4 3/4	108.98	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4
5	1,592.18	5	1,344.03	5	1,095.88	5	847.72	5	599.89	5	351.87	5	103.82	5	5	5	5	5	5
5 1/4	1,587.01	5 1/4	1,338.86	5 1/4	1,090.71	5 1/4	842.55	5 1/4	594.73	5 1/4	346.70	5 1/4	98.65	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4	5 1/4
5 1/2	1,581.84	5 1/2	1,333.69	5 1/2	1,085.54	5 1/2	837.38	5 1/2	589.57	5 1/2	341.53	5 1/2	93.49	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2
5 3/4	1,576.67	5 3/4	1,328.52	5 3/4	1,080.37	5 3/4	832.21	5 3/4	584.41	5 3/4	336.36	5 3/4	88.32	5 3/4	5 3/4	5 3/4	5 3/4	5 3/4	5 3/4
6	1,571.50	6	1,323.35	6	1,075.20	6	827.04	6	579.25	6	331.19	6	83.16	6	6	6	6	6	6
6 1/4	1,566.33	6 1/4	1,318.18	6 1/4	1,070.03	6 1/4	821.87	6 1/4	574.09	6 1/4	326.02	6 1/4	77.99	6 1/4	6 1/4	6 1/4	6 1/4	6 1/4	6 1/4
6 1/2	1,561.16	6 1/2	1,313.01	6 1/2	1,064.86	6 1/2	816.70	6 1/2	568.93	6 1/2	320.85	6 1/2	72.82	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2	6 1/2
6 3/4	1,555.99	6 3/4	1,307.84	6 3/4	1,059.69	6 3/4	811.53	6 3/4	563.77	6 3/4	315.69	6 3/4	67.66	6 3/4	6 3/4	6 3/4	6 3/4	6 3/4	6 3/4
7	1,550.82	7	1,302.67	7	1,054.52	7	806.36	7	558.61	7	310.52	7	62.49	7	7	7	7	7	7
7 1/4	1,545.65	7 1/4	1,297.50	7 1/4	1,049.35	7 1/4	801.19	7 1/4	553.45	7 1/4	305.35	7 1/4	57.32	7 1/4	7 1/4	7 1/4	7 1/4	7 1/4	7 1/4
7 1/2	1,540.48	7 1/2	1,292.33	7 1/2	1,044.18	7 1/2	796.02	7 1/2	548.29	7 1/2	300.18	7 1/2	52.15	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2
7 3/4	1,535.31	7 3/4	1,287.16	7 3/4	1,039.01	7 3/4	790.85	7 3/4	543.12	7 3/4	295.01	7 3/4	46.99	7 3/4	7 3/4	7 3/4	7 3/4	7 3/4	7 3/4
8	1,530.14	8	1,281.99	8	1,033.84	8	785.68	8	537.96	8	289.84	8	41.82	8	8	8	8	8	8
8 1/4	1,524.97	8 1/4	1,276.82	8 1/4	1,028.67	8 1/4	780.51	8 1/4	532.79	8 1/4	284.67	8 1/4	36.65	8 1/4	8 1/4	8 1/4	8 1/4	8 1/4	8 1/4
8 1/2	1,519.80	8 1/2	1,271.65	8 1/2	1,023.50	8 1/2	775.34	8 1/2	527.62	8 1/2	279.50	8 1/2	32.00	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2
8 3/4	1,514.63	8 3/4	1,266.48	8 3/4	1,018.33	8 3/4	770.17	8 3/4	522.46	8 3/4	274.33	8 3/4	27.36	8 3/4	8 3/4	8 3/4	8 3/4	8 3/4	8 3/4
9	1,509.46	9	1,261.31	9	1,013.16	9	765.00	9	517.29	9	269.16	9	22.71	9	9	9	9	9	9
9 1/4	1,504.29	9 1/4	1,256.14	9 1/4	1,007.99	9 1/4	759.83	9 1/4	512.12	9 1/4	263.99	9 1/4	18.06	9 1/4	9 1/4	9 1/4	9 1/4	9 1/4	9 1/4
9 1/2	1,499.12	9 1/2	1,250.97	9 1/2	1,002.82	9 1/2	754.67	9 1/2	506.95	9 1/2	258.82	9 1/2	15.05	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
9 3/4	1,493.95	9 3/4	1,245.80	9 3/4	997.65	9 3/4	749.51	9 3/4	501.79	9 3/4	253.65	9 3/4	12.04	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4
10	1,488.79	10	1,240.63	10	992.48	10	744.34	10	496.62	10	248.48	10	9.02	10	10	10	10	10	10
10 1/4	1,483.62	10 1/4	1,235.46	10 1/4	987.31	10 1/4	739.18	10 1/4	491.45	10 1/4	243.31	10 1/4	6.01	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4
10 1/2	1,478.45	10 1/2	1,230.29	10 1/2	982.14	10 1/2	734.02	10 1/2	486.28	10 1/2	238.14	10 1/2	4.72	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
10 3/4	1,473.28	10 3/4	1,225.12	10 3/4	976.97	10 3/4	728.86	10 3/4	481.11	10 3/4	232.97	10 3/4	3.43	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4
11	1,468.11	11	1,219.95	11	971.80	11	723.70	11	475.94	11	227.80	11	2.13	11	11	11	11	11	11
11 1/4	1,462.94	11 1/4	1,214.78	11 1/4	966.63	11 1/4	718.54	11 1/4	470.77	11 1/4	222.63	11 1/4	0.84	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4
11 1/2	1,457.77	11 1/2	1,209.61	11 1/2	961.46	11 1/2	713.38	11 1/2	465.60	11 1/2	217.46	11 1/2	0.00	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2
11 3/4	1,452.60	11 3/4	1,204.44	11 3/4	956.29	11 3/4	708.23	11 3/4	460.43	11 3/4	212.29	11 3/4	0.00	11 3/4	11 3/4	11 3/4	11 3/4	11 3/4	11 3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

PRECISION MEASUREMENT & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
 HTTP://WWW.DM30010.NET

STRAPPED: 05/16/00 115
 DECK MEASUREMENTS: 07/23/00 5W
 REPRINTED: 07/26/00 5W
 CANCELS AND SUPERCEDES ALL PRIOR TO 07/2004



BARGE "KIRBY 10556"

3 CENTER ULLAGE TABLE

GAUGE HEIGHT 16'-11 1/2"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS		FORMERLY "SR 107"												
0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.					
0	0	3,452.93	0	3,203.64	0	2,954.35	0	2,705.13	0	2,455.91	0	2,206.69	0	1,957.44
1/4	1/4	3,447.74	1/4	3,198.45	1/4	2,949.16	1/4	2,699.94	1/4	2,450.72	1/4	2,201.50	1/4	1,952.25
1/2	1/2	3,442.55	1/2	3,193.25	1/2	2,943.97	1/2	2,694.75	1/2	2,445.53	1/2	2,196.31	1/2	1,947.06
3/4	3/4	3,437.35	3/4	3,188.06	3/4	2,938.77	3/4	2,689.55	3/4	2,440.33	3/4	2,191.11	3/4	1,941.86
1	1	3,432.16	1	3,182.86	1	2,933.58	1	2,684.36	1	2,435.14	1	2,185.92	1	1,936.67
1/4	1/4	3,426.96	1/4	3,177.67	1/4	2,928.39	1/4	2,679.17	1/4	2,429.95	1/4	2,180.73	1/4	1,931.48
1/2	1/2	3,421.77	1/2	3,172.48	1/2	2,923.20	1/2	2,673.98	1/2	2,424.76	1/2	2,175.54	1/2	1,926.29
3/4	3/4	3,416.58	3/4	3,167.28	3/4	2,918.00	3/4	2,668.78	3/4	2,419.56	3/4	2,170.34	3/4	1,921.09
2	2	3,411.38	2	3,162.09	2	2,912.81	2	2,663.59	2	2,414.37	2	2,165.15	2	1,915.90
1/4	1/4	3,406.19	1/4	3,156.90	1/4	2,907.62	1/4	2,658.40	1/4	2,409.18	1/4	2,159.96	1/4	1,910.71
1/2	1/2	3,401.00	1/2	3,151.71	1/2	2,902.43	1/2	2,653.21	1/2	2,403.99	1/2	2,154.77	1/2	1,905.52
3/4	3/4	3,395.81	3/4	3,146.51	3/4	2,897.24	3/4	2,648.01	3/4	2,398.79	3/4	2,149.57	3/4	1,900.32
3	3	3,390.61	3	3,141.32	3	2,892.05	3	2,642.82	3	2,393.60	3	2,144.38	3	1,895.13
1/4	1/4	3,385.42	1/4	3,136.13	1/4	2,886.86	1/4	2,637.63	1/4	2,388.41	1/4	2,139.19	1/4	1,889.94
1/2	1/2	3,380.23	1/2	3,130.93	1/2	2,881.67	1/2	2,632.44	1/2	2,383.22	1/2	2,134.00	1/2	1,884.75
3/4	3/4	3,375.03	3/4	3,125.74	3/4	2,876.47	3/4	2,627.25	3/4	2,378.03	3/4	2,128.80	3/4	1,879.55
4	4	3,369.84	4	3,120.54	4	2,871.28	4	2,622.06	4	2,372.84	4	2,123.61	4	1,874.36
1/4	1/4	3,364.64	1/4	3,115.35	1/4	2,866.09	1/4	2,616.87	1/4	2,367.65	1/4	2,118.42	1/4	1,869.17
1/2	1/2	3,359.45	1/2	3,110.16	1/2	2,860.90	1/2	2,611.68	1/2	2,362.46	1/2	2,113.23	1/2	1,863.98
3/4	3/4	3,354.26	3/4	3,104.96	3/4	2,855.70	3/4	2,606.48	3/4	2,357.28	3/4	2,108.03	3/4	1,858.78
5	5	3,349.06	5	3,099.77	5	2,850.51	5	2,601.29	5	2,352.07	5	2,102.84	5	1,853.59
1/4	1/4	3,343.87	1/4	3,094.58	1/4	2,845.32	1/4	2,596.10	1/4	2,346.88	1/4	2,097.65	1/4	1,848.40
1/2	1/2	3,338.68	1/2	3,089.38	1/2	2,840.13	1/2	2,590.91	1/2	2,341.69	1/2	2,092.46	1/2	1,843.21
3/4	3/4	3,333.48	3/4	3,084.19	3/4	2,834.93	3/4	2,585.71	3/4	2,336.49	3/4	2,087.28	3/4	1,838.01
6	6	3,328.29	6	3,078.99	6	2,829.74	6	2,580.52	6	2,331.30	6	2,082.07	6	1,832.82
1/4	1/4	3,323.09	1/4	3,073.80	1/4	2,824.55	1/4	2,575.33	1/4	2,326.11	1/4	2,076.88	1/4	1,827.63
1/2	1/2	3,317.89	1/2	3,068.61	1/2	2,819.36	1/2	2,570.14	1/2	2,320.92	1/2	2,071.69	1/2	1,822.44
3/4	3/4	3,312.70	3/4	3,063.41	3/4	2,814.16	3/4	2,564.94	3/4	2,315.72	3/4	2,066.49	3/4	1,817.24
7	7	3,307.50	7	3,058.22	7	2,808.97	7	2,559.75	7	2,310.53	7	2,061.30	7	1,812.05
1/4	1/4	3,302.31	1/4	3,053.03	1/4	2,803.78	1/4	2,554.56	1/4	2,305.34	1/4	2,056.11	1/4	1,806.86
1/2	1/2	3,297.12	1/2	3,047.84	1/2	2,798.59	1/2	2,549.36	1/2	2,300.15	1/2	2,050.92	1/2	1,801.66
3/4	3/4	3,291.92	3/4	3,042.64	3/4	2,793.39	3/4	2,544.15	3/4	2,294.95	3/4	2,045.72	3/4	1,796.47
8	8	3,286.73	8	3,037.45	8	2,788.20	8	2,538.95	8	2,289.76	8	2,040.53	8	1,791.27
1/4	1/4	3,281.54	1/4	3,032.26	1/4	2,783.01	1/4	2,533.75	1/4	2,284.57	1/4	2,035.34	1/4	1,786.08
1/2	1/2	3,276.35	1/2	3,027.06	1/2	2,777.82	1/2	2,528.57	1/2	2,279.38	1/2	2,030.14	1/2	1,780.89
3/4	3/4	3,271.15	3/4	3,021.87	3/4	2,772.63	3/4	2,523.38	3/4	2,274.18	3/4	2,024.95	3/4	1,775.69
9	9	3,265.96	9	3,016.67	9	2,767.44	9	2,518.20	9	2,268.99	9	2,019.75	9	1,770.50
1/4	1/4	3,260.77	1/4	3,011.48	1/4	2,762.25	1/4	2,513.02	1/4	2,263.80	1/4	2,014.56	1/4	1,765.31
1/2	1/2	3,255.58	1/2	3,006.29	1/2	2,757.06	1/2	2,507.83	1/2	2,258.61	1/2	2,009.37	1/2	1,760.12
3/4	3/4	3,250.38	3/4	3,001.09	3/4	2,751.86	3/4	2,502.64	3/4	2,253.42	3/4	2,004.17	3/4	1,754.92
10	10	3,245.19	10	2,995.90	10	2,746.67	10	2,497.45	10	2,248.23	10	1,998.98	10	1,749.73
1/4	1/4	3,240.00	1/4	2,990.71	1/4	2,741.48	1/4	2,492.26	1/4	2,243.04	1/4	1,993.79	1/4	1,744.54
1/2	1/2	3,234.80	1/2	2,985.51	1/2	2,736.29	1/2	2,487.07	1/2	2,237.85	1/2	1,988.60	1/2	1,739.35
3/4	3/4	3,229.61	3/4	2,980.32	3/4	2,731.09	3/4	2,481.87	3/4	2,232.65	3/4	1,983.40	3/4	1,734.15
11	11	3,224.41	11	2,975.12	11	2,725.90	11	2,476.68	11	2,227.46	11	1,978.21	11	1,728.96
1/4	1/4	3,219.22	1/4	2,969.93	1/4	2,720.71	1/4	2,471.49	1/4	2,222.27	1/4	1,973.02	1/4	1,723.77
1/2	1/2	3,214.03	1/2	2,964.74	1/2	2,715.52	1/2	2,466.30	1/2	2,217.08	1/2	1,967.83	1/2	1,718.58
3/4	3/4	3,208.83	3/4	2,959.54	3/4	2,710.32	3/4	2,461.10	3/4	2,211.88	3/4	1,962.63	3/4	1,713.38

BARGE STRAPPED AND COMPUTED BY ACCORDANCE WITH API MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES OBSERVED WITH "MHC" CLOSED GAUGING DEVICE.

GAUGE POINT: (MHC) LOCATED ON CENTERLINE AND 28'-04" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2062
Pearland, Texas 77588
http://www.dpmcorp.net



BARGE "KIRBY 10556"

3 CENTER ULLAGE TABLE

FORMERLY "SR 107"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS		GAUGE HEIGHT 16'-11 1/2"											
		10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.		
0	0	1,708.19	0	1,209.71	0	960.47	0	711.32	0	462.44	0	213.22	0
1/4	1/4	1,703.00	1/4	1,204.52	1/4	955.28	1/4	706.14	1/4	457.25	1/4	208.03	1/4
1/2	1/2	1,697.81	1/2	1,199.33	1/2	950.09	1/2	700.96	1/2	452.06	1/2	202.84	1/2
3/4	3/4	1,692.61	3/4	1,194.13	3/4	944.89	3/4	695.77	3/4	446.86	3/4	197.64	3/4
1	1	1,687.42	1	1,188.94	1	939.70	1	690.59	1	441.67	1	192.45	1
1 1/4	1 1/4	1,682.23	1 1/4	1,183.75	1 1/4	934.51	1 1/4	685.41	1 1/4	436.48	1 1/4	187.26	1 1/4
1 1/2	1 1/2	1,677.04	1 1/2	1,178.56	1 1/2	929.32	1 1/2	680.23	1 1/2	431.29	1 1/2	182.07	1 1/2
1 3/4	1 3/4	1,671.84	1 3/4	1,173.36	1 3/4	924.12	1 3/4	675.05	1 3/4	426.10	1 3/4	176.88	1 3/4
2	2	1,666.65	2	1,168.17	2	918.93	2	669.87	2	420.91	2	171.69	2
2 1/4	2 1/4	1,661.46	2 1/4	1,162.98	2 1/4	913.74	2 1/4	664.69	2 1/4	415.72	2 1/4	166.50	2 1/4
2 1/2	2 1/2	1,656.27	2 1/2	1,157.79	2 1/2	908.55	2 1/2	659.51	2 1/2	410.53	2 1/2	161.31	2 1/2
2 3/4	2 3/4	1,651.07	2 3/4	1,152.59	2 3/4	903.35	2 3/4	654.32	2 3/4	405.33	2 3/4	156.13	2 3/4
3	3	1,645.88	3	1,147.40	3	898.16	3	649.14	3	400.14	3	150.94	3
3 1/4	3 1/4	1,640.69	3 1/4	1,142.21	3 1/4	892.97	3 1/4	643.96	3 1/4	394.95	3 1/4	145.76	3 1/4
3 1/2	3 1/2	1,635.50	3 1/2	1,137.02	3 1/2	887.78	3 1/2	638.78	3 1/2	389.76	3 1/2	140.57	3 1/2
3 3/4	3 3/4	1,630.30	3 3/4	1,131.82	3 3/4	882.58	3 3/4	633.59	3 3/4	384.56	3 3/4	135.38	3 3/4
4	4	1,625.11	4	1,126.63	4	877.39	4	628.41	4	379.37	4	130.20	4
4 1/4	4 1/4	1,619.92	4 1/4	1,121.44	4 1/4	872.20	4 1/4	623.23	4 1/4	374.18	4 1/4	125.01	4 1/4
4 1/2	4 1/2	1,614.73	4 1/2	1,116.25	4 1/2	867.01	4 1/2	618.05	4 1/2	369.00	4 1/2	119.82	4 1/2
4 3/4	4 3/4	1,609.53	4 3/4	1,111.05	4 3/4	861.81	4 3/4	612.87	4 3/4	363.79	4 3/4	114.64	4 3/4
5	5	1,604.34	5	1,105.86	5	856.62	5	607.69	5	358.60	5	109.45	5
5 1/4	5 1/4	1,599.15	5 1/4	1,100.67	5 1/4	851.43	5 1/4	602.51	5 1/4	353.41	5 1/4	104.27	5 1/4
5 1/2	5 1/2	1,593.96	5 1/2	1,095.48	5 1/2	846.24	5 1/2	597.33	5 1/2	348.22	5 1/2	99.08	5 1/2
5 3/4	5 3/4	1,588.76	5 3/4	1,090.28	5 3/4	841.04	5 3/4	592.14	5 3/4	343.02	5 3/4	93.89	5 3/4
6	6	1,583.57	6	1,085.09	6	835.85	6	586.96	6	337.83	6	88.70	6
6 1/4	6 1/4	1,578.38	6 1/4	1,079.90	6 1/4	830.66	6 1/4	581.78	6 1/4	332.64	6 1/4	83.52	6 1/4
6 1/2	6 1/2	1,573.19	6 1/2	1,074.71	6 1/2	825.47	6 1/2	576.60	6 1/2	327.45	6 1/2	78.33	6 1/2
6 3/4	6 3/4	1,567.99	6 3/4	1,069.51	6 3/4	820.27	6 3/4	571.41	6 3/4	322.25	6 3/4	73.14	6 3/4
7	7	1,562.80	7	1,064.32	7	815.08	7	566.23	7	317.06	7	67.95	7
7 1/4	7 1/4	1,557.61	7 1/4	1,059.13	7 1/4	809.89	7 1/4	561.05	7 1/4	311.87	7 1/4	62.76	7 1/4
7 1/2	7 1/2	1,552.42	7 1/2	1,053.94	7 1/2	804.70	7 1/2	555.86	7 1/2	306.68	7 1/2	57.57	7 1/2
7 3/4	7 3/4	1,547.22	7 3/4	1,048.74	7 3/4	799.50	7 3/4	550.68	7 3/4	301.48	7 3/4	52.38	7 3/4
8	8	1,542.03	8	1,043.55	8	794.31	8	545.49	8	296.29	8	47.18	8
8 1/4	8 1/4	1,536.84	8 1/4	1,038.36	8 1/4	789.12	8 1/4	540.31	8 1/4	291.10	8 1/4	41.99	8 1/4
8 1/2	8 1/2	1,531.65	8 1/2	1,033.17	8 1/2	783.93	8 1/2	535.12	8 1/2	285.91	8 1/2	36.80	8 1/2
8 3/4	8 3/4	1,526.45	8 3/4	1,027.97	8 3/4	778.73	8 3/4	529.93	8 3/4	280.71	8 3/4	32.13	8 3/4
9	9	1,521.26	9	1,022.78	9	773.54	9	524.74	9	275.52	9	27.47	9
9 1/4	9 1/4	1,516.07	9 1/4	1,017.59	9 1/4	768.35	9 1/4	519.55	9 1/4	270.33	9 1/4	22.80	9 1/4
9 1/2	9 1/2	1,510.88	9 1/2	1,012.40	9 1/2	763.16	9 1/2	514.36	9 1/2	265.14	9 1/2	18.14	9 1/2
9 3/4	9 3/4	1,505.68	9 3/4	1,007.20	9 3/4	757.97	9 3/4	509.16	9 3/4	259.95	9 3/4	15.11	9 3/4
10	10	1,500.49	10	1,002.01	10	752.78	10	503.97	10	254.76	10	12.08	10
10 1/4	10 1/4	1,495.30	10 1/4	996.82	10 1/4	747.59	10 1/4	498.78	10 1/4	249.57	10 1/4	9.06	10 1/4
10 1/2	10 1/2	1,490.11	10 1/2	991.63	10 1/2	742.41	10 1/2	493.59	10 1/2	244.38	10 1/2	6.03	10 1/2
10 3/4	10 3/4	1,484.91	10 3/4	986.43	10 3/4	737.23	10 3/4	488.40	10 3/4	239.18	10 3/4	4.73	10 3/4
11	11	1,479.72	11	981.24	11	732.05	11	483.21	11	233.99	11	3.43	11
11 1/4	11 1/4	1,474.53	11 1/4	976.05	11 1/4	726.87	11 1/4	478.02	11 1/4	228.80	11 1/4	2.14	11 1/4
11 1/2	11 1/2	1,469.34	11 1/2	970.86	11 1/2	721.69	11 1/2	472.83	11 1/2	223.61	11 1/2	0.84	11 1/2
11 3/4	11 3/4	1,464.14	11 3/4	965.66	11 3/4	716.50	11 3/4	467.63	11 3/4	218.41	11 3/4		11 3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

STRAPPED: 05/18/1999 ITS
 DECK MEASUREMENTS: 07/23/2004 SW
 REPRINTED: 07/26/2004 SW
 CANCELS AND SUPERCEDES
 ALL PRIOR TO 07/2004

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
 http://www.omniscord.net