

United States of America Department of Homeland Security United States Coast Guard

Certification Date:

Expiration Date:

25 Mar 2020 25 Mar 2021

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name

Official Number

KIRBY 10560

1088424

Tank Barge

Hailing Port

WILMINGTON, DE

Hull Material

Steel

Horsepowe

Propulsion

UNITED STATES

Place Built

Delivery Date

Keel Laid Date

Gross Tons

Net Tons

Length

JEFFERSONVILLE. IN

01Dec1999 03Oct1999

R-716

R-716

R-195.0

1-0

KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES

Operator

KIRBY INLAND MARINE, LP 18350 MARKET STREET CHANNELVIEW, TX 77530 **UNITED STATES**

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Licensed Engineers

0 Masters

0 Licensed Mates

0 Chief Engineers

0 Chief Mates

0 First Class Pilots

0 First Assistant Engineers

0 Second Mates 0 Third Mates

0 Radio Officers

0 Second Assistant Engineers

0 Master First Class Pilot

0 Able Seamen

0 Third Assistant Engineers

0 Mate First Class Pilots

0 Ordinary Seamen 0 Deckhands

0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth & Ninth Coast Guard district's Tank Barge Streamlined Inspection

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Date	7000	I A /D/D	0:1
Date	Zone	A/P/R	Signature

This certificate issued by

ANDER, by direction

Sector New Orlean

Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 25 Mar 2020 **Expiration Date:** 25 Mar 2021

Temporary Certificate of Inspection

Vessel Name: KIRBY 10560

Program (TBSIP) Pilot Program. Inspection activities aboard this barge shall be conducted in accordance with the Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-

---Hull Exams---

Exam Type Next Exam Last Exam Prior Exam DryDock 27Feb2025 27Feb2015 01Dec2004 Internal Structure 28Feb2025 12Mar2020 27Feb2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Grade "A" and Lower and Specified Hazardous Cargoes

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

10667

Barrels

Α

Yes

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 C/L	595	13.600
2 C/L	607	13.600
3 C/L	607	13.600

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
Ш	1723	10ft 4in	13.60	LBS
Ħ	1495	9ft 3in	13.60	LBS
II	1495	9ft 3in	13.60	R
Ш	1723	10ft 4in	13.60	R

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN99017351, dated 01-Dec-99, and Grade "A" and lower cargoes may be carried.

This vessel's vapor control system (VCS) has been inspected to the plans approved by the Marine Safety Center letters serial #C2-9801873 dated 29-May-98 and serial #C2-0100997 dated 28-Mar-01, and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in those letters, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9.

Stability and Trim

^{*}Vapor Control Authorization*



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 25 Mar 2020 Expiration Date: 25 Mar 2021

Temporary Certificate of Inspection

Vessel Name: KIRBY 10560

allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	1		
Tank ld	Previous	vious Last		Previous	Last	Next	
1 C/L	01Dec2004	27Feb2015	27Feb2025	27Feb2015	12Mar2020	28Feb2025	
2 C/L	01Dec2004	27Feb2015	27Feb2025	27Feb2015	12Mar2020	28Feb2025	
3 C/L	01Dec2004	27Feb2015	27Feb2025	27Feb2015	12Mar2020	28Feb2025	
			Hydro Test				
Tank ld	Safety Valves		Previous	Last	Next		
1 C/L	-		<u></u>	7.	(B.C		
2 C/L	i e X		ise	=	事)		
3 C/L	w.		Œ	2	-		

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Number of Fireman Outfits - 0

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

B-II

END

Department of Transportation United States Coast Guard

Serial #: VN99017351 COI Ref: 01-Dec-99



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: Kirby 10560 Official #: D1088424

Page 1 of 2

Shipyard: JEFFBOAT LLC

Hull#

Official #: D1088424 Pag	e 1 of 2						Hull #:
st of Authorized Cargoes							
Cargo Identification						С	onditions of Carriage
- Cargo Idontinoution	Compat						
Name	Chem Code	Group No		Grade	Hull Typa	Note	Special Requirements in 46 CFR 151 General and Marts of Construction
uthorized Subchapter O Cargoes					-		
	SHQ						
cryionitrile	ACN	15	Υ	С	ti	T	.50-70(e), .55-1(e)
diponitrile	ADN	37	N	E	11	V	No
nthracene cil (Coal tar fraction)	AHO	33	N				No .50-81, .50-88
lkyl(C7-C9) nitrates	AKN	34	Y		III		
cetonitrile	ATN	37	N	C	111	<u>T</u>	No .55-1(h)
sutyraldehyde (all isomers)	BAE	19	N	<u> </u>	111	<u>v</u>	.50-70(a), .50-81(a), (b)
utyl acrylate (all isomers)	BAR	14	N	D	101		.50-60, .56-1(b), (d), (f), (g)
enzene hydrocarbon mbdures (containing Acetylenes)(having 10% Benzene or more)	BHA				m	<u>V</u>	.50-60
enzene hydrocarbon mixtures (having 10% Benzene ormore)	BHB	32	<u>N</u>		<u> [[]</u>		.50-70(a), .50-81(a), (b)
utyl methacrylate	BMH	14	N	D	101		.50-60
enzene	BNZ	32	N N	C	<u> </u>	<u>v</u>	.50-60
lenzene, Toluene, Xylene mixtures (having 10% Benzeneor more)	BTX	32	N	B/C	111	<u> </u>	.50-60 No
arbon tetrachloride	CBT	36	N		<u> </u>		.56-1(a), (b)
yclohexanone	CCH	18	N Y	D E	<u> </u>	v	No
reosote (all isomers)	ccw	21					No
rude hydrocarbon feedstock (containing Butyraldehydesand Ethylpropyl acrolein)	CHG	. 0	N	<u>c</u>	(1)	<u>v</u>	No
amphor oil	CPO	18	N	<u>D</u>	<u> </u>		No
hlorobenzene	CRB	38	N	D	a	<u> v</u>	No
hloroform	CRF	36 21	N N	E	COL	V	No No
resols	CRS	21	N		0)		.55-1(f)
resylic acid tar	CRX		_		m	V	.50-60, .56-1(b)
cyclopentadiene, Styrene, Benzene mbdure	CSB	30	N Y	D		T	.55-1(h)
Crotonaldehyde	CTA	19	N	C E	t) - t)	_	.56-1(b)
,N-Dimethylacetamide	DAC	10 36	N	E	- (11	- 	.56-1(a), (b)
Dichlorobenzenes (all isomers)	DCH	38	N	- <u>-</u> -	131	v	No
,1-Dichloroethane	DCM	36	N	NF	101	<u>v</u>	No
Dichloromethane	DEE	41	N	D		v	.55-1(0)
,2'-Dichloroethyl ether			N	D	131	v	.55-1(e)
limethy/formamide	DMF	10 15	N		- 13	- V	No
Dichloropropene, Dichloropropane mixtures	DOT	7	N	E	133		.56-1(b)
decyldimethylamine, Tetradecyldimethylamine mixture	DPB	36	N	c	III	Т	No
,1-Dichloropropane	DPC	36	N	ċ	111	Ť	No
,3-Dichleropropane	DPP	36	N	C	111	Ť	No
,2-Dichleropropane	DPU	15	N	Ď	11	Ť	No
,3-Dichloropropene	EAC	14	N	c	tti	·	.50-79(a), .50-81(a), (b)
ithyl acrylate	EAL	14	N	E	(I)	v	.50-70(a), .50-81(a), (b)
-Ethylhexyl acrylate ithylene dichloride	EDC	36	Y	c	11)	·	No
thylene glycol monoalkyl ethers	EGC	40	N	D/E	[1]	v	No
thylene glycol monoalkyl ethers	EGH	40	N	E	[1]		No
thylene glycol propyl ether	EGP	40	N.		· [[]	_ v ·	No
	EPA	19	Y		. m	-v	No
-Ethyl-3-propylacrolein Ethylene cyanohydrin	ETC	20	N	E	111	-v	No
thyl methacrylate	ETM	14	N	C	- iii	v	.50-70(e)
	FFA	19	N	E	. (1)	-v	.55-1(h)
Furfural Formaldehyde solution (37% to 50%)	FMS	19	Y	D/E	133		.55-1(h)
intersidenyde solution (37% to 50%)	GTA	19	N	NF	131	<u> </u>	No

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. *



Serial #: VN99017351 COI Ref: 01-Dec-99



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: Kirby 10560 Official #: D1088424

Page 2 of 2

Shipyard: JEFFBOAT LLC

Cargo Identification					С	Conditions of Carriage		
		Compat				1	1	
Name	Chem Code	Group No	Exc	Grade	Hudi Type	Note	Special Requirements in 46 CFR 151 General and Mattls of Construction	
soprene	IPR	30	N	A	EE)		.59-70(a), .50-81(a), (b)	
Methyl acrylate	MAM	14	N	C	111	٧	.50-70(a), .50-81(a), (b)	
Methylcyclopentadiene dimer	MCK	30	N	С	Ħ	٧	No	
2-Methyl-5-ethylpyridine	MEP	9	N.	E	n)	٧	,55-1(e)	
Methyl methacrylate	MMM	14	N	С	m	٧	.50-70(a), .50-81(a), (b)	
Mesityl oxide	MSO	18	Y	D	tti	٧	No .	
alpha-Methylstyrene	MSR	30	N	D	(II)	٧	.50-70(a), .50-81(a), (b)	
Coal tar naphtha solvent	NCT	33	N	D	111	٧	.50-73	
1- or 2-Nitropropane	NPM	42	N	D	111	٧٠	.50-81	
1.3-Pentadiene	PDE	30	N	Α	111	٧	.50-70(a), .50-81	
Polyethylene polyamines	PEB	7	Y	E	ill .	. V	.55-1(e)	
Perchloroethylene	PER	36	N	NF	iti		No	
Pyridine	PRD	9	N	С	EH .	٧	.55-1(e)	
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	til		.50-73	
Styrene (crude)	STX	30	N	C	tii	٧	No	
Styrene	STY	30	N	D	(II)	٧	.50-70(a), .50-81(a), (b)	
1,2,4-Trichlorobenzene	TCB	36	N	Ε	ll1	٧	No	
Trichicroethylene	TCL	36	Υ		ti)	٧	No	
1.1.2-Trichloroethane	TCM	36	N		(1)	٧	.50-73, .56-1(a)	
1,2,3-Trichloropropane	TCN	36	N	E	II.	T	.50-73, .56-1(a)	
1,1,2,2-Tetrachloroethane	TEC	36	N	NF	111		No	
Triethylamine	TEN	7.	N	С	11	T	.55-1(e)	
Tetrahydrofuran	THF	41	N	С	611	٧	.50-70(b)	
Urea, Ammonium nitrate solution (containing more than2% Ammonia)	UAS	6	N		111		.56-1(b)	
Vinyl acetate	VAM	13	N	c	111	v	.50-76(a), .50-81(a), (b)	

Explanation of terms & symbols used in the Table:

Cargo	Identification

Name

The proper shipping name as listed in 48 CFR Table 151.05.

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 48 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 48 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 48 CFR Part 150.

Exceptions (Exc)

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Chargo shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Flammable liquid cargoes, as defined in 46 CFR 30-10.22.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

A, B, C D, E NA, NF

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 48 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 48 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 48 CFR 151.10-1(b)(4).

Conditions of Carriage

See Certificate of Inspection for explaination of symbols used in this column.