



KIRBY 10807



Barge Strapping Tables





BARGE "KIRBY 10807"

PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HOLLYWOOD CHEM 113"

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	158.50	442.43	799.00	1,205.86	1,647.74	2,112.57	2,589.74	3,069.33	3,541.60
1/4	0.96	163.51	449.26	807.06	1,214.77	1,657.24	2,122.43	2,599.74	3,079.23	3,551.27
1/2	1.92	168.52	456.10	815.12	1,223.69	1,666.75	2,132.29	2,609.74	3,089.23	3,560.95
3/4	2.87	173.54	462.93	823.18	1,232.61	1,676.26	2,142.14	2,619.74	3,099.17	3,570.63
1	3.83	178.55	469.76	831.24	1,241.52	1,685.76	2,152.00	2,629.74	3,109.12	3,580.31
1 1/4	5.58	183.75	476.71	839.37	1,250.50	1,695.30	2,161.88	2,639.74	3,119.05	3,589.95
1 1/2	7.33	188.95	483.67	847.51	1,259.48	1,704.85	2,171.76	2,649.74	3,128.98	3,599.60
1 3/4	9.08	194.15	490.62	855.65	1,268.45	1,714.39	2,181.64	2,659.76	3,138.90	3,609.24
2	10.83	199.36	497.57	863.79	1,277.43	1,723.93	2,191.52	2,669.76	3,148.83	3,618.88
2 1/4	13.10	204.74	504.64	872.01	1,286.46	1,733.51	2,201.42	2,679.77	3,158.74	3,628.49
2 1/2	15.36	210.12	511.70	880.23	1,295.49	1,743.08	2,211.31	2,689.77	3,168.65	3,638.11
2 3/4	17.62	215.50	518.77	888.45	1,304.52	1,752.66	2,221.20	2,699.78	3,178.57	3,647.72
3	19.88	220.88	525.83	896.67	1,313.55	1,762.24	2,231.10	2,709.79	3,188.48	3,657.33
3 1/4	22.57	226.43	533.01	904.97	1,322.64	1,771.85	2,241.01	2,719.79	3,198.38	3,666.92
3 1/2	25.25	231.99	540.19	913.27	1,331.73	1,781.48	2,250.93	2,729.80	3,208.27	3,676.50
3 3/4	27.93	237.54	547.37	921.58	1,340.82	1,791.08	2,260.85	2,739.80	3,218.17	3,686.08
4	30.62	243.10	554.55	929.88	1,349.90	1,800.69	2,270.76	2,749.81	3,228.07	3,695.67
4 1/4	33.67	248.81	561.84	938.26	1,359.04	1,810.33	2,280.69	2,759.82	3,237.95	3,705.20
4 1/2	36.71	254.52	569.13	946.63	1,368.18	1,819.98	2,290.62	2,769.82	3,247.82	3,714.74
4 3/4	39.76	260.24	576.42	955.01	1,377.32	1,829.62	2,300.55	2,779.83	3,257.70	3,724.27
5	42.81	265.95	583.71	963.38	1,386.45	1,839.26	2,310.48	2,789.83	3,267.57	3,733.81
5 1/4	46.17	271.82	591.11	971.83	1,395.64	1,848.94	2,320.42	2,799.83	3,277.43	3,743.32
5 1/2	49.54	277.69	598.50	980.29	1,404.83	1,858.62	2,330.36	2,809.83	3,287.29	3,752.82
5 3/4	52.90	283.56	605.89	988.74	1,414.02	1,868.30	2,340.30	2,819.83	3,297.14	3,762.33
6	56.26	289.43	613.29	997.19	1,423.21	1,877.98	2,350.24	2,829.83	3,307.00	3,771.83
6 1/4	59.91	295.46	620.79	1,005.71	1,432.46	1,887.66	2,360.20	2,839.83	3,316.84	3,781.30
6 1/2	63.56	301.49	628.29	1,014.24	1,441.70	1,897.35	2,370.15	2,849.83	3,326.68	3,790.76
6 3/4	67.21	307.52	635.79	1,022.76	1,450.95	1,907.10	2,380.11	2,859.83	3,336.52	3,800.23
7	70.86	313.55	643.29	1,031.29	1,460.19	1,916.81	2,390.07	2,869.83	3,346.36	3,809.69
7 1/4	74.77	319.71	650.88	1,039.88	1,469.48	1,926.55	2,400.04	2,879.83	3,356.17	3,819.11
7 1/2	78.69	325.88	658.48	1,048.48	1,478.76	1,936.29	2,410.00	2,889.82	3,365.99	3,828.54
7 3/4	82.61	332.05	666.07	1,057.07	1,488.05	1,946.02	2,419.96	2,899.82	3,375.80	3,837.96
8	86.52	338.21	673.67	1,065.67	1,497.33	1,955.76	2,429.93	2,909.81	3,385.62	3,847.38
8 1/4	90.88	344.53	681.36	1,074.33	1,506.67	1,965.52	2,439.90	2,919.79	3,395.40	3,856.76
8 1/2	94.85	350.85	689.06	1,083.00	1,516.01	1,975.29	2,449.88	2,929.77	3,405.19	3,866.14
8 3/4	99.01	357.16	696.76	1,091.67	1,525.35	1,985.05	2,459.86	2,939.76	3,414.98	3,875.52
9	103.17	363.48	704.45	1,100.33	1,534.89	1,994.81	2,469.83	2,949.74	3,424.76	3,884.90
9 1/4	107.57	369.92	712.24	1,109.07	1,544.07	2,004.60	2,479.82	2,959.71	3,434.52	3,894.24
9 1/2	111.96	376.37	720.04	1,117.80	1,553.45	2,014.39	2,489.81	2,969.69	3,444.29	3,903.57
9 3/4	116.36	382.82	727.83	1,126.53	1,562.83	2,024.18	2,499.80	2,979.67	3,454.05	3,912.90
10	120.76	389.28	735.62	1,135.26	1,572.21	2,033.98	2,509.79	2,989.64	3,463.81	3,922.24
10 1/4	125.38	395.85	743.50	1,144.05	1,581.63	2,043.79	2,519.77	2,999.61	3,473.55	3,931.52
10 1/2	129.99	402.43	751.38	1,152.85	1,591.05	2,053.61	2,529.76	3,009.58	3,483.29	3,940.81
10 3/4	134.60	409.01	759.26	1,161.64	1,600.46	2,063.42	2,539.75	3,019.55	3,493.02	3,950.10
11	139.21	415.60	767.14	1,170.43	1,609.88	2,073.24	2,549.74	3,029.52	3,502.76	3,959.38
11 1/4	144.04	422.30	775.11	1,179.29	1,619.35	2,083.07	2,559.74	3,039.48	3,512.47	3,968.62
11 1/2	148.86	429.01	783.07	1,188.14	1,628.81	2,092.90	2,569.74	3,049.43	3,522.18	3,977.87
11 3/4	153.68	435.72	791.04	1,197.00	1,638.27	2,102.74	2,579.74	3,059.38	3,531.89	3,987.11

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITIES BASED ON GAUGES TAKEN THRU CLOSED GAUGING SYSTEM ON INNAGE BASIS.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pma-inc.com



BARGE "KIRBY 10807"

PORT INNAGE TABLE

FORMERLY "HOLLYWOOD CHEM 113"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

N	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	3,996.36	0	4,422.38	0	4,806.29	0	5,130.14	0	5,363.33	0
1/4	4,005.65	1/4	4,430.83	1/4	4,813.68	1/4	5,136.02	1/4	5,366.70	1/4
1/2	4,014.74	1/2	4,439.29	1/2	4,821.08	1/2	5,141.89	1/2	5,370.06	1/2
3/4	4,023.93	3/4	4,447.74	3/4	4,828.48	3/4	5,147.77	3/4	5,373.42	3/4
1	4,033.12	1	4,456.19	1	4,835.88	1	5,153.64	1	5,376.79	1
1/4	4,042.26	1/4	4,464.57	1/4	4,843.17	1/4	5,159.36	1/4	5,379.83	1/4
1/2	4,051.40	1/2	4,472.94	1/2	4,850.45	1/2	5,165.07	1/2	5,382.87	1/2
3/4	4,060.55	3/4	4,481.32	3/4	4,857.74	3/4	5,170.79	3/4	5,385.91	3/4
2	4,069.69	2	4,489.69	2	4,865.02	2	5,176.50	2	5,388.95	2
1/4	4,078.77	1/4	4,497.99	1/4	4,872.21	1/4	5,182.05	1/4	5,391.64	1/4
1/2	4,087.86	1/2	4,506.30	1/2	4,879.39	1/2	5,187.60	1/2	5,394.32	1/2
3/4	4,096.94	3/4	4,514.60	3/4	4,886.58	3/4	5,193.14	3/4	5,397.01	3/4
3	4,105.02	3	4,522.90	3	4,893.76	3	5,198.69	3	5,399.69	3
1/4	4,115.06	1/4	4,531.13	1/4	4,900.83	1/4	5,204.07	1/4	5,401.96	1/4
1/2	4,124.10	1/2	4,539.35	1/2	4,907.89	1/2	5,209.45	1/2	5,404.23	1/2
3/4	4,133.13	3/4	4,547.57	3/4	4,914.96	3/4	5,214.83	3/4	5,406.49	3/4
4	4,142.17	4	4,555.79	4	4,922.02	4	5,220.21	4	5,408.76	4
1/4	4,151.14	1/4	4,563.93	1/4	4,928.98	1/4	5,225.42	1/4	5,410.51	1/4
1/2	4,160.11	1/2	4,572.07	1/2	4,935.93	1/2	5,230.62	1/2	5,412.25	1/2
3/4	4,169.08	3/4	4,580.21	3/4	4,942.88	3/4	5,235.82	3/4	5,413.99	3/4
5	4,178.05	5	4,588.36	5	4,949.83	5	5,241.02	5	5,415.74	5
1/4	4,186.97	1/4	4,596.41	1/4	4,956.87	1/4	5,246.04	1/4	5,416.70	1/4
1/2	4,195.89	1/2	4,604.46	1/2	4,963.50	1/2	5,251.06	1/2	5,417.65	1/2
3/4	4,204.82	3/4	4,612.52	3/4	4,970.33	3/4	5,256.08	3/4	5,418.61	3/4
6	4,213.74	6	4,620.57	6	4,977.17	6	5,261.10	6	5,419.57	6
1/4	4,222.59	1/4	4,628.54	1/4	4,983.88	1/4	5,265.91	1/4	5,420.51	1/4
1/2	4,231.44	1/2	4,636.51	1/2	4,990.58	1/2	5,270.73	1/2	5,421.45	1/2
3/4	4,240.29	3/4	4,644.48	3/4	4,997.29	3/4	5,275.54	3/4	5,422.39	3/4
7	4,249.14	7	4,652.45	7	5,004.00	7	5,280.36	7	5,423.33	7
1/4	4,257.94	1/4	4,660.33	1/4	5,010.58	1/4	5,284.98	1/4	5,424.27	1/4
1/2	4,266.74	1/2	4,668.21	1/2	5,017.15	1/2	5,289.60	1/2	5,425.21	1/2
3/4	4,275.54	3/4	4,676.10	3/4	5,023.73	3/4	5,294.21	3/4	5,426.15	3/4
8	4,284.33	8	4,683.98	8	5,030.31	8	5,298.83	8	5,427.09	8
1/4	4,293.07	1/4	4,691.76	1/4	5,036.76	1/4	5,303.23	1/4	5,428.03	1/4
1/2	4,301.80	1/2	4,699.55	1/2	5,043.20	1/2	5,307.62	1/2	5,428.97	1/2
3/4	4,310.63	3/4	4,707.33	3/4	5,049.65	3/4	5,312.01	3/4	5,429.91	3/4
9	4,319.26	9	4,715.12	9	5,056.10	9	5,316.40	9	5,430.85	9
1/4	4,327.92	1/4	4,722.82	1/4	5,062.41	1/4	5,320.57	1/4	5,431.79	1/4
1/2	4,336.58	1/2	4,730.51	1/2	5,068.73	1/2	5,324.74	1/2	5,432.73	1/2
3/4	4,345.24	3/4	4,738.21	3/4	5,075.04	3/4	5,328.90	3/4	5,433.67	3/4
10	4,353.90	10	4,745.90	10	5,081.36	10	5,333.07	10	5,434.61	10
1/4	4,362.50	1/4	4,753.51	1/4	5,087.63	1/4	5,336.99	1/4	5,435.55	1/4
1/2	4,371.10	1/2	4,761.11	1/2	5,093.70	1/2	5,340.90	1/2	5,436.49	1/2
3/4	4,379.69	3/4	4,768.71	3/4	5,099.88	3/4	5,344.82	3/4	5,437.43	3/4
11	4,388.29	11	4,776.31	11	5,106.05	11	5,348.74	11	5,438.37	11
1/4	4,396.81	1/4	4,783.80	1/4	5,112.07	1/4	5,352.39	1/4	5,439.31	1/4
1/2	4,405.33	1/2	4,791.30	1/2	5,118.10	1/2	5,356.04	1/2	5,440.25	1/2
3/4	4,413.86	3/4	4,798.79	3/4	5,124.12	3/4	5,359.68	3/4	5,441.19	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

STRAPPED: 0403/1893 CH
 REPRINTED: 05/24/2004 BW
 CANCELS AND SUPERCEDES
 ALL PRIOR TO 06/2004

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
 http://www.pmacorp.net



BARGE "KIRBY 10807"

STBD INNAGE TABLE

FORMERLY "HOLLYWOOD CHEM 113"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
N	H	N	H	N	H	N	H	N	H	N	H	N	H	N	H	N	H	N	H
0	0.00	0	158.21	0	441.64	0	797.62	0	1,203.76	0	1,644.90	0	2,108.93	0	2,595.29	0	3,064.07	0	3,536.52
1/4	0.96	1/4	163.22	1/4	448.46	1/4	805.66	1/4	1,212.66	1/4	1,654.39	1/4	2,118.77	1/4	2,595.27	1/4	3,073.99	1/4	3,545.18
1/2	1.92	1/2	168.23	1/2	455.29	1/2	813.70	1/2	1,221.56	1/2	1,663.87	1/2	2,126.62	1/2	2,605.25	1/2	3,083.92	1/2	3,554.85
3/4	2.87	3/4	173.23	3/4	462.11	3/4	821.74	3/4	1,230.46	3/4	1,673.35	3/4	2,138.46	3/4	2,615.23	3/4	3,093.84	3/4	3,564.51
1	3.83	1	178.24	1	468.93	1	829.79	1	1,239.36	1	1,682.83	1	2,148.31	1	2,625.21	1	3,103.76	1	3,574.17
1 1/4	5.58	1 1/4	183.43	1 1/4	475.87	1 1/4	837.91	1 1/4	1,248.32	1 1/4	1,692.38	1 1/4	2,158.17	1 1/4	2,635.20	1 1/4	3,113.68	1 1/4	3,583.90
1 1/2	7.32	1 1/2	188.62	1 1/2	482.81	1 1/2	846.04	1 1/2	1,257.29	1 1/2	1,701.89	1 1/2	2,168.02	1 1/2	2,648.19	1 1/2	3,123.60	1 1/2	3,593.43
1 3/4	9.07	1 3/4	193.81	1 3/4	489.78	1 3/4	854.16	1 3/4	1,266.25	1 3/4	1,711.42	1 3/4	2,177.88	1 3/4	2,665.18	1 3/4	3,133.51	1 3/4	3,603.06
2	10.81	2	199.00	2	496.69	2	862.29	2	1,275.21	2	1,720.95	2	2,187.74	2	2,685.17	2	3,143.43	2	3,612.69
2 1/4	13.07	2 1/4	204.38	2 1/4	503.74	2 1/4	870.49	2 1/4	1,284.23	2 1/4	1,730.50	2 1/4	2,197.62	2 1/4	2,675.16	2 1/4	3,153.32	2 1/4	3,622.29
2 1/2	15.33	2 1/2	209.75	2 1/2	510.80	2 1/2	878.70	2 1/2	1,293.24	2 1/2	1,740.07	2 1/2	2,207.50	2 1/2	2,685.15	2 1/2	3,163.21	2 1/2	3,631.85
2 3/4	17.60	2 3/4	215.13	2 3/4	517.85	2 3/4	886.91	2 3/4	1,302.25	2 3/4	1,749.63	2 3/4	2,217.38	2 3/4	2,695.15	2 3/4	3,173.11	2 3/4	3,641.48
3	19.86	3	220.50	3	524.90	3	895.12	3	1,311.26	3	1,759.19	3	2,227.26	3	2,705.14	3	3,183.00	3	3,651.07
3 1/4	22.54	3 1/4	226.04	3 1/4	532.07	3 1/4	903.40	3 1/4	1,320.33	3 1/4	1,768.79	3 1/4	2,237.16	3 1/4	2,715.13	3 1/4	3,192.88	3 1/4	3,660.63
3 1/2	25.21	3 1/2	231.58	3 1/2	539.24	3 1/2	911.69	3 1/2	1,329.40	3 1/2	1,778.38	3 1/2	2,247.06	3 1/2	2,725.12	3 1/2	3,202.76	3 1/2	3,670.19
3 3/4	27.89	3 3/4	237.13	3 3/4	546.40	3 3/4	919.98	3 3/4	1,338.48	3 3/4	1,787.98	3 3/4	2,256.96	3 3/4	2,735.11	3 3/4	3,212.64	3 3/4	3,679.75
4	30.57	4	242.67	4	553.57	4	928.28	4	1,347.55	4	1,797.57	4	2,266.86	4	2,745.10	4	3,222.62	4	3,689.31
4 1/4	33.61	4 1/4	248.37	4 1/4	560.85	4 1/4	936.63	4 1/4	1,356.80	4 1/4	1,807.20	4 1/4	2,276.77	4 1/4	2,755.08	4 1/4	3,232.38	4 1/4	3,698.84
4 1/2	36.64	4 1/2	254.07	4 1/2	568.13	4 1/2	944.99	4 1/2	1,365.80	4 1/2	1,816.83	4 1/2	2,286.68	4 1/2	2,765.07	4 1/2	3,242.24	4 1/2	3,708.37
4 3/4	39.68	4 3/4	259.77	4 3/4	575.41	4 3/4	953.35	4 3/4	1,374.92	4 3/4	1,826.46	4 3/4	2,296.59	4 3/4	2,775.06	4 3/4	3,252.10	4 3/4	3,717.90
5	42.71	5	265.48	5	582.69	5	961.71	5	1,384.05	5	1,836.10	5	2,306.50	5	2,785.05	5	3,261.95	5	3,727.43
5 1/4	46.03	5 1/4	271.34	5 1/4	590.07	5 1/4	970.16	5 1/4	1,393.23	5 1/4	1,845.76	5 1/4	2,316.42	5 1/4	2,795.03	5 1/4	3,271.80	5 1/4	3,736.91
5 1/2	49.43	5 1/2	277.20	5 1/2	597.45	5 1/2	978.60	5 1/2	1,402.40	5 1/2	1,855.42	5 1/2	2,326.35	5 1/2	2,805.01	5 1/2	3,281.64	5 1/2	3,746.39
5 3/4	52.79	5 3/4	283.07	5 3/4	604.83	5 3/4	987.04	5 3/4	1,411.58	5 3/4	1,865.08	5 3/4	2,336.27	5 3/4	2,814.99	5 3/4	3,291.49	5 3/4	3,755.88
6	56.14	6	288.93	6	612.21	6	995.48	6	1,420.76	6	1,874.74	6	2,346.19	6	2,824.98	6	3,301.33	6	3,765.36
6 1/4	59.79	6 1/4	294.94	6 1/4	619.70	6 1/4	1,003.98	6 1/4	1,429.99	6 1/4	1,884.43	6 1/4	2,356.13	6 1/4	2,834.96	6 1/4	3,311.15	6 1/4	3,774.81
6 1/2	63.44	6 1/2	300.95	6 1/2	627.18	6 1/2	1,012.49	6 1/2	1,439.21	6 1/2	1,894.12	6 1/2	2,366.07	6 1/2	2,844.94	6 1/2	3,320.98	6 1/2	3,784.26
6 3/4	67.09	6 3/4	306.96	6 3/4	634.66	6 3/4	1,020.99	6 3/4	1,448.44	6 3/4	1,903.81	6 3/4	2,376.01	6 3/4	2,854.92	6 3/4	3,330.80	6 3/4	3,793.71
7	70.74	7	312.98	7	642.14	7	1,029.50	7	1,457.67	7	1,913.50	7	2,385.95	7	2,864.90	7	3,340.62	7	3,803.17
7 1/4	74.64	7 1/4	319.14	7 1/4	649.73	7 1/4	1,038.08	7 1/4	1,466.94	7 1/4	1,923.22	7 1/4	2,395.90	7 1/4	2,874.88	7 1/4	3,350.42	7 1/4	3,812.57
7 1/2	78.55	7 1/2	325.30	7 1/2	657.32	7 1/2	1,046.67	7 1/2	1,476.21	7 1/2	1,932.94	7 1/2	2,405.86	7 1/2	2,884.86	7 1/2	3,360.21	7 1/2	3,821.98
7 3/4	82.45	7 3/4	331.46	7 3/4	664.91	7 3/4	1,055.25	7 3/4	1,485.49	7 3/4	1,942.66	7 3/4	2,415.81	7 3/4	2,894.83	7 3/4	3,370.01	7 3/4	3,831.38
8	86.36	8	337.62	8	672.50	8	1,063.83	8	1,494.76	8	1,952.38	8	2,425.76	8	2,904.81	8	3,379.81	8	3,840.79
8 1/4	90.52	8 1/4	343.92	8 1/4	680.18	8 1/4	1,072.48	8 1/4	1,504.08	8 1/4	1,962.13	8 1/4	2,435.72	8 1/4	2,914.77	8 1/4	3,389.58	8 1/4	3,850.15
8 1/2	94.68	8 1/2	350.23	8 1/2	687.86	8 1/2	1,081.13	8 1/2	1,513.39	8 1/2	1,971.88	8 1/2	2,445.68	8 1/2	2,924.74	8 1/2	3,399.35	8 1/2	3,859.51
8 3/4	98.84	8 3/4	356.53	8 3/4	695.54	8 3/4	1,089.78	8 3/4	1,522.71	8 3/4	1,981.63	8 3/4	2,455.64	8 3/4	2,934.70	8 3/4	3,409.11	8 3/4	3,868.87
9	103.00	9	362.83	9	703.21	9	1,098.43	9	1,532.02	9	1,991.38	9	2,465.60	9	2,944.67	9	3,418.88	9	3,878.24
9 1/4	107.39	9 1/4	369.27	9 1/4	710.99	9 1/4	1,107.14	9 1/4	1,541.39	9 1/4	2,001.15	9 1/4	2,475.56	9 1/4	2,954.63	9 1/4	3,428.63	9 1/4	3,887.56
9 1/2	111.77	9 1/2	375.70	9 1/2	718.77	9 1/2	1,115.86	9 1/2	1,550.75	9 1/2	2,010.93	9 1/2	2,485.52	9 1/2	2,964.60	9 1/2	3,438.38	9 1/2	3,896.88
9 3/4	116.16	9 3/4	382.14	9 3/4	726.55	9 3/4	1,124.87	9 3/4	1,560.11	9 3/4	2,020.70	9 3/4	2,495.49	9 3/4	2,974.66	9 3/4	3,448.13	9 3/4	3,906.20
10	120.55	10	388.57	10	734.33	10	1,133.29	10	1,569.48	10	2,030.48	10	2,505.45	10	2,984.52	10	3,457.88	10	3,915.52
10 1/4	125.15	10 1/4	395.14	10 1/4	742.20	10 1/4	1,142.07	10 1/4	1,578.89	10 1/4	2,040.27	10 1/4	2,515.43	10 1/4	2,994.47	10 1/4	3,467.60	10 1/4	3,924.79
10 1/2	129.76	10 1/2	401.71	10 1/2	750.06	10 1/2	1,150.85	10 1/2	1,588.30	10 1/2	2,050.07	10 1/2	2,525.40	10 1/2	3,004.42	10 1/2	3,477.32	10 1/2	3,934.06
10 3/4	134.37	10 3/4	408.29	10 3/4	757.92	10 3/4	1,159.63	10 3/4	1,597.71	10 3/4	2,059.87	10 3/4	2,535.38	10 3/4	3,014.36	10 3/4	3,487.04	10 3/4	3,943.33
11	138.98	11	414.86	11	765.79	11	1,168.40	11	1,607.12	11	2,069.67	11	2,545.36	11	3,024.31	11	3,496.76	11	3,952.62
11 1/4	143.79	11 1/4	421.55	11 1/4	773.74	11 1/4	1,177.24	11 1/4	1,616.57	11 1/4	2,079.48	11 1/4	2,555.34	11 1/4	3,034.25	11 1/4	3,506.45	11 1/4	3,961.80
11 1/2	148.60	11 1/2	428.25	11 1/2	781.70	11 1/2	1,186.08	11 1/2	1,626.01	11 1/2	2,089.30	11 1/2	2,565.32	11 1/2	3,044.19	11 1/2	3,516.14	11 1/2	3,971.05
11 3/4	153.40	11 3/4	434.95	11 3/4	789.66	11 3/4	1,194.92	11 3/4	1,635.46	11 3/4	2,099.11	11 3/4	2,575.30	11 3/4	3,054.13	11 3/4	3,525.83	11 3/4	3,980.27

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITIES BASED ON GAUGES TAKEN THRU CLOSED GAUGING SYSTEM ON INNAGE BASIS

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77581
<http://www.pmacorp.net>



BARGE "KIRBY 10807"

STBD INNAGE TABLE

FORMERLY "HOLLYWOOD CHEM 113"

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	4,414.81	0	4,798.05	0	5,121.33	0	5,354.12	0	0	0
1/4	4,423.24	1/4	4,805.43	1/4	5,127.20	1/4	5,357.48	1/4	1/4	1/4
1/2	4,431.68	1/2	4,812.81	1/2	5,133.06	1/2	5,360.83	1/2	1/2	1/2
3/4	4,440.11	3/4	4,820.19	3/4	5,138.92	3/4	5,364.19	3/4	3/4	3/4
1	4,448.55	1	4,827.57	1	5,144.79	1	5,367.55	1	1	1
1 1/4	4,456.91	1 1/4	4,834.85	1 1/4	5,150.49	1 1/4	5,370.58	1 1/4	1 1/4	1 1/4
1 1/2	4,464.46	1 1/2	4,841.13	1 1/2	5,156.19	1 1/2	5,373.62	1 1/2	1 1/2	1 1/2
1 3/4	4,473.64	1 3/4	4,849.41	1 3/4	5,161.89	1 3/4	5,376.65	1 3/4	1 3/4	1 3/4
2	4,482.00	2	4,856.69	2	5,167.60	2	5,379.69	2	2	2
2 1/4	4,490.29	2 1/4	4,863.86	2 1/4	5,173.14	2 1/4	5,382.37	2 1/4	2 1/4	2 1/4
2 1/2	4,498.86	2 1/2	4,871.02	2 1/2	5,178.68	2 1/2	5,385.05	2 1/2	2 1/2	2 1/2
2 3/4	4,506.86	2 3/4	4,878.19	2 3/4	5,184.22	2 3/4	5,387.73	2 3/4	2 3/4	2 3/4
3	4,515.14	3	4,885.36	3	5,189.76	3	5,390.40	3	3	3
3 1/4	4,523.35	3 1/4	4,892.41	3 1/4	5,195.14	3 1/4	5,392.67	3 1/4	3 1/4	3 1/4
3 1/2	4,531.56	3 1/2	4,899.46	3 1/2	5,200.51	3 1/2	5,394.93	3 1/2	3 1/2	3 1/2
3 3/4	4,539.77	3 3/4	4,906.52	3 3/4	5,205.89	3 3/4	5,397.19	3 3/4	3 3/4	3 3/4
4	4,547.98	4	4,913.57	4	5,211.26	4	5,399.45	4	4	4
4 1/4	4,556.10	4 1/4	4,920.51	4 1/4	5,216.45	4 1/4	5,401.20	4 1/4	4 1/4	4 1/4
4 1/2	4,564.23	4 1/2	4,927.45	4 1/2	5,221.64	4 1/2	5,402.94	4 1/2	4 1/2	4 1/2
4 3/4	4,572.35	4 3/4	4,934.39	4 3/4	5,226.83	4 3/4	5,404.68	4 3/4	4 3/4	4 3/4
5	4,580.48	5	4,941.33	5	5,232.02	5	5,406.43	5	5	5
5 1/4	4,588.52	5 1/4	4,948.15	5 1/4	5,237.03	5 1/4	5,407.39	5 1/4	5 1/4	5 1/4
5 1/2	4,596.56	5 1/2	4,954.98	5 1/2	5,242.04	5 1/2	5,408.35	5 1/2	5 1/2	5 1/2
5 3/4	4,604.60	5 3/4	4,961.80	5 3/4	5,247.04	5 3/4	5,409.30	5 3/4	5 3/4	5 3/4
6	4,612.64	6	4,968.62	6	5,252.05	6	5,410.26	6	6	6
6 1/4	4,620.60	6 1/4	4,975.32	6 1/4	5,256.86	6 1/4	5,411.22	6 1/4	6 1/4	6 1/4
6 1/2	4,628.56	6 1/2	4,982.01	6 1/2	5,261.68	6 1/2	5,412.18	6 1/2	6 1/2	6 1/2
6 3/4	4,636.52	6 3/4	4,988.71	6 3/4	5,266.49	6 3/4	5,413.14	6 3/4	6 3/4	6 3/4
7	4,644.48	7	4,995.40	7	5,271.31	7	5,414.10	7	7	7
7 1/4	4,652.34	7 1/4	5,001.98	7 1/4	5,275.91	7 1/4	5,415.06	7 1/4	7 1/4	7 1/4
7 1/2	4,660.20	7 1/2	5,008.55	7 1/2	5,280.51	7 1/2	5,416.02	7 1/2	7 1/2	7 1/2
7 3/4	4,668.07	7 3/4	5,015.12	7 3/4	5,285.11	7 3/4	5,416.98	7 3/4	7 3/4	7 3/4
8	4,675.93	8	5,021.69	8	5,289.71	8	5,417.94	8	8	8
8 1/4	4,683.71	8 1/4	5,028.13	8 1/4	5,294.10	8 1/4	5,418.90	8 1/4	8 1/4	8 1/4
8 1/2	4,691.49	8 1/2	5,034.56	8 1/2	5,298.49	8 1/2	5,419.86	8 1/2	8 1/2	8 1/2
8 3/4	4,699.27	8 3/4	5,040.99	8 3/4	5,302.88	8 3/4	5,420.82	8 3/4	8 3/4	8 3/4
9	4,707.05	9	5,047.43	9	5,307.26	9	5,421.78	9	9	9
9 1/4	4,714.73	9 1/4	5,053.73	9 1/4	5,311.42	9 1/4	5,422.74	9 1/4	9 1/4	9 1/4
9 1/2	4,722.42	9 1/2	5,060.04	9 1/2	5,315.58	9 1/2	5,423.70	9 1/2	9 1/2	9 1/2
9 3/4	4,730.10	9 3/4	5,066.34	9 3/4	5,319.74	9 3/4	5,424.66	9 3/4	9 3/4	9 3/4
10	4,737.79	10	5,072.64	10	5,323.90	10	5,425.62	10	10	10
10 1/4	4,745.37	10 1/4	5,078.80	10 1/4	5,327.82	10 1/4	5,426.58	10 1/4	10 1/4	10 1/4
10 1/2	4,752.95	10 1/2	5,084.96	10 1/2	5,331.73	10 1/2	5,427.54	10 1/2	10 1/2	10 1/2
10 3/4	4,760.54	10 3/4	5,091.12	10 3/4	5,335.64	10 3/4	5,428.50	10 3/4	10 3/4	10 3/4
11	4,768.12	11	5,097.29	11	5,339.55	11	5,429.46	11	11	11
11 1/4	4,775.60	11 1/4	5,103.30	11 1/4	5,343.19	11 1/4	5,430.42	11 1/4	11 1/4	11 1/4
11 1/2	4,783.08	11 1/2	5,109.31	11 1/2	5,346.93	11 1/2	5,431.38	11 1/2	11 1/2	11 1/2
11 3/4	4,790.57	11 3/4	5,115.32	11 3/4	5,350.48	11 3/4	5,432.34	11 3/4	11 3/4	11 3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY

STRAPPED: 0603/1881 CM
REPRINTED: 05/24/2004 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2004

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pma.com.net