

Certification Date: 09 Jul 2020 Expiration Date: 09 Jul 2021

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name	Official Number	IMO Numbe	er -	Call Sign	Service	
KIRBY 11020B	1225607				Tank Bar	ge
Hailing Port WILMINGTON, DE	Hull Material Steel	Horsep	ower	Propulsion		
UNITED STATES						
Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
ASHLAND CITY, TN	24Jun2010	26May2010	R-705	R-705		R-200.0
UNITED STATES			l-	l-		1-0
Owner		Operator	/ IN II ANID A	AADINE LD		

KIRBY INLAND MARINE LP 55 WAUGH DRIVE, SUITE 1000 HOUSTON, TX 77007 UNITED STATES

KIRBY INLAND MARINE, LP 18350 MARKET ST. CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth & Ninth Coast Guard District's Tank Barge Streamlined Inspection

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Period	lic/Re-Ins	pection	This certificate issued by:
Date	Zone	A/P/R	Signature	Nicole D. Rodrig et DR USCG, By Direction
				Officer in Charge, Marine Inspection
				Sector Houston-Galveston
		++		Inspection Zone



Certification Date: 09 Jul 2020 **Expiration Date:** 09 Jul 2021

Temporary Certificate of Inspection

Vessel Name: KIRBY 11020B

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Jul2025

29Jul2015

24Jun2010

Internal Structure

31Jul2020

29Jul2015

24Jun2010

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE / COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

11500

Barrels

Yes

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	615	12.91
2	590	12.91
3	533	12.91

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	1598	9ft 3in	8.74	R, LBS, LC 0-12
II	1543	9ft 0in	9.58	R, LBS, LC 0-12
II	1489	8ft 9in	9.99	R, LBS, LC 0-12
II	1434	8ft 6in	10.41	R, LBS, LC 0-12
II	1379	8ft 3in	11.03	R, LBS, LC 0-12
II	1325	8ft 0in	11.45	R, LBS, LC 0-12
II	1270	7ft 9in	11.87	R, LBS, LC 0-12
II	1216	7ft 6in	12.08	R, LBS, LC 0-12
II	1161	7ft 3in	12.28	R, LBS, LC 0-12
II	1107	7ft 0in	12.91	R, LBS, LC 0-12
III	1656	9ft 6in	8.74	R, LBS, LC 0-12
III	1543	9ft 0in	9.91	R, LBS, LC 0-12
III	1489	8ft 9in	10.66	R, LBS, LC 0-12
III	1434	8ft 6in	11.24	R, LBS, LC 0-12
III	1379	8ft 3in	11.66	R, LBS, LC 0-12
III	1325	8ft 0in	11.87	R, LBS, LC 0-12
III	1270	7ft 9in	12.28	R, LBS, LC 0-12
III	1216	7ft 6in	12.49	R, LBS, LC 0-12

Dept. Of Home Sec., USCG - CG-854 (Rev. 06-04)

Page 2 of 4

OMB Approved No. 1625-0057



Certification Date: 09 Jul 2020 Expiration Date: 09 Jul 2021

Temporary Certificate of Inspection

Vessel Name: KIRBY 11020B

III	1161	7ft 3in	12.70	R, LBS, LC 0-12
III	1107	7ft 0in	12.91	R, LBS, LC 0-12

Conditions Of Carriage

Only Grade "A" and lower cargoes and specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-1104465 dated 07 Dec 2011 may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "COMPAT GROUP NO" column listed in the vessel's Cargo Authority Attachment.

The maximum design density of cargo which may be filled to the tank top is 9.99 lbs/gal. For Hull Type II and III, cargoes with higher densities, up to 12.91 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10(c)(2) the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

46 CFR 151.45-2(b) contains restrictions on operating box and square end barges as the lead barges of tows.

Cargo tank maximum design working pressure: 6.50 psig

Internal Examinations

I act

Previous

In accordance with 46 CFR part 39, excluding part 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter serial #C1-1104465, dated December 07, 2011, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

When the vessel is carrying cargoes containing greater than 0.5% benzene by volume, the person in charge is responsible for ensuring the provisions of 46CFR part 197, subpart c are applicable.

Next

--- Inspection Status ---

Fuel Tanks

Tank ID

Talik iD	rievious	Lasi	INEX			
Aft Main Deck	-	24Jun2010	-			
Cargo Tanks						
	Internal Exam			External Exam	ľ	
Tank Id	Previous	Last	Next	Previous	Last	Next
1	24Jun2010	29Jul2015	31Jul2025	-	-	-
2	24Jun2010	29Jul2015	31Jul2025	-	-	-
3	24Jun2010	29Jul2015	31Jul2025	-	-	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1	-		-	-	-	
2	-		-	-	-	

^{*}Vapor Control Authorization*



Certification Date: 09 Jul 2020 Expiration Date: 09 Jul 2021

Temporary Certificate of Inspection

Vessel Name: KIRBY 11020B

3

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

40-B

END

OMB Approved No. 1625-0057

Serial #: C1-1104465 07-Dec-11



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 11020B Official # 1225607

Shippard: Trinity Ashland City

Hull #: 4724

46 CFR 151 Tank	Group Characteristic	\$							
Tank Group Information	Cargo Identification	Tan	ks	Cargo Transfer	Environmental Control	Fire	Special Requirements	l I	
Trik Grp Tanks in Group	Density Press. Temp.	Cargo. Huli Sog YP Tank Type V	/ent Gauge	Pipe Class Cont		Protection Provided	General Materials of Construction	Elec 1	Temp Cont
A #1,#2,#3	12.91 Atmos. Amb.	II tii Integral P\ 2ii Gravity	/ Closed	1 II G-1	NR NA	Portablo	.50-80, .50-70(a), .55-1(b), (c), (e), (f), .50-70(b), .50-73, (h), (j), 58-1(a), (b), .50-81(a), .50-81(b), (c), (d), (e), (f), (g), (g), (g), (g), (g), (g), (g), (g		No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Centrel, Handing Space. NR means that the tank group is suitable only for those cargoes which require no environmental central in (no cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	n				į	Conditions of Carriage						
	1						Vapor Re					
Name	Cham Code	Compat Group No	Sub Chapter	Grade	Huil Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Matts of	Insp. Perio		
uthorized Subchapter O Cargoes										G		
Acetonitrile	ATN	37	Ō.	<u>C</u> .	Ш	A	Yes	3	No	6		
Acrylonitrile	ACN	15 2	0	С	- 11	A_	Yes		.50-70(a), .55-1(e)	- 6		
Adiponitrile	ADN	37	•	E	- 11	<u>A</u>	Yes		No			
Alky!(C7-C9) nitrates	AKN	34 ²	0	NA	ti)	<u>A</u>	No	N/A				
Aminoethylethanolamine	AEE	8	0	E	m	Α	Yes		.65-1(b)	6		
Ammonium bisulfite sciution (70% or less)	ABX	43 Z	Ö	NA	m	Α	No	N/A		G		
Ammonium hydroxide (28% or tass NH3)	AMH	6	0	NA	19	A	No	N/A		G		
Anthracene oil (Coal ter fraction)	AHO	33	. 0	NA	11	. <u>A</u>	No	N/A		3		
Benzene	BNZ	32	0	C	H	A	Yes	1	.50-60	G		
Benzene or hydrocarbon mbitures (having 10% Benzene or more)	BHB	32 2	٥	C	111	A	Yes	1	50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 2	0	C	lis	A	Yes		50-60, 55-1(b), (d), (f), (g)	g		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	tti	A	Yes		.50-60	G		
Butyl acrylate (all isomers)	BAR	14	<u> </u>	<u>D</u>	111	Α	Yes	2	50-70(a). 50-81(a). (b)	3		
Butyl methacrylate	BMH	14	0	D	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	C	[1]	Α	Yes	1	55-1(h)	G		
Campher oil (light)	CPO	18	0	D	П	Α	No	N/A		G		
Caustic potash solution	CPS	5 2	0	NA	10	Α	No	NIA	· · · · ·	G		
Caustic soda solution	CSS	6 2	0	NA	Ш	Α.	. No	NIA		9		
Chemical Oil (refined, containing phenotics)	COD	21	. 0	E	. 11	Α	No	NIA	50-73	G		
Chlorobenzene	CRB	36	0	D	ıu	Α.	Yes	1	No	G		
Chleroform	CRF		0	NA	101	A	Yes	3	No.	G		
Coal tar naphtha solvent	NCT	33	o o	D	III	Α	Yes		50-73	G		
Creosote	CCV	V 21 2	O	E	111	Α	Yes	1	No .	G		
Cresols (all isomers)	CRS	21	ō	E	181	Α	Yes	1	No	G		
Cresylate spent caustic	CSC	5	Ö	NA	tii	Α	No	N/A	50-73, 55-1(0)	G		
Cresylic acid tar	CRX	Κ	0	E	10	Α	Yes	s 1	35-1(1)	3		
Crotonaldehyda	CTA	19 2	0	C	11	Α	Yes	3 4	55-1(n)	3		
Crude hydrocarbon feedstock (containing Butyraldehydes and Elhytpropyl acrolein)	CHG	·	0	С	tit	Α	No	N//		G		
Cyclohexanone	CCH	1 18	0	D	111	A	Yes	3 1	56-1(a), (b)	0		
Cyclohexanone, Cyclohexanol mixture	CYX	18 2	0	E	10	A	Yes	1	50-1 (b)	۵		
Cyclonexylamine	CH/	7	0	D	111	Α	Ye	1	64-1(a), (b), (a), (g)	٥		
Cyclopentadiena, Styrena, Benzene mixture	CSE	30	0	D	111	Α	Ye	s 1	50-60, 56-1(b)	G		

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***

Seriai #: C1-1104486 Dated: 07-Dec-11



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 11020B

Official #: 1225607

Page 2 of 8

Shipperd: Trinity Ashland City

Hull#: 4724

Cargo Identificatio	n							onal	tions of Carriage	
	1						Vapor R			1
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tenk Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Maris of	insp. Perio
o-Decyl acrylate	IAI	14	0	E	tH	Α	Yes	2	£0-70(a), £0-81(a), (b), £5-1(c)	G
o-Decyi suryiate Ichlorobenzene (sil isomers)	DBX	36	0	E	(11)	Α	Yes	3	.58-1(s), (b)	G :-
	DCH	36	0	C	lii_	<u> </u>	Yes	1_	No -	- 6
,1-Dichleroethene ,2-Dichleroethyl ether	DEE	41	0	D	ü	A	Yes	1	.68-1(1)	G
	DCM	38	0	NA	ш	<u>A</u>	Yes	5	No	G
ichloromethane 4-Dichlorophenoxyscettc actd, diethanolamine selt solution	DDE	43	۰ ۵	Ē	Ħ	A	No	N/A		G
4-Dichtorophenoxyscetic acid, dimethylamine salt solution	DAD	0 1	0	A	111	A	No	N/A		<u> </u>
4-Dichlerophenoxyacetic acid, unisotypenaniamine salt solution	OTI	43 2	0	E	EH	A	No	N/A		G
	OPB	36	0	C	(I)	Α	Yes	. 3	No	3
	OPP	38	0	Ċ	Œ	Α	Yes	3	No	
,2-Dichloropropase	DPC	38	0	С	(II)	A	Yes	3	No	0
3-Dichloropropane	DPU	15	. 0	D	ī	Ā	Yes	4	No	G
,3-Dichloropropene	DMD	-	Ó	C	u	Α	Yes	1	No ·	G
Sichtoropropene, Dichtoropropene mixtures	DEA	-	ō	E	111	Α	Yes	1_	£\$-1(c)	
liethanolamine	DEN		ō	С	tii	A	Yes	3	55-1(c)	3
Diethylamine	DEI		0	E	188	A	Yes	1	.55-1(c)	
Diethylenetriamine	DBL	-	ō	D	10	Α	Yes	; 3	,55-1(c)	3
Disobutylamine	DIP	8		E	III	Α	Yes	1	.\$5-1(e)	٥
Disopropenolamine	DIA	7	-	c	(1	A	Yes	3 3	55-1(c)	0
Disopropytamine	DAG		~	E	H	A	Yes	3 3	.56-1(b)	G
N.N-Dimethylacetamide	DM		- o	D	611	A	Ye	s 1	.56-1(b). (c)	G
Dimethylethanolemine	DM		-	D	tii	A	Ye	g 1	.58-1(0)	
Dimethylformamide	DN		0	Ċ	ß		Ye	 8 3	.55-1(c)	G
Di-n-propylamine	DO	•	õ	Ē.	II:				A .50-(b)	3
Dodecyldimethylamina, Tetradecyldimethylamine mixture	- 00		- ö	#					A No	0
Dodecyl diphenyl ether disulfonate solution	EE			<u></u>	[]					G
EE Glycol Ether Mixture		_	0	E	11	•	-		55-1(c)	Ġ
Ethanolamine	ME			c					.50-70(a), .50-81(a). (b)	G
Ethyl acrylate	EA		- 6	A					65-1(b)	-
Ethylamina solution (72% or less)	EA	••	ö	<u> </u>	11			-	55-1(b)	đ
N-Ethylbutylamine -	EB	• •	0	0	1		-	_	6E-1(b)	· d
N-Ethylcyclohexylamine	ET	_	0	Ε	i				No	•
Ethylene cyanohydrin				_		I A			.65-1(a)	
Ethylenediamine	ED	· · · · · · · ·				11 /				
Ethylene dichloride	E0		٠ ٥			11 A		· .	JA No,	•
Ethylene glycel hexyl ether	EG						Y (-
Ethylene glycol monoalkyl ethers	EG		0							
Ethylene glycol propyl ether	EG		_				` -			
2-Ethylhexyl acrylate	EA						•	88 2 88 2	***	(
Ethyl methacrylate	<u>E1</u>							es 1		
2-Ethyl-3-propylacrolein	EF	••	• -	_						
Formaldehyde solution (37% to 50%)	FN		-					85 1 es 1		1
Furtural	FF		٠ .						WA No	
Glutareldehyde solution (50% or less)		TA 19				•••		٠.		•
Hexamethylenediamine solution		MC 7						68 1		
Hexamethylenetmine	H							'es 1		
Hydrocarbon 5-9		FN			_				50-70(a), 50-81(a), (b)	
Isoprene	_	R 30			_			•		
Isoprene, Pentadiene mixture	IP		() E		100	A . N	ا ما	WA .50-70(at .50-11C)	

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection.

Serial #: C1-1104465

Dated: 07-Doc-11

Certificate of Inspection Cargo Authority Attachment

Vessel Name: KIRBY 11020B Official #: 1225607

Page 3 of 8

Shippard: Trinity Ashland City

Cargo Identification									_	Hull #: 4724	
oai go identification								Condi	tio	ns of Carriage	
	Chem	Compat	•				Vapor	Recovery	i		
Name	Ccde	Compat Group No	Sub Chapter	Grade	Husi Type	Tenk Group	App'd (Y or N)	VCS	Spe	dal Requirements in 46 CFR General and Matts of	insp.
raft pulping liquors (free atkall content 3% or more)(including: Black. Green, or White liquor)	KPL	5	0	NA	tti	A	No	N/A	<u> </u>	0-73 56-1(s), (c), (g)	Period
fesityl oxide	MSO	18 2	Ö	D	107		V				
Anthyl scrylate	MAM	14	-	ੋ	111	<u>A</u> _	Yes				G
/ethylcyclopentacliene dimer	MCK	30	-			<u>A</u>	Yes			G-70(a), .50-61(a) (b)	<u> </u>
Nethyl diethanolamine	MDE	30	. 0	C_	111	<u>.</u> A	Yes	٠.	N	€-τ(δ), (ε)	G
-Methyl-5-ethylpyridine	MEP	9	0	E .	*** {{}}	A	Yes Yes	1		is-1(e)	g ä
Nethyl methacrylate	MMM	-		Ċ	(11 (11	- ^.	Yes	***		io-70(a), .50-81(a), (b)	٠,
	MPR	9	°-	. D	(11	A	Ye		-	33-1(c)	G
-Methylpyddine	MSR	30		D	111	A	Yes			50-70(a), .50-81(a), (b)	G
Ipha-Methylstyrene			<u> </u>			~				56-1(c)	-
korpholina	MPL	72	0	D	ti ti	<u>A</u> _	Ye:	8 1 N/A		30-61, .5 0- 1(b)	
litroethane	NTE	42 42	0	ם	113	A	Ye		•	19-81	G
- ar 2-Nitropropene	NPM	···		_	127	Ā	Ye			50-70(a) .50-61	G
,3-Pentadiene .	PDE	_ 30	Ö	A	111	A	Ye		•	55-1(c)	Ģ
ciyethylene polyamines	PEB	72	0	. E		A	Ye		(65-1(c)	ā
so-Propanciamine	MPA	8	0	Ē	131	Â	Ye		i	56-1(D), (C)	G
Propanolamine (iso-, n-)	PAX	8_		A	<u>ii</u>	^	Ye			5\$-1(a)	G
so-Propylamine	iPP	7	0	Ĉ	ii1	•	Ye	-		55-1(o)	G
Deriving .	PRO	8	ō	C		A.	No		Δ.	50-73, 55-1(j)	Ġ
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxid	de) SAP		0		[ll	_	 N			50-73, .56-1(a), (b), (e)	G
Sodium atuminate solution (45% or less)	SAU		0	NA	- 111	<u>A</u>	No.			.50-73	G
Sodium chiorate solution (50% or less)	SOD			NA NA	101		N		_	.50-73, 56-1(a), (b)	3
Sodium hypochlorite solution (20% or less)	SHC	-	0	NA				ss 1	••	60-73. 65-1(9)	G
and the second of the second o	SSH		_	NA			- N		/A	50-73, .55-1(b)	G
Sodium suilide, hydrosulfide solution (H2S greater than 15 ppm our	ŞSI	0		NA					/A	50-73, 55-1(b)	Ğ
less than 200 ppm) Sodium suifide, hydrosuifide solution (H2S greater than 200 ppm)	SSJ		12 0	NA	9			es 2		No	G
Sodium stande, hydroseanes services	\$TX		0	0	il	-		'es 2		.50-70(a), .50-01(a), (b)	٥
Styrene (crude)	ST		0					es 1		.58-1(c)	9
Styrene monomer	TTF	7	0	E	11	<u> </u>		/es 1		.50-76(b)	G
Tetraethylenepentamine	TH				<u>!</u>				WA.	50-73, £6-1(a), (b), (c), (g)	٥
Tetrahydrafuran	TO.					11 /			<u> </u>	Ng	G
Toluenedismine	TC								1	60-73 66 -4(a)	
1,2,4-Trichlorobenzene	TC								1	No	G
1,1,2-Trichloroethane	τc		3 0	_			•		3	50-73 .56-1(0)	9
Trichioroethylene	TC		• • •	٠		.,	· • • • • • • • • • • • • • • • • • • •	••	1	.55-1(D)	0
1.2.3-Trichloropropana	TE		32	-	•		<u>A</u>		3	.55-1(0)	9
Triethanolamine	TE	•••		9 9		•••	^. A	Yes	1	55-1(b)	
Triethylamine	TE			0			<u>^</u>	No	N/A		
Triethylenetetremine	T	PB	<u> </u>			101	<u>^</u>	No	N/A	(2) (4) (5)	
Triphenylborane (10% or less), caustic soda solution	T	SP			<u> </u>		Â	No	N/A	\$6-1(b)	
	U	AS			NA	111		No	NA	.50-73. 60-1(a). (e) (g)	•
A market pritrate solution (containing trace and	— v	BL	5	7	NA	111	<u>A</u>	Yes	2	50-70(a) 50-81(a) (b)	
Vanillin black liquor (free alkali contant, 576 or instant			13		<u>-</u>	-111 -	A	No	N/A	50-70(a) 50-81(a) (b)	
Vinyl acetate			13		<u> </u>	-111	<u>^</u>	Yes	2	50-70(a), 50-81 .55-1(a), (b) 10	a r
Vinyl neodecanate	•	NT	13	0	D	H	_				

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 11020B

Official #: 1225807

Page 4 of 8

Shipyard: Trinity Ashland City

Hull #: 4724

Cargo identificatio	B							Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hus Type	Tenk Group	App'd	Pocovery VCS Category	Special Requirements in 46 CFR 151 General and Mattis of	insp. Period
ubchapter D Cargoes Authorized for Vapor Contr	ol									
Acetone	ACT	18 2	D	C	• •	A	Yes	1		
Acetophenone	ACP	18	D	Ε		Α	Yes	1	•	
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	ō	έ		A	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Ā	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1	1	-
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Senzyl sleahol	BAL	21	D	Ē.	• • •	Α	Yes	1	•••	
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) plycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and heir borate esters)	BFX	20	D	Ē		A	Yes	1		· ·
Butyl acelate (all isomers)	BAX	34	D	<u>D</u>		A	Yes	1		
Butyl alcohol (iso-)	IAL	20 ²	D	D		A	Yes	1		
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	11		
Butyl elcohol (sec-)	BAS	20 ²	Ď .	<u>C</u>		A.	Yes	1		
Butyl alcohol (tert-)	BAT		D	С		<u>A</u>	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1		
Butyl taluene	BUE	32	D	D		Α	Yes	1	·	
Caprolactem solutions	CLS	22	D	E		Α	Yes	1	·	
Cyclohexene	CHX	31	0	C		Α	Yes	1		
Cyclohexanal	CHN	20	D	E		Α	Yes	1		
1,3-Cyclopentediene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
p-Cymerie	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	E		Α	Yes	11		
n-Decaldehyde	DAL	19	D	E		A	Yes			
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 2	D	E		<u>A</u>	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1		
Diacetone sicohol	DAA	20 2	D	D		<u> </u>	Yes	1_		
ortho-Dibutyl phthalate	DPA	34	Ď	E		Α	Yes	1		
Diethylbenzene	DEB	32	Ö	D		Α	Yes	. 1		
Diethylene glycol	DEG	40 2	<u> </u>	E		Α	Yes			•
Disobutylene	DBL	30	٥	C		A_	Yes			
Disobuty ketane	DIK	18	0	D		A_	Yes			
Disopropyibenzene (all isomers)	DIX	32_	D	E		A	Yes			
Dimethyl phthalate	DTL	34	D	E		A	Yes			
	DOF	34	D	E		<u>A</u> _	Yes			
Dicctyl phthalale	DPN	30	D	D		Α	Yes			
Dipentena	DIL	32		D/E		A	Yes			
Diphenyl	000	33	D	E		. <u>A</u>	Yes			
Diphenyl, Diphenyl ether mixtures	DPE		0	(E)		. <u>A</u>	Ye			
Diphenyl ether	DPC	3 40	٥	E		A	Ye			
Dipropylene giycol	DFF	33	D	E		A	Ye			
Distillates: Flashed feed stocks	DSI	₹ 33	0	E.		<u>A</u>	Ye			
Distillates: Straight run	DO	Z 30	D	D		A	Ye			
Dodecene (stil isomers) Dodecylbenzene, see Alkyl(C9+)benzenes	סס	B 32	0	Ε		<u>A</u> _	Ye			
	EE	A 34	0	D		A	Ye			
2-Ethoxyethyl acetate	ET	G 40	D	E		Α	Ye	ıs 1		

^{***} This document is only valid when attached to, and referenced by a current, valid Cartificate of Inspection.



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 11020B

Official #: 1225607

Page 5 of 8

Shipyard: Trinity Ashland City

07-Dec-11

Hull #: 4724

Cargo Identification							Conditions of Carriage						
	1					Vapor Recovery							
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Huti Type	Tenk Group	App'd (Y or N)	VCS Catogory	Special Requirements in 48 CFR 151 General and Matts of	Insp. Period			
Ethyl acetate	ETA	34	D	С		Α	Yes	1					
Ethyl acetoscetate	EAA	34	Ď	E		A	Yes	1		_			
Ethyl alcohol	EAL	20 2	D	C		Α	Yes	1					
Ethylbenzene	ETB	32	D	C		A	Yes	1					
Ethyl butanol	EBT	20	D	D_		A	Yes	1					
Ethyl tert-butyl ether	EBE	41	D	c_		Α	Yes	1					
Ethyl bulyrate	EBR	34	D	D		Α	Yes	1					
Ethyl cyclohexene	ECY	31	D	D		Α	Yes	1					
Ethylene glycol	EGL	. 20 ²	0	E E		Α.	Yes	1					
Ethylane glycol butyl ether scetate	EMA	34				Α	Yes	1					
Ethylene glycol diacetate	EGY	34	ō	Ė		Α	. Yes	1					
Ethylene glycal phenyl ether	EPE	40	D	Ė		Α	Yes	1					
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1					
2-Ethythexanol	EHX	20	D	E		A	Yes	1					
Ethyl proplanate	EPR	34	D	С		A	Yes	1					
Ethyl toluene	ETE	32	D	D		A	Yes	<u>.</u> 1					
Formamide	FAM	10	D	E		_ <u>A</u> _	Yes						
urfuryl alcohol	FAL	20 2	<u>D</u>	E		<u>A</u>	Yes	1					
Sasoline blending stocks: Alkylates	GAK	33	D	A/C		<u> </u>	Yes	1					
Sasoline blending stocks: Reformates	GRF	33	D	A/C	•	Α	Yes	1	•				
Gasolines: Automotive (containing not over 4.23 grams tead per gallon)	GAT	33	D	С		A	Yes	1 					
Gasolines: Aviation (containing not over 4.86 grams of lead par gallon)	GAV	33	D	С		Α	Yes	1	. •••				
Gasolines: Casinghead (natural)	GCS		D	A/C		A	Yes	. 1	_				
Gasclines: Polymer	GPL	33	D	A/C		<u>A</u>	Yes						
Gasolines: Straight run	GSR		D	A/C		A_	Yes	1					
Glycerine	GCR	20 ²	D	E		Α	Yes	1					
Heptane (all Isomers), see Alkanes (C6-C9) (all Isomers)	HMX		<u> </u>	<u> </u>		_ <u>_A</u> _	Yes	1					
Heptanoic acid	HEP		<u> D</u>	E		<u>A</u>	Yes						
Haptanol (all isomers)	HTX		D	D/E		A_	Yes						
Heptene (all isomers)	HPX		<u>D</u>	C		<u>A</u> .	Yes						
Heptyl acetate	HPE		<u>D</u>	E		<u>A</u> _	Yes						
Hexane (all isomers), see Alkanes (C6-C9)	HXS		<u> </u>	B/C		A	Yes						
Hexanoic acid	HXC		D	E		A							
Hexanol	HXN	•	D	Þ		A	Yes		•				
Hexene (all isomers)	HEX		D	C		Ā	Yes						
Hexylene glycol	HXC	_	. 0				Yes	-					
Isophorone	(PH		<u>D</u>	E_		<u>A</u>	Ye:						
Jet fuel: JP-4	JPF		D	E		<u>A</u> _	Yes						
Jet fuel: JP-5 (kerosene, heavy)	JPV		<u>D</u> _	<u></u>		<u>A</u> _	Ye						
Kerosene	KRS		<u>D</u>	<u> D</u>		<u>A</u>	Ye Ye						
Methyl acetate	MT	_		D						•			
Methyl alcohol	MA		<u>D</u>	_ <u>c</u>		<u>A</u>	Ye						
Methyl acetate	MA		<u>D</u>	<u>D</u>		<u>A</u> _	Ye						
Methylamyl alcohol	MA		D	D		A	Ye	•					
Methyl smyl ketone	MA		0	Ø		A	Ye						
Methyl ten-butyl ether	MB			<u>c</u>		A	Ye						
Methyl butyl ketone	MB	K 18	0	С		A		~	e of Inspection. ***				

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection.

ierial #: C1-1104465 Dated: 07-Dec-11



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 11020B Official #: 1225607

Page 6 of 8

Shipyard: Trinity Ashland City

Hull #: 4724

Cargo Identification								Conditions of Carriage						
	Chem	Compat	Sub		Hub	Tenk	Vapor I App'd	Recovery VCS	Special Requirements in 46 CFR	Insp.				
Name	Code	Group No		Grade	Тура	Group		Calegory		Period				
Methyl butyrate	MBU	34	D	С		A	Yes	1	•					
Methyl ethyl ketane	MEK	18 ²	<u>D</u>	C		A	Yes	1		. •				
Methyl heptyl ketone	MHK	18	<u>D</u>	D		Α	Yes	1						
Methyl Isobutyl kelone	MIK	18 ²	<u>D</u>	С		A	Yes	1						
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1						
Mineral spirits	MNS	33	D	D		<u> </u>	Yes	1						
Myrcens	MRE	30	D	D		_ A	Yes	1						
Naphtha: Heavy	NAG	33	D	#		A	Yes	1						
Naphtha: Petroleum	PTN	33	D	#		Α.	Yes	1						
Naphtha: Solvent	NSV	33	<u> D</u>	D		Α	Yes	1_						
Naphtha: Stoddard solvent	NSS	33	D	Đ		A	Yes	1	14 × 100× 100					
Naphtha: Varnish makers and painters (75%)	NVM	33	D	C		Α	Yes	1	. •					
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	0	D		A	Yes	1						
Nonene (all isomers)	NON	30	<u>D</u>	٥		A	Yes	2						
Nonyi alcohol (all isomers)	NNS	20 ²	D	E		Α	Yes	1						
Nonyl phenol	NNP	21	D	Ε		Ą	Yes	. 1						
Nonyi phanoi poly(4+)ethoxylates	NPE	40	D	E		<u>A</u>	Yes	1						
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C		A	Yes	1						
Octanolo sold (ali isomers)	OAY	4	D	Е		A_	Yes	1						
Octanol (all isomers)	OCX	20 ²	O	E		Ą	Yes	1						
Octene (all Isomers)	ОТХ	30	٥	С		A	Yes	2						
Oil, fuel: No. 2	otw	33	D	D/E		A	Yes	1	•					
Oil, fuel: No. 2-D	QTD	33	D	D		Α	Yes	1						
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	11						
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1						
Oil, fuel: No. 6	OSX	33	٥	E		A	Yes	1						
Cil, misc: Crude	OIL	33	D	C/D		Α	Yes	1						
OR, misc: Diesel	CDS	33	D	D/E		Α	Yes	1						
Oil, misc: Gas, high pour	CGP	33	Đ	E		Α	Yes	1						
Oil, misc: Lubricating	CLB	33	D	Ė	•	A	Yes	1						
Oil, misc: Residual	CRL	33	Ď	ε		Α	Yes	1						
Oil, misc: Turbine	OTB	33	D	E		Α	Yes	1						
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5						
Pentene (all isomers)	PTX	30	D	A		A	Yes	5						
n-Pentyl propionate	PPE	34	۵	D		Α	Yes	1						
alpha-Pinene	PiO	30	D	D		Α	Yes	1						
bela-Pinene	PIP	30	D	D		Α	Yes	1						
Poly(2-8)sikylene glycol monosikyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1		-				
Poly(2-8) sikylene giycol monosikyi(C1-C6) ether acetate	PAF	34	<u>D</u>	E		Ä	Yes	i						
Polybutene	PLB	30	D	E	***	A	Yes	1						
Polymmylana alucal	PGC		D	E		A	Yes	1						
iso-Propyl acetale	IAC	34	D	C		A	Yes							
n-Propyl acetate	PAT	34	D	Ç		A	Yes							
iso-Propyl alcohol	IPA	20 2	D	ċ		Α	Yes		•					
n-Propyl alcohol	PAL	20 2	0	Ē		A	Yes							
Propylbenzene (all Isomers)	PBY	32	٥	D		A	Yes							
iso-Pronvicyclohexane	(PX	31	6			A	Yes							
Propylene glycol	PPG		D	E		Α								

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Serial #: C1-1104465 Dated: 07-Dec-11

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 11020B

Official #: 1225807

Page 7 of 8

Shipyard: Trinity Ashland City

Hull #: 4724

Cargo Identification							Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Huli Type	Tank Group	Vspor I	VCS Category	Special Regularments in 46 CFR	tnsp. Period		
Propylene glycol methyl ether acetate	PGN	34	D	0	<u> </u>	A	Yes	1	· · · · · · · · · · · · · · · · · · ·			
Propylene tetramer	PTT	30	D	Ð		A	Yes	1				
Sulfolane	SFL	39	D	Ε		Α	Yes	1	•			
Tetraethylene glycol	TTG	40	D	E		A	Yes	1				
Tetrahydronaphihalene	THN	32	D	E	-	A	Yes	1	*** * *			
Tolvene	TOL	32	D	c		Α	Yes	1	• •			
Tricresyl phosphate (less than 1% of the ortho Isomer)	TCP	34	D	E		Α	Yes	1				
Triethylbenzene	TEB	32	D	E		Α	Yes	1		·		
Triethylane glycol	TEG	40	D	E		Α	Yes	1				
Triethyl phosphate	TPS	34	D	E		Ä	Yes	1				
Trimethylbenzene (all Isomers)	TRE	32	<u>D</u>	(D)		A	Yes	1				
Trixylenyi phosphate	TRP	34	Đ.	E		Α	Yes	1	•			
Undecene	UDC	30	D	D/E		Α	Y65	1				
1-Undacyl alcohol	UND	20	D	E		Α	Yes	1	•			
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1				



Certificate of Inspection

Sertal #: C1-1104465

Cargo Authority Attachment

Vessel Name: KIRBY 11020B Official #: 1225607

Page 8 of 8

Shipyard: Trinity Ashland

Hull# 4724

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as fisted in 46 CFR Table 30.25-1, 48 CFR Table 161.05, and 46 CFR Part 153 Table 2. Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150,130, the Person-in-Charge of

Note 1

the cargo instruction group many assignment as the compatibility requirements of 48 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of cartegoe or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW. Washington, DC 20593-0001. Telephone (202) 372-1425.

Nota 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

bchapter Subchapter D Subchapter O Note 3

The subchapter in Title 48 Code of Federal Regulations under which the cargo has been classified

Those (laminable and combustible figures listed in 48 CFR Table 30.23-1.
Those hazardous cargoes fisted in 48 CFR Table 151.05 and 48 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangeing barges.

The cargo classification assigned to each (laminable or combustible Squid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Firstmanble figuid cargoos, as defined in 46 CFR 30-10.15.

Combustible figuid cargoos, as defined in 46 CFR 30-10.15.

Compussive ideas corpors, as easing or 40 CFR 30-10.10.

The Barmability/combustibility grade of these cargoes may very depending upon the Bashpeint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers date and onsure that the barge is authorized for cardage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible Equid.

No flammability/combustibility grade has been assigned yat, as the macassary flash point/vapor pressure date for such assignments are presently not available.

NA

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 48 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to produce the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant proventive measures to preduce the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to bargas certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recove The vesset's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo.

No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recovery
Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for camboo of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to central vapors of the specified cargo.

No: The vessel's VCS has been reviewed and is not approved by the MSC to central vapors of the specified cargo.

VCS Category.

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) sply to these eargoes. Those specifically deating with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.70, 46 CFR 35.35 and 45 CFR 35.37 and 45 CFR

Category 2

(Polymentous) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouting safety components and restricting vapor flow w lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring at VCS safely components are functional and polymer build-up causing an unsafe condition due to increased pressure in the veryor control picking and cargo tanks. The method shall be acceptable to the local Officer in Cha-Marino Impaction. This is in addition to the requirements of Category 1. Pigoso note that a material not normally considered a monomer can be a problem in ents are functional and polymer build-up is not be accompable to the local Officer in Charge.

Category 3

(Highly tode) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overful prelaction requirement of 46 CFR 39.20-9 This requirement is in addition to the requirements of Category 1.

(Polymerizes and highly toxic) Must comply with regularments of Categories 1, 2 and 3,

Category 4 Category 5

(High vapor pressure) VCS prossure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor crassure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems