



BARGE "KIRBY 11024B"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2
2 CENTER	00-1/8	- 00-1/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8
3 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 183'-00"

July 6, 2010

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 11024B"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,941.96	0	1,633.09	0	1,324.07	0	1,016.07	0	707.67	0	398.67	0	89.94	0		0			
1/4	1,935.53	1/4	1,626.66	1/4	1,317.63	1/4	1,009.67	1/4	701.23	1/4	392.23	1/4	83.57	1/4		1/4			
1/2	1,929.09	1/2	1,620.22	1/2	1,311.19	1/2	1,003.27	1/2	694.79	1/2	385.79	1/2	77.21	1/2		1/2			
3/4	1,922.66	3/4	1,613.78	3/4	1,304.76	3/4	996.86	3/4	688.35	3/4	379.35	3/4	70.85	3/4		3/4			
1	1,916.22	1	1,607.34	1	1,298.32	1	990.46	1	681.92	1	372.92	1	64.48	1		1			
1/4	1,909.79	1/4	1,600.90	1/4	1,291.88	1/4	984.06	1/4	675.48	1/4	366.48	1/4	58.18	1/4		1/4			
1/2	1,903.35	1/2	1,594.47	1/2	1,285.44	1/2	977.66	1/2	669.04	1/2	360.04	1/2	51.87	1/2		1/2			
3/4	1,896.92	3/4	1,588.03	3/4	1,279.00	3/4	971.26	3/4	662.60	3/4	353.60	3/4	45.57	3/4		3/4			
2	1,890.48	2	1,581.59	2	1,272.57	2	964.86	2	656.17	2	347.17	2	39.27	2		2			
1/4	1,884.05	1/4	1,575.15	1/4	1,266.13	1/4	958.46	1/4	649.73	1/4	340.73	1/4	33.91	1/4		1/4			
1/2	1,877.62	1/2	1,568.71	1/2	1,259.69	1/2	952.06	1/2	643.29	1/2	334.29	1/2	28.55	1/2		1/2			
3/4	1,871.18	3/4	1,562.28	3/4	1,253.25	3/4	945.67	3/4	636.85	3/4	327.85	3/4	23.20	3/4		3/4			
3	1,864.75	3	1,555.84	3	1,246.81	3	939.27	3	630.42	3	321.42	3	17.84	3		3			
1/4	1,858.31	1/4	1,549.40	1/4	1,240.38	1/4	932.84	1/4	623.98	1/4	314.98	1/4	14.63	1/4		1/4			
1/2	1,851.88	1/2	1,542.96	1/2	1,233.94	1/2	926.41	1/2	617.54	1/2	308.54	1/2	11.41	1/2		1/2			
3/4	1,845.44	3/4	1,536.52	3/4	1,227.50	3/4	919.97	3/4	611.10	3/4	302.10	3/4	8.19	3/4		3/4			
4	1,839.01	4	1,530.09	4	1,221.06	4	913.54	4	604.67	4	295.67	4	4.97	4		4			
1/4	1,832.58	1/4	1,523.65	1/4	1,214.62	1/4	907.11	1/4	598.23	1/4	289.23	1/4	3.90	1/4		1/4			
1/2	1,826.14	1/2	1,517.21	1/2	1,208.19	1/2	900.68	1/2	591.79	1/2	282.79	1/2	2.82	1/2		1/2			
3/4	1,819.71	3/4	1,510.77	3/4	1,201.75	3/4	894.24	3/4	585.35	3/4	276.35	3/4	1.75	3/4		3/4			
5	1,813.27	5	1,504.33	5	1,195.31	5	887.81	5	578.92	5	269.92	5	0.68	5		5			
1/4	1,806.84	1/4	1,497.90	1/4	1,188.91	1/4	881.38	1/4	572.48	1/4	263.48	1/4		1/4		1/4			
1/2	1,800.40	1/2	1,491.46	1/2	1,182.51	1/2	874.95	1/2	566.04	1/2	257.04	1/2		1/2		1/2			
3/4	1,793.97	3/4	1,485.02	3/4	1,176.11	3/4	868.51	3/4	559.60	3/4	250.60	3/4		3/4		3/4			
6	1,787.53	6	1,478.58	6	1,169.70	6	862.08	6	553.17	6	244.17	6		6		6			
1/4	1,781.10	1/4	1,472.14	1/4	1,163.30	1/4	855.65	1/4	546.73	1/4	237.73	1/4		1/4		1/4			
1/2	1,774.67	1/2	1,465.71	1/2	1,156.90	1/2	849.22	1/2	540.29	1/2	231.29	1/2		1/2		1/2			
3/4	1,768.23	3/4	1,459.27	3/4	1,150.50	3/4	842.78	3/4	533.85	3/4	224.85	3/4		3/4		3/4			
7	1,761.80	7	1,452.83	7	1,144.10	7	836.35	7	527.42	7	218.42	7		7		7			
1/4	1,755.36	1/4	1,446.39	1/4	1,137.70	1/4	829.92	1/4	520.98	1/4	211.98	1/4		1/4		1/4			
1/2	1,748.93	1/2	1,439.95	1/2	1,131.30	1/2	823.49	1/2	514.54	1/2	205.54	1/2		1/2		1/2			
3/4	1,742.49	3/4	1,433.52	3/4	1,124.89	3/4	817.05	3/4	508.10	3/4	199.10	3/4		3/4		3/4			
8	1,736.06	8	1,427.08	8	1,118.49	8	810.62	8	501.67	8	192.67	8		8		8			
1/4	1,729.62	1/4	1,420.64	1/4	1,112.09	1/4	804.19	1/4	495.23	1/4	186.23	1/4		1/4		1/4			
1/2	1,723.19	1/2	1,414.20	1/2	1,105.69	1/2	797.75	1/2	488.79	1/2	179.79	1/2		1/2		1/2			
3/4	1,716.76	3/4	1,407.76	3/4	1,099.29	3/4	791.32	3/4	482.35	3/4	173.36	3/4		3/4		3/4			
9	1,710.32	9	1,401.33	9	1,092.89	9	784.89	9	475.92	9	166.92	9		9		9			
1/4	1,703.89	1/4	1,394.89	1/4	1,086.48	1/4	778.46	1/4	469.48	1/4	160.49	1/4		1/4		1/4			
1/2	1,697.45	1/2	1,388.45	1/2	1,080.08	1/2	772.03	1/2	463.04	1/2	154.06	1/2		1/2		1/2			
3/4	1,691.02	3/4	1,382.04	3/4	1,073.68	3/4	765.59	3/4	456.60	3/4	147.63	3/4		3/4		3/4			
10	1,684.58	10	1,375.57	10	1,067.28	10	759.16	10	450.17	10	141.19	10		10		10			
1/4	1,678.15	1/4	1,369.14	1/4	1,060.88	1/4	752.73	1/4	443.73	1/4	134.78	1/4		1/4		1/4			
1/2	1,671.72	1/2	1,362.70	1/2	1,054.48	1/2	746.29	1/2	437.29	1/2	128.36	1/2		1/2		1/2			
3/4	1,665.28	3/4	1,356.26	3/4	1,048.08	3/4	739.85	3/4	430.85	3/4	121.94	3/4		3/4		3/4			
11	1,658.85	11	1,349.82	11	1,041.67	11	733.41	11	424.42	11	115.52	11		11		11			
1/4	1,652.41	1/4	1,343.38	1/4	1,035.27	1/4	726.98	1/4	417.98	1/4	109.13	1/4		1/4		1/4			
1/2	1,645.97	1/2	1,336.95	1/2	1,028.87	1/2	720.54	1/2	411.54	1/2	102.73	1/2		1/2		1/2			
3/4	1,639.53	3/4	1,330.51	3/4	1,022.47	3/4	714.10	3/4	405.10	3/4	96.33	3/4		3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/06/2010 CL
CALCULATED: 07/06/2010 CL
PRINTED: 07/06/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 11024B"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,858.12	0	1,561.91	0	1,265.52	0	971.35	0	678.73	0	382.38	0	86.28	0		0			
1/4	1,851.95	1/4	1,555.73	1/4	1,259.35	1/4	965.26	1/4	672.56	1/4	376.20	1/4	80.18	1/4		1/4			
1/2	1,845.78	1/2	1,549.56	1/2	1,253.18	1/2	959.18	1/2	666.39	1/2	370.03	1/2	74.08	1/2		1/2			
3/4	1,839.61	3/4	1,543.38	3/4	1,247.00	3/4	953.09	3/4	660.21	3/4	363.85	3/4	67.97	3/4		3/4			
1	1,833.44	1	1,537.21	1	1,240.83	1	947.00	1	654.04	1	357.68	1	61.87	1		1			
1/4	1,827.26	1/4	1,531.03	1/4	1,234.65	1/4	940.91	1/4	647.86	1/4	351.51	1/4	55.82	1/4		1/4			
1/2	1,821.09	1/2	1,524.86	1/2	1,228.48	1/2	934.82	1/2	641.69	1/2	345.33	1/2	49.78	1/2		1/2			
3/4	1,814.92	3/4	1,518.68	3/4	1,222.30	3/4	928.73	3/4	635.52	3/4	339.16	3/4	43.73	3/4		3/4			
2	1,808.75	2	1,512.51	2	1,216.13	2	922.64	2	629.34	2	332.98	2	37.69	2		2			
1/4	1,802.58	1/4	1,506.33	1/4	1,209.95	1/4	916.55	1/4	623.17	1/4	326.81	1/4	32.55	1/4		1/4			
1/2	1,796.41	1/2	1,500.16	1/2	1,203.78	1/2	910.47	1/2	616.99	1/2	320.64	1/2	27.41	1/2		1/2			
3/4	1,790.24	3/4	1,493.98	3/4	1,197.60	3/4	904.38	3/4	610.82	3/4	314.46	3/4	22.28	3/4		3/4			
3	1,784.07	3	1,487.81	3	1,191.43	3	898.30	3	604.64	3	308.29	3	17.14	3		3			
1/4	1,777.90	1/4	1,481.64	1/4	1,185.25	1/4	892.22	1/4	598.47	1/4	302.11	1/4	14.05	1/4		1/4			
1/2	1,771.73	1/2	1,475.46	1/2	1,179.08	1/2	886.13	1/2	592.30	1/2	295.94	1/2	10.97	1/2		1/2			
3/4	1,765.56	3/4	1,469.29	3/4	1,172.91	3/4	880.05	3/4	586.12	3/4	289.77	3/4	7.88	3/4		3/4			
4	1,759.39	4	1,463.11	4	1,166.73	4	873.96	4	579.95	4	283.59	4	4.79	4		4			
1/4	1,753.22	1/4	1,456.94	1/4	1,160.56	1/4	867.88	1/4	573.77	1/4	277.42	1/4	3.77	1/4		1/4			
1/2	1,747.04	1/2	1,450.76	1/2	1,154.38	1/2	861.79	1/2	567.60	1/2	271.24	1/2	2.74	1/2		1/2			
3/4	1,740.87	3/4	1,444.59	3/4	1,148.21	3/4	855.71	3/4	561.43	3/4	265.07	3/4	1.71	3/4		3/4			
5	1,734.70	5	1,438.41	5	1,142.03	5	849.63	5	555.25	5	258.90	5	0.68	5		5			
1/4	1,728.53	1/4	1,432.24	1/4	1,135.90	1/4	843.54	1/4	549.08	1/4	252.72	1/4		1/4		1/4			
1/2	1,722.36	1/2	1,426.06	1/2	1,129.77	1/2	837.46	1/2	542.90	1/2	246.55	1/2		1/2		1/2			
3/4	1,716.19	3/4	1,419.89	3/4	1,123.64	3/4	831.37	3/4	536.73	3/4	240.37	3/4		3/4		3/4			
6	1,710.02	6	1,413.71	6	1,117.51	6	825.29	6	530.56	6	234.20	6		6		6			
1/4	1,703.85	1/4	1,407.54	1/4	1,111.42	1/4	819.21	1/4	524.38	1/4	228.02	1/4		1/4		1/4			
1/2	1,697.68	1/2	1,401.37	1/2	1,105.33	1/2	813.12	1/2	518.21	1/2	221.85	1/2		1/2		1/2			
3/4	1,691.51	3/4	1,395.19	3/4	1,099.24	3/4	807.04	3/4	512.03	3/4	215.68	3/4		3/4		3/4			
7	1,685.34	7	1,389.02	7	1,093.15	7	800.95	7	505.86	7	209.50	7		7		7			
1/4	1,679.17	1/4	1,382.84	1/4	1,087.06	1/4	794.87	1/4	499.69	1/4	203.33	1/4		1/4		1/4			
1/2	1,672.99	1/2	1,376.67	1/2	1,080.97	1/2	788.78	1/2	493.51	1/2	197.15	1/2		1/2		1/2			
3/4	1,666.82	3/4	1,370.49	3/4	1,074.88	3/4	782.70	3/4	487.34	3/4	190.98	3/4		3/4		3/4			
8	1,660.65	8	1,364.32	8	1,068.79	8	776.62	8	481.16	8	184.81	8		8		8			
1/4	1,654.48	1/4	1,358.14	1/4	1,062.70	1/4	770.53	1/4	474.99	1/4	178.63	1/4		1/4		1/4			
1/2	1,648.31	1/2	1,351.97	1/2	1,056.61	1/2	764.45	1/2	468.81	1/2	172.46	1/2		1/2		1/2			
3/4	1,642.14	3/4	1,345.79	3/4	1,050.52	3/4	758.36	3/4	462.64	3/4	166.29	3/4		3/4		3/4			
9	1,635.97	9	1,339.62	9	1,044.43	9	752.28	9	456.47	9	160.11	9		9		9			
1/4	1,629.80	1/4	1,333.45	1/4	1,038.34	1/4	746.20	1/4	450.29	1/4	153.94	1/4		1/4		1/4			
1/2	1,623.63	1/2	1,327.27	1/2	1,032.25	1/2	740.11	1/2	444.12	1/2	147.78	1/2		1/2		1/2			
3/4	1,617.46	3/4	1,321.10	3/4	1,026.16	3/4	734.03	3/4	437.94	3/4	141.61	3/4		3/4		3/4			
10	1,611.29	10	1,314.92	10	1,020.07	10	727.95	10	431.77	10	135.44	10		10		10			
1/4	1,605.12	1/4	1,308.75	1/4	1,013.98	1/4	721.82	1/4	425.60	1/4	129.29	1/4		1/4		1/4			
1/2	1,598.95	1/2	1,302.57	1/2	1,007.89	1/2	715.68	1/2	419.42	1/2	123.13	1/2		1/2		1/2			
3/4	1,592.77	3/4	1,296.40	3/4	1,001.80	3/4	709.55	3/4	413.25	3/4	116.98	3/4		3/4		3/4			
11	1,586.60	11	1,290.22	11	995.71	11	703.42	11	407.07	11	110.82	11		11		11			
1/4	1,580.43	1/4	1,284.05	1/4	989.62	1/4	697.25	1/4	400.90	1/4	104.69	1/4		1/4		1/4			
1/2	1,574.25	1/2	1,277.87	1/2	983.53	1/2	691.08	1/2	394.73	1/2	98.55	1/2		1/2		1/2			
3/4	1,568.08	3/4	1,271.70	3/4	977.44	3/4	684.91	3/4	388.55	3/4	92.42	3/4		3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 07/06/2010 CL
CALCULATED: 07/06/2010 CL
PRINTED: 07/06/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 11024B"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,848.43	0	1,554.82	0	1,261.07	0	967.32	0	679.65	0	385.72	0	91.85	0		0			
1/4	1,842.32	1/4	1,548.70	1/4	1,254.95	1/4	961.20	1/4	673.55	1/4	379.60	1/4	85.75	1/4		1/4			
1/2	1,836.21	1/2	1,542.58	1/2	1,248.83	1/2	955.14	1/2	667.43	1/2	373.47	1/2	79.69	1/2		1/2			
3/4	1,830.10	3/4	1,536.46	3/4	1,242.71	3/4	949.09	3/4	661.30	3/4	367.35	3/4	73.62	3/4		3/4			
1	1,823.99	1	1,530.34	1	1,236.59	1	943.03	1	655.18	1	361.22	1	67.56	1		1			
1/4	1,817.87	1/4	1,524.22	1/4	1,230.47	1/4	936.97	1/4	649.06	1/4	355.10	1/4	61.49	1/4		1/4			
1/2	1,811.76	1/2	1,518.10	1/2	1,224.35	1/2	930.98	1/2	642.93	1/2	348.97	1/2	55.48	1/2		1/2			
3/4	1,805.65	3/4	1,511.98	3/4	1,218.23	3/4	924.99	3/4	636.81	3/4	342.85	3/4	49.47	3/4		3/4			
2	1,799.54	2	1,505.86	2	1,212.11	2	918.99	2	630.69	2	336.73	2	43.47	2		2			
1/4	1,793.43	1/4	1,499.74	1/4	1,205.99	1/4	913.00	1/4	624.56	1/4	330.60	1/4	37.46	1/4		1/4			
1/2	1,787.31	1/2	1,493.62	1/2	1,199.87	1/2	907.01	1/2	618.44	1/2	324.48	1/2	32.35	1/2		1/2			
3/4	1,781.19	3/4	1,487.50	3/4	1,193.75	3/4	901.01	3/4	612.31	3/4	318.35	3/4	27.25	3/4		3/4			
3	1,775.07	3	1,481.38	3	1,187.63	3	895.02	3	606.19	3	312.23	3	22.14	3		3			
1/4	1,768.95	1/4	1,475.26	1/4	1,181.51	1/4	889.03	1/4	600.07	1/4	306.10	1/4	17.04	1/4		1/4			
1/2	1,762.83	1/2	1,469.15	1/2	1,175.39	1/2	883.05	1/2	593.94	1/2	299.98	1/2	13.97	1/2		1/2			
3/4	1,756.71	3/4	1,463.03	3/4	1,169.27	3/4	877.07	3/4	587.82	3/4	293.86	3/4	10.90	3/4		3/4			
4	1,750.59	4	1,456.91	4	1,163.16	4	871.10	4	581.69	4	287.73	4	7.84	4		4			
1/4	1,744.47	1/4	1,450.79	1/4	1,157.04	1/4	865.12	1/4	575.57	1/4	281.61	1/4	4.77	1/4		1/4			
1/2	1,738.35	1/2	1,444.67	1/2	1,150.92	1/2	859.16	1/2	569.45	1/2	275.48	1/2	3.75	1/2		1/2			
3/4	1,732.23	3/4	1,438.55	3/4	1,144.80	3/4	853.20	3/4	563.32	3/4	269.36	3/4	2.72	3/4		3/4			
5	1,726.11	5	1,432.43	5	1,138.68	5	847.24	5	557.20	5	263.24	5	1.70	5		5			
1/4	1,719.99	1/4	1,426.31	1/4	1,132.56	1/4	841.28	1/4	551.07	1/4	257.11	1/4	0.68	1/4		1/4			
1/2	1,713.87	1/2	1,420.19	1/2	1,126.44	1/2	835.32	1/2	544.95	1/2	250.99	1/2		1/2		1/2			
3/4	1,707.76	3/4	1,414.07	3/4	1,120.32	3/4	829.36	3/4	538.82	3/4	244.86	3/4		3/4		3/4			
6	1,701.64	6	1,407.95	6	1,114.20	6	823.40	6	532.70	6	238.74	6		6		6			
1/4	1,695.52	1/4	1,401.83	1/4	1,108.08	1/4	817.44	1/4	526.58	1/4	232.61	1/4		1/4		1/4			
1/2	1,689.40	1/2	1,395.71	1/2	1,101.96	1/2	811.48	1/2	520.45	1/2	226.49	1/2		1/2		1/2			
3/4	1,683.29	3/4	1,389.59	3/4	1,095.84	3/4	805.52	3/4	514.33	3/4	220.37	3/4		3/4		3/4			
7	1,677.17	7	1,383.47	7	1,089.72	7	799.55	7	508.20	7	214.24	7		7		7			
1/4	1,671.05	1/4	1,377.35	1/4	1,083.60	1/4	793.59	1/4	502.08	1/4	208.12	1/4		1/4		1/4			
1/2	1,664.94	1/2	1,371.23	1/2	1,077.48	1/2	787.63	1/2	495.96	1/2	201.99	1/2		1/2		1/2			
3/4	1,658.82	3/4	1,365.11	3/4	1,071.36	3/4	781.67	3/4	489.83	3/4	195.87	3/4		3/4		3/4			
8	1,652.70	8	1,358.99	8	1,065.24	8	775.71	8	483.71	8	189.75	8		8		8			
1/4	1,646.58	1/4	1,352.87	1/4	1,059.12	1/4	769.75	1/4	477.58	1/4	183.62	1/4		1/4		1/4			
1/2	1,640.47	1/2	1,346.75	1/2	1,053.00	1/2	763.79	1/2	471.46	1/2	177.50	1/2		1/2		1/2			
3/4	1,634.35	3/4	1,340.63	3/4	1,046.88	3/4	757.83	3/4	465.33	3/4	171.37	3/4		3/4		3/4			
9	1,628.23	9	1,334.51	9	1,040.76	9	751.87	9	459.21	9	165.25	9		9		9			
1/4	1,622.12	1/4	1,328.39	1/4	1,034.64	1/4	745.91	1/4	453.09	1/4	159.13	1/4		1/4		1/4			
1/2	1,616.00	1/2	1,322.27	1/2	1,028.52	1/2	739.95	1/2	446.96	1/2	153.00	1/2		1/2		1/2			
3/4	1,609.88	3/4	1,316.15	3/4	1,022.40	3/4	733.99	3/4	440.84	3/4	146.87	3/4		3/4		3/4			
10	1,603.77	10	1,310.03	10	1,016.28	10	728.03	10	434.71	10	140.74	10		10		10			
1/4	1,597.65	1/4	1,303.91	1/4	1,010.16	1/4	722.07	1/4	428.59	1/4	134.61	1/4		1/4		1/4			
1/2	1,591.53	1/2	1,297.79	1/2	1,004.04	1/2	716.05	1/2	422.46	1/2	128.49	1/2		1/2		1/2			
3/4	1,585.42	3/4	1,291.67	3/4	997.92	3/4	710.02	3/4	416.34	3/4	122.37	3/4		3/4		3/4			
11	1,579.30	11	1,285.55	11	991.80	11	704.00	11	410.22	11	116.26	11		11		11			
1/4	1,573.18	1/4	1,279.43	1/4	985.68	1/4	697.97	1/4	404.09	1/4	110.14	1/4		1/4		1/4			
1/2	1,567.06	1/2	1,273.31	1/2	979.56	1/2	691.87	1/2	397.97	1/2	104.04	1/2		1/2		1/2			
3/4	1,560.94	3/4	1,267.19	3/4	973.44	3/4	685.76	3/4	391.84	3/4	97.95	3/4		3/4		3/4			

STRAPPED: 07/06/2010 CL
CALCULATED: 07/06/2010 CL
PRINTED: 07/06/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 07/2010

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>