

### **United States of America Department of Homeland Security United States Coast Guard**

Certification Date: 29 Dec 2020 **Expiration Date:** 29 Dec 2025

# Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name

Official Number

IMO Number

Call Sign

Service

KIRBY 11336

1225341

Tank Barge

Hailing Port

NEW ORLEANS, LA

**Hull Material** 

Steel

Horsepower

Propulsion

UNITED STATES

Place Built

BELLE CHASSE, LA

**Delivery Date** 

Keel Laid Date

Gross Tons

**Net Tons** 

DWT

Length

05May2010 10Feb2010

R-735

R-735

R-200.0

1-0

UNITED STATES

Owner

KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES

KIRBY INLAND MARINE LP 18350 MARKET ST CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

0 Licensed Mates

0 Chief Engineers

0 Chief Mates 0 Second Mates 0 First Class Pilots

**0 First Assistant Engineers** 

0 Radio Officers

0 Second Assistant Engineers

0 Third Mates

Date

0-14-21

0 Able Seamen

0 Third Assistant Engineers

0 Master First Class Pilot

0 Ordinary Seamen

0 Licensed Engineers

0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total 0 Deckhands Persons allowed: 0

Route Permitted And Conditions Of Operation:

# ---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle,

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI must be notified in writing as soon

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined

\*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\* With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection

laws and the rules and regulations prescribed thereunder.

Zone

Befor Kong

BRLA

Annual/Periodic/Re-Inspection A/P/R

Signature levile Hobert Daylan La Coste

This certificate issued by:

J.J. ANDREW, CDR, USCG, By direction

Officer in Charge, Marine Inspection

Marine Safety Unit Port Arthur

Inspection Zone

OMB No. 2115-0517

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)



#### United States of America **Department of Homeland Security United States Coast Guard**

Certification Date: 29 Dec 2020 **Expiration Date:** 29 Dec 2025

### Certificate of Inspection

Vessel Name: KIRRY 11336

Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

#### ---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Dec2030

29Dec2020

05May2010

Internal Structure

31Dec2025

29Dec2020

28May2015

#### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

**Total Capacity** 

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

114000

Barrels

Yes

No

No

#### \*Hazardous Bulk Solids Authority\*

Not Authorized

#### \*Loading Constraints - Structural\*

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1C	649	12.8
2 C	757	12.8
3 C	673	12.8

#### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
1	1422	8ft 9in	15	LBS
II	1511	9ft 2in	15	LBS
<b>III</b>	1727	10ft 1in	15	LBS
III	1799	10ft 5in	13.5	LBS
Ш	1817	10ft 11in	12.8	LBS
Ш	1961	11ft 3in	13.5	R
Ш	1980	11ft 3in	12.8	R
III	1907	11ft 0in	15	R

#### \*Conditions Of Carriage\*

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-1000198 dated 04-MAY-2010, and Grade "A" and lower cargoes may be carried and then only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compatible Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

\*Vapor Control Authorization\*



# United States of America Department of Homeland Security United States Coast Guard

Certification Date: 29 Dec 2020 Expiration Date: 29 Dec 2025

## Certificate of Inspection

Vessel Name: KIRBY 11336

In accordance with 46 CFR 39, excluding part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter Serial #C1-1000198 dated 28-JAN-2010, an extension of Marine Safety Center letter Serial #C1-0801180 dated 16-APR-2008, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

#### --- Inspection Status ---

#### \*Cargo Tanks\*

	Internal Exam			External Exam	ı	
Tank Id	Previous	Last	Next	Previous	Last	Next
1C	05May2010	29Dec2020	31Dec2030	-	_	_
2 C	05May2010	29Dec2020	31Dec2030	-	-	-
3 C	05May2010	29Dec2020	31Dec2030	-	-	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1C	-		-	- *	-	
2 C	-		-	-		
3 C	-		-	_	_	

#### ---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

#### --- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

2

40-B:C

\*\*\*END\*\*\*

<sup>\*</sup>Stability and Trim\*



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: Kirby 11336

Shipyard: C&C MARINE AND

Serial #: C1-1000198

04-May-10

REPAIR CO. Hull #: 135

Official #: 1225341

46 CFR 151 Tank  Tank Group Information		Identificat			Cargo		Tanks Cargo Transfer		Environ		Fire	Special Requirements					
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1,#2,#3	15	5 Atmos	Amb.	1	1ii 2ii	Integral Gravity	PV	Closed	H	G-1	NR	NA	Portable	40-1(f)(1), .50-60, .50-70(a), .50-73,	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (q),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

**List of Authorized Cargoes** 

Cargo Identification	Conditions of Carriage									
							Vapor R			
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes										
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G
Acrylonitrile	ACN	15 <sup>2</sup>	0	С	11	Α	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	Α	No	N/A	.50-81, .50-86	G
Aminoethylethanolamine	AEE	8	0	E	111	Α	Yes	1	.55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 <sup>2</sup>	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	111	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	111	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 <sup>2</sup>	0	С	111	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 <sup>2</sup>	0	С	III	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	III	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	СРО	18	0	D	11	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No	G
Caustic potash solution	CPS	5 <sup>2</sup>	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	CSS	5 <sup>2</sup>	0	NA	Ш	Α	No	N/A	.50-73, .55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	11	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	.50-73	G
Creosote	CCM	21 2	0	E	Ш	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	E	Ш	Α	Yes	1	No	G
Cresylate spent caustic	csc	5	0	NA	111	Α	No	N/A	.50-73, .55-1(b)	G
Cresylic acid tar	CRX		0	Е	III	Α	Yes	1	.55-1(f)	G
Crotonaldehyde	CTA	19 <sup>2</sup>	0	С	11	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	111	Α	No	N/A	No	G
Cyclohexanone	ССН	18	0	D	111	Α	Yes	1	.56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 <sup>2</sup>	0	E	111	Α	Yes	1	.56-1 (b)	G
Cyclohexylamine	CHA	7	0	D	Ш	Α	Yes	1	.56-1(a), (b), (c), (g)	G
				THE PERSONNELS						
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	.50-60, .56-1(b)	G

<sup>\*\*\*</sup> This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*



# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: Kirby 11336

Official #: 1225341

Page 2 of 7

Shipyard: C&C MARINE AND

REPAIR CO.

04-May-10

Hull #: 135

									11411 77. 1353	
Cargo Identification					tions of Carriage					
	Chem	Compat	Sub		Hull	Tank	Vapor R App'd	ecovery VCS	Special Requirements in 40 OFR	
Name Dichlorobenzene (all isomers)	Code	Group No	Chapter	Grade	Type	Group	(Y or N)	Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.
1,1-Dichloroethane	DBX	36	0	E		Α	Yes	3	.56-1(a), (b)	G
2,2'-Dichloroethyl ether	DCH	36	0	C	111	Α	Yes	1	No	G
Dichloromethane	DEE	41	0	D	11	Α	Yes	1	.55-1(f)	G
	DCM	36	0	NA	111	Α	Yes	5	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	111	A	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2		Α	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	E	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	Ш	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С	111	Α	Yes	3	No	G
1,3-Dichloropropene	DPU	15	0	D	11	Α	Yes	4	No	G
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	П	Α	Yes	1	No	G
Diethanolamine	DEA	8	0	E	111	Α	Yes	1	.55-1(c)	G
Diethylamine	DEN	7	0	С	111	Α	Yes	3	.55-1(c)	G
Diethylenetriamine	DET	72	0	Е	111	Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	111	Α	Yes	3	.55-1(c)	G
Diisopropanolamine	DIP	8	0	Е	Ш	Α	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7	0	С	11	Α	Yes	3	.55-1(c)	G
N,N-Dimethylacetamide	DAC	10	0	E	III	Α	Yes	3	.56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	Ш	Α	Yes	1	.56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	111	Α	Yes	1	.55-1(e)	G
Di-n-propylamine	DNA	7	0	С	II	Α	Yes	3	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	111	Α	No	N/A	.56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	Α	No	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0	D	111	Α	No	N/A	No	G
Ethanolamine	MEA	8	0	E	III	Α	Yes	1	.55-1(c)	G
Ethyl acrylate	EAC	14	0	C	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylamine solution (72% or less)	EAN	7	0	A	11	A	No	N/A	.55-1(b)	G
N-Ethylbutylamine	EBA	7	0	D		A	Yes	3	.55-1(b)	G
N-Ethylcyclohexylamine	ECC	7	0		111	A	Yes	1	.55-1(b)	
Ethylene cyanohydrin	ETC	20	0	E		A	Yes	1	No	G
Ethylenediamine	EDA	72	0	D	111	A	Yes	1	.55-1(c)	G
Ethylene dichloride	EDC	36 <sup>2</sup>	0	С	111	A			No No	G
Ethylene glycol hexyl ether	EGH	40	0	E		A	Yes	1	No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E			No	N/A	No	
Ethylene glycol propyl ether	EGP	40	0	E	- 111	A	Yes	1	No	G
2-Ethylhexyl acrylate	EAI				- 111	A	Yes	1		G
Ethyl methacrylate		14	0	E		A	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Ethyl-3-propylacrolein	ETM	14	0	D/E		Α	Yes	2	.50-70(a)	G
	EPA	19 <sup>2</sup>	0	E	111	A	Yes	1	No	G
Formaldehyde solution (37% to 50%)	FMS	19 <sup>2</sup>	0	D/E	III	A	Yes	1	.55-1(h)	G
Furfural	FFA	19	0	D		A	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	111	Α	No	N/A	No	G
Hexamethylenediamine solution	HMC	7	0	E	111	A	Yes	1	.55-1(c)	G
Hexamethyleneimine	HMI	7	0	С	11	Α	Yes	1	.56-1(b), (c)	G
Hydrocarbon 5-9	HFN		0	C	111	A	Yes	1	.50-70(a), .50-81(a), (b)	G
soprene	IPR	30	0	Α	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
soprene, Pentadiene mixture	IPN		0	В	111	Α	No	N/A	.50-70(a), .55-1(c)	G
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	Ш	Α	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G



Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: Kirby 11336
Official #: 1225341

Page 3 of 7

Shipyard: C&C MARINE AND

REPAIR CO.

Serial #: C1-1000198

04-May-10

Hull #: 135

Cargo Identification	1			,	,		Conditions of Carriage						
	01	0	0.1					Recovery					
Name Methylcyclopentadiene dimer	Chem Code MCK	Compat Group No 30	Sub Chapter O	Grade C	Hull Type III	Tank Group A	App'd (Y or N) Yes	VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of No	Insp. Perio G			
Methyl diethanolamine	MDE	8	0	E	111	Α	Yes	1	.56-1(b), (c)	G			
2-Methyl-5-ethylpyridine	MEP	9	0	Е	111	Α	Yes	1	.55-1(e)	G			
Methyl methacrylate	MMM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
2-Methylpyridine	MPR	9	0	D	111	Α	Yes	3	.55-1(c)	G			
alpha-Methylstyrene	MSR	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
Morpholine	MPL	72	0	D	111	Α	Yes	1	.55-1(c)	G			
1- or 2-Nitropropane	NPM	42	0	D	III	A	Yes	1	.50-81	G			
Pentachloroethane	PCE	36	0	NA	111	A	No	N/A	No	G			
1,3-Pentadiene	PDE	30	0	A	111	A	No	N/A	.50-70(a), .50-81	G			
Perchloroethylene	PER	36	0	NA	111	A	No	N/A	No	G			
Polyethylene polyamines	PEB	72	0	E	111	Α	Yes	1	.55-1(e)	G			
so-Propanolamine	MPA	8	0	E		A	Yes	1	.55-1(c)	G			
Propanolamine (iso-, n-)	PAX	8	0	E	111	Α	Yes	1	.56-1(b), (c)	G			
	IPP	7	0	A	111	A	Yes	1 5	.55-1(c)	G			
so-Propylamine	PRD	9	0	C					.55-1(e)	G			
Pyridine Sodium acetata, Glucal, Water mixture (20), or more Sodium Hudravia		3	0	C	111	Α	Yes	1 N/A	.50-73, .55-1(j)	G			
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxic				NIA.		A	No		.50-73, .56-1(a), (b), (c)	G			
Sodium aluminate solution (45% or less)	SAU	5 0 1,2	0	NA	111	A	No	N/A	.50-73	G			
Sodium chlorate solution (50% or less)	SDD		0	NA	111	A	No	N/A		G			
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	111	Α .	No	N/A	.50-73, .56-1(a), (b)				
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	0	NA	111	Α	Yes	1	.50-73, .55-1(b)	G			
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but ess than 200 ppm)	SSI	0 1,2	0	NA	111	Α	No	N/A	.50-73, .55-1(b)	G			
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	11	Α	No	N/A		G			
Styrene (crude)	STX		0	D	Ш	Α	Yes	2	No	G			
Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	Ш	Α	No	N/A	No	G			
Tetraethylenepentamine	TTP	7	0	Ε	Ш	Α	Yes	1	.55-1(c)	G			
Tetrahydrofuran	THF	41	0	С	Ш	Α	Yes	1	.50-70(b)	G			
Toluenediamine	TDA	9	0	Ε	11	Α	No	N/A	.50-73, .56-1(a), (b), (c), (g)	G			
1,2,4-Trichlorobenzene	TCB	36	0	E	Ш	Α	Yes	1	No	G			
1,1,2-Trichloroethane	TCM	36	0	NA	III	Α	Yes	1	.50-73, .56-1(a)	G			
Trichloroethylene	TCL	36 <sup>2</sup>	0	NA	111	Α	Yes	1	No	G			
1,2,3-Trichloropropane	TCN	36	0	E	11	Α	Yes	3	.50-73, .56-1(a)	G			
Triethanolamine	TEA	82	0	E	111	Α	Yes	1	.55-1(b)	G			
Triethylamine	TEN	7	0	С	II	Α	Yes	3	.55-1(e)	G			
Triethylenetetramine	TET	72	0	E	111	Α	Yes	1	.55-1(b)	G			
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	III	Α	No	N/A	.56-1(a), (b), (c)	G			
Trisodium phosphate solution	TSP	5	0	NA	III	Α	No	N/A		G			
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	Α	No	N/A		G			
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	III	A	No	N/A		G			
Vinyl acetate	VAM	13	0	C	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G			
Vinyl neodecanate	VND	13	0	E	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G			
Vinyltoluene	VNT	13	0	D	111	A	Yes		.50-70(a), .50-81, .56-1(a), (b), (c), (	G			
Subchapter D Cargoes Authorized for Vapor Contr													
Acetone	ACT	18 <sup>2</sup>	D	С		Α	Yes	1					
Acetophenone	ACP	18	D	E		Α	Yes	1					
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1					
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1	William Page 1 Act of the Control of				
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1					

Serial #:

C1-1000198





# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: **Kirby 11336**Official #: 1225341

Page 4 of 7

Shipyard: C&C MARINE AND

REPAIR CO.

Hull #: 135

Cargo Identification	1						Conditions of Carriage           Vapor Recovery App'd VCS (Y or N) Category         Special Requirements in 46 CFR           Yes 1         1           Yes 1         1				
	T										
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group				Insp.	
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D	1400	A			TO TOCHOLD WILL OF		
Benzyl alcohol	BAL	21	D	E		Α	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) lycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and heir borate esters)	BFX	20	D	E		Α	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1			
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	D		Α	Yes	1			
Butyl alcohol (n-)	BAN	20 <sup>2</sup>	D	D		Α	Yes	1			
Butyl alcohol (sec-)	BAS	20 <sup>2</sup>	D	С		Α	Yes	1			
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1			
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1			
Butyl toluene	BUE	32	D	D		Α	Yes	1			
Caprolactam solutions	CLS	22	D	E		Α	Yes	1			
Cyclohexane	CHX	31	D	С		Α	Yes	1			
Cyclohexanol	CHN	20	D	E		Α	Yes	1			
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		A					
p-Cymene	CMP	32	D	D		Α					
so-Decaldehyde	IDA	19	D	E		Α	Yes	1			
n-Decaldehyde	DAL	19	D			A					
Decene	DCE	30	D			Α					
Decyl alcohol (all isomers)	DAX	20 <sup>2</sup>	D	E		A					
	DBZ	32		 E		Α				***************************************	
n-Decylbenzene, see Alkyl(C9+)benzenes	DAA	20 <sup>2</sup>				A					
Diacetone alcohol	DPA	34		E		A					
ortho-Dibutyl phthalate		32	D	D		A					
Diethylbenzene	DEB	40 <sup>2</sup>	D	E		A					
Diethylene glycol	DEG										
Diisobutylene	DBL	30	D	С		A					
Diisobutyl ketone	DIK	18	D	D		Α					
Diisopropylbenzene (all isomers)	DIX	32	D	E		A					
Dimethyl phthalate	DTL	34	D	E		Α					
Dioctyl phthalate	DOP	34	D	E		Α					
Dipentene	DPN	30	D	D		A					
Diphenyl	DIL	32	D	D/E		Α					
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		A					
Diphenyl ether	DPE	41	D	{E}		Α					
Dipropylene glycol	DPG	40	D	E		A	Yes	1			
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1			
Distillates: Straight run	DSR	33	D	E		Α	Yes	1			
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1			
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1			
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1			
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1_			
Ethyl acetate	ETA	34	D	С		Α	Yes	1			
Ethyl acetoacetate	EAA	34	D	Ε		Α	Yes	1			
Ethyl alcohol	EAL	20 <sup>2</sup>	D	С		Α	Yes	1			
Ethylbenzene	ETB	32	D	С		Α	Yes	1			
Ethyl butanol	EBT	20	D	D		Α	Yes	1			
Ethyl tert-butyl ether	EBE		D	С		Α	Yes	1			
Ethyl butyrate	EBR		D	D		Α	Yes	1			
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1			



Serial #: Dated: 04-May-10

# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: Kirby 11336

Shipyard: C&C MARINE AND REPAIR CO.

Hull #: 135

Official #: 1225341

Page 5 of 7 Cargo Identification **Conditions of Carriage** Vapor Recover Compat Chem Sub Hull Tank Insp Grade Type Groun Category 151 General and Mat'ls of Ethylene glycol butyl ether acetate FMA 34 D Ethylene glycol diacetate EGY 34 D Yes EPE Ethylene glycol phenyl ether 40 D E Α Yes Ethyl-3-ethoxypropionate EEP 34 D D A Yes 2-Ethylhexanol EHX 20 Α Yes Ethyl propionate **EPR** 34 D С Α Yes Ethyl toluene ETE 32 D D Α Yes FAM F Formamide 10 D Α Yes 20 2 Furfuryl alcohol FAL D E Α Yes Gasoline blending stocks: Alkylates GAK 33 D A/C Α Yes Gasoline blending stocks: Reformates 33 D A/C Α Yes Gasolines: Automotive (containing not over 4.23 grams lead per GAT 33 D C Yes Gasolines: Aviation (containing not over 4.86 grams of lead per GAV 33 D С Α Yes gallon) Gasolines: Casinghead (natural) GCS 33 A/C D A Yes GPL 33 D A/C Gasolines: Polymer A Yes Gasolines: Straight run **GSR** 33 D A/C Α Yes **GCR** 202 Α Yes Heptane (all isomers), see Alkanes (C6-C9) (all isomers) HMX 31 D C Α Yes Heptanoic acid HEP 4 D Е Α Yes Heptanol (all isomers) HTX 20 D D/F A Yes HPX 30 D Heptene (all isomers) C A Yes HPE 34 D Ε Heptyl acetate Α Yes Hexane (all isomers), see Alkanes (C6-C9) HXS 31<sup>2</sup> D B/C Α Yes HXO 4 D Hexanoic acid Ε Yes HXN 20 D D Α Hexene (all isomers) HEX 30 D C Yes 2 Hexylene glycol HXG 20 D F Α Yes IPH 18 2 D F Α Yes Isophorone Jet fuel: JP-4 JPF 33 D Ε Α Yes Jet fuel: JP-5 (kerosene, heavy) 33 A Yes D Yes Kerosene 33 Α MTT 34 D D Α Yes Methyl acetate Methyl alcohol MAL 20<sup>2</sup> D C Α Yes MAC 34 D D Α Methylamyl acetate Yes 20 D D MAA Α Yes Methylamyl alcohol MAK 18 D D Α Yes Methyl amyl ketone MBE 412 D C Α Yes Methyl tert-butyl ether Methyl butyl ketone MBK 18 D C Α Methyl butyrate MRU D C A Yes 18<sup>2</sup> MEK D C A Methyl ethyl ketone Yes MHK 18 D ח Α Yes Methyl heptyl ketone Methyl isobutyl ketone MIK C Α Yes MNA 32 D F Α Yes Methyl naphthalene (molten) MNS 33 D D A Yes Mineral spirits Myrcene MRE 30 D D Α Yes NAG 33 D # A Yes Naphtha: Heavy PTN 33 D A Yes Naphtha: Petroleum D Naphtha: Solvent 33 D D Naphtha: Stoddard solvent

<sup>\*\*\*</sup> This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*



Serial #: C1-1000198

Dated: 04-May-10

# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: Kirby 11336

Shipyard: C&C MARINE AND REPAIR CO.

Hull #: 135

Official #: 1225341

Page 6 of 7

Cargo Identifica	Conditions of Carriage									
							Vapor Recovery			
None	Chem	Compat	Sub	Grade	Hull	Tank	App'd	VCS	Special Requirements in 46 CFR	Insp.
Name Naphtha: Varnish makers and painters (75%)	Code NVM	Group No 33	D	C	Type	Group A	(Y or N) Yes	Catedory	151 General and Mat'ls of	Period
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1		
Nonene (all isomers)	NON	30	D	D		Α	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 <sup>2</sup>	D	E		A	Yes	1		
Nonyl phenol	NNP	21	D	E		Α	Yes	1		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C		Α	Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		Α	Yes	1		
Octanol (all isomers)	OCX	20 <sup>2</sup>	D	E		Α	Yes	1		
Octene (all isomers)	OTX	30	D	C		Α	Yes	2		
Oil, fuel: No. 2	OTW	33	D	D/E		Α	Yes	1		
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1		
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	1		
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1		
Oil, fuel: No. 6	OSX	33	D	E		A	Yes	1		
	OIL	33	D	C/D		A	Yes	1		
Oil, misc: Crude	ODS	33	D	D/E		A	Yes	1		
Oil, misc: Diesel	OGP	33	D	E		A	Yes	1		
Oil, misc: Gas, high pour	OLB	33	D	E		A A	Yes	1		
Oil, misc: Lubricating	ORL	33	D	E		A	Yes	1		
Oil, misc: Residual	OTB	33	D	E		A	Yes	1		
Oil, misc: Turbine		30						5		
Pentene (all isomers)	PTX		D	A		A	Yes			
alpha-Pinene	PIO	30	D	D		Α	Yes	1		
beta-Pinene	PIP	30	D	D		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		A	Yes	1		
Polybutene	PLB	30	D	E		Α	Yes	1		
Polypropylene glycol	PGC	40	D	E		Α	Yes	1		
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1		
iso-Propyl alcohol	IPA	20 <sup>2</sup>	D	С		Α	Yes	1		
n-Propyl alcohol	PAL	20 <sup>2</sup>	D	С		Α	Yes	11		
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	11		
Propylene glycol	PPG	20 <sup>2</sup>	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	11		
Sulfolane	SFL	39	D	E		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	Е		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1		
Triethylbenzene	TEB	32	D	E		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	Е		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Serial #: C1-1000198

04-May-10



# Certificate of Inspection

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Cargo Authority Attachment

Vessel Name: Kirby 11336 Official #: 1225341

Page 7 of 7

Shipyard: C&C MARINE

Hull #: 135

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No

Note 1

Note 2

Subchapter

Subchapter D Subchapter O Note 3

ABC

Hull Type

NA

Note 4 NA

Grade

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30 25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Certain mixtures of cargoes may not have a CHRIS Code assigned

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.25.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1. Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). Not applicable to barges certificated under Subchapter D.

#### Conditions of Carriage

Tank Group Vapor Recover

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

#### Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N)

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo,

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9 This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.