

## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Feb 2024
Expiration Date: 15 Feb 2025

### **Temporary Certificate of Inspection**

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

IMO Number Official Number Vessel Name Tank Barge 1215571 **KIRBY 11362** Hailing Port Propulsion Hull Materia Horsepower NEW ORLEANS, LA Steel **UNITED STATES** Length Place Built Keel Laid Date Gross Tons **Net Tons** Delivery Date R-200.0 JEFFERSONVILLE, IN R-735 R-735 01Dec2008 16Oct2008 1-0 UNITED STATES Operator

KIRBY INLAND MARINE LP 55 WAUGH DRIVE, SUITE 1000 HOUSTON, TX 77007 UNITED STATES KIRBY INLAND MARINE LP 18350 MARKET ST. CHANNELVIEW, TX 77530

UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Licensed Mates 0 Chief Engineers 0 Masters 0 First Class Pilots 0 First Assistant Engineers 0 Chief Mates 0 Second Mates 0 Radio Officers 0 Second Assistant Engineers 0 Third Mates 0 Able Seamen 0 Third Assistant Engineers 0 Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers 0 Mate First Class Pilots 0 Deckhands 0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

#### --- Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program

#### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspe	ction	This certificate issued by:	J. Allahada
Date	Zone	A/P/R	Signature	L. L. WOODMAN	CDR, USCG, By direction
				Officer in Charge, Marine Inspection	
				Marine Sat	fety Unit Port Arthur
				Inspection Zone	



#### United States of America Department of Homeland Security **United States Coast Guard**

15 Feb 2024 Certification Date: 15 Feb 2025 **Expiration Date:** 

### **Temporary Certificate of Inspection**

Vessel Name: KIRBY 11362

(TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

#### ---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Dec2028

26Dec2018

01Dec2008

Internal Structure

28Feb2029

15Feb2024

26Dec2018

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

**Total Capacity** 

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

11066

Barrels

No

No

#### \*Hazardous Bulk Solids Authority\*

Not Authorized

#### \*Loading Constraints - Structural\*

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	623	13.60
2	588	13.60
3	588	13.60

#### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
ī	1407	8ft 9in	13.60	R, LBS
u	1515	9ft 3in	13.60	R, LBS
111	1713	10ft 2in	7.40	R, LBS
III	1713	10ft 2in	9.60	R, LBS
ш	1713	10ft 2in	11.70	R, LBS
111	1713	10ft 2in	13.60	R, LBS

#### \*Conditions Of Carriage\*

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # C1-1303982, dated 06DEC13, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150-130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Per 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial C1-1303982 dated 06DEC13, and found acceptable for collection of bulk liquid cargo

<sup>\*</sup>Vapor Control Authorization\*



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Feb 2024 Expiration Date: 15 Feb 2025

### **Temporary Certificate of Inspection**

Vessel Name: KIRBY 11362

vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

\*Stability and Trim\*

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 8.7 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

#### --- Inspection Status ---

#### \*Cargo Tanks\*

Internal Exam	1		External Exa	am	
Previous	Last	Next	Previous	Last	Next
01Dec2008	26Dec2018	31Dec2028	-	-	•
01Dec2008	26Dec2018	31Dec2028	•	-	<u> </u>
01Dec2008	26Dec2018	31Dec2028	=	÷	*
		Hydro Test			
Safety Valves	S	Previous	Last	Next	
-		-	-	i <del>.e.</del>	
		-		JU <del>E</del>	
		+	-	11.	
	Previous 01Dec2008 01Dec2008 01Dec2008 Safety Valve	Previous Last 01Dec2008 26Dec2018 01Dec2008 26Dec2018 01Dec2008 26Dec2018  Safety Valves -	Previous         Last         Next           01Dec2008         26Dec2018         31Dec2028           01Dec2008         26Dec2018         31Dec2028           01Dec2008         26Dec2018         31Dec2028           Hydro Test         Previous           -         -	Previous         Last         Next         Previous           01Dec2008         26Dec2018         31Dec2028         -           01Dec2008         26Dec2018         31Dec2028         -           01Dec2008         26Dec2018         31Dec2028         -           Hydro Test         -         -         -           Safety Valves         Previous         Last           -         -         -         -           -         -         -         -	Previous         Last         Next         Previous         Last           01Dec2008         26Dec2018         31Dec2028         -         -           01Dec2008         26Dec2018         31Dec2028         -         -           01Dec2008         26Dec2018         31Dec2028         -         -           Hydro Test         -         -         -           Safety Valves         Previous         Last         Next           -         -         -         -           -         -         -         -

### ---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

### --- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity Class Type 2 40-B

\*\*\*END\*\*\*



**United States Coast Guard** 

C1-1303982

06-Dec-13

# Certificate of Inspection

Cargo Authority Attachment

Shipyard: Jeffboat

Hull #: 08-2358

Vessel Name: KIRBY 11362

Official #: 1215571

Tank Group Information	Cargo lo	dentificati	on		0		Tanks		Cargo Transfer		Environmental r Control		Fire	Special Requirements			
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Cargo Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec	Cont
A #1-3	13.6	Atmos.	Elev	1	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable		55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	I-B	Yes

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identification	n					Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	vCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
authorized Subchapter O Cargoes								-	(A) (F)	G		
Acetonitrile	ATN	37	0	С	111	Α	Yes	3	No			
Acrylonitrile	ACN	15 <sup>2</sup>	0	С	11	Α	Yes	4	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	E	11	Α	Yes	1_	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	111	Α	No	N/A		G		
Aminoethylethanolamine	AEE	8	0	Ε	111	Α	Yes	1	.55-1(b)	G		
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	111	Α	No	N/A		G		
Ammonium hydroxide (28% or less NH3)	AME	1 6	0	NA	III	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHC	33	0	NA	. 11	Α	No	N/A		G		
Benzene	BNZ	32	0	С	III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	BHE	32 <sup>2</sup>	0	С	III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	BHA	32 2	0	С	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	втх	32	0	B/C	111	Α	Yes	1	.50-60	G		
Butyl acrylate (all isomers)	BAF	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	BMI	1 14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	,55-1(h)	G		
Camphor oil (light)	CPC	18	0	D	11	Α	No	N/A	No No	G		
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	ų No	G		
Caustic potash solution	CPS	5 5 2	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G		
Caustic soda solution	CSS	5 5 2	0	NA	Ш	Α	No	N/A	,50-73, .55-1(j)	G		
Chemical Oil (refined, containing phenolics)	CO	D 21	0	Ε	П	Α	No	N/A	,50-73	G		
Chlorobenzene	CRI	3 36	0	D	111	Α	Yes	3 1	No	G		
Chloroform	CRI	36	0	NA	111	Α	Yes	3	No	G		
Coal tar naphtha solvent	NC.	Г 33	0	D	111	Α	Yes	s 1	.50-73	G		
Coal tar pitch (molten)	CTI		0	Ε	III	Α	No	N/A	A .50-73	G		
Creosote	CC	N 21 2	0	Е	111	A	Yes	1	No	G		
Cresols (all isomers)	CR	S 21	0	Е	III	Α	Yes	s 1	No	G		
Cresylate spent caustic	CS	C 5	0	NA	Ш	Α	No	N/A	A .50-73, .55-1(b)	G		
Cresylic acid tar	CR	X	0	E	111	Α	Yes	s 1	.55-1(f)	G		
Crotonaldehyde	СТ	A 19 2	0	С	H	Α	Yes	s 4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	СН	G	0	С	Ш	Α	No	N/A	A No	G		
Cyclohexanone	CC	H 18	0	D	Ш	А	Yes	s 1	.56-1(a), (b)	G		
Cyclohexanone, Cyclohexanol mixture	CY	X 18 <sup>2</sup>	0	Ε	III	Α	Yes	s 1	.56-1 (b)	G		

<sup>2.</sup> Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

<sup>3.</sup> Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Cargo Authority Attachment

Vessel Name: **KIRBY 11362**Official #: 1215571

Page 2 of 8

Shipyard: Jeffboat

Hull #: 08-2358

C1-1303982

Cargo Identificatio	n					Conditions of Carriage						
200 and 200 an							Vapor Re	ecovery				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Cyclohexylamine	CHA	7	0	D	III	Α	Yes	1	.56-1(a), (b), (c), (g)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	III	Α	Yes	1	.50-60, .56-1(b)	G		
so-Decyl acrylate	IAI	14	0	Е	111	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G		
Dichlorobenzene (all isomers)	DBX	36	0	Е	III	Α	Yes	3	.56-1(a), (b)	G		
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No	G		
	DEE	41	0	D	II	Α	Yes	1	.55-1(f)	G		
2,2'-Dichloroethyl ether Dichloromethane	DCM	36	0	NA	111	Α	No	N/A	No	G		
	DDE	43	0	E	111	Α	No	N/A	,56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DAD	0 1.		A	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DTI	43 2	0	E	111	A	No	N/A	,56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution			0	C	111	A	Yes	3	No	G		
1,1-Dichloropropane	DPB	36	0	C	III	A	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	944		229.10			3	No	G		
1,3-Dichloropropane	DPC	36	0	С	111	A	Yes		No	G		
1,3-Dichloropropene	DPU	15	0	D	J.II	Α	Yes	4	11134	G		
Dichloropropene, Dichloropropane mixtures	DMX		0	С	Ü	Α	Yes	1	No.	G		
Diethanolamine	DEA	8	0	E	111	Α	Yes	1	,55-1(c)			
Diethylamine	DEN	7	0	С	III	Α	Yes	3	,55-1(c)	G		
Diethylenetriamine	DET	7 2	0	E	Ш	Α	Yes	1	.55-1(c)	G		
Diisobutylamine	DBU	7	0	D	III	Α	Yes	3	.55-1(c)	G		
Diisopropanolamine	DIP	8	0	Ε	111	Α	Yes	1	.55-1(c)	G		
Diisopropylamine	DIA	7	0	С	11	Α	Yes	3	.55-1(c)	G		
	DAC	10	0	Е	III	Α	Yes	3	.56-1(b)	G		
N,N-Dimethylacetamide	DME	700	0	D	111	А	Yes	1	.56-1(b), (c)	G		
Dimethylethanolamine	DMF		0	D	111	А	Yes	77	.55-1(e)	G		
Dimethylformamide	DNA		0	С	- 11	Α	Yes		.55-1(c)	G		
Di-n-propylamine	DOT		0	E	111	A	No	N/A	.56-1(b)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	7000077	7.00	0	#	11	A	No	N/A		G		
Dodecyl diphenyl ether disulfonate solution	DOS		199.1	1000	111		No	N/A		G		
EE Glycol Ether Mixture	EEC		0	D					.55-1(c)	G		
Ethanolamine	MEA		0	E	111	- 1111 0"	Yes		.50-70(a), .50-81(a), (b)	G		
Ethyl acrylate	EAC		0	С	Ш		Yes	-	LEAD TO THE COLUMN TO SERVICE AND ADDRESS OF THE	G		
Ethylamine solution (72% or less)	EAN		0	Α	Н	Α	No	N/A		G		
N-Ethylbutylamine	EBA	7	0	D	111	А	Yes	W. 1 1 00	.55-1(b)			
N-Ethylcyclohexylamine	ECC	7	0	D	III	Α	Yes	1	,55-1(b)	G		
Ethylene cyanohydrin	ETC	20	0	E	Ш	Α	Yes	1	No	G		
Ethylenediamine	EDA	7	2 0	D	111	Α	Yes	1	.55-1(c)	G		
Ethylene dichloride	ED	36	2 0	С	111	Α	Yes	1	No	G		
Ethylene glycol hexyl ether	EGI	H 40	0	Е	111	Α	No	N/	A No	G		
Ethylene glycol monoalkyl ethers	EG		0	D/I	E III	A	Yes	s 1	No	G		
Ethylene glycol propyl ether	EG		0	E	111		Yes	5 1	No	٥		
2-Ethylhexyl acrylate	EAI	14	0	Е	111	I A	Yes	3 2	,50-70(a), .50-81(a), (b)	G		
Ethyl methacrylate	ETM		0	D/I	- 7/37		1997	100	.50-70(a)	G		
2-Ethyl-3-propylacrolein	EP	7972	T 710.01	E	III				No	G		
	FM			D/I		11/1/20			.55-1(h)	G		
Formaldehyde solution (37% to 50%)	FFA		0	D	111				,55-1(h)	G		
Furfural Cluteral debude calution (50% or loss)	GT	1775	0	NA.			701	200	A No	G		
Glutaraldehyde solution (50% or less)	HM		0	E	11		2.00		.55-1(c)	G		
Hexamethylenediamine solution	HM		0	C	- 11				.56-1(b), (c)	G		
Hexamethyleneimine Hydrocarbon 5-9	HIV		0	C	П		Charge.		.50-70(a), .50-81(a), (b)	G		



## Cargo Authority Attachment

Vessel Name: KIRBY 11362 Official #: 1215571

Page 3 of 8

Shipyard: Jeffboat

Hull #: 08-2358

Serial #: C1-1303982

Cargo Identification						Conditions of Carriage						
							Vapor R	ecovery				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio		
soprene	IPR	30	0	Α	III	Α	No	N/A	,50-70(a), ,50-81(a), (b)	G		
soprene, Pentadiene mixture	IPN		0	В	111	Α	No	N/A	.50-70(a), .55-1(c)	G		
raft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G		
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	Ш	Α	Yes	1	No	G		
Methyl acrylate	MAM	14	0	С	Ш	Α	Yes	2	,50-70(a), ,50-81(a), (b)	G		
Methylcyclopentadiene dimer	MCK	30	0	С	111	Α	Yes	1	No	G		
Methyl diethanolamine	MDE	8	0	Ε	III	Α	Yes	1	,56-1(b), (c)	G		
-Methyl-5-ethylpyridine	MEP	9	0	Ε	III	Α	Yes	1	,55-1(e)	G		
Methyl methacrylate	MMN	1 14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
P-Methylpyridine	MPR	9	0	D	111	Α	Yes	3	,55-1(c)	G		
Ipha-Methylstyrene	MSR	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
	MPL	7 2	0	D	III	Α	Yes	1	.55-1(c)	G		
Morpholine	NTM	32	0	С	111	А	Yes	1	No	G		
Naphthalene (molten)	NTE	42	0	D	11	Α	No	N/A	.50-81, .56-1(b)	G		
Nitroethane	NPM		0	D	III	A	Yes	1	.50-81	G		
I - or 2-Nitropropane	PDE	30	0	A	111	A	No	N/A	.50-70(a), .50-81	G		
1,3-Pentadiene			0	NA	111	A	No	N/A		G		
Perchloroethylene	PER	36	0	E	. 111	A	Yes	500000	No	G		
Phthalic anhydride (molten)	PAN	11				714 (2004)	7,775-0		.55-1(e)	G		
Polyethylene polyamines	PEB	7 2	0	E	111	A	Yes		.55-1(c)	G		
so-Propanolamine	MPA		0	E	111		Yes		.56-1(b), (c)	G		
Propanolamine (iso-, n-)	PAX		0	Е	- 111	-	Yes	250000	511 147 200 KS	G		
so-Propylamine	IPP	7	0	Α	41	Α	No	N/A				
Pyridine	PRD	9	0	С	III	Α	Yes	1	.55-1(e)	G		
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0		111	Α	No	N/A		G		
Sodium aluminate solution (45% or less)	SAU	5	0	NA	III	Α	No	N/A		G		
Sodium chlorate solution (50% or less)	SDD	0 1	,2 0	NA	111	Α	No	N/A	,50-73	G		
Sodium hypochlorite solution (20% or less)	SHO	2 5	0	NA	III	Α	No	N/A	,50-73, .56-1(a), (b)	G		
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSF	0 1	2 0	NA	111	Α	Yes	s 1	.50-73, .55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1	,2 O	NA	III	А	No	N/a	Δ .50-73, .55-1(b)	G		
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1	,2 0	NA	11	Α	No	N/A	A .50-73, .55-1(b)	G		
Styrene (crude)	STX	(	0	D	III	Α	Yes	s 2	No	G		
Styrene monomer	STY	30	0	D	111	I A	Ye	s 2	.50-70(a), .50-81(a), (b)	G		
	TEC	36	0	NA	11	1 A	No	N/	A No	G		
1,1,2,2-Tetrachloroethane	TTP		0	E	11		12.21		,55-1(c)	G		
Tetraethylenepentamine Tetraehydraftrae	THE		0	C	11	S	11 22596		.50-70(b)	G		
Tetrahydrofuran	TDA		0	E	11	-		- 10	A .50-73, .56-1(a), (b), (c), (g)	G		
Toluenediamine 1,2,4-Trichlorobenzene	TCE	100	0	E	- 11			2000	No	0		
1,1,2-Trichloroethane	TCN		0	NA					.50-73, .56-1(a)	G		
	TCI	1-175		NA	(4)				No	G		
Trichloroethylene	TCI		0	E	11				.50-73, .56-1(a)	G		
1,2,3-Trichloropropane	TEA		_	E	11		1.1040		.55-1(b)	G		
Triethanolamine	TEN	S. 1	0	C	11		1,177		,55-1(e)	G		
Triethylamine	TE			E	11		1000	100	.55-1(b)	G		
Triethylenetetramine			0	N/	Oct.				AND TANKS WAS THE	G		
Triphenylborane (10% or less), caustic soda solution	TPI						757	20.00	MAN DESCRIPTION OF THE PROPERTY OF THE PROPERT	G		
Trisodium phosphate solution	TSF	5	0	NA	11	I A	No	) N/	A .56-1(b)	G		



## Cargo Authority Attachment

Vessel Name: KIRBY 11362

Official #: 1215571 Page 4 of 8

Shipyard: Jeffboat

C1-1303982

06-Dec-13

Hull #: 08-2358

Cargo Identification	Conditions of Carriage									
		***********	0.1		36650	Tank	Vapor F App'd	VCS	Special Requirements in 46 CFR	Insp.
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Group		Category	151 General and Mat'ls of	Perio
/anillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	Ш	Α	No	N/A		G
/inyl acetate	VAM	13	0	С	Ш	A	Yes	2	,50-70(a), ,50-81(a), (b)	G
/inyl neodecanate	VND	13	0	E	Ш	Α	No	N/A		G
/inyltoluene	VNT	13	0	D	111	Α	Yes	2	,50-70(a), .50-81, .56-1(a), (b), (c), (	G
ubchapter D Cargoes Authorized for Vapor Contro	ol.									
Acetone	ACT	18 <sup>2</sup>	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	E		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	Е		Α	Yes	1		
	AEC	34	D	D		Α	Yes	1		
Amyl acetate (all isomers)	AAI	20	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	BAL	21	D	E		A	Yes	1		
Benzyl alcohol	BFX	20	D	E		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	DLV	20								
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 2	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 <sup>2</sup>	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT		D	C		Α	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	Ε		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes	1		
Cyclohexanol	CHN	20	D	Е		Α	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		À	Yes	2		1075
p-Cymene	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 2	D	Е		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	Е		Α	Yes	1		
Diacetone alcohol	DAA	20 2	D	D	A-107	Α	Yes	1		I A I
ortho-Dibutyl phthalate	DPA	34	D	Е		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
	DEG		D	Ε		Α	Yes	1		
Diethylene glycol	DBL	30	D	С		Α	Yes			
Diisobutylene	DIK	18	D	D		Α	Yes			
Diisobutyl ketone Diisopropylbenzene (all isomers)	DIX	32	D	E		Α	Yes			
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1		
Dioctyl phthalate	DOP	0.0000	D	E		Α	Yes			
Dipentene	DPN		D	D		Α	Yes	0.00		
Diphenyl	DIL	32	D	D/E		Α	Yes			
Diphenyl, Diphenyl ether mixtures	DDO		D	E		Α	Yes			
Diphenyl ether	DPE		D	(E)		Α	Yes			
Dipropylene glycol	DPG		D	E		Α	Yes			
Distillates: Flashed feed stocks	DFF		D	E		Α	Yes			
Distillates: Straight run	DSR		D	E		Α	Yes			



Cargo Authority Attachment

Vessel Name: KIRBY 11362 Official #: 1215571

Page 5 of 8

Shipyard: Jeffboat

Hull #: 08-2358

Serial #: C1-1303982

Cargo Identificatio	n					Conditions of Carriage						
							-	Recovery				
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Oodecene (all isomers)	DOZ	30	D	D		Α	Yes	1				
odecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1				
-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1				
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1				
Ethyl acetate	ETA	34	D	C		Α	Yes	1				
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1				
Ethyl alcohol	EAL	20 <sup>2</sup>	D	С		Α	Yes	1				
Ethylbenzene	ETB	32	D	С		Α	Yes	1				
Ethyl butanol	EBT	20	D	D		Α	Yes	1				
Ethyl tert-butyl ether	EBE	41	D	C		Α	Yes	1				
Ethyl butyrate	EBR	34	D	D		Α	Yes	1				
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1				
Ethylene glycol	EGL	20 2	D	Ε		Α	Yes	1				
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1				
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1				
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1				
2-Ethylhexanol	EHX	20	D	Е		Α	Yes	1				
Ethyl propionate	EPR	34	D	С		Α	Yes	1				
Ethyl toluene	ETE	32	D	D		Α	Yes	1	3	26		
Formamide	FAM	10	D	E		Α	Yes	1				
Furfuryl alcohol	FAL	20 2	D	Е		Α	Yes	1				
Gasoline blending stocks: Alkylates	GAK	33	D	A/C	7111	Α	Yes	1				
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		А	Yes	1		ħ.		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1		<u></u>		
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1		Ann ili		
Glycerine	GCR	20 <sup>2</sup>	D	E		Α	Yes	1	<u> </u>	Jall 1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1	A post of the state of the stat			
Heptanoic acid	HEP	4	D	E		Α	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1				
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2				
Heptyl acetate	HPE	34	D	E		Α	Yes	_ 1.				
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C	1411	Α	Yes	1				
Hexanoic acid	нхс	) 4	D	E		Α	Yes	1				
Hexanol	HXN	20	D	D		Α	Yes	1				
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2				
Hexylene glycol	HXG	20	D	E		Α	Yes	1				
Isophorone	IPH	18 <sup>2</sup>	D	E		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1				
Kerosene	KRS	33	D	D		Α	Yes	1				
Methyl acetate	MTT	34	D	D		Α	Yes	1				
Methyl alcohol	MAL	20 2	D	С		Α	Yes	1				
Methylamyl acetate	MAC	34	D	D		Α	Yes	1				



**United States Coast Guard** Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: KIRBY 11362

Page 6 of 8

Shipyard: Jeffboat

06-Dec-13

Hull #: 08-2358 Official #: 1215571 Conditions of Carriage

Cargo Identificat	Conditions of Carriage									
The second of th							Vapor F	Recovery		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1		
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1		
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1		
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1		
Methyl butyrate	MBU	34	D	С		Α	Yes	1		
Methyl ethyl ketone	MEK	18 <sup>2</sup>	D	С		Α	Yes	1		
Methyl heptyl ketone	МНК	18	D	D		Α	Yes	1		
Methyl isobutyl ketone	MIK	18 2	D	С		Α	Yes	1		
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1		
Mineral spirits	MNS	33	D	D		Α	Yes	1		
	MRE	30	D	D		Α	Yes	1		
Myrcene	NAG	33	D	#		Α	Yes	1		
Naphtha: Heavy	PTN	33	D	#		Α	Yes	1		
Naphtha: Petroleum	NSV	33	D	D		Α	Yes	1		
Naphtha: Solvent	NSS	33	D	D		A	Yes	1		
Naphtha: Stoddard solvent	NVM	33	D	С		A	Yes	1		
Naphtha: Varnish makers and painters (75%)	NAX	31	D	D		A	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NON	30	D	D		A	Yes	2		
Nonene (all isomers)		20 2	D	E		A	Yes	1		
Nonyl alcohol (all isomers)	NNS	200	700	E		A	Yes	1		
Nonyl phenol	NNP	21	D			2000	1000000	- X		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		A	Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		A	Yes	-		
Octanol (all isomers)	ocx	20 <sup>2</sup>	D	Е		Α	Yes	1		
Octene (all isomers)	OTX	30	D	С	307.2	Α	Yes			100
Oil, fuel: No. 2	OTW	33	D	D/E	127	Α	Yes			
Oil, fuel: No. 2-D	OTD	33	D	D	MALL	Α	Yes			
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	1		
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1		111
Oil, fuel: No. 6	OSX	33	D	Е		Α	Yes	1		
Oil, misc: Crude	OIL	33	D	C/D		Α	Yes	1	Thursday of the latest the	
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1		
Oil, misc: Gas, high pour	OGP	33	D	E		Α	Yes	1		
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1		
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	Е		Α	Yes	. 1		
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1		
alpha-Pinene	PIO	30	D	D		Α	Yes	1		
beta-Pinene	PIP	30	D	D		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Е		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF		D	Ε		Α	Yes	1		
Polybutene	PLB	45.65	D	E		Α	Yes	1		
Polypropylene glycol	PGC		D	E		Α	Yes	1		
iso-Propyl acetate	IAC	34	D	С		Α	Yes			
n-Propyl acetate	PAT		D	С		Α	Yes	s 1		
iso-Propyl alcohol	IPA	20 <sup>2</sup>	-	С		Α	Yes	2		
n-Propyl alcohol	PAL			С		Α	Yes			
Propylbenzene (all isomers)	PBY		D	D		А	Yes			



Cargo Authority Attachment

Vessel Name: **KIRBY 11362** Official #: 1215571

Page 7 of 8

Shipyard: Jeffboat

Hull #: 08-2358

C1-1303982

Cargo Identifica	ation						Conditions of Carriage						
							Vapor F	Recovery					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1					
Propylene glycol	PPG	20 <sup>2</sup>	D	E		Α	Yes	1					
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1					
Propylene tetramer	PTT	30	D	D		Α	Yes	1					
Sulfolane	SFL	39	D	E		Α	Yes	1					
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1					
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1					
Toluene	TOL	32	D	С		Α	Yes	1					
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1					
Triethylbenzene	TEB	32	D	E		Α	Yes	1					
Triethylene glycol	TEG	40	D	E		Α	Yes	1					
Triethyl phosphate	TPS	34	D	E		Α	Yes	1					
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1					
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1					
Undecene	UDC	30	D	D/E		Α	Yes	1					
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1					
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1					



Cargo Authority Attachment

Vessel Name: KIRBY 11362

Official #: 1215571

Page 8 of 8

Shipyard: Jeffboat

Hull #: 08-2358

Serial #: C1-1303982

06-Dec-13

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 2

Subchapter Subchapter D

Subchapter O Note 3

Grade

A, B, C Note 4

NA

Hull Type 11 NA

Conditions of Carriage Tank Group

Vapor Recover Approved (Y or N) The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Decause of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "( )" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid. No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4)

Not applicable to barges certificated under Subchapter D.

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No. The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

#### Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes. The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39,20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

none

The cargo has not been evaluated/classified for use in vapor control systems.