

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Jun 2024 Expiration Date: 13 Jun 2029

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

Vessel Name			Official Number	IMO Nur	nber	Call Sign	Service	
KIRBY 113	366		1218075				Tank B	arge
Hailing Port						and the desired and the second and t		
NEW ORL	EANS, LA		Hull Material Steel	Hors	epower	Propulsion		
UNITED S	TATES							
Place Built	N. 0. 11	20,	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
JEFFERSC	ONVILLE, IN			19Dec2008	R-735	R-735		R-200.0
UNITED ST	TATES			190602000	1	F		1-0
OMMEDO	IAILS							
)wner								
KIRBY INLA	ND MARINE LI			Operato KIRB		MARINE LP		
	DRIVE SUITE	1000			0 MARKET			
HOUSTON,					NNELVIEW			
JNITED ST	ATES			UNIT	ED STATES	3		
his vessel	must be manner	with the	following licensed	and unlicenses	Personnal	Included in	ich those	ıt ba
Certified L	ifeboatmen, 0 C	ertified T	ankermen, 0 HSC	Type Rating, a	and 0 GMDS	SS Operators.	iich there mus	st be
0 Masters		0 Licensed	Mates 0 Chief	Engineers	0 Oil	ers		
0 Chief Mat	es	0 First Clas	s Pilots 0 First A	\ssistant Engineer	s			
0 Second M	ates	0 Radio Off	icers 0 Secon	d Assistant Engin	eers			
0 Third Mate	es	0 Able Sear	nen 0 Third	Assistant Enginee	rs			
0 Master Fir	st Class Pilot	0 Ordinary	Seamen 0 Licens	ed Engineers				
		0 Deckhand		ed Member Engin				
n addition, the ersons allo	nis vessel may c wed: 0	arry 0 Pa	ssengers, 0 Other	Persons in cre	w, 0 Person	s in addition to	crew, and no	Others, Total
Route Pern	nitted And Con	ditions O	f Operation:					
Lakes,	Bays, and S	Sounds						
lso, in fa lorida.	ir weather onl	y, not m	ore than twolve	(11) miles fr	on shore b	etween St. Ma	rks and Carr	rabelle,
l(b); if the essel must	nis vessel is	operated	esn water seivic in salt water m it water interva	ore than six	(6) months	in any twelve	(12) month	pariod the
nis tank pa	arge is partic.	ipating 1	n the Eighth-Ni	nth Coast Gua	rd Distric	t's Tank Barg	e Stieam.ine	.: Inspection
SEE NE	XT PAGE FOR	ADDITIO	NAL CERTIFICA	ATE INFORM	ATION*			
ith this Insp	ection for Certifi ector Houston-G	cation hav	ving been complet	ed at HOUSTO	N. TX. UNI	TED STATES, rmity with the a	the Officer in	Charge, Marin
ws and the	rules and regulate Annual/Perio	tions pres	cribed thereunder.	·		<u> </u>		
Date					s certificate	// "	0.1/2	yuna
-2-25	Bottim Lunge	A/P/R	Signature Roderick He	1		V. Morgabe CD	R, USEG, BY	Direction
	LANGE CHILDREN CONS.	A		5 0 . w/ L w				
0. 9.3	0		Maiores He	Office	r in Charge. Marin		_	
0. 9.3	2 7 7		mairica pe	Office	r in Charge. Marin	Sector Houst	on-Galveston	



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Jun 2024 **Expiration Date:** 13 Jun 2029

Certificate of Inspection

Vessel Name: KIRBY 11366

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Apr2029

21May2019

15Apr2009

Internal Structure

30Apr2029

23May2024

16May2019

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE "A" & LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated

Part153 Regulated Part154 Regulated

11066

Barrels

Α

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	623	13.6
2	588	13.6
3	588	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
III	1727	10ft 2in	13.6	R, LBS
11	1529	9ft 3in	13.6	R, LBS
1	1421	8ft 9in	13.6	R, LBS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial C1-1303982, dated 06DEC13, and Grade "A" and lower cargoes may be carried, and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

In accordance with 46 CFR 39, excluding 46 CFR 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial C2-0803572 dated 29FEB09 and the list of authorized cargoes on the CAA, Serial C1-1303982 dated 06DEC13, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

--- Inspection Status ---



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Jun 2024 Expiration Date: 13 Jun 2029

Certificate of Inspection

Vessel Name: KIRBY 11366

Cargo Tanks						
	Internal Exan	n		External Ex	am	
Tank Id	Previous	Last	Next	Previous	Last	Next
1	15Apr2009	16May2019	30Apr2029	-	-	-
2	15Apr2009	16May2019	30Apr2029	-	-	-
3	15Apr2009	16May2019	30Apr2029	•	-	-
			Hydro Test			
Tank Id	Safety Valve	s	Previous	Last	Next	
1	-		-	-	-	
2	66		-	-	-	
3	-		-	-	-	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

END



Serial #: Dated:

C1-1303982



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 1040 Official #: 1218075

Shipyard: JEFFBOAT

Hull #: 08-2563

Tank Group Information	Cargo Identification		rgo Identification		Tanks				Cargo Transfer		Environmental Control		Fire	Special Requirements			
Tnk Grp Tanks in Group	Density	Press	Temp,	Hull Typ	Seq	Туре	Vent	Gauge	Pipe Class	Conl	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp
A #1-3	13,6	Atmos.	Elev	I	1ii 2ii	Integral Gravity	PV	Closed	H	G-1	NR	NA	Portable	50-70(a), .50-	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	I-B	Yes

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space, NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identificatio	n							Condi	tions of Carriage	
							Vapor Re	ALC: CONTRACT OF T		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio
authorized Subchapter O Cargoes										
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G
Acrylonitrile	ACN	15 ²	0	С	- 11	Α	Yes	4	50-70(a), 55-1(e)	G
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 ²	0	NA	111	Α	No	N/A	50-81, 50-86	G
Aminoethylethanolamine	AEE	8	0	E	111	Α	Yes	1	55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 ²	0	NA	III	Α	No	N/A	50-73, 56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	III	Α	No	N/A	56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	11	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	101	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	С	H	Α	Yes	1	50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 2	0	C	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	55-1(h)	G
Camphor oil (light)	CPO	18	0	D	П	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	10	Α	No	N/A	No	G
Caustic potash solution	CPS	5 2	0	NA	Ш	Α	No	N/A	50-73, 55-1(j)	G
Caustic soda solution	CSS	5.2	0	NA	III	Α	No	N/A	50-73, 55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	n	Α	No	N/A	50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	Ш	А	Yes	. 1	50-73	G
Coal tar pitch (molten)	CTP	33	0	Е	111	Α	No	N/A	50-73	G
Creosote	CCV	V 21 ²	0	Е	H	Α	Yes	. 1	No	G
Cresols (all isomers)	CRS	21	0	E	111	А	Yes	1	No	G
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	50-73, 55-1(b)	G
Cresylic acid tar	CRX	(0	Е	m	Α	Yes	(1)	55-1(f)	G
Crotonaldehyde	CTA	19 2	0	С	11	А	Yes	4	.55-1(h)	, G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	3	0	С	tit	Α	No	N/A	/ No	G
Cyclohexanone	CCF	18	0	D	111	Α	Yes	- 1	56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	182	0	Е	III	Α	Yes	- 1	56-1 (b)	G



Serial #: C1-1303982 Dated:

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 1040 Official #: 1218075

Page 2 of 8

Shipyard: JEFFBOAT

Cargo Identificatio	n						(Condit	ions of Carriage	
							Vapor R			
Name	Chem	Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Cyclohexylamine	СНА	7	0	D	III	Α	Yes	1	56-1(a), (b), (c), (g)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	Α	Yes	1	50-60, 56-1(b)	G
iso-Decyl acrylate	IAI	14	0	Е	[[]	Α	Yes	2	50-70(a), .50-81(a), (b), .55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	111	Α	Yes	3	56-1(a), (b)	G
1,1-Dichloroethane	DCH	36	0	С	Ш	A	Yes	1	No	G
2,2'-Dichloroethyl ether	DEE	41	0	D	11	A	Yes	1	.55-1(f)	G
Dichloromethane	DCM	36	0	NA	111	Α	No	N/A	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	Е	Ш	Α	No	N/A	56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	2 0	Α	III	Α	No	N/A	56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	0	Е	10	A	No	N/A	56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	С	III	Α	Yes	3	No	G
1,2-Dichloropropane	DPP		0	С	Ш	Α	Yes	3	No	G
1,3-Dichloropropane	DPC		0	С	III	Α	Yes	3	No	G
1,3-Dichloropropene	DPU		0	D	10.	Α	Yes	4	No	G
Dichloropropene, Dichloropropane mixtures	DMX		0	С	11	A	Yes	1	No	G
Diethanolamine	DEA		0	E	III	A	Yes	1	.55-1(c)	G
	DEN		0	C	III	A	Yes	3	55-1(c)	G
Diethylamine	DET	7 2	0	E	Ш	A	Yes	1	55-1(c)	G
Diethylenetriamine	DBU		0	D	III	A	Yes	3	55-1(c)	G
Diisobutylamine	DIP	8	0	E	111	A	Yes	1	_55-1(c)	G
Diisopropanolamine			0	C		A	Yes	3	.55-1(c)	G
Diisopropylamine	DIA	7			11			3	56-1(b)	G
N,N-Dimethylacetamide	DAC		0	E		A	Yes		56-1(b), (c)	G
Dimethylethanolamine	DME		0	D	III	A	Yes	1	55-1(e)	G
Dimethylformamide	DMF		0	D		A	Yes	1 2	55-1(c)	G
Di-n-propylamine	DNA		0	С	· II	A	Yes	3		G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT		0	E	111	Α	No	N/A		G
Dodecyl diphenyl ether disulfonate solution	DOS		0	#	- 11	А	No	N/A		
EE Glycol Ether Mixture	EEG		0	D	111	Α	No	N/A		G
Ethanolamine	MEA	8	0	E	III.	Α	Yes		.55-1(c)	G
Ethyl acrylate	EAC		0	С	m	Α	Yes		.50-70(a), .50-81(α), (b)	G
Ethylamine solution (72% or less)	EAN	7	.0	Α	31	A	No	N/A		G
N-Ethylbutylamine	EBA	7	0	D	III	Α	Yes	3	.55-1(b)	G
N-Ethylcyclohexylamine	ECC	7	0	D	111	Α	Yes	1	_55-1(b)	G
Ethylene cyanohydrin	ETC	20	0	Е	101	Α	Yes	3	No	G
Ethylenediamine	EDA	7 2	0	D	111	Α	Yes	1	55-1(c)	G
Ethylene dichloride	EDC	36 ²	0	С	111	Α	Yes	1	No	G
Ethylene glycol hexyl ether	EGH	40	0	E	111	Α	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGO	40	0	D/E	111	Α	Yes	1	No	G
Ethylene glycol propyl ether	EGF	40	0	Е	Ш	Α	Yes	1	No	G
2-Ethylhexyl acrylate	EAI	14	0	Е	Ш	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Ethyl methacrylate	ETN	1 14	0	D/E	TII	Α	Yes	2	50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 2	0	Е	m	Α	Yes	1	No	G
Formaldehyde solution (37% to 50%)	FMS			D/E	10	Α	Yes	1	55-1(h)	G
Furfural	FFA		0	D	111	Α	Yes		55-1(h)	G
Glutaraldehyde solution (50% or less)	GT/		0	NA	III	Α	No	N/A	No	G
Hexamethylenediamine solution	HM		0	E	III	A	Yes		55-1(c)	G
Hexamethyleneimine	НМІ		0	С	111	A	Yes		56-1(b), (c)	G
Hydrocarbon 5-9	HFN		0	C	111	A	Yes		50-70(a), 50-81(a), (b)	G

06-Dec-13



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 1040 Official #: 1218075

Page 3 of 8

Shipyard: JEFFBOAT

Cargo Identification								Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.
soprene	IPR	30	0	A	III	A	No	N/A	50-70(a), 50-81(a), (b)	G
soprene, Pentadiene mixture	IPN		0	В	, III	Α	No	N/A	,50-70(a), ,55-1(c)	G
(raft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G
Mesityl oxide	MSO	18 ²	0	D	Ш	Α	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	111	Α	Yes		50-70(a), 50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	10	A	Yes		No	G
Methyl diethanolamine	MDE	8	0	E	10	A	Yes		56-1(b), (c)	G
P-Methyl-5-ethylpyridine	MEP	9	0	E	III	Α	Yes	-	,55-1(e)	G
Methyl methacrylate	MMM		0	С	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G
	MPR	9	0	D	111	A	Yes		55-1(c)	G
2-Methylpyridine	MSR	30	0	D	III	A	Yes		50-70(a), 50-81(a), (b)	G
Appha-Methylstyrene	MPL	7 2	0	D		A	Yes		.55-1(c)	G
Morpholine	NTM	32	0	C	111	A	Yes		No	G
Naphthalene (molten)	NTE	42	0	D	11	A	No	N/A		G
Vitroethane			0			A			.50-81	G
I- or 2-Nitropropane	NPM	42		D	111		Yes			G
I,3-Pentadiene	PDE	30	0	A	111	A	No	-N/A		G
Perchloroethylene	PER	36	0	NA	III	A	No	N/A	No	G
Phthalic anhydride (molten)	PAN	11	0	E	111	A	Yes		55-1(e)	G
Polyethylene polyamines	PEB	7 2	0	E _	Ш	Α.	Yes			G
so-Propanolamine	MPA	8	0	E	111	A	Yes		.55-1(c)	G
Propanolamine (iso-, n-)	PAX	8	0	Е	[]]	Α	Yes		.56-1(b), (c)	G
so-Propylamine	IPP	7	0	Α	Н	Α	No	N/A		
Pyridine	PRD	9	0	С	III	Α	Yes		.55-1(e)	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0		101	А	No	N/A		G
Sodium aluminate solution (45% or less)	SAU	5	0	NA	H	Α	No	N/A	50-73, 56-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	SDD	0 1,	2 0	NA	111	Α	No	N/A	50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	H	Α	No	N/A	50-73, 56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1.	2 0	NA	III	Α	Yes	1	50-73, 55-1(b)	9
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,	² O	NA	Ш	Α	No	N/A	60-73, 55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,	2 0	NA	В	А	No	N/A	50-73, 55-1(b)	G
Styrene (crude)	STX		0	D	111	Α	Yes	2	No	G
Styrene monomer	STY	30	0	D	III	Α	Yes	3 2	50-70(a), 50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	III	Α	No	N/A	No No	G
Tetraethylenepentamine	TTP	7	0	Е	111	Α	Yes	. 1	55-1(c)	G
Tetrahydrofuran	THE	41	0	С	111	Α	Yes	. 1	50-70(b)	G
Toluenediamine	TDA		0	Е	II	Α	No	N/A	50-73, 56-1(a), (b), (c), (g)	G
1,2,4-Trichlorobenzene	TCB		0	Е	118	А	Yes	s 1	No	G
1,1,2-Trichloroethane	TCM		0	NA	100	Α	Yes		.50-73, .56-1(a)	G
Trichloroethylene	TCL	36 2		NA	10	Α	Yes		No	G
1,2,3-Trichloropropane	TCN		0	E	II.	A	Yes		50-73, 56-1(a)	G
	TEA			E	III	A	Yes		55-1(b)	G
Triethanolamine	TEN		0	С	- 11	A	Yes		55-1(e)	G
Triethylamine	TET	7 2		E	101	A	Yes		.55-1(b)	G
Triethylenetetramine										G
Triphenylborane (10% or less), caustic soda solution	TPB		0	NA	- 111	A	No			G
Trisodium phosphate solution	TSP	5	0	NA	111	Α	No	N/A	Δ 50-73, 56-1(a), (c)	

06-Dec-13



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 1040 Official #: 1218075

Page 4 of 8

Shipyard: JEFFBOAT

Cargo Identification	1								ions of Carriage	
Name	Chem Code	Compal Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp Per
√anillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	111	А	No	N/A	.50-73, 56-1(a), (c), (g)	G
/inyl acetate	VAM	13	0	С	Ш	Α	Yes	2	50-70(a), 50-81(a), (b)	G
/inyl neodecanate	VND	13	0	Е	III	Α	No	N/A	50-70(a), 50-81(a), (b)	G
/inyltoluene	VNT	13	0	D	H	Α	Yes	2	.50-70(a), 50-81, 56-1(a), (b), (c), (G
		_				_		_		_
ubchapter D Cargoes Authorized for Vapor Contro Acetone	ol ACT	18 ²	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	Е		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	Е		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	Е		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohol	BAL	21	D	E		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		А	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	3		
Butyl alcohol (iso-)	IAL	20 2	D	D		Α	Yes	9		
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 2	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	3		
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	jt		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		Α	Yes	3		
Cyclohexane	CHX	31	D	С		Α	Yes	1		
Cyclohexanol	CHN	20	D	Е		Α	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
p-Cymene	CMP	32	D	D		Α	Yes	(1)		
iso-Decaldehyde	IDA	19	D	E		Α	Yes	31		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 2	D	E		Α	Yes	-1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	Е		Α	Yes	1		
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
Diethylene glycol	DEG	40 2	D	E		Α	Yes	1		
Diisobutylene	DBL	30	D	С		Α	Yes	1		
Diisobutyl ketone	DIK	18	D	D		А	Yes	1		
Diisopropylbenzene (all isomers)	DIX	32	D	Е		Α	Yes	1		
Dimethyl phthalate	DTL	34	D	Е		Α	Yes	1		
Dioctyl phthalate	DOP	34	D	E		Α	Yes	4		
Dipentene	DPN	30	D	D		Α	Yes	1		
Diphenyl	DIL	32	D	D/E		Α	Yes	1		
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		Α	Yes	1		
Diphenyl ether	DPE	41	D	{E}		Α	Yes	-1		
Dipropylene glycol	DPG	40	D	E		Α	Yes	4		
Distillates: Flashed feed stocks	DFF	33	D	Е		Α	Yes	1		
Distillates: Straight run	DSR	33	D	Е		А	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 1040 Official #: 1218075

Page 5 of 8

Shipyard: JEFFBOAT

Cargo Identificatio	n							Condi	tions of Carriage	
Name	Chem Code	Compal Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp, Period
Dodecene (all isomers)	DOZ	30	D	D		А	Yes	- F		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1		
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1		
Ethoxy triglycol (crude)	ETG	40	D	Е		Α	Yes	- 1		
Ethyl acetate	ETA	34	D	С		Α	Yes	-1		
Ethyl acetoacetate	EAA	34	D	Е		Α	Yes	1		
Ethyl alcohol	EAL	20 2	D	С		Α	Yes	1		
Ethylbenzene	ETB	32	D	С		Α	Yes	1		
Ethyl butanol	EBT	20	D	D		Α	Yes	1		
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	-1.	11	
Ethyl butyrate	EBR	34	D	D		Α	Yes	1		
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1		
Ethylene glycol	EGL	20 ²	D	E		Α	Yes	- 4		
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	-40		
Ethylene glycol batyl ether acetate	EGY	34	D	E		A	Yes	1		
Ethylene glycol diacetate Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1		
	EEP	34	D	D		A	Yes	1		
Ethyl-3-ethoxypropionate	EHX	20	D	E		A	Yes	1		
2-Ethylhexanol	EPR	34	D	C		A	Yes	1		
Ethyl propionate	ETE	32	D	D		A	Yes	1		
Etnyl toluene				E		A		1		
Formamide Surface de la labella de la labell	FAM	10	D	E		A	Yes	1		
Furturyi aiconoi	FAL	20 2	D				Yes	1		
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes			
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes	1		
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	_ D	С		Α	Yes	1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	C		A	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		A	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C		A	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	- 1		
Glycerine	GCR	20 ²	D	Е		Α	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	C		А	Yes	1		
Heptanoic acid	HEP	4	D	E		Α	Yes	ii 1		
Heptanol (all isomers)	HTX	20	D	D/E		А	Yes	1		
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2		
Heptyl acetate	HPE	34	D	Е		Α	Yes	1		
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α_	Yes	1		
Hexanoic acid	HXO	4	D	Е		Α	Yes	1		
Hexanol	HXN	20	D	D		Α	Yes	1_		
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2		
Hexylene glycol	HXG	20	D	Е		Α	Yes	1		
Isophorone	IPH	18 ²	D	Е		Α	Yes	1		
Jet fuel: JP-4	JPF	33	D	Е		Α	Yes	1		
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		
Kerosene	KRS	33	D	D		А	Yes	1		
Methyl acetate	MTT	34	D	D		А	Yes			
Methyl alcohol	MAL	20 ²	D	С		Α	Yes			
Methylamyl acetate	MAC		D	D		A	Yes			

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Dated:

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 1040 Official #: 1218075

Page 6 of 8

Shipyard: JEFFBOAT

Cargo Identifica	tion					Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Methylamyl alcohol	MAA	20	D	D		А	Yes	1				
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1				
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1				
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1				
Methyl butyrate	MBU	34	D	С		Α	Yes	1				
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	1				
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1				
Methyl isobutyl ketone	MIK	18 ²	D	С		Α	Yes	1				
Vethyl naphthalene (molten)	MNA	32	D	Е		Α	Yes	1				
Vineral spirits	MNS	33	D	D		Α	Yes	1				
Myrcene	MRE	30	D	D		Α	Yes	1				
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1				
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1				
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1				
Naphtha: Stoddard solvent	NSS	33	D	D		A	Yes	1				
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1				
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		A	Yes	1				
Nonene (all isomers)	NON	30	D	D		A	Yes	2				
	NNS	20 ²	D	E		A	Yes	1				
Nonyl alcohol (all isomers) Nonyl phenol	NNP	21	D	E		A	Yes	1				
- · !: :::::::::::::::::::::::::::::::::	NPE	40	D	E		A	Yes	1				
Nonyl phenol poly(4+)ethoxylates	OAX	31	D	C		A	Yes	1				
Octane (all isomers), see Alkanes (C6-C9)	OAY	4	D	E		A	Yes	1				
Octanoic acid (all isomers)	OCX	20 ²	D	E		A	Yes	1				
Octanol (all isomers)	OTX	30	D	С		A	Yes	2				
Octene (all isomers)	OTW		D	D/E		A	Yes	1				
Oil, fuel: No. 2	OTD		D	D		A	Yes	1				
Oil, fuel: No. 2-D		33	D	D/E								
Oil, fuel: No. 4	OFR	33				A	Yes	A.				
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1				
Oil, fuel: No. 6	OSX	33	D	E C/D		A	Yes					
Oil, misc: Crude	OIL	33	D	C/D		A	Yes	1				
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes			-		
Oil, misc: Gas, high pour	OGP		D	E		A	Yes	1				
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1				
Oil, misc: Residual	ORL	33	D	Е		A	Yes					
Oil, misc: Turbine	ОТВ	33	D	Е		Α	Yes					
n-Pentyl propionate	PPE	34	D	D		A	Yes					
alpha-Pinene	PIO	30	D	D		Α	Yes					
beta-Pinene	PIP	30	D	D		Α	Yes					
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Ε		Α	Yes					
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes					
Polybutene	PLB	30	D	Е		Α.	Yes					
Polypropylene glycol	PGC	40	D	Е		Α	Yes					
iso-Propyl acetate	IAC	34	D	С		Α	Yes					
n-Propyl acetate	PAT	34	D	С		Α	Yes	1				
iso-Propyl alcohol	IPA	20 2	D	С		Α	Yes	1				
n-Propyl alcohol	PAL	20 2	D	С		Α	Yes	1				
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1				

Department of Homeland Security

Serial #: C1-1303982

06-Dec-13 Dated:



Vessel Name: FMT 1040 Official #: 1218075

Page 7 of 8

Shipyard: JEFFBOAT

Cargo Identifica	ation							Condi	tions of Carriage	
							Vapor F	Recovery		U .
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1		
Propylene glycol	PPG	20 2	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	Е		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		Α	Yes	1		
Triethylbenzene	TEB	32	D	Е		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	$\{D\}$		Α	Yes	~1		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	-1		
Undecene	UDC	30	D	D/E		Α	Yes	11		
1-Undecyl alcohol	UND	20	D	Е		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: FMT 1040 Official #: 1218075

Page 8 of 8

Shipyard: JEFFBOAT

Hull #: 08-2563

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 1

Note 2

Subchapter

Subchapter D Subchapter O

Grade

A, B, C Note 4

NΑ

Hull Type NA

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001, Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1. Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manuflicturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155,750, 33 CFR 156,120, 33 CFR 156,170, 46 CFR 35,35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39,20-11) and the pressure drop calculations (46 CFR 39,30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Calegory 1

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and $5_{\rm c}$ (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

none

The cargo has not been evaluated/classified for use in vapor control systems