

United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 14 Aug 2024 14 Aug 2029

Expiration Date:

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name

Official Number

IMO Number

Call Sign

Service

KIRBY 11618

1252111

Tank Barge

Hailing Port

BOWLING GREEN, KY

Hull Material

Steel

Horsepower

Propulsion

UNITED STATES

Place Built

HOUSTON, TX

Delivery Date

15Apr2014

Keel Laid Date 09Jan2014 Gross Tons R-735

Net Tons R-735

DWT

Length R-200.0

UNITED STATES

Owner

KIRBY INLAND MARINE LP 55 WAUGH DRIVE SUITE 1000 HOUSTON, TX 77007 UNITED STATES

Operator

KIRBY INLAND MARINE LP 18350 MARKET STREET CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

0 Licensed Mates

0 Chief Engineers

O Chief Mates

0 First Class Pilots

0 First Assistant Engineers 0 Second Assistant Engineers

0 Second Mates 0 Third Mates

0 Radio Officers 0 Able Seamen

0 Deckhands

0 Third Assistant Engineers

0 Master First Class Pilot

0 Ordinary Seamen

0 Licensed Engineers

0 Mate First Class Pilots

0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to Sector Houston-Galveston OCMI.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at HOUSTON, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Feno	JIC/Re-III	spection	
Date	Zone	A/P/R	Signa	ture
8/52/52	BTRLA	A	Daylon	la Coste
			J	Acres to a second
		-		

Appual/Pariadia/Pa Inspection

This Amended certificate issued by: Corrina Ott CDR, USCG, By Direction


Officer in Charge, Marine Inspection

Sector Houston-Galveston

Inspection Zone

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)

OMB No. 2115-051





United States of America Department of Homeland Security United States Coast Guard

Certification Date: 24 May 2019 Expiration Date: 24 May 2024

Certificate of Inspection

Vessel Name: HFL 220SS

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

04Jun2024

04Jun2014

Internal Structure

31May2024

24May2019

04Jun2014

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTUBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Yes

Total Capacity

Inits

Highest Grade Type Part151 Regulated

Part153 Regulated

Part154 Regulated

11097

Barrels

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 C		12.57
2 C		12.57
3 C		12.57

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
1	1348	8ft 9in	8.5	R, LBS
11	1509	9ft 6in	12.57	R
н	1509	9ft 9in	8.75	LBS
Ш	1726	10ft 6in	9.58	R. LBS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial # C1-1402098, dated June 16, 2014, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Vapor Control Authorization

Per 46 CFR 39, excluding Part 39.40, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial Marine Safety Center letters Serial # C1-1402098, dated June 16, 2014, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR 151.10(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

0.00.2

^{*}Stability and Trim*



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 24 May 2019 Expiration Date: 24 May 2024

Certificate of Inspection

Vessel Name: HFL 220SS

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	É	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 C	-	04Jun2014	04Jun2024	-	-	-
2 C	-	04Jun2014	04Jun2024	-	-	-
3 C	-	04Jun2014	04Jun2024	-	-	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 C	-1		-	-	-	
2 C	*			•	-	
3 C	-					

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

Quartit

B-II

END



Serial #: C1-1402098

16-Jun-14

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HFL 220SS

Shipyard: Southwest Shipyard

Hull #: 9719

Official #: 1252111

Tank Group Information Cargo Identification		on		Cargo	Tanks			Cargo Transfer		Environmental Control		Fire	Special Requirements					
Tnk Grp	Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	_	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction		Temp Cont
A i	#1C, #2C, #3C	12.57	Atmos.	Amb.	I	1ii 2ii	Integral Gravity	PV	Closed	1	G-1	NR	NA	Portable	.50-70(a), .50-	55-1(b), (c), (e), (f), (g), (i), 56-1(a), (b), (c), (d), (e), (f), (g), 58-1(a), (e),	NR	No

- Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks
 - 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
 - 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identificatio	n					Conditions of Carriage							
							Vapor Re	ecovery					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio			
Authorized Subchapter O Cargoes													
Acetic acid	AAC	4 2	0	D	Ш	Α	Yes	1	.50-73, .55-1(g)	G			
Acetic anhydride	ACA	11	0	D	111	Α	Yes	1	.50-73, .55-1(g)	G			
Acetonitrile	ATN	37	0	С	111	Α	Yes	3	No	G			
Acrylic acid	ACR	4 2	0	D	Ш	Α	Yes	2	.50-70(a), .50-73, .50-81, .58-1(a)	G			
Acrylonitrile	ACN	15 ²	0	С	11	Α	Yes	4	50-70(a), 55-1(e)	G			
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G			
Alkyl(C7-C9) nitrates	AKN	34 ²	0	NA	111	Α	No	N/A	50-81, 50-86	G			
Aluminum sulfate solution	ASX	43 ²	0	NA	Ш	Α	No	N/A	.58-1(e)	G			
Aminoethylethanolamine	AEE	8	0	Е	Ш	Α	Yes	1	55-1(b)	G			
Ammonium bisulfite solution (70% or less)	ABX	43 ²	0	NA	111	Α	No	N/A	50-73, 56-1(a), (b), (c)	G			
Ammonium hydroxide (28% or less NH3)	АМН	6	0	NA	111	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G			
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	П	Α	No	N/A	No	G			
Benzene	BNZ	32	0	С	Ш	Α	Yes	1	50-60	G			
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	С	Ш	Α	Yes	1	.50-60	G			
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	Ш	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G			
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	Α	Yes	1	.50-60	G			
Butyl acrylate (all isomers)	BAR	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
Butyl methacrylate	ВМН	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	.55-1(h)	G			
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G			
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	11	Α	No	N/A	50-73	G			
Chlorobenzene	CRB	36	0	D	Ш	Α	Yes	1	No	G			
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G			
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73	G			
Creosote	CCV	/ 21 ²	0	E	Ш	Α	Yes	1	No	G			
Cresols (all isomers)	CRS	21	0	E	Ш	Α	Yes	1	No	G			
Cresylate spent caustic	CSC	5	0	NA	Ш	Α	No	N/A	.50-73, .55-1(b)	G			
Cresylic acid tar	CRX		0	E	Ш	Α	Yes	1	.55-1(f)	G			
Crotonaldehyde	СТА	19 ²	0	С	П	Α	Yes	4	.55-1(h)	G			
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	i	0	С	111	Α	Yes	1	No	G			
Cyclohexanone	CCH	18	0	D	111	Α	Yes	1	.56-1(a), (b)	G			
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	Е	111	Α	Yes	1	.56-1 (b)	G			

Serial #:

C1-1402098

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HFL 220SS Official #: 1252111

Page 2 of 8

Shipyard: Southwest Shipyard

Cargo Identification	n					Conditions of Carriage						
								Recovery				
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Cyclohexylamine	CHA	7	0	D	Ш	Α	Yes	1	.56-1(a), (b), (c), (g)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	Α	Yes	1	50-60, .56-1(b)	G		
iso-Decyl acrylate	IAI	14	0	E	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G		
Dichlorobenzene (all isomers)	DBX	36	0	E	Ш	Α	Yes	3	.56-1(a), (b)	G		
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No	G		
2,2'-Dichloroethyl ether	DEE	41	0	D	II	Α	Yes	1	.55-1(f)	G		
Dichloromethane	DCM	36	0	NA	Ш	Α	Yes	5	No	G		
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	Е	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	0	Α	Ш	Α	No	N/A	.56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	0	E	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G		
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	С	111	Α	Yes	3	No	G		
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	П	Α	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	li	Α	Yes	1	No	G		
Diethanolamine	DEA	8	0	E	111	Α	Yes	1	55-1(c)	G		
Diethylamine	DEN	7	0	С	III	Α	Yes	3	55-1(c)	G		
Diethylenetriamine	DET	7 2	0	E	III	Α	Yes	1	.55-1(c)	G		
Diisobutylamine	DBU	7	0	D	III	Α	Yes	3	.55-1(c)	G		
Diisopropanolamine	DIP	8	0	E	III	Α	Yes	1	.55-1(c)	G		
Diisopropylamine	DIA	7	0	C		A	Yes	3	.55-1(c)	G		
N,N-Dimethylacetamide	DAC	10	0	E	III	A	Yes	3	.56-1(b)	G		
Dimethylethanolamine	DMB	8	0	D	10	A	Yes	1	56-1(b), (c)	G		
Dimethylformamide	DMF	10	0	D	 	A	Yes	<u>-</u>	.55-1(e)	G		
Di-n-propylamine	DNA	7	0	С	11	A	Yes	3	.55-1(c)	G		
	DOT	7	0	E	111	A	No	N/A	.56-1(b)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOS	43	0	#					No No	G		
Dodecyl diphenyl ether disulfonate solution		40				A	No	N/A	No	G		
EE Glycol Ether Mixture	EEG		0	D E	111	A	No	N/A	.55-1(c)	G		
Ethanolamine	MEA	8	0		111	A	Yes	1	.50-70(a)50-81(a). (b)	G		
Ethyl acrylate	EAC	14	0	С	111	A	Yes	2		G		
Ethylamine solution (72% or less)	EAN	7	0	A		A	No	N/A	55-1(b)	G		
N-Ethylbutylamine	EBA	7	0	D	111	A	Yes	3	.55-1(b)	G		
N-Ethylcyclohexylamine	ECC	7	0	D		. A	Yes	1	.55-1(b)			
Ethylene cyanohydrin	ETC	20	0	E	111	A	Yes	1	No	G		
Ethylenediamine	EDA	7 2	0	D	111	Α	Yes	1	.55-1(c)	G		
Ethylene dichloride	EDC	36 ²	0	С	111	Α	Yes	1	No	G		
Ethylene glycol hexyl ether	EGH	40	0	E	111	Α	No	N/A	No	G		
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	Ш	A	Yes	1	No	G		
Ethylene glycol propyl ether	EGP	40	0	E	Ш	Α	Yes	1	No	G		
2-Ethylhexyl acrylate	EAI	14	0	E	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Ethyl methacrylate	ETM	14	0	D/E	III	Α	Yes	2	50-70(a)	G		
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	III	Α	Yes	1	No	G		
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	Ш	Α	Yes	1	.55-1(h)	G		
Formic acid	FMA	4 2	0	E	Ш	Α	Yes	1	50-73, 55-1(i)	G		
Furfural	FFA	19	0	D	111	Α	Yes	1	.55-1(h)	G		
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	Ш	Α	No	N/A	No	G		
Glyoxylic Acid Solution (50% or less)	GAC	4	0	E	111	Α	No	N/A	50-73, 50-81, 58-1(e)	G		
Hexamethylenediamine solution	HMC	7	0	E	Ш	Α	Yes	1	.55-1(c)	G		



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **HFL 220SS**Official #: 1252111

Page 3 of 8

Shipyard: Southwest Shipyard

Serial #: C1-1402098

16-Jun-14

Cargo Identification	1					Conditions of Carriage							
							Vapor R	ecovery					
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Hexamethyleneimine	НМІ	7	0	С	II	Α	Yes	1	.56-1(b), (c)	G			
Hydrocarbon 5-9	HFN		0	С	Ш	Α	Yes	1	.50-70(a), .50-81(a), (b)	G			
Isoprene	IPR	30	0	Α	Ш	Α	No	N/A	.50-70(a), .50-81(a), (b)	G			
Isoprene, Pentadiene mixture	IPN		0	В	III	Α	No	N/A	50-70(a), 55-1(c)	G			
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G			
Mesityl oxide	MSO	18 ²	0	D	Ш	Α	Yes	1	No	G			
Methyl acrylate	MAM	14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
Methylcyclopentadiene dimer	MCK	30	0	С	Ш	Α	Yes	1	No	G			
Methyl diethanolamine	MDE	8	0	E	Ш	Α	Yes	1	.56-1(b), (c)	G			
2-Methyl-5-ethylpyridine	MEP	9	0	Е	Ш	Α	Yes	1	.55-1(e)	G			
Methyl methacrylate	MMM	14	0	С	111	Α	Yes	2	.50-70(a), 50-81(a), (b)	G			
2-Methylpyridine	MPR	9	0	D	111	A	Yes	3	.55-1(c)	G			
alpha-Methylstyrene	MSR	30	0	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G			
Morpholine	MPL	7 2	0	D	Ш	Α	Yes	1	.55-1(c)	G			
Nitroethane	NTE	42	0	D	11	Α	No	N/A	.50-81, .56-1(b)	G			
1- or 2-Nitropropane	NPM	42	0	D		Α	Yes	1	.50-81	G			
1.3-Pentadiene	PDE	30	0	A	111	Α	No	N/A	.50-70(a), .50-81	G			
Polyethylene polyamines	PEB	7 2	0	E	111	A	Yes	1	.55-1(e)	G			
iso-Propanolamine	MPA	' 8	0	E		A	Yes	1	55-1(c)	G			
	PAX	8	0	E	111	A	Yes	1	.56-1(b), (c)	G			
Propanolamine (iso-, n-)	PNA	4		D		Α Α			.50-73, .55-1(g)	G			
Propionic acid	IPP	7	0		- 111		Yes	1 5	.55-1(c)	G			
iso-Propylamine				A	11	Α	Yes		.55-1(e)	G			
Pyridine	PRD	9 0 1,2	0	С		A	Yes	1	.50-73	G			
Sodium chlorate solution (50% or less)	SDD			NA		A	No	N/A	.50-73, .56-1(a), (b)	G			
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA_	- 111	A	No	N/A	No				
Sodium Methylate (30% or less) in Methyl Alcohol Mixture	SMS	20	0	D	- 111	A	No	N/A		4 yr			
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2		NA	III	Α .	Yes	1	.50-73, .55-1(b)	G			
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2		NA	111	Α	No	N/A		G			
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2		NA		Α	No	N/A	.50-73, .55-1(b)	G			
Sodium thiocyanate solution (56% or less)	STS	0 1,2	0	NA	Ш	Α	No	N/A		G			
Styrene (crude)	STX		0	D	111	Α	Yes	2	No	G			
Styrene monomer	STY	30	0	D	Ш	Α	Yes	2	.50-70(a), 50-81(a), (b)	G			
Tetraethylenepentamine	TTP	7	0	E	III	Α	Yes	1	.55-1(c)	G			
Tetrahydrofuran	THF	41	0	С	Ш	Α	Yes	1	.50-70(b)	G			
Toluenediamine	TDA	9	0	Е	П	Α	No	N/A	.50-73, .56-1(a), (b), (c), (g)	G			
1,2,4-Trichlorobenzene	TCB	36	0	Е	Ш	Α	Yes	1	No	G			
1,1,2-Trichloroethane	TCM	36	0	NA	Ш	Α	Yes	1	.50-73, .56-1(a)	G			
Trichloroethylene	TCL	36 ²	0	NA	111	Α	Yes	1	No	G			
1,2,3-Trichloropropane	TCN	36	0	E	- 11	Α	Yes	3	.50-73, .56-1(a)	G			
Triethanolamine	TEA	8 2	0	E	111	Α	Yes	1	.55-1(b)	G			
Triethylamine	TEN	7	0	С	II	Α	Yes	3	.55-1(e)	G			
Triethylenetetramine	TET	7 2	0	Е	111	Α	Yes	1	.55-1(b)	G			
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	Ш	Α	No	N/A	.56-1(a), (b), (c)	G			
Trisodium phosphate solution	TSP	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c).	G			
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	Ш	Α	No	N/A	.56-1(b)	G			
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G			
Vinyl acetate	VAM	13	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			

Serial #:

C1-1402098

16-Jun-14



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **HFL 220SS**Official #: 1252111

Page 4 of 8

Shipyard: Southwest Shipyard

Cargo Identification	n					Conditions of Carriage							
Cargo identification	1	,				-	Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio			
Vinyl neodecanate	VND	13	0	E	III	Α	No	N/A	50-70(a), 50-81(a), (b)	G			
Vinyltoluene	VNT	13	0	D	111	Α	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (G			
Subchapter D Cargoes Authorized for Vapor Contr													
Acetone	ACT	18 ²	D	С		Α	Yes	1					
Acetophenone	ACP	18	D	E		A	Yes	1					
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		A	Yes	1					
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		A	Yes	1					
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1					
	AAI	20	D	D		A	Yes	1					
Amyl alcohol (iso-, n-, sec-, primary)	BAL	21	D	E		A		1					
Benzyl alcohol Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and	BFX	20	D	E		A	Yes	1					
their borate esters)													
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1					
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1					
Butyl alcohol (n-)	BAN	20 ²	D	D	-	Α	Yes	1					
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1					
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1					
Butyl benzyl phthalate	BPH	34	D	Е		Α	Yes	1	enter of property and the second seco				
Butyl toluene	BUE	32	D	D		Α	Yes	1					
Caprolactam solutions	CLS	22	D	E		Α	Yes	1					
Cyclohexane	CHX	31	D	С	-	A	Yes	1					
Cyclohexanol	CHN	20	D	E		A	Yes	1					
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2					
p-Cymene	CMP	32	D	D		Α	Yes	1					
iso-Decaldehyde	IDA	19	D	E		A	Yes	1					
n-Decaldehyde	DAL	19	D	E		A	Yes	1					
Decene	DCE	30	D	D		Α	Yes	1					
Decyl alcohol (all isomers)	DAX	20 2		E		Α	Yes	1					
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1					
	DAA	20 ²	D	D		A	Yes	1					
Diacetone alcohol	DPA	34	D	E		A	Yes	1					
ortho-Dibutyl phthalate				D									
Diethylbenzene	DEB	32	D			Α	Yes	1					
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	1					
Diisobutylene	DBL	30	D	С		A	Yes	1					
Diisobutyl ketone	DIK	18	D	D		A	Yes	1					
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	1					
Dimethyl phthalate	DTL	34	D	E		A	Yes	1					
Dioctyl phthalate	DOP	34	D	E	-	A	Yes	1					
Dipentene	DPN	30	D	D D/F		Α	Yes	1					
Diphenyl	DIL	32	D	D/E		A	Yes	1					
Diphenyl, Diphenyl ether mixtures	DDO	33	D -	E		A	Yes	1					
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1					
Dipropylene glycol	DPG	40	D	E		Α	Yes	1					
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1					
Distillates: Straight run	DSR	33	D	E		Α	Yes	1					
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1					



Certificate of Inspection Cargo Authority Attachment

Vessel Name: HFL 220SS Official #: 1252111

Page 5 of 8

Shipyard: Southwest Shipyard

Serial #: C1-1402098

Cargo Identification						Conditions of Corriggs						
Cargo identification)II	,		_		Conditions of Carriage Vapor Recovery						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1				
Ethoxy triglycol (crude)	ETG	40	D	Е		Α	Yes	1				
Ethyl acetate	ETA	34	D	С		Α	Yes	1				
Ethyl acetoacetate	EAA	34	D	E		A	Yes	1				
Ethyl alcohol	EAL	20 ²	D	С		Α	Yes	1				
Ethylbenzene	ETB	32	D	С		Α	Yes	1				
Ethyl butanol	EBT	20	D	D		Α	Yes	1				
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes	1				
Ethyl butyrate	EBR	34	D	D		Α	Yes	1				
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1				
Ethylene glycol	EGL	20 ²	D	E		Α	Yes	1				
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1				
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1	The second secon			
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	D	D		A	Yes	1				
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1				
Ethyl propionate	EPR	34	D	С		Α	Yes	1		~ ~~~~		
Ethyl toluene	ETE	32	D	D		Α	Yes	1				
Formamide	FAM	10	D	E		Α	Yes	1				
Furfuryl alcohol	FAL	20 ²	D	E		A	Yes	1				
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1				
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1				
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1				
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1				
Glycerine	GCR	20 ²	D	E		Α	Yes	1	M. M			
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ	31	D	С		Α	Yes	1				
Heptanoic acid	HEP	4	D	E		Α	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1				
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2				
Heptyl acetate	HPE	34	D	Е		Α	Yes	1				
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1				
Hexanoic acid	НХО	4	D	E		Α	Yes	1				
Hexanol	HXN	20	D	D		Α	Yes	1	And the second s			
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2				
Hexylene glycol	HXG	20	D	E		Α	Yes	1				
Isophorone	IPH	18 ²	D	E		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	Е		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1				
Kerosene	KRS	33	D	D		Α	Yes	1				
Methyl acetate	MTT	34	D	D		Α	Yes	1				
Methyl alcohol	MAL	20 ²	D	С		Α	Yes	1				
Methylamyl acetate	MAC	34	D	D		Α	Yes	1				
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1				
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1				

Department of Homeland Security

Serial #: C1-1402098

16-Jun-14



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HFL 220SS Official #: 1252111

Page 6 of 8

Shipyard: Southwest Shipyard

Cargo Identifica	tion					Conditions of Carriage						
							Vapor I	Recovery				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio		
Methyl tert-butyl ether	MBE	41 ²	D	С		Α	Yes	1				
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1				
Methyl butyrate	MBU	34	D	С		Α	Yes	1				
Methyl ethyl ketone	MEK	18 2	D	С		Α	Yes	1				
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1				
Methyl isobutyl ketone	MIK	18 ²	D	С	_	Α	Yes	1				
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1				
Mineral spirits	MNS	33	D	D		Α	Yes	1				
Myrcene	MRE	30	D	D		Α	Yes	1				
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1				
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1				
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1				
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1				
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1				
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D	a con and the contract of	Α	Yes	1				
Nonene (all isomers)	NON	30	D	D		Α	Yes	2				
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		Α	Yes	1				
Nonyl phenol	NNP	21	D	E		Α	Yes	1	Make the second section of the second section is a second section of the second section of the second section section is a second section of the second section sectio			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1				
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C		A	Yes	1				
Octanic (all isomers)	OAY	4	D	E		Α	Yes	1				
	OCX	20 2	D	E		A	Yes	1				
Octano (all isomers)	OTX	30	D	C	***************************************	A	Yes	2				
Octene (all isomers)	OTW	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 2	OTD	33	D	D		A	Yes	1				
Oil, fuel: No. 2-D	OFR	33	D	D/E		A	Yes	1				
Oil, fuel: No. 4								1				
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 6	OSX	33	D	E C/D		A	Yes					
Oil, misc: Crude	OIL	33	D	C/D		A	Yes	1				
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1				
Oil, misc: Gas, high pour	OGP	33	D	E		Α .	Yes	1				
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1				
Oil, misc: Residual	ORL	33	D	E		A	Yes	1				
Oil, misc: Turbine	ОТВ	33	D	E		Α	Yes	1				
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5				
Pentene (all isomers)	PTX	30	D	Α		Α	Yes	5				
n-Pentyl propionate	PPE	34	D	D		Α	Yes	11				
alpha-Pinene	PIO	30	D	D		Α	Yes	1				
beta-Pinene	PIP	30	D	D		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Е		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1				
Polybutene	PLB	30	D	E		Α	Yes	1				
Polypropylene glycol	PGC	40	D	E		Α	Yes	1				
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1				
n-Propyl acetate	PAT	34	D	С		Α	Yes	1				
iso-Propyl alcohol	IPA	20 ²	D	С		Α	Yes	1				
n-Propyl alcohol	PAL	20 2	D	С		Α	Yes	1				
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1				



Serial #: C1-1402098

Dated: 16-Jun-14

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HFL 220SS

Official #: 1252111

Page 7 of 8

Shipyard: Southwest Shipyard

Cargo Identific	ation					Conditions of Carriage							
							Vapor F	Recovery					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1					
Propylene glycol	PPG	20 ²	D	E		Α	Yes	1					
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		-			
Propylene tetramer	PTT	30	D	D		Α	Yes	1					
Sulfolane	SFL	39	D	E		Α	Yes	1	AND THE RESERVE OF THE PROPERTY OF THE PROPERT				
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1					
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1	The second secon				
Toluene	TOL	32	D	С		Α	Yes	1					
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1					
Triethylbenzene	TEB	32	D	E		Α	Yes	1					
Triethylene glycol	TEG	40	D	Е		Α	Yes	1					
Triethyl phosphate	TPS	34	D	E		Α	Yes	1					
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1					
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1					
Undecene	UDC	30	D	D/E		Α	Yes	1					
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1					
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1					



Serial # C1-1402098 Dated:



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HFL 220SS Official #: 1252111

Page 8 of 8

Shipyard: Southwest Shi

Hull #: 9719

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility art. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

(202) 372-1425 Note 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

Subchapter

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Subchapter D Subchapter O

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

A, B, C D, E Note 4 Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1 (b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

Conditions of Carriage

Approved (Y or N)

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 155.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9

This requirement is in addition to the requirements of Category 1

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

Category 6

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

Category 7 none

The cargo has not been evaluated/classified for use in vapor control systems



Commander . Sector Houston-Galveston United States Coast Guard 13411 Hillard Dr. Houston, TX 77034 Staff Symbol: S Phone: (281) 464-4758 Email: reid.a.deleon@uscq.mil

16711

Kirby Inland Marine, LP Attn: Mr. Robert Jones 18350 Market Street Channelview, Texas 77530

Subj: APPROVAL LETTER FOR ACCEPTANCE OF NEW KIRBY BARGES TO THE TANK BARGE STREAMLINED INSPECTION PROGRAM (TBSIP).

Dear Mr. Jones:

This is in response to your letter dated August 21, 2018, wherein you intend to add 170 newly acquired barges to your fleet to be inspected under the TBSIP guidelines. Each new barge shall be covered within the Company Action Plan (CAP) as well as a Tank Barge Action Plan (TAP). This letter will serve as acceptance of the barges into the program. Please place a copy of this letter on each barge.

Thank you for your commitment to a continuing partnership with the Coast Guard. If you have any questions, please contact your U.S. Coast Guard TBSIP Advisor, LT Reid DeLeon, at (281) 464-4758 or Reid.A.Deleon@uscg.mil.

Sincerely,

N. D. Rodriguez

Commander, U.S. Coast Guard

By Direction,

Officer in Charge, Marine Inspection

List of Barges to be added to the Kirby Inland Marine LP TAIP Program

or barges to be added to	
VESSEL NAME	OFFICIAL NUMBER
AL 2300	1286269
AL 2301	1286364
ARROWHEAD 262	977169
ARROWHEAD 266	977170
CHEROKEE	535335
CHEYENNE	635390
CHICKASAW	536944
CHOCTAW	535943
COMANCHE	D969429
CREEK	536945
DBL 702	1240873
DBL 703	1244626
EBL 2971	1261952
EBL 2972	1261953
EBL 2973	1258912
EBL 2974	1258911
EBL 2975	1258780
EBL 2976	1258779
EBL 2977	1255180
EBL 2978	1255179
EBL 2979	1255177
EBL 2980	1255174
EBL 2981	1248377
EBL 2982	1248376
EBL 2983	1244573
EBL 2984	1244572
EBL 2985	1236562
EBL 2989	1218820
EBL 2990	1218818
EBL 2994	1186685
EBL 2995	1167598
EBL 2997	1144783
EBL 2998	1140286
EBL 2999	1136277
EBL 3000	1106933
HFL 220SS	1252111
HFL 222SS	1255588
HTCO 3005	1256614
HTCO 3005	1250652
HTCO 3007	1250632
HTCO 3008	The second secon
HTCO 3008	1252794
HTCO 3011	1251102 1251103