





NO	DESCRIPTION
1H	GLOBE VALVE
3H	IMPULSE STEAM TRAP
5H	STEAM HEADER
6H	HEADER VALVE
9H	STEAM (HEATING) DROP
13H	STEAM PIPELINE
—	ABOVE DECK PIPING
- - -	BELOW DECK PIPING

						KIRBY INLAND MARINE		
						STEAM		
						PIPING FLOW DIAGRAM		
0	08/23/23	MRV	DDA	JF	ISSUED FOR APPROVAL	SCALE: NONE		KIRBY 11620
REV.	DATE	BY	CHK	APP	REVISION DESCRIPTION	PAGE: 2 OF 3		
								REV. 0



NO	DESCRIPTION	NO	DESCRIPTION
7V	HEADER VALVE	28V	DOCK CONNECTION ALARM
8V	VENT STACK VALVE	38V	VAPOR PENETRATION
10V	HIGH LEVEL/OVERFILL ALARM	39V	PRESSURE/VACUUM VALVE
11V	1-METER GAUGE STICK	50V	VAPOR HEADER
14V	SIGHT GLASS	51V	VAPOR PIPELINE
16V	VAPOR VENT STACK	59V	PRESS/VAC GAUGE
19V	EMERGENCY ENGINE SHUT DOWN		— ABOVE DECK PIPING
21V	HERMETIC GAUGE		
23V	PRESSURE GAUGE		

NOTE 2: TYPICAL RIGGING IN EACH TANK
NOTE 1: CONTAINMENT P/S

						KIRBY INLAND MARINE		
						VAPOR		
						PIPING FLOW DIAGRAM		
0	08/23/23	MRV	DDA	JF	ISSUED FOR APPROVAL	SCALE: NONE		KIRBY 11620
REV.	DATE	BY	CHK	APP	REVISION DESCRIPTION	PAGE: 3 OF 3		
								REV. 0

