

KIRBY INLAND MARINE, LP MAINTENANCE DEPARTMENT 18350 MARKET ST. CHANNELVIEW, TX 77530

OFFICE (713) 435-1730

FAX (713) 435-1714

VAPOR TIGHTNESS TEST

Note: Test Results are Valid for (1) One Year from Date of Test!				
Vessel Name: KIRG	12320 Test	Date:		5-28-2024
Testing Location: Lynchle	our Shippard. Maxi	imum Load Rate	: (BPH)	500
Tanks Tested:	ACL Pres	sure Indicator:	_C	ert. Gauge
TEST RESULTS				
Test Duration: 30 Minutes	Beginning Pressure:	56	Inches	H20
4004	Ending Pressure:		Inches H20	
Total Pressure Loss:		d	Inches H20	
	Allowable Pressure Los	ss: <u>4. 2</u>	o Inches	H20
Barge is Vapor Tight if "Total Pressure Loss" is LESS than "Allowable Pressure Loss" This vessel has been tested in accordance with Section 61.304F and has been found to be vapor tight.				
Tester: (Print)	Witness: (Prin	ot)	Κ.	
Tester: (Signature) Witness: (Signature)				
		KIRBY		
	Affiliation of Witness:			
(P1) - Beginning Pressure (Delta P) - Total Pressure Loss (TP) - 14.7 plus Barge Test Pressure in PSI (V) - Volume of Tank (s) .861 - PIA @ (P1)		(P2) (Delta PM) (L) (Delta T) = T	Allowable Pressure LossMaximum Load Rate in BPH	
.861 x <u>/6, 7</u> (TP)	x(<u>3,500</u>	1 1196 (V)	<u> </u>	4. 20 (Delta PM)