

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 26 Nov 2019

Expiration Date: 26 Nov 2020

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name

Official Number

IMO Number

Call Sign

KIRBY 12322B

1218265

Tank Barge

Hailing Port

WILMINGTON, DE

Hull Material

Steel

Horsepower

Propulsion

UNITED STATES

Place Built

Delivery Date

Keel Laid Date

Gross Tons

R-735

Net Tons

DWT Length

PALACIOS, TX

23Oct2009

20Apr2009

R-735

R-200.0

UNITED STATES

KIRBY INLAND MARINE LP 55 WAUGH DRIVE, SUITE 1000 HOUSTON, TX 77007 UNITED STATES

KIRBY INLAND MARINE LP 18350 MARKET ST. Channelview, TX 77530 **UNITED STATES**

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

0 Licensed Mates

0 Chief Engineers

0 Chief Mates

0 First Class Pilots

0 First Assistant Engineers

0 Second Mates

0 Radio Officers

0 Second Assistant Engineers 0 Third Assistant Engineers

0 Third Mates 0 Master First Class Pilot 0 Able Seamen

0 Licensed Engineers

0 Mate First Class Pilots

0 Ordinary Seamen 0 Deckhands

0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds plus Limited Coastwise---

Limited Coastwise, fair weather voyages only, not more than twelve (12) miles offshore between St. Marks, Florida and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water for more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

		odic/Re-Inspe	
Date	Zone	A/P/R	Signature

This	certificate issued by:	
	M.N. COCHRAN COMMAI	NDER, by direction
Office	if Charge, Marine Inspection	
	L 4 4 /4	rleans
Inspection	ion Zone	



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 26 Nov 2019
Expiration Date: 26 Nov 2020

Temporary Certificate of Inspection

Vessel Name: KIRBY 12322B

Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

 Exam Type
 Next Exam
 Last Exam
 Prior Exam

 DryDock
 31Oct2029
 17Oct2019
 15Oct2009

 Internal Structure
 31Oct2024
 25Oct2019
 02Dec2014

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE, COMBUSTIBLE AND SPECIFIED HAZARDOUS CARGOES

Total Capacity Units Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

11966 Barrels A Yes No No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number		Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1		684	13.6
2	2	688	13.6
3		660	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
П	1809	10ft 2in	13.6	R,LBS,LC 0-12
Ш	1936	10ft 9in	13.6	R

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial #C2-0900203 dated January 26, 2009 may be carried and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatability using the figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No." column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person in Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Vapor Control Authorization

In accordance with 46 CFR 39, excluding part 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letters Serial #C2-0702887 dated September 24, 2007; Serial #C2-0801974 dated June 26, 2008; and #C2-0802520 dated August 18, 2008 and has been found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

The maximum design density of cargo which may be filled to the tank top is 8.7 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

^{*}Stability and Trim*



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 26 Nov 2019 Expiration Date: 26 Nov 2020

Temporary Certificate of Inspection

Vessel Name: KIRBY 12322B

Per 46 CFR 151.10-15(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	1	
Tank Id	Previous	Last	Next	Previous	Last	Next
1	15Oct2009	25Oct2019	31Oct2029	H-	(#K)	e K
2	15Oct2009	25Oct2019	31Oct2029	72		
3	15Oct2009	25Oct2019	31Oct2029	0#E	æ	#0
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1	-		<u>e</u>	9 <u>4</u> -	<u> </u>	
2			Ħ.	(#C	(=));	
3	*		<u>a</u> :		= 0	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

B-II .

END



Cargo Authority Attachment

Vessel Name: KIRBY 12322B Official #: 1218265 Shipyard: Tres Palacios

Hull #: 119

Serial #: C2-0900203

26-Jan-09

Dated:

Tank Group Information Cargo Id				tics		Tanks			Carg		Environmental Control		Fire	Special Requirements			
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Cargo Seg Tank	Тура	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction		Temp Cont
A #1C, #2C, #3C	13.6	Almos	Amb.	II	1ii 2ii	Integral Gravily	PV	Closed	п	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73,	55-1(b), (c), (e), (f), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identificatio	n					Conditions of Carriage					
							Vapor Recovery				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Authorized Subchapter O Cargoes							.,	_	No	G	
Acetonitrile	ATN	37	0	С	III	A	Yes	3	50-70(a), 55-1(e)	6	
Acrylonitrile	ACN	15 ²	0	С	11	Α	Yes	4		G	
Adiponitrile	ADN	37	0	E	Ш	Α	Yes	1	No 50-81, 50-86	G	
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	_111_	Α	No	N/A		6	
Aminoethylethanolamine	AEE	8	0	E	III	A	Yes	1	55-1(b)	6	
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	III	Α	No	N/A	50-73, 56-1(a), (b), (c)	G	
Ammonium hydroxide (28% or less NH3)	AMH		0	NA	100	A	No	N/A	.56-1(a), (b), (c), (f), (g)	G	
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	II	Α	No	N/A	No		
Benzene	BNZ	32	0	С	(III	Α	Yes	1	50-60	G	
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	С	III	Α	Yes	. 1	50-60	G	
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 2	0	С	ία	А	Yes	1	50-60, 56-1(b), (d), (f), (g)	G	
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	50-60	G	
Butyl acrylate (all isomers)	BAR	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
Butyl methacrylate	вмн	14	0	D	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G	
Bulyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	-55-1(h)	G	
Camphor oil (light)	CPO	18	0	D	H	Α	No	N/A		G	
Carbon tetrachloride	CBT	36	0	NA	III	Α	No	N/A		G	
Caustic potash solution	CPS	5 ²	0	NA	Ш	Α	No	N/A		G	
Caustic soda solution	CSS	5 ²	0	NA	111	Α	No	N/A		G	
Chemical Oil (refined, containing phenolics)	COD	21	0	Ε	Ш	Α	No	N/A		G	
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G	
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G	
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	50-73	G	
Creosote	CCV	212	0	E	III.	Α	Yes	1	No	G	
Cresols (all isomers)	CRS	21	0	Е	m	Α	Yes	1	No	G	
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	Carrier III. Carrier	G	
Cresylic acid tar	CRX		0	Е	111	Α	Yes	1	.55-1(f)	G	
Crotonaldehyde	CTA	19 ²	0	С	11	Α	Yes	4	.55+1(h)	G	
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	;	0	С	Ш	Α	No	N/A	No	G	
Cyclohexanone	ССН	18	0	D	HI	А	Yes	1	.56-1(a), (b)	G	
Cyclohexanone, Cyclohexanol mixture	CYX	18 2	0	E	111	Α	Yes	1	.56-1 (b)	G	
Cyclohexylamine	СНА	7	0	D	111	Α	Yes	1	.50-1(a), (b), (c), (g)	G	
Cyclopentadiene, Styrene, Benzene mixture	CSB		0	D	111	Α	Yes	1	.50-60, .56-1(b)	G	



Cargo Authority Attachment

Vessel Name: KIRBY 12322B Official #: 1218265

Page 2 of 8

Shipyard: Tres Palacios

Serial #: C2-0900203

Dated:

Cargo Identificati	on							Condi	tions of Carriage	
	Chem	Compat	Sub				Vapor F	Recovery		
Name	Code	Group No	Chapte	r Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp
iso-Decyl acrylate	IAI	14	0	E	III	A	Yes	2	50-70(a), 50-81(a), (b), 55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	111	Α	Yes	3	56-1(a), (b)	
1,1-Dichloroethane	DCH	36	0	С	Hi	A	Yes	1	No	G
2,2'-Dichloroethyl ether	DEE	41	0	D	II	A	Yes	1	.55-1(f)	G
Dichloromethane	DCM	36	0	NA	111	A	Yes	5	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E		A	No			G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2		A	Ш	A	No	N/A	.56-1(n), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	0	E	111	A		N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	C	III	A	No	N/A	56-1(a), (b), (c), (g)	G
1,2-Dichloropropane	DPP	36	0	C			Yes	3		G
1,3-Dichloropropane	DPC	36	0	C	111	A	Yes	3	No	G
1,3-Dichloropropene	DPU	15			111	A	Yes	3	No	G
Dichloropropene, Dichloropropane mixtures	DMX		0	D	- !!	Α .	Yes	4	No	G
Diethanolamine		15	0	С	11	Α	Yes	1	No	G
Diethylamine	DEA	8	0	E	111	Α	Yes	1	55-1(c)	G
Diethylenetriamine	DEN	7	0	С	111	Α	Yes	3	,55-1(c)	G
Diisobutylamine	DET	7 2	0	E	Ш	Α	Yes	1	55-1(c)	G
Diisopropanolamine	DBU	7	0	D	Ш	Α	Yes	3	55-1(c)	G
Diisopropylamine	DIP	8	0	E	Ш	Α	Yes	1	55-1(c)	G
N,N-Dimethylacetamide	DIA	7	0	С	H	Α	Yes	3	.55-1(e)	G
Dimethylethanolamine	DAC	10	0	Е	III	Α	Yes	3	.56-1(b)	G
Dimethylformamide	DMB	8	0	D	III	Α	Yes	1	.56-1(b), (c)	G
Di-ri-propylamine	DMF	10	0	D	111	Α	Yes	1	55-1(e)	G
Control of the contro	DNA	7	0	С	- []	Α	Yes	3	55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	Е	HI	Α	No	N/A	56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	l!	Α	No	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0	D	Ш	Α	No	N/A	No	G
Ethanolamine	MEA	8	0	E	Ш	Α	Yes	1	.55-1(c)	G
Ethyl acrylate	EAC	14	0	С	111	Α	Yes	2	50-70(a), .50-81(h), (b)	G
Ethylamine solution (72% or less)	EAN	7	0	Α	H	Α	Yes	6	55-1(b)	G
N-Ethylbutylamine	EBA	7	0	D	III	Α	Yes	3	55-1(b)	G
N-Ethylcyclohexylamine	ECC	7	0	D	111	Α	Yes	1	.55-1(b)	G
thylene cyanohydrin	ETC	20	0	Е	Ш	Α	Yes	1	No	G
thylenediamine.	EDA	7 2	0	D	10	Α	Yes	1 -	.55-1(c)	G
thylene dichloride	EDC	36 ²	0	С	III	A	Yes	1	No	G
thylene glycol hexyl ether	EGH	40	0	E	III	A	No	N/A	No	
thylene glycol monoalkyl ethers	EGC	40	0	D/E	111	A	Yes	1	No	G
thylene glycol propyl ether	EGP	40	0	E	111	A	Yes	1	No	G
Ethylhexyl acrylate	EAI	14	0	E	III	A	Yes			G
thyl methacrylate	ETM	14		D/E	III	A		2	50-70(a), 50-81(a), (b)	G
Ethyl-3-propylacrolein	EPA	19 ²		E			Yes	2	-50-70(a)	G
ormaldehyde solution (37% to 50%)	FMS	19 2		D/E	111	A	Yes		No	G
ırfural	FFA	19			111	A	Yes		55-1(h)	G
utaraldehyde solution (50% or less)	GTA			D	III	A	Yes	1	55-1(h)	G
examethylenediamine solution	HMC	19			111	A	No		No	G
examethyleneimine					111	A	Yes		55-1(c)	G
drocarbon 5-9	HMI				11	A	Yes			G
prene	HFN				Ш	A	Yes			G
prene, Pentadiene mixture					111	A	Yes			G
, , , , , , , , , , , , , , , , , , ,	IPN		0 8	3	H	Α	No	N/A	50-70(a), 55-1(c)	G

Certifica

Serial #: C2-0900203 Dated: 26-Jan-09

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 12322B

Official #: 1218265

Page 3 of 8

Shipyard: Tres Palacios

Name	Cargo Identification	1							Condi	tions of Carriage	
Methylachylathon	Name				Grade			App'd	VCS		Insp. Period
Methyl acrylate		, KPL	5	0	NA	III	Α	No	N/A	.50-73, _56-1(a), (c), (g)	G
Methyl sorylate MAM		MSO	18 ²	Ω	D	316	A	Yes	313	No	G
Methylocyclopentaidiene dimer										,50-70(a), 50-81(a), (b)	G
Mobile M						High				No	G
Methyl methachylate										,56-1(b), (c)	G
Methy											G
2.Methylsyrdine											G
Application											G
MPL 7 0 0 11 A 765 1 85-1(a) 1 1 1 1 1 1 1 1 1			-	_							G
NPM 42 0 0 11 A Yes 1 50-91 1 1 1 1 1 1 1 1 1						Hem			-		G
1.3-Pentiadiene											G
Per 10 10 10 10 10 10 10 1					_						
Polyethylane polyamines PEB 7 2											
Sector Propanolamine MPA 8 0 E III A Yes 1 56-16 10 10 10 10 10 10 10	•										
PAX B O E III A Yes 1 56-10 (c) C Se-Prophalmine (iso, n-) PAX B O E III A Yes 1 56-10 (c) C Se-Prophalmine (iso, n-) Propanolamine (iso, n-) PRD P 7 O A II A Yes 5 55-16 (c) C Se-Prophalmine PRD											
Sec-Propylamine IPP 7	•										
Pyridine											
Sodium acetate, Glycol, Water mixture (3% or more Sodium											G
Hydroxide Sadum aluminate solution (45% or less)			9		С					Section Control Control Control	
Sodium chlorate solution (50% or less) SDD 0 12 O NA III A No NI/A 50-73 Co Sodium chlorate solution (50% or less) SDD 0 12 O NA III A No NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S 15 pm or less) SSH O 12 O NA III A No NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 15 pm but less than 200 pm) SSI O 12 O NA III A No NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 12 O NA III A No NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 12 O NA III A No NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 12 O NA III A No NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 12 O NA III A No NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 12 O NA III A NO NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 12 O NA III A NO NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 12 O NA III A NO NI/A 50-73 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 0 III A Yes 2 80-76(a) Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 0 III A Yes 2 80-76(a) Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 0 III A Yes 2 80-76(a) Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 0 III A Yes 1 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 0 III A Yes 1 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 0 III A Yes 1 Sodium sulfide, hydrosulfide solution (H2S greater than 200 pm) SSI O 0 III A Yes 1 Sodium sulfide, hydros		SAP		0		311	Α	No	N/A		G
Sodium sulfide, hydrosulfide solution (20% or less) Sedium sulfide, hydrosulfide solution (H2S 15 ppm or less) Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm) Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm) SSI 0 1 2 O NA III A NO N/A 50-73, 55-1(b) Conditions that 200 ppm) SSI 0 1 2 O NA III A NO N/A 50-73, 55-1(b) Conditions that 200 ppm) Styrene (crude) STX 0 D III A Yes 2 No Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm) Styrene (crude) STX 0 D III A Yes 2 No Conditions that 200 ppm Six No N/A No N/	Sodium aluminate solution (45% or less)	SAU	5	0	NA	111	Α	No	N/A	50-73, 56-1(a), (b), (c)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less) SSH 0 1 2 0 NA III A Yes 1 .50-73, .55-1(b) Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm) SSJ 0 1 2 0 NA III A No N/A .50-73, .55-1(b) Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm) SSJ 0 1 2 0 NA III A No N/A .50-73, .55-1(b) Styrene (crude) STX 0 D D III A Yes 2 .50-70(a), .50-81(a), (b) Styrene from momer STY 30 0 D III A Yes 2 .50-70(a), .50-81(a), (b) Styrene monomer TEC 36 0 NA III A No N/A No Tetrachyloropentamine TTP 7 0 E III A Yes 1 .50-70(b) Tetrachyloropentamine THF 41 0 C III A Yes 1 .50-70(b) Toluenediamine TOA 9 0 E II A No N/A .50-73, .56-1(a) Toluenediamine TOA 9 0 E III A Yes 1 .50-70(b) Toluenediamine TOA 9 0 E III A Yes 1 .50-70(b) Toluenediamine TCD 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropentame TEA 8 2 0 NA III A Yes 3 .50-73, .56-1(a) Trichloropentame TEA 7 0 C III A Yes 3 .50-73, .56-1(a) Trichloropentame TEN 7 0 C III A Yes 3 .50-73, .56-1(a) Trichloropentame TEN 7 0 C III A Yes 3 .50-73, .56-1(a) Trichloropentame TEN 7 0 C III A Yes 3 .50-73, .56-1(a) Trichloropentame TEN 7 0 C III A Yes 3 .50-73, .56-1(a) Trichloropentame TCL 36 0 NA III A NO N/A .50-73, .56-1(a) Trichloropentame TEN 7 0 C III A Yes 3 .50-73, .56-1(a) TCL 36 0 NA III A NO N/A .50-73, .56-1(a) TCL 36 0 NA III A NO N/A .50-73, .56-1(a) TCL 36 0 NA III A NO N/A .50-73, .56-1(a) TCL 36 0 NA III A NO N/A .50-73, .56-1(a) TCL 36	Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	H	Α	No	N/A	.50-73	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm) Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A NO N/A 50-73, 55-1(b) Constitution (H2S greater than 200 ppm) Styrene (crude) STX O D III A Yes 2 No Constitution (H2S greater than 200 ppm) Styrene monomer STY 30 O D III A Yes 2 50-70(a), 50-81(a), (b) Constitution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A NO N/A NO N/A NO Constitution (H2S greater than 200 ppm) Styrene (crude) STX O D III A Yes 2 No Constitution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A Yes 1 55-1(b) Constitution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A Yes 1 50-70(a), 50-81(a), (b) Constitution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A Yes 1 50-70(a), 50-81(a), (b) Constitution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A Yes 1 50-70(a), 50-81(a), (b) Constitution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A Yes 1 50-70(a), 50-81(a), (b) Constitution (H2S greater than 200 ppm) SSJ 0 1.2 O NA III A Yes 1 50-70, 56-1(a) GREAT Trichlorobenzene TCM 36 O NA III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O E III A Yes 1 50-73, 56-1(a) Trichloropenzene TCN 36 O NA III A NO N/A 50-73, 56-1(a) TCN 36 O NA III A NO N/A 50-73, 56-1(a) TCN 36 O NA III A NO N/A 50-73, 56-1(a) TCN 36 O NA III A NO N/A 50-73, 56-1(a) TCN 36 O NA III A NO N/A 50-73, 56-1(a) TCN 36 O NA III A NO N/A 50-73, 56-1(a) TCN 36 O NA III A NO	Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (b)	G
less than 200 ppm) Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm) STX O D III A Yes STX Styrene (crude) STX O D III A Yes STX Styrene monomer STY STY STY STY STY STY STY ST	Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	0	NA	111	Α	Yes	1	.50-73, .55-1(b)	G
Styrene (crude)		SSI	0 1,2	0	NA	111	Α	No	N/A	,50-73, ,55-1(b)	G
Styrene monomer	Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	Ü	Α	No	N/A	.50-73, .55-1(b)	G
1,1,2,2-Tetrachloroethane TEC 36 O NA III A No N/A No G Tetraethylenepentamine TTP 7 O E III A Yes 1 .55-1(c) G Tetrahydrofuran THF 41 O C III A Yes 1 .50-70(b) G Toluenediamine TDA 9 O E II A No N/A .50-73, 56-1(a), (b), (c), (g) G 1,2,4-Trichlorobenzene TCB 36 O E III A Yes 1 .50-73, 56-1(a), (b), (c), (g) G 1,2,4-Trichloroethane TCM 36 O NA III A Yes 1 .50-73, 56-1(a), (b), (c), (g) G 1,1,2-Trichloroethane TCL 36 c O NA III A Yes 1 .50-73, 56-1(a), (b), (c), (g) G Trichloroethylene TCL 36 c O NA III A Yes 1 .50-73, 56-1(a), (b), (c) G <td< td=""><td>Styrene (crude)</td><td>STX</td><td></td><td>0</td><td>D</td><td>111</td><td>Α</td><td>Yes</td><td>2</td><td>No</td><td>G</td></td<>	Styrene (crude)	STX		0	D	111	Α	Yes	2	No	G
Tetraethylenepentamine TEV 7 0 E III A Yes 1 .55-1(c) Tetraethylenepentamine TH 41 0 C III A Yes 1 .50-70(b) Toluenediamine TDA 9 0 E III A No N/A .50-73, .56-1(a) (b), (e), (g) G Toluenediamine TCB 36 0 E III A Yes 1 .50-70(b) Tcluenediamine TCB 36 0 E III A Yes 1 .50-73, .56-1(a) Trichloroethane TCM 36 0 NA III A Yes 1 .50-73, .56-1(a) Trichloroethylene TCL 36 2 0 NA III A Yes 1 .50-73, .56-1(a) Trichloropropane TCN 36 0 E III A Yes 3 .50-73, .56-1(a) Triethylamine TEM 7 0 C II A Yes 3 .50-73, .56-1(a) Triethylenetetramine TEM 7 0 C II A Yes 3 .55-1(b) Triethylenetetramine TEM 7 0 C II A Yes 3 .55-1(b) Triphenylborane (10% or less), caustic soda solution TPB 5 0 NA III A No N/A .56-1(a), (b), (c) Trisodium phosphate solution (containing more than 2% NH3) UAS 6 0 NA III A No N/A .56-1(a), (c), (g) GVanillin black liquor (free alkali content, 3% or more). VAM 13 0 C III A Yes 2 .50-70(a), .50-81(a), (b) G	Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Tetrahydrofuran	1,1,2,2-Tetrachloroethane	TEC	36	0	NA	101	Α	No	N/A	No	G
Tetrahydrofuran THF 41 O C III A Yes 1 .50-70(b) G Toluenediamine TDA 9 O E II A No N/A .50-73, .56-1(a), (b), (c), (g) G 1,2,4-Trichlorobenzene TCB 36 O E III A Yes 1 No G 1,1,2-Trichloroethylene TCM 36 O NA III A Yes 1 No G Trichloroethylene TCL 36 ° O NA III A Yes 1 No G 1,2,3-Trichloropropane TCN 36 O E II A Yes 3 .50-73, .56-1(a) G Triethanolamine TEA 8 ° O E III A Yes 3 .55-1(b) G Triethylamine TEN 7 O C II A Yes 1 .55		TTP	7	0	E	111	А	Yes	1	\55-1(c)	G
Toluenediamine TDA 9 O E II A No N/A .50-73, 56-1(a), (b), (c), (g) G 1,2,4-Trichlorobenzene TCB 36 O E III A Yes 1 No G 1,1,2-Trichloroethane TCM 36 O NA III A Yes 1 .50-73, 56-1(a) Trichloroethylene TCL 36 2 O NA III A Yes 1 No G 1,2,3-Trichloropropane TCN 36 O E II A Yes 3 .50-73, 56-1(a) Triethanolamine TEA 8 2 O E III A Yes 3 .50-73, 56-1(a) Triethylamine TEN 7 O C II A Yes 3 .55-1(b) Triethylenetetramine TET 7 2 O E III A Yes 1 .55-1(b) Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A No N/A .56-1(a), (b), (c) Trisodium phosphate solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Tried, (c) Tried, (c) Tried, (c) Tried, (c) Tried, (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Tried, (c) Tried, (c) Tried, (c) Tried, (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Tried, (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) Triphenylborane (10% or less), caustic soda solution		THE	41	0	С	HE	Α	Yes	- 1	.50-70(b)	G
1,2,4-Trichlorobenzene TCB 36 O E III A Yes 1 No G 1,1,2-Trichloroethane TCM 36 O NA III A Yes 1 .50-73, .56-1(a) G Trichloroethylene TCL 36 O NA III A Yes 1 No G 1,2,3-Trichloropropane TCN 36 O E II A Yes 3 .50-73, .56-1(a) G Triethoroethylene TEA 8 ² O E III A Yes 3 .50-73, .56-1(a) G Triethylamine TEN 7 O C II A Yes 3 .55-1(b) G Triethylenetetramine TEN 7 O E III A Yes 1 .55-1(b) G Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A No N/A .56-1(a) (b) (c) G Trisodiume phosphate solution <td< td=""><td></td><td></td><td>9</td><td>0</td><td></td><td>II</td><td>Α</td><td>No</td><td>N/A</td><td>50-73, 56-1(a), (b), (c), (g)</td><td>G</td></td<>			9	0		II	Α	No	N/A	50-73, 56-1(a), (b), (c), (g)	G
1,1,2-Trichloroethane TCM 36 O NA III A Yes 1 .50-73, .56-1(a) G Trichloroethylene TCL 36 ° 2 O NA III A Yes 1 No G 1,2,3-Trichloropropane TCN 36 ° 0 E II A Yes 3 .50-73, .56-1(a) G Triethoroethylene TEA 8 ° 2 O E III A Yes 1 .55-1(b) G Triethylamine TEN 7 O C II A Yes 3 .55-1(b) G Triethylenetetramine TEN 7 ° O E III A Yes 1 .55-1(b) G Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A No N/A .56-1(a), (b), (c) G Trisodium phosphate solution TSP 5 O NA III A No N/A .56-1(a), (c), (c) G Urea, Ammonium nitrate solution (containing more than 2% NH3)<										No	G
Trichloroethylene TCL 36 ° 2 O NA III A Yes 1 No G 1,2,3-Trichloropropane TCN 36 O E II A Yes 3 .50-73, .56-1(a) G 1,2,3-Trichloropropane TCN 36 O E III A Yes 3 .50-73, .56-1(a) G Triethanolamine TEA 8 ° O E III A Yes 1 .55-1(b) G Triethylamine TEN 7 O C III A Yes 3 .55-1(c) G Triethylenetetramine TET 7 ° O E III A Yes 1 .55-1(b) G Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A No N/A .56-1(a), (b), (c) G Trisodium phosphate solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) G Urea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 O NA III A No N/A .56-1(a). (c). (g) G Vanillin black liquor (free alkali content, 3% or more). VBL 5 O NA III A No N/A .50-73, .56-1(a). (c). (g) G Vinyl acetate VAM 13 O C III A Yes 2 .50-70(a). 50-81(a). (b) G										.50-73, .56-1(a)	G
1,2,3-Trichloropropane TCN 36 O E II A Yes 3 .50-73, .56-1(a) G Triethanolamine TEA 8 2 O E III A Yes 1 .55-1(b) G Triethylamine TEN 7 O C II A Yes 3 .55-1(b) G Triethylenetetramine TET 7 2 O E III A Yes 1 .55-1(b) G Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A No N/A .56-1(a), (b), (c) G Trisodium phosphate solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c). G Urea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 O NA III A No N/A .56-1(a), (c). (g) G Vanillin black liquor (free alkali content, 3% or more). VBL 5 O NA III A No N/A .50-73, .56				-		44.00				No	G
Triethanolamine TEA 8 2 O E III A Yes 1 .55-1(h) G Triethylamine TEN 7 O C II A Yes 3 .55-1(e) G Triethylenetetramine TET 7 2 O E III A Yes 1 .55-1(b) G Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A No N/A .56-1(a), (b), (c) G Trisodium phosphate solution TSP 5 O NA III A No N/A .50-73, .56-1(a), (c) G Urea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 O NA III A NO N/A .56-1(a), (c), (g) G Vanillin black liquor (free alkali content, 3% or more). VBL 5 O NA III A NO N/A .50-73, .56-1(a), (c), (g) G Vinyl acetate										,50-73, .56-1(a)	G
Triethylamine TEN 7 O C II A Yes 3 .55-1(e) G Triethylenetetramine TEN 7 O E III A Yes 1 .55-1(b) G Triethylenetetramine TET 7 2 O E III A Yes 1 .55-1(b) G Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A NO N/A .56-1(a), (b), (c) G Trisodium phosphate solution TSP 5 O NA III A NO N/A .50-73, .56-1(a), (c) G Urea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 O NA III A NO N/A .56-1(a) C Vanillin black liquor (free alkali content, 3% or more). VBL 5 O NA III A NO N/A .50-73, .56-1(a), (c), (g) G Vinyl acetate VAM 13 O C III A Yes 2 .50-70(a), .50-81(a), (b) G											G
Triethylenetetramine TET 7 2 0 E III A Yes 1 .55-1(b) G Triphenylborane (10% or less), caustic soda solution TPB 5 0 NA III A No N/A .56-1(a), (b), (e) G Trisodium phosphate solution TSP 5 0 NA III A No N/A .50-73, .56-1(a), (c) G Urea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 0 NA III A No N/A .56-1(a) C. (g) G Vanillin black liquor (free alkali content, 3% or more). VBL 5 0 NA III A NO N/A .50-73, .56-1(a) (c), (g) G Vanillan black liquor (free alkali content, 3% or more). VAM 13 0 C III A Yes 2 .50-70(a) .50-81(a) (b) G											G
Triphenylborane (10% or less), caustic soda solution TPB 5 O NA III A No N/A 56-1(a), (b), (e) Grisodium phosphate solution TSP 5 O NA III A No N/A 50-73, 56-1(a), (c). Grisodium phosphate solution (containing more than 2% NH3) Urea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 O NA III A NO N/A 56-1(a), (c), (g) Grigodium phosphate solution (containing more than 2% NH3) USS 6 O NA III A NO N/A 56-1(a), (c), (g) Grigodium phosphate solution (containing more than 2% NH3) Urea, Ammonium nitrate solution (containing more than 2% NH3) USS 6 O NA III A NO N/A 56-1(a), (c), (g) Grigodium phosphate solution Value and the solution (containing more than 2% NH3) UAS 6 O NA III A NO N/A 56-1(a), (c), (g) Grigodium phosphate solution Value and the solution (containing more than 2% NH3) Value and the solution (containing more											
Trisodium phosphate solution TSP 5 O NA III A No N/A 50-73, 56-1(a), (c). GUrea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 O NA III A NO N/A 56-1(b). Vanillin black liquor (free alkali content, 3% or more). VBL 5 O NA III A NO N/A 50-73, 56-1(a), (c), (g) G Vinyl acetate VAM 13 O C III A Yes 2 50-70(a), 50-81(a), (b)											
Urea, Ammonium nitrate solution (containing more than 2% NH3) UAS 6 O NA III A NO N/A 56-1(b) G Vanillin black liquor (free alkali content, 3% or more). VBL 5 O NA III A NO N/A 50-73, 56-1(a), (c), (g) G Vinyl acetate VAM 13 O C III A Yes 2 50-70(a), 50-81(a), (b) G											
Vanillin black liquor (free alkali content, 3% or more). VBL 5 O NA III A No N/A .50-73, .56-1(a), (c), (g) G Vinyl acetate VAM 13 O C III A Yes 2 .50-70(a), .50-81(a), (b) G					-					THE SECOND SECON	
Vinyl acetate VAM 13 O C III A Yes 2 .50-70(a), 50-81(a), (b)		_				_					
7111, 3000,000											
VINU 13 O E III A NO N/A -30-70(a), (b) G											
Vinyltoluene VNT 13 O D III A Yes 2 .50-70(a) .50-81, .56-1(a) (b), (c), (G											



Cargo Authority Attachment

Vessel Name: KIRBY 12322B
Official #: 1218265

Page 4 of 8

Shipyard: Tres Palacios

Serial #:

26-Jan-09

Cargo Identification	n							Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Subchapter D Cargoes Authorized for Vapor Cont	rol									
Acetone	ACT	18 2	D	С		Α	Yes	31		
Acetophenone	ACP	18	D	Е		Α	Yes	11		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	Ε		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	Е		A	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	ñ		
Benzyl alcohol	BAL	21	D	E		A	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		A	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 2	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1		
Butyl benzyl phthalate	BPH	34	D	Е		Α	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes	1		
Cyclohexanol	CHN	20	D	E		Α	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
p-Cymene	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 ²	D	Е		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20 2	D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		A	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	14:		
Diethylene glycol	DEG	40 2	D	E		A	Yes	1		
Diisobutylene	DBL	30	D	C		Α	Yes	1		
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1		
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	a i		
Dimethyl phthalate	DTL	34	D	E		A	Yes	4		
Dioctyl phthalate	DOP	34	D	E		A	Yes	4		
Dipentene	DPN	30	D	D		A	Yes	4		
Diphenyl	DIL	32	D	D/E		A	Yes	1		
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		A	Yes	1		
Diphenyl ether	DPE	41		(E)		A	Yes	1		
Dipropylene glycol	DPG	40		(⊑) E		A	Yes	1		
Distillates: Flashed feed stocks	DFF	33		E		A		340		
Distillates: Straight run	DSR	33		E			Yes	90		
Dodecene (all isomers)	DOZ			D		A	Yes	1		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	30		_		A	Yes	1		
2-Ethoxyethyl acetate				E		A	Yes	1		
Ethoxy triglycol (crude)	EEA	34		D		A	Yes	31 04		
Etiloxy trigiyeor (crude)	ETG	40	D	E		A	Yes	1		

Serial #: C2-0900203

Dated: 26-Jan-09



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 12322B

Official #: 1218265

Page 5 of 8

Shipyard: Tres Palacios

Cargo Identificati	on					Conditions of Carriage						
	1							Recovery				
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Ethyl acetate	ETA	34	D	С		Α	Yes	1				
Ethyl acetoacetate	EAA	34	D	Е		Α	Yes	1				
Ethyl alcohol	EAL	20 2	D	C		A	Yes	1				
Ethylbenzene	ETB	32	D	C		A	Yes	1				
Ethyl butanol	EBT	20	D	D		Α	Yes	9				
Ethyl tert-butyl ether	EBE	41	D	C		Α	Yes	1	5			
Ethyl butyrate	EBR	34	D	D		Α	Yes	1				
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1				
Ethylene glycol	EGL	20 2	D	Е		Α	Yes	1				
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1				
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1				
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1				
2-Ethylhexanol	EHX	20	D	Е		Α	Yes	1				
Ethyl propionate	EPR	34	D	С		Α	Yes	-1				
Ethyl toluene	ETE	32	D	D		Α	Yes	- 1				
Formamide	FAM	10	D	E		Α	Yes	1				
Furfuryl alcohol	FAL	20 2	D	E		Α	Yes	1				
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1				
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1				
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1				
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1				
Glycerine	GCR	20 2	D	E		Α	Yes	1				
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1				
Heptanoic acid	HEP	4	D	Ε		Α	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	4				
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2				
Heptyl acetate	HPE	34	D	Е		Α	Yes	1				
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		Α	Yes	1				
Hexanoic acid	HXO	4	D	E		Α	Yes	1				
Hexanol	HXN	20	D	D		Α	Yes	1				
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2				
Hexylene glycol	HXG	20	D	E		Α	Yes	1				
Isophorone	IPH	18 2	D	E		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	Ε		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1				
Kerosene	KRS	33	D	D		Α	Yes	1				
Methyl acetate .	MTT	34	D	D		Α	Yes	1				
Methyl alcohol	MAL	20 2	D	С		Α	Yes	1				
Methylamyl acetate	MAC	34	D	D		Α	Yes	1				
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1				
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1				
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1				
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1				



Serial #: C2-0900203 Dated: 26-Jan-09

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 12322B Official #: 1218265

Page 6 of 8

Shipyard: Tres Palacios

Cargo Identifica	ation					Conditions of Carriage						
							Vapor Recovery					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Methyl butyrate	MBU	34	D	С		А	Yes	1				
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	1				
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	4				
Methyl isobutyl ketone	MIK	18 2	D	С		Α	Yes	- 1				
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1				
Mineral spirits	MNS	33	D	D		Α	Yes	1				
Myrcene	MRE	30	D	D		Α	Yes	1				
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1				
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	4				
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1				
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1				
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1				
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1				
Nonene (all isomers)	NON	30	D	D		A	Yes	2				
Nonyl alcohol (all isomers)	NNS	20 2	D	E		A	Yes	1				
Nonyl phenol	NNP	21	D	E		A	Yes	1				
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	1				
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		A		1				
Octanic (all isomers)	OAY	4					Yes					
			D	E		A	Yes	1				
Octanol (all isomers)	OCX	20 2	D	E		A	Yes	1				
Octene (all isomers)	OTX	30	D	С	_	A	Yes	2				
Oil, fuel: No. 2	OTW	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1				
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	.1				
Oil, misc: Crude	OIL	33	D	C/D		Α	Yes	1				
Oil, misc: Diesel	ODS	33	D.	D/E		Α	Yes	1				
Oil, misc: Lubricating	QLB	33	D	Е		Α	Yes	3				
Oil, misc: Residual	ORL	33	D	E		Α	Yes	- 1				
Oil, misc: Turbine	OTB	33	D	E		Α	Yes	1				
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5				
Pentene (all isomers)	PTX	30	D	Α		Α	Yes	5				
alpha-Pinene	PIO	30	D	D		Α	Yes	1				
beta-Pinene	PIP	30	D	D		Α	Yes	3				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Е		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	Е		Α	Yes	1				
Polybutene	PLB	30	D	Е		Α	Yes	1				
Polypropylene glycol	PGC	40	D	Е		Α	Yes	1				
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1				
n-Propyl acetate	PAT	34	D	С		Α	Yes	1				
so-Propyl alcohol	IPA	20 ²	D	С		A	Yes	1				
n-Propyl alcohol	PAL	20 ²	D	С		A	Yes	1				
Propylbenzene (all isomers)	PBY	32	D	D		A	Yes	1				
so-Propylcyclohexane	IPX	31	D	D		A	Yes	1				
Propylene glycol	PPG	20 2	D	E		A	Yes	1		_		
Propylene glycol methyl ether acetate	PGN	34	D	D		A	Yes	9				
Propylene tetramer	PTT	30	D	D		\sim	168	1				



Serial #: C2-0900203 Dated:

26-Jan-09

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 12322B

Official #: 1218265

Page 7 of 8

Shipyard: Tres Palacios

Cargo Identification						Conditions of Carriage				
		Compat Su Group No Chap			Hull Type	Vapor Recovery		Recovery		
Name	Chem Code		Sub Chapter			Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Sulfolane	SFL	39	D	E		Α	Yes	1		-
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	C		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		Α	Yes	1		
Triethylbenzene	TEB	32	D	Е		Α	Yes	1		
Triethylene glycol	TEG	40	D	Е		Α	Yes	1		
Triethyl phosphate	TPS	34	D	Е		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		A	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	Е		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Cargo Authority Attachment

Vessel Name: KIRBY 12322B Official #: 1218265

Page 8 of 8

Shipyard: Tres Palacios

Hull #: 119

Serial #:

Dated:

C2-0900203

26-Jan-09

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, Recause of the very high cardivity or usual conditions of cargoes or catallal compatibility problems. This conduct is not assigned to a specific group in the Cargoes in the Car

Note 1 Note 2

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility nat. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425 See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchanter D Subchapter O Note 3

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

A, B, C Note 4 Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

Combosible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combostbility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combostible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

NA # Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Not applicable to barries certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N)

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N)

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155,750, 33 CFR 156,120, 34 CFR 156,120, 35 CFR 156,120, must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

Category 3

(Polymerizas) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3,

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category Icargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.