





# BARGE "KIRBY 15806"

## PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HW CHEM 156"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,678.76	0	4,073.12	0	4,429.52	0	4,732.05	0	4,954.36	0		0		0		0		0	
1/4	3,687.26	1/4	4,080.95	1/4	4,436.41	1/4	4,737.57	1/4	4,957.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,695.76	1/2	4,088.79	1/2	4,443.30	1/2	4,743.10	1/2	4,961.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,704.26	3/4	4,096.62	3/4	4,450.18	3/4	4,748.62	3/4	4,964.38	3/4		3/4		3/4		3/4		3/4	
1	3,712.76	1	4,104.45	1	4,457.07	1	4,754.14	1	4,967.71	1		1		1		1		1	
1/4	3,721.21	1/4	4,112.22	1/4	4,463.86	1/4	4,759.53	1/4	4,970.79	1/4		1/4		1/4		1/4		1/4	
1/2	3,729.67	1/2	4,119.99	1/2	4,470.64	1/2	4,764.92	1/2	4,973.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,738.12	3/4	4,127.76	3/4	4,477.43	3/4	4,770.30	3/4	4,976.95	3/4		3/4		3/4		3/4		3/4	
2	3,746.57	2	4,135.52	2	4,484.21	2	4,775.69	2	4,980.02	2		2		2		2		2	
1/4	3,754.98	1/4	4,143.22	1/4	4,490.90	1/4	4,780.92	1/4	4,982.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,763.38	1/2	4,150.92	1/2	4,497.60	1/2	4,786.15	1/2	4,985.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,771.79	3/4	4,158.61	3/4	4,504.29	3/4	4,791.39	3/4	4,988.36	3/4		3/4		3/4		3/4		3/4	
3	3,780.19	3	4,166.31	3	4,510.98	3	4,796.62	3	4,991.14	3		3		3		3		3	
1/4	3,788.55	1/4	4,173.93	1/4	4,517.57	1/4	4,801.71	1/4	4,993.60	1/4		1/4		1/4		1/4		1/4	
1/2	3,796.90	1/2	4,181.56	1/2	4,524.15	1/2	4,806.80	1/2	4,996.05	1/2		1/2		1/2		1/2		1/2	
3/4	3,805.26	3/4	4,189.18	3/4	4,530.74	3/4	4,811.89	3/4	4,998.50	3/4		3/4		3/4		3/4		3/4	
4	3,813.62	4	4,196.81	4	4,537.33	4	4,816.98	4	5,000.95	4		4		4		4		4	
1/4	3,821.93	1/4	4,204.36	1/4	4,543.82	1/4	4,821.91	1/4	5,003.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,830.24	1/2	4,211.92	1/2	4,550.31	1/2	4,826.85	1/2	5,005.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,838.55	3/4	4,219.47	3/4	4,556.80	3/4	4,831.78	3/4	5,007.17	3/4		3/4		3/4		3/4		3/4	
5	3,846.86	5	4,227.02	5	4,563.29	5	4,836.71	5	5,009.24	5		5		5		5		5	
1/4	3,855.11	1/4	4,234.50	1/4	4,569.66	1/4	4,841.48	1/4	5,010.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,863.36	1/2	4,241.98	1/2	4,576.04	1/2	4,846.24	1/2	5,012.44	1/2		1/2		1/2		1/2		1/2	
3/4	3,871.61	3/4	4,249.45	3/4	4,582.41	3/4	4,851.00	3/4	5,014.04	3/4		3/4		3/4		3/4		3/4	
6	3,879.86	6	4,256.93	6	4,588.79	6	4,855.76	6	5,015.64	6		6		6		6		6	
1/4	3,888.05	1/4	4,264.33	1/4	4,595.05	1/4	4,860.36	1/4	5,016.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,896.25	1/2	4,271.73	1/2	4,601.32	1/2	4,864.95	1/2	5,017.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,904.45	3/4	4,279.13	3/4	4,607.59	3/4	4,869.55	3/4	5,018.27	3/4		3/4		3/4		3/4		3/4	
7	3,912.64	7	4,286.52	7	4,613.86	7	4,874.14	7	5,019.14	7		7		7		7		7	
1/4	3,920.79	1/4	4,293.85	1/4	4,620.01	1/4	4,878.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,928.93	1/2	4,301.17	1/2	4,626.17	1/2	4,882.96	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,937.07	3/4	4,308.49	3/4	4,632.32	3/4	4,887.37	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,945.21	8	4,315.81	8	4,638.48	8	4,891.79	8		8		8		8		8		8	
1/4	3,953.30	1/4	4,323.05	1/4	4,644.51	1/4	4,896.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,961.39	1/2	4,330.29	1/2	4,650.55	1/2	4,900.24	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,969.48	3/4	4,337.52	3/4	4,656.58	3/4	4,904.46	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,977.57	9	4,344.76	9	4,662.62	9	4,908.69	9		9		9		9		9		9	
1/4	3,985.60	1/4	4,351.91	1/4	4,668.54	1/4	4,912.71	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,993.62	1/2	4,359.06	1/2	4,674.45	1/2	4,916.74	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,001.64	3/4	4,366.21	3/4	4,680.37	3/4	4,920.76	3/4		3/4		3/4		3/4		3/4		3/4	
10	4,009.67	10	4,373.36	10	4,686.29	10	4,924.79	10		10		10		10		10		10	
1/4	4,017.63	1/4	4,380.42	1/4	4,692.07	1/4	4,928.60	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,025.58	1/2	4,387.49	1/2	4,697.86	1/2	4,932.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,033.54	3/4	4,394.55	3/4	4,703.64	3/4	4,936.21	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,041.50	11	4,401.62	11	4,709.43	11	4,940.02	11		11		11		11		11		11	
1/4	4,049.40	1/4	4,408.60	1/4	4,715.08	1/4	4,943.61	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,057.31	1/2	4,415.57	1/2	4,720.74	1/2	4,947.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,065.21	3/4	4,422.55	3/4	4,726.39	3/4	4,950.77	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 05/30/1995 INS  
REPRINTED: 03/17/2005 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 03/2005

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 15806"

## CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HW CHEM 156"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,681.86	0	4,076.55	0	4,433.29	0	4,736.07	0	4,958.57	0		0		0		0		0	
1/4	3,690.37	1/4	4,084.39	1/4	4,440.17	1/4	4,741.60	1/4	4,961.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,698.88	1/2	4,092.23	1/2	4,447.06	1/2	4,747.12	1/2	4,965.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,707.39	3/4	4,100.07	3/4	4,453.95	3/4	4,752.64	3/4	4,968.59	3/4		3/4		3/4		3/4		3/4	
1	3,715.90	1	4,107.90	1	4,460.83	1	4,758.17	1	4,971.93	1		1		1		1		1	
1/4	3,724.36	1/4	4,115.68	1/4	4,467.62	1/4	4,763.56	1/4	4,975.01	1/4		1/4		1/4		1/4		1/4	
1/2	3,732.82	1/2	4,123.45	1/2	4,474.42	1/2	4,768.95	1/2	4,978.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,741.28	3/4	4,131.23	3/4	4,481.21	3/4	4,774.35	3/4	4,981.16	3/4		3/4		3/4		3/4		3/4	
2	3,749.74	2	4,139.00	2	4,488.00	2	4,779.74	2	4,984.24	2		2		2		2		2	
1/4	3,758.15	1/4	4,146.71	1/4	4,494.70	1/4	4,784.98	1/4	4,987.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,766.57	1/2	4,154.42	1/2	4,501.39	1/2	4,790.21	1/2	4,989.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,774.99	3/4	4,162.12	3/4	4,508.09	3/4	4,795.45	3/4	4,992.60	3/4		3/4		3/4		3/4		3/4	
3	3,783.40	3	4,169.83	3	4,514.79	3	4,800.69	3	4,995.38	3		3		3		3		3	
1/4	3,791.77	1/4	4,177.46	1/4	4,521.38	1/4	4,805.78	1/4	4,997.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,800.13	1/2	4,185.10	1/2	4,527.98	1/2	4,810.87	1/2	5,000.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,808.49	3/4	4,192.73	3/4	4,534.57	3/4	4,815.96	3/4	5,002.76	3/4		3/4		3/4		3/4		3/4	
4	3,816.86	4	4,200.36	4	4,541.17	4	4,821.05	4	5,005.21	4		4		4		4		4	
1/4	3,825.17	1/4	4,207.92	1/4	4,547.66	1/4	4,825.99	1/4	5,007.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,833.48	1/2	4,215.48	1/2	4,554.15	1/2	4,830.93	1/2	5,009.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,841.79	3/4	4,223.04	3/4	4,560.65	3/4	4,835.87	3/4	5,011.43	3/4		3/4		3/4		3/4		3/4	
5	3,850.10	5	4,230.60	5	4,567.14	5	4,840.81	5	5,013.50	5		5		5		5		5	
1/4	3,858.36	1/4	4,238.08	1/4	4,573.52	1/4	4,845.58	1/4	5,015.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,866.62	1/2	4,245.56	1/2	4,579.90	1/2	4,850.35	1/2	5,016.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,874.88	3/4	4,253.04	3/4	4,586.29	3/4	4,855.11	3/4	5,018.29	3/4		3/4		3/4		3/4		3/4	
6	3,883.14	6	4,260.52	6	4,592.67	6	4,859.88	6	5,019.88	6		6		6		6		6	
1/4	3,891.35	1/4	4,267.93	1/4	4,598.94	1/4	4,864.48	1/4	5,020.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,899.55	1/2	4,275.33	1/2	4,605.21	1/2	4,869.07	1/2	5,021.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,907.75	3/4	4,282.74	3/4	4,611.49	3/4	4,873.67	3/4	5,022.51	3/4		3/4		3/4		3/4		3/4	
7	3,915.95	7	4,290.14	7	4,617.76	7	4,878.26	7	5,023.38	7		7		7		7		7	
1/4	3,924.10	1/4	4,297.47	1/4	4,623.92	1/4	4,882.68	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,932.25	1/2	4,304.80	1/2	4,630.08	1/2	4,887.10	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,940.40	3/4	4,312.13	3/4	4,636.24	3/4	4,891.51	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,948.55	8	4,319.45	8	4,642.40	8	4,895.93	8		8		8		8		8		8	
1/4	3,956.64	1/4	4,326.70	1/4	4,648.45	1/4	4,900.16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,964.74	1/2	4,333.94	1/2	4,654.49	1/2	4,904.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,972.83	3/4	4,341.18	3/4	4,660.53	3/4	4,908.63	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,980.93	9	4,348.43	9	4,666.57	9	4,912.86	9		9		9		9		9		9	
1/4	3,988.96	1/4	4,355.59	1/4	4,672.49	1/4	4,916.88	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,996.99	1/2	4,362.75	1/2	4,678.40	1/2	4,920.90	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,005.02	3/4	4,369.91	3/4	4,684.32	3/4	4,924.93	3/4		3/4		3/4		3/4		3/4		3/4	
10	4,013.05	10	4,377.07	10	4,690.24	10	4,928.95	10		10		10		10		10		10	
1/4	4,021.02	1/4	4,384.14	1/4	4,696.03	1/4	4,932.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,028.99	1/2	4,391.21	1/2	4,701.82	1/2	4,936.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,036.96	3/4	4,398.29	3/4	4,707.61	3/4	4,940.40	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,044.93	11	4,405.36	11	4,713.40	11	4,944.21	11		11		11		11		11		11	
1/4	4,052.83	1/4	4,412.34	1/4	4,719.07	1/4	4,947.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,060.74	1/2	4,419.32	1/2	4,724.74	1/2	4,951.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,068.64	3/4	4,426.30	3/4	4,730.40	3/4	4,954.98	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 05/30/1995 INS  
REPRINTED: 03/17/2005 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 03/2005

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 15806"

## STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HW CHEM 156"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,685.36	0	4,080.43	0	4,437.48	0	4,740.57	0	4,963.29	0		0		0		0		0	
1/4	3,693.88	1/4	4,088.27	1/4	4,444.38	1/4	4,746.10	1/4	4,966.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,702.39	1/2	4,096.12	1/2	4,451.27	1/2	4,751.63	1/2	4,969.98	1/2		1/2		1/2		1/2		1/2	
3/4	3,710.91	3/4	4,103.96	3/4	4,458.17	3/4	4,757.16	3/4	4,973.32	3/4		3/4		3/4		3/4		3/4	
1	3,719.43	1	4,111.81	1	4,465.07	1	4,762.69	1	4,976.67	1		1		1		1		1	
1/4	3,727.89	1/4	4,119.59	1/4	4,471.87	1/4	4,768.08	1/4	4,979.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,736.36	1/2	4,127.37	1/2	4,478.67	1/2	4,773.48	1/2	4,982.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,744.82	3/4	4,135.15	3/4	4,485.46	3/4	4,778.87	3/4	4,985.90	3/4		3/4		3/4		3/4		3/4	
2	3,753.29	2	4,142.93	2	4,492.26	2	4,784.26	2	4,988.98	2		2		2		2		2	
1/4	3,761.71	1/4	4,150.64	1/4	4,498.96	1/4	4,789.51	1/4	4,991.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,770.13	1/2	4,158.36	1/2	4,505.67	1/2	4,794.76	1/2	4,994.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,778.55	3/4	4,166.07	3/4	4,512.37	3/4	4,800.01	3/4	4,997.33	3/4		3/4		3/4		3/4		3/4	
3	3,786.98	3	4,173.79	3	4,519.07	3	4,805.26	3	5,000.12	3		3		3		3		3	
1/4	3,795.35	1/4	4,181.42	1/4	4,525.67	1/4	4,810.36	1/4	5,002.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,803.73	1/2	4,189.06	1/2	4,532.27	1/2	4,815.45	1/2	5,005.05	1/2		1/2		1/2		1/2		1/2	
3/4	3,812.10	3/4	4,196.70	3/4	4,538.88	3/4	4,820.55	3/4	5,007.51	3/4		3/4		3/4		3/4		3/4	
4	3,820.48	4	4,204.33	4	4,545.48	4	4,825.64	4	5,009.98	4		4		4		4		4	
1/4	3,828.80	1/4	4,211.90	1/4	4,551.98	1/4	4,830.58	1/4	5,012.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,837.12	1/2	4,219.48	1/2	4,558.48	1/2	4,835.52	1/2	5,014.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,845.44	3/4	4,227.05	3/4	4,564.98	3/4	4,840.46	3/4	5,016.19	3/4		3/4		3/4		3/4		3/4	
5	3,853.76	5	4,234.62	5	4,571.48	5	4,845.40	5	5,018.26	5		5		5		5		5	
1/4	3,862.02	1/4	4,242.11	1/4	4,577.86	1/4	4,850.18	1/4	5,019.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,870.29	1/2	4,249.60	1/2	4,584.25	1/2	4,854.95	1/2	5,021.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,878.55	3/4	4,257.08	3/4	4,590.64	3/4	4,859.73	3/4	5,023.07	3/4		3/4		3/4		3/4		3/4	
6	3,886.81	6	4,264.57	6	4,597.02	6	4,864.50	6	5,024.67	6		6		6		6		6	
1/4	3,895.02	1/4	4,271.98	1/4	4,603.30	1/4	4,869.10	1/4	5,025.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,903.24	1/2	4,279.39	1/2	4,609.58	1/2	4,873.70	1/2	5,026.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,911.45	3/4	4,286.80	3/4	4,615.86	3/4	4,878.30	3/4	5,027.29	3/4		3/4		3/4		3/4		3/4	
7	3,919.67	7	4,294.21	7	4,622.14	7	4,882.90	7	5,028.17	7		7		7		7		7	
1/4	3,927.83	1/4	4,301.55	1/4	4,628.31	1/4	4,887.33	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,935.99	1/2	4,308.88	1/2	4,634.48	1/2	4,891.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,944.15	3/4	4,316.21	3/4	4,640.64	3/4	4,896.17	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,952.31	8	4,323.55	8	4,646.81	8	4,900.60	8		8		8		8		8		8	
1/4	3,960.40	1/4	4,330.80	1/4	4,652.86	1/4	4,904.83	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,968.50	1/2	4,338.05	1/2	4,658.90	1/2	4,909.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,976.60	3/4	4,345.30	3/4	4,664.95	3/4	4,913.29	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,984.69	9	4,352.55	9	4,671.00	9	4,917.52	9		9		9		9		9		9	
1/4	3,992.73	1/4	4,359.71	1/4	4,676.92	1/4	4,921.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,000.77	1/2	4,366.88	1/2	4,682.85	1/2	4,925.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,008.82	3/4	4,374.05	3/4	4,688.77	3/4	4,929.61	3/4		3/4		3/4		3/4		3/4		3/4	
10	4,016.86	10	4,381.21	10	4,694.69	10	4,933.64	10		10		10		10		10		10	
1/4	4,024.83	1/4	4,388.29	1/4	4,700.49	1/4	4,937.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,032.81	1/2	4,395.37	1/2	4,706.29	1/2	4,941.27	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,040.79	3/4	4,402.45	3/4	4,712.08	3/4	4,945.09	3/4		3/4		3/4		3/4		3/4		3/4	
11	4,048.76	11	4,409.52	11	4,717.88	11	4,948.90	11		11		11		11		11		11	
1/4	4,056.68	1/4	4,416.51	1/4	4,723.55	1/4	4,952.50	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	4,064.60	1/2	4,423.50	1/2	4,729.23	1/2	4,956.10	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	4,072.51	3/4	4,430.49	3/4	4,734.90	3/4	4,959.69	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 05/30/1995 INS  
REPRINTED: 03/17/2005 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 03/2005

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>