



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date:	22 Jun 2022
Expiration Date:	22 Jun 2023

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name	Official Number	IMO Number	Call Sign	Service
KIRBY 16805	980302			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
HOUSTON, TX	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
BEAUMONT, TX	03Dec1991		R-1179	R-1179		R-260.0
UNITED STATES			-	-		-0

Owner	Operator
KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES	KIRBY INLAND MARINE, LP 18350 MARKET STREET CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Port Athur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: <i>B. T. Inagaki, USCG</i> B. T. INAGAKI, GS-13, USCG, By direction Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur Inspection Zone
Date	Zone	A/P/R	Signature	



Temporary Certificate of Inspection

Vessel Name: KIRBY 16805

(TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to CCMI Houston-Galveston.

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	30Mar2032	22Jun2022	27Mar2012
Internal Structure	30Apr2027	22Jun2022	20Apr2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: Liquefied Flammable Gas and Specified Hazardous Cargoes

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
16253	Barrels	LFG	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1&2 (BDI)	1671	5.200
1&2 (BUT)	1535	4.800
1&2 (BTN)	1587	4.960
1&2 (IBL)	1595	5.000
1&2 (PRP,PPM)	1279	4.200
1&2 (PPL)	1326	4.300
1&2 (IBT, BMX)	1478	4.700

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # VN91005407, dated 07MAR01, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

Inspected and approved for the carriage of liquefied flammable gases at a pressure not to exceed 260 psi relief valve setting and at temperatures not less than ambient (0-115 degrees Fahrenheit).

Loading Constraints - Stability

Hull Type	Max Load (S/T)	Max Draft (ft/in)	Max Density (lbs/gal)	Route
II (BDI)	1671	8'5"	5.2	LBS, R, LC (0-12)
II (BUT)	1535	8'1"	4.8	LBS, R, LC (0-12)
II (IBT)	1478	7'11"	4.7	LBS, R, LC (0-12)
II (BTN)	1587	8'2"	4.96	LBS, R, LC (0-12)
II (IBL)	1595	8'3"	5.0	LBS, R, LC (0-12)
II (PRP)	1279	7'4"	4.2	LBS, R, LC (0-12)
II (PPL)	1326	7'6"	4.3	LBS, R, LC (0-12)
II (BMX)	1478	7'11"	4.7	LBS, R, LC (0-12)
II (PPM)	1279	7'4"	4.2	LBS, R, LC (0-12)



Temporary Certificate of Inspection

Vessel Name: KIRBY 16805

Mixtures of the Subchapter "D" cargoes Butane (BTN), Iso-Butane (IBN), Butylene (BUT), Propane (PRP) and Propylene (PPL) are authorized for carriage subject to the loading and stability constraints of the least dense cargo in the mixture specified above.

Mixtures of Subchapter "O" and "D" LFG cargoes not specified above must be approved by Commandant (MSO) prior to being authorized for carriage. Propylene, Propane, MAPP gas mixture (PPM) is the only "O" and "D" mixture presently authorized.

No other cargoes may be carried when PPM is carried unless the PPM piping system is separated from the other cargo piping system.

Vessel authorized special seasonal loading constraints for the carriage of PPL not to exceed 98% of cargo tank capacity and in accordance with operating procedures approved by MSO New Orleans letter serial #16711 dated 02May96.

Stability and Trim

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1&2 (BDI)	27Mar2012	20Apr2017	30Apr2027	05Jun2019	22Jun2022	30Jun2027
1&2 (BUT)	27Mar2012	20Apr2017	30Apr2027	05Jun2019	22Jun2022	30Jun2027
1&2 (BTN)	27Mar2012	20Apr2017	30Apr2027	05Jun2019	22Jun2022	30Jun2027
1&2 (IBL)	27Mar2012	20Apr2017	30Apr2027	05Jun2019	22Jun2022	30Jun2027
1&2 (PRP,PPM)	27Mar2012	20Apr2017	30Apr2027	05Jun2019	22Jun2022	30Jun2027
1&2 (PPL)	27Mar2012	20Apr2017	30Apr2027	05Jun2019	22Jun2022	30Jun2027
1&2 (IBT, BMX)	27Mar2012	20Apr2017	30Apr2027	05Jun2019	22Jun2022	30Jun2027

Hydro Test

Tank Id	Safety Valves	Previous	Last	Next
1&2 (BDI)	02Jun2022	-	27Feb2007	-
1&2 (BUT)	02Jun2022	-	27Feb2007	-
1&2 (BTN)	02Jun2022	-	27Feb2007	-
1&2 (IBL)	02Jun2022	-	27Feb2007	-
1&2 (PRP,PPM)	02Jun2022	-	27Feb2007	-
1&2 (PPL)	02Jun2022	-	27Feb2007	-
1&2 (IBT, BMX)	02Jun2022	-	27Feb2007	-

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---



Temporary Certificate of Inspection

Vessel Name: KIRBY 16805

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
1	40-B

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: HOLLYWOOD CHEM 166
Official #: D980302

Page 1 of 1

Shipyard: TRINITY MARI
Hull #: 1280

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat's of Construction
		Group No	Exc				

Authorized Subchapter O Cargoes

Butadiene	BDI	30	N	LFG	II		50-70(a), 50-73
Propylene, Propane, MAPP gas mixture (containing 12% orless MAPP gas)	PPM	30	Y	LFG	III		

Explanation of terms & symbols used in the Table:

Cargo Identification

- Name** The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code** The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatability Group No.** The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc)** Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade** The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{}" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
- A, B, C** Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
- D, E** Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
- NA, NF** Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
- #** No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type** The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
- I** Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
- II** Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
- III** Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

Note See Certificate of Inspection for explanation of symbols used in this column.

Law Valve of Texas

16917 Market St, Channelview, TX 77530
(713)453-0413

LVT Sales Order LV-10624-SO

Barge Name KIRBY 16805

Work Order # LV-10765-WO

Shop Order & Test Report

Customer: Kirby Inland Marine Order #

Make Farris Size 6" x 8" Model # 26QA12-120

Serial # 31455-A8 Inlet 6"300 Outlet 8"150

Constrution: Safety Relief Cap: Plain

Set Pressure: 260 psi pressure

Tag: Orifice: R

Work Required: Complete Overhaul Test Air

Condition Received: Need Repair

General Condition Pre-repair

Inlet	Dirty	Spring	Good Cond.
Seats	Dirty	Work	ST
Guide	Dirty	Repairs	Lapped Seats Installed gaskets
Outlet	Dirty		

Parts replaced and other work:

Final Test Report

Date 02 JUN 2022

Set Pressure 260 psi pressure

Nozzle Ring Setting 7 Down

Back Pressure 30 PSI

Tested By: *[Signature]*

Witness/Assy By *[Signature]*

U.S. Coast Guard Witness *[Signature]*



16917 Market St, Channelview, TX 77530
(713)453-0413

LVT Sales Order LV-10624-SO

Barge Name KIRBY 16805

Work Order # LV-10765-WO

Shop Order & Test Report

Customer: Kirby Inland Marine Order #

Make Farris Size 6" x 8" Model # 26QA12-120

Serial # 9800-A8 Inlet 6"300 Outlet 8"150

Construction: Safety Relief Cap: Plain

Set Pressure: 260 psi pressure

Tag: Orifice: R

Work Required: Complete Overhaul Test Air

Condition Received: Need Repair

General Condition Pre-repair

Inlet	<u>Dirty</u>	Spring	<u>Good Cond.</u>
Seats	<u>Dirty</u>	Work	<u>ST</u>
Guide	<u>Dirty</u>	Repairs	<u>Lapped Seats</u> <u>Installed gaskets</u>
Outlet	<u>Dirty</u>		

Parts replaced and other work:

Final Test Report

Date 02 JUN 2022

Set Pressure 260 psi pressure

Nozzle Ring Setting 7 Down

Back Pressure 30 PSI

Tested By: [Signature]

Witness/Assy By [Signature]

U.S. Coast Guard Witness [Signature]

Law Valve of Texas

16917 Market St, Channelview, TX 77530
(713)453-0413

LVT Sales Order LV-10624-SO

Barge Name KIRBY 16805

Work Order # LV-10765-WO

Shop Order & Test Report

Customer: Kirby Inland Marine Order #

Make Farris Size 6" x 8" Model # 26QA12-120

Serial # 31456-A8 Inlet 6"300 Outlet 8"150

Constrution: Safety Relief Cap: Plain

Set Pressure: 260 psi pressure

Tag: Orifice: R

Work Required: Complete Overhaul Test Air

Condition Received: Need Repair

General Condition Pre-repair

Inlet	Dirty	Spring	Good Cond.
Seats	Dirty	Work	ST
Guide	Dirty	Repairs	Lapped Seats Installed gaskets
Outlet	Dirty		

Parts replaced and other work:

Final Test Report

Date 02 Jul 2022

Set Pressure 260 psi pressure


Nozzle Ring Setting 7 Down

Back Pressure 30 PSI

Tested By: *[Signature]*

Witness/Assy By *[Signature]*

U.S. Coast Guard Witness *[Signature]*



16917 Market St, Channelview, TX 77530
(713)453-0413

LVT Sales Order LV-10624-SO
Barge Name KIRBY 16805
Work Order # LV-10765-WO

Shop Order & Test Report

Customer: Kirby Inland Marine Order #

Make Farris Size 6" x 8" Model # 26QA12-120

Serial # 463490-A8 Inlet 6"300 Outlet 8"150

Constrution: Safety Relief Cap: Plain

Set Pressure: 260 psi pressure

Tag: Orifice: R

Work Required: Complete Overhaul Test Air

Condition Received: Need Repair

General Condition Pre-repair

Inlet	Dirty	Spring	Good Cond.
Seats	Dirty	Work	ST
Guide	Dirty	Repairs	Lapped Seats Installed gaskets
Outlet	Dirty		

Parts replaced and other work:

Final Test Report

Date 02 Jun 2022
Set Pressure 260 psi pressure
Nozzle Ring Setting 7 Down
Back Pressure 30 PSI

Tested By: *[Signature]*

Witness/Assy By *[Signature]*

U.S. Coast Guard Witness *[Signature]*