



BARGE "KIRBY 16807"

PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HOLLYWOOD CHEM 168"

GAUGE HEIGHT 17'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0.00	0	196.55	0	549.95	0	996.02	0	1,508.14	0	2,068.64	0	2,663.76	0	3,281.76	0	3,912.05	0	4,544.52
1/4	1.18	1/4	202.78	1/4	558.48	1/4	1,006.13	1/4	1,519.41	1/4	2,080.75	1/4	2,676.45	1/4	3,294.81	1/4	3,925.24	1/4	4,557.64
1/2	2.37	1/2	209.01	1/2	567.00	1/2	1,016.24	1/2	1,530.68	1/2	2,092.86	1/2	2,689.14	1/2	3,307.86	1/2	3,938.43	1/2	4,570.76
3/4	3.55	3/4	215.24	3/4	575.52	3/4	1,026.35	3/4	1,541.95	3/4	2,104.96	3/4	2,701.83	3/4	3,320.90	3/4	3,951.62	3/4	4,583.88
1	4.74	1	221.48	1	584.05	1	1,036.45	1	1,553.21	1	2,117.07	1	2,714.52	1	3,333.95	1	3,964.81	1	4,597.00
1/4	6.90	1/4	227.94	1/4	592.73	1/4	1,046.67	1/4	1,564.56	1/4	2,129.24	1/4	2,727.26	1/4	3,347.02	1/4	3,978.00	1/4	4,610.11
1/2	9.07	1/2	234.40	1/2	601.40	1/2	1,056.89	1/2	1,575.90	1/2	2,141.42	1/2	2,739.99	1/2	3,360.10	1/2	3,991.19	1/2	4,623.23
3/4	11.24	3/4	240.87	3/4	610.08	3/4	1,067.11	3/4	1,587.25	3/4	2,153.59	3/4	2,752.72	3/4	3,373.17	3/4	4,004.38	3/4	4,636.34
2	13.40	2	247.33	2	618.76	2	1,077.33	2	1,598.60	2	2,165.76	2	2,765.45	2	3,386.24	2	4,017.57	2	4,649.45
1/4	16.21	1/4	254.02	1/4	627.59	1/4	1,087.66	1/4	1,610.02	1/4	2,177.99	1/4	2,778.23	1/4	3,399.32	1/4	4,030.77	1/4	4,662.54
1/2	19.02	1/2	260.70	1/2	636.42	1/2	1,097.99	1/2	1,621.45	1/2	2,190.21	1/2	2,791.00	1/2	3,412.40	1/2	4,043.96	1/2	4,675.63
3/4	21.83	3/4	267.39	3/4	645.24	3/4	1,108.32	3/4	1,632.88	3/4	2,202.44	3/4	2,803.77	3/4	3,425.49	3/4	4,057.16	3/4	4,688.72
3	24.64	3	274.07	3	654.07	3	1,118.64	3	1,644.31	3	2,214.67	3	2,816.55	3	3,438.57	3	4,070.36	3	4,701.81
1/4	27.97	1/4	280.98	1/4	663.04	1/4	1,129.08	1/4	1,655.82	1/4	2,226.94	1/4	2,829.35	1/4	3,451.68	1/4	4,083.55	1/4	4,714.89
1/2	31.30	1/2	287.88	1/2	672.01	1/2	1,139.51	1/2	1,667.32	1/2	2,239.21	1/2	2,842.15	1/2	3,464.79	1/2	4,096.74	1/2	4,727.96
3/4	34.63	3/4	294.79	3/4	680.98	3/4	1,149.95	3/4	1,678.83	3/4	2,251.49	3/4	2,854.96	3/4	3,477.89	3/4	4,109.93	3/4	4,741.04
4	37.95	4	301.69	4	689.95	4	1,160.38	4	1,690.33	4	2,263.76	4	2,867.76	4	3,491.00	4	4,123.12	4	4,754.12
1/4	41.72	1/4	308.80	1/4	699.07	1/4	1,170.92	1/4	1,701.92	1/4	2,276.10	1/4	2,880.60	1/4	3,504.12	1/4	4,136.31	1/4	4,767.17
1/2	45.49	1/2	315.90	1/2	708.18	1/2	1,181.45	1/2	1,713.50	1/2	2,288.44	1/2	2,893.43	1/2	3,517.24	1/2	4,149.50	1/2	4,780.23
3/4	49.26	3/4	323.01	3/4	717.29	3/4	1,191.99	3/4	1,725.08	3/4	2,300.78	3/4	2,906.26	3/4	3,530.36	3/4	4,162.69	3/4	4,793.28
5	53.02	5	330.12	5	726.40	5	1,202.52	5	1,736.67	5	2,313.12	5	2,919.10	5	3,543.48	5	4,175.88	5	4,806.33
1/4	57.20	1/4	337.43	1/4	735.65	1/4	1,213.15	1/4	1,748.23	1/4	2,325.50	1/4	2,931.96	1/4	3,556.61	1/4	4,189.07	1/4	4,819.36
1/2	61.37	1/2	344.74	1/2	744.89	1/2	1,223.79	1/2	1,759.79	1/2	2,337.88	1/2	2,944.83	1/2	3,569.74	1/2	4,202.26	1/2	4,832.39
3/4	65.54	3/4	352.05	3/4	754.14	3/4	1,234.42	3/4	1,771.35	3/4	2,350.26	3/4	2,957.70	3/4	3,582.87	3/4	4,215.45	3/4	4,845.42
6	69.71	6	359.36	6	763.38	6	1,245.05	6	1,782.90	6	2,362.64	6	2,970.57	6	3,596.00	6	4,228.64	6	4,858.45
1/4	74.24	1/4	366.86	1/4	772.76	1/4	1,255.78	1/4	1,794.72	1/4	2,375.07	1/4	2,983.47	1/4	3,609.15	1/4	4,241.82	1/4	4,871.46
1/2	78.76	1/2	374.36	1/2	782.14	1/2	1,266.51	1/2	1,806.54	1/2	2,387.50	1/2	2,996.37	1/2	3,622.30	1/2	4,255.00	1/2	4,884.48
3/4	83.29	3/4	381.86	3/4	791.52	3/4	1,277.24	3/4	1,818.35	3/4	2,399.93	3/4	3,009.27	3/4	3,635.45	3/4	4,268.18	3/4	4,897.49
7	87.81	7	389.36	7	800.90	7	1,287.98	7	1,830.17	7	2,412.36	7	3,022.17	7	3,648.60	7	4,281.36	7	4,910.50
1/4	92.67	1/4	397.04	1/4	810.42	1/4	1,298.80	1/4	1,841.96	1/4	2,424.84	1/4	3,035.10	1/4	3,661.75	1/4	4,294.54	1/4	4,923.49
1/2	97.52	1/2	404.73	1/2	819.93	1/2	1,309.63	1/2	1,853.75	1/2	2,437.32	1/2	3,048.02	1/2	3,674.90	1/2	4,307.71	1/2	4,936.48
3/4	102.38	3/4	412.41	3/4	829.44	3/4	1,320.46	3/4	1,865.54	3/4	2,449.80	3/4	3,060.95	3/4	3,688.06	3/4	4,320.89	3/4	4,949.46
8	107.24	8	420.10	8	838.95	8	1,331.29	8	1,877.33	8	2,462.29	8	3,073.88	8	3,701.21	8	4,334.07	8	4,962.45
1/4	112.40	1/4	427.96	1/4	848.59	1/4	1,342.21	1/4	1,889.20	1/4	2,474.81	1/4	3,086.84	1/4	3,714.38	1/4	4,347.24	1/4	4,975.41
1/2	117.57	1/2	435.82	1/2	858.23	1/2	1,353.13	1/2	1,901.06	1/2	2,487.33	1/2	3,099.80	1/2	3,727.55	1/2	4,360.40	1/2	4,988.37
3/4	122.74	3/4	443.68	3/4	867.86	3/4	1,364.05	3/4	1,912.92	3/4	2,499.86	3/4	3,112.76	3/4	3,740.71	3/4	4,373.57	3/4	5,001.33
9	127.90	9	451.55	9	877.50	9	1,374.98	9	1,924.79	9	2,512.38	9	3,125.71	9	3,753.88	9	4,386.74	9	5,014.29
1/4	133.36	1/4	459.58	1/4	887.26	1/4	1,385.99	1/4	1,936.71	1/4	2,524.96	1/4	3,138.69	1/4	3,767.06	1/4	4,399.90	1/4	5,027.23
1/2	138.81	1/2	467.62	1/2	897.01	1/2	1,397.00	1/2	1,948.63	1/2	2,537.54	1/2	3,151.67	1/2	3,780.24	1/2	4,413.06	1/2	5,040.17
3/4	144.26	3/4	475.65	3/4	906.77	3/4	1,408.01	3/4	1,960.55	3/4	2,550.11	3/4	3,164.64	3/4	3,793.42	3/4	4,426.22	3/4	5,053.11
10	149.71	10	483.69	10	916.52	10	1,419.02	10	1,972.48	10	2,562.69	10	3,177.62	10	3,806.60	10	4,439.38	10	5,066.05
1/4	155.44	1/4	491.89	1/4	926.40	1/4	1,430.12	1/4	1,984.46	1/4	2,575.30	1/4	3,190.63	1/4	3,819.77	1/4	4,452.53	1/4	5,078.95
1/2	161.17	1/2	500.10	1/2	936.29	1/2	1,441.21	1/2	1,996.45	1/2	2,587.92	1/2	3,203.63	1/2	3,832.95	1/2	4,465.68	1/2	5,091.86
3/4	166.89	3/4	508.30	3/4	946.17	3/4	1,452.31	3/4	2,008.44	3/4	2,600.53	3/4	3,216.64	3/4	3,846.13	3/4	4,478.83	3/4	5,104.76
11	172.62	11	516.50	11	956.05	11	1,463.40	11	2,020.43	11	2,613.14	11	3,229.64	11	3,859.31	11	4,491.98	11	5,117.67
1/4	178.60	1/4	524.86	1/4	966.04	1/4	1,474.59	1/4	2,032.48	1/4	2,625.80	1/4	3,242.67	1/4	3,872.49	1/4	4,505.11	1/4	5,130.54
1/2	184.58	1/2	533.23	1/2	976.04	1/2	1,485.77	1/2	2,044.54	1/2	2,638.45	1/2	3,255.70	1/2	3,885.68	1/2	4,518.25	1/2	5,143.42
3/4	190.57	3/4	541.59	3/4	986.03	3/4	1,496.96	3/4	2,056.59	3/4	2,651.11	3/4	3,268.73	3/4	3,898.86	3/4	4,531.39	3/4	5,156.29

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE SCALED FROM EXTREME BOTTOM OF TANK ON INNAGE BASIS.
GAUGE POINT: RIM OF MANWAY ON CENTERLINE OF TANK .

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 16807"

PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HOLLYWOOD CHEM 168"

GAUGE HEIGHT 17'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	5,169.17	0	5,775.67	0	6,352.83	0	6,888.00	0	7,365.55	0	7,763.76	0	8,044.07	0		0		0	
1/4	5,182.01	1/4	5,788.01	1/4	6,364.43	1/4	6,898.57	1/4	7,374.69	1/4	7,770.92	1/4	8,047.95	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,194.86	1/2	5,800.36	1/2	6,376.04	1/2	6,909.13	1/2	7,383.83	1/2	7,778.08	1/2	8,051.82	1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,207.70	3/4	5,812.70	3/4	6,387.64	3/4	6,919.70	3/4	7,392.98	3/4	7,785.24	3/4	8,055.70	3/4	3/4	3/4	3/4	3/4	3/4
1	5,220.55	1	5,825.05	1	6,399.24	1	6,930.26	1	7,402.12	1	7,792.40	1	8,059.57	1	1	1	1	1	1
1/4	5,233.36	1/4	5,837.34	1/4	6,410.76	1/4	6,940.71	1/4	7,411.13	1/4	7,799.36	1/4	8,063.01	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,246.18	1/2	5,849.63	1/2	6,422.29	1/2	6,951.17	1/2	7,420.13	1/2	7,806.32	1/2	8,066.45	1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,258.99	3/4	5,861.92	3/4	6,433.81	3/4	6,961.62	3/4	7,429.14	3/4	7,813.28	3/4	8,069.89	3/4	3/4	3/4	3/4	3/4	3/4
2	5,271.81	2	5,874.21	2	6,445.33	2	6,972.07	2	7,438.14	2	7,820.24	2	8,073.33	2	2	2	2	2	2
1/4	5,284.58	1/4	5,886.45	1/4	6,456.78	1/4	6,982.43	1/4	7,447.01	1/4	7,826.99	1/4	8,076.28	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,297.36	1/2	5,898.69	1/2	6,468.23	1/2	6,992.79	1/2	7,455.87	1/2	7,833.75	1/2	8,079.23	1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,310.13	3/4	5,910.93	3/4	6,479.67	3/4	7,003.14	3/4	7,464.73	3/4	7,840.51	3/4	8,082.17	3/4	3/4	3/4	3/4	3/4	3/4
3	5,322.90	3	5,923.17	3	6,491.12	3	7,013.50	3	7,473.60	3	7,847.26	3	8,085.12	3	3	3	3	3	3
1/4	5,335.65	1/4	5,935.35	1/4	6,502.49	1/4	7,023.75	1/4	7,482.31	1/4	7,853.76	1/4	8,087.46	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,348.39	1/2	5,947.54	1/2	6,513.86	1/2	7,034.00	1/2	7,491.02	1/2	7,860.26	1/2	8,089.81	1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,361.14	3/4	5,959.72	3/4	6,525.23	3/4	7,044.25	3/4	7,499.74	3/4	7,866.76	3/4	8,092.15	3/4	3/4	3/4	3/4	3/4	3/4
4	5,373.88	4	5,971.90	4	6,536.60	4	7,054.50	4	7,508.45	4	7,873.26	4	8,094.50	4	4	4	4	4	4
1/4	5,386.58	1/4	5,984.03	1/4	6,547.88	1/4	7,064.64	1/4	7,517.01	1/4	7,879.55	1/4	8,096.01	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,399.29	1/2	5,996.15	1/2	6,559.17	1/2	7,074.77	1/2	7,525.57	1/2	7,885.85	1/2	8,097.51	1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,411.99	3/4	6,008.28	3/4	6,570.45	3/4	7,084.91	3/4	7,534.13	3/4	7,892.14	3/4	8,099.02	3/4	3/4	3/4	3/4	3/4	3/4
5	5,424.69	5	6,020.40	5	6,581.74	5	7,095.05	5	7,542.69	5	7,898.43	5	8,100.52	5	5	5	5	5	5
1/4	5,437.36	1/4	6,032.47	1/4	6,592.95	1/4	7,105.07	1/4	7,551.10	1/4	7,904.48	1/4	8,101.12	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,450.02	1/2	6,044.54	1/2	6,604.15	1/2	7,115.10	1/2	7,559.51	1/2	7,910.52	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,462.69	3/4	6,056.60	3/4	6,615.36	3/4	7,125.12	3/4	7,567.92	3/4	7,916.57	3/4		3/4	3/4	3/4	3/4	3/4	3/4
6	5,475.36	6	6,068.67	6	6,626.57	6	7,135.14	6	7,576.33	6	7,922.62	6		6	6	6	6	6	6
1/4	5,487.98	1/4	6,080.67	1/4	6,637.69	1/4	7,145.05	1/4	7,584.58	1/4	7,928.41	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,500.61	1/2	6,092.68	1/2	6,648.81	1/2	7,154.95	1/2	7,592.82	1/2	7,934.20	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,513.23	3/4	6,104.68	3/4	6,659.93	3/4	7,164.86	3/4	7,601.07	3/4	7,939.99	3/4		3/4	3/4	3/4	3/4	3/4	3/4
7	5,525.86	7	6,116.69	7	6,671.05	7	7,174.76	7	7,609.31	7	7,945.79	7		7	7	7	7	7	7
1/4	5,538.44	1/4	6,128.63	1/4	6,682.08	1/4	7,184.55	1/4	7,617.39	1/4	7,951.31	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,551.02	1/2	6,140.57	1/2	6,693.11	1/2	7,194.35	1/2	7,625.46	1/2	7,956.83	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,563.61	3/4	6,152.51	3/4	6,704.14	3/4	7,204.14	3/4	7,633.54	3/4	7,962.36	3/4		3/4	3/4	3/4	3/4	3/4	3/4
8	5,576.19	8	6,164.45	8	6,715.17	8	7,213.93	8	7,641.62	8	7,967.88	8		8	8	8	8	8	8
1/4	5,588.73	1/4	6,176.33	1/4	6,726.11	1/4	7,223.60	1/4	7,649.52	1/4	7,973.12	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,601.26	1/2	6,188.20	1/2	6,737.06	1/2	7,233.26	1/2	7,657.43	1/2	7,978.36	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,613.80	3/4	6,200.08	3/4	6,748.01	3/4	7,242.93	3/4	7,665.33	3/4	7,983.60	3/4		3/4	3/4	3/4	3/4	3/4	3/4
9	5,626.33	9	6,211.95	9	6,758.95	9	7,252.60	9	7,673.24	9	7,988.83	9		9	9	9	9	9	9
1/4	5,638.83	1/4	6,223.76	1/4	6,769.80	1/4	7,262.14	1/4	7,680.97	1/4	7,993.77	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,651.32	1/2	6,235.57	1/2	6,780.64	1/2	7,271.68	1/2	7,688.70	1/2	7,998.71	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,663.82	3/4	6,247.38	3/4	6,791.49	3/4	7,281.22	3/4	7,696.43	3/4	8,003.65	3/4		3/4	3/4	3/4	3/4	3/4	3/4
10	5,676.31	10	6,259.19	10	6,802.33	10	7,290.76	10	7,704.17	10	8,008.60	10		10	10	10	10	10	10
1/4	5,688.75	1/4	6,270.93	1/4	6,813.10	1/4	7,300.17	1/4	7,711.71	1/4	8,013.20	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,701.19	1/2	6,282.68	1/2	6,823.86	1/2	7,309.58	1/2	7,719.25	1/2	8,017.81	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,713.63	3/4	6,294.42	3/4	6,834.62	3/4	7,318.99	3/4	7,726.79	3/4	8,022.42	3/4		3/4	3/4	3/4	3/4	3/4	3/4
11	5,726.07	11	6,306.17	11	6,845.38	11	7,328.40	11	7,734.33	11	8,027.02	11		11	11	11	11	11	11
1/4	5,738.47	1/4	6,317.83	1/4	6,856.04	1/4	7,337.69	1/4	7,741.69	1/4	8,031.29	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	5,750.87	1/2	6,329.50	1/2	6,866.69	1/2	7,346.98	1/2	7,749.05	1/2	8,035.55	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	5,763.27	3/4	6,341.17	3/4	6,877.35	3/4	7,356.26	3/4	7,756.40	3/4	8,039.81	3/4		3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED 04/06/92
REPRINTED: 04/05/2002 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2002

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 16807"

STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HOLLYWOOD CHEM 168"

GAUGE HEIGHT 17'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0.00	0	196.57	0	550.00	0	996.10	0	1,508.29	0	2,068.88	0	2,664.17	0	3,282.38	0	3,913.00	0	4,545.88
1/4	1.18	1/4	202.80	1/4	558.52	1/4	1,006.20	1/4	1,519.55	1/4	2,080.99	1/4	2,676.86	1/4	3,295.44	1/4	3,926.20	1/4	4,559.01
1/2	2.37	1/2	209.04	1/2	567.05	1/2	1,016.31	1/2	1,530.82	1/2	2,093.11	1/2	2,689.56	1/2	3,308.50	1/2	3,939.39	1/2	4,572.14
3/4	3.55	3/4	215.27	3/4	575.57	3/4	1,026.42	3/4	1,542.09	3/4	2,105.22	3/4	2,702.26	3/4	3,321.56	3/4	3,952.59	3/4	4,585.27
1	4.74	1	221.50	1	584.10	1	1,036.52	1	1,553.36	1	2,117.33	1	2,714.95	1	3,334.62	1	3,965.79	1	4,598.40
1/4	6.90	1/4	227.96	1/4	592.77	1/4	1,046.74	1/4	1,564.71	1/4	2,129.51	1/4	2,727.69	1/4	3,347.70	1/4	3,978.98	1/4	4,611.52
1/2	9.07	1/2	234.42	1/2	601.45	1/2	1,056.96	1/2	1,576.06	1/2	2,141.68	1/2	2,740.43	1/2	3,360.77	1/2	3,992.18	1/2	4,624.64
3/4	11.24	3/4	240.87	3/4	610.13	3/4	1,067.18	3/4	1,587.41	3/4	2,153.85	3/4	2,753.17	3/4	3,373.85	3/4	4,005.38	3/4	4,637.76
2	13.40	2	247.33	2	618.81	2	1,077.40	2	1,598.76	2	2,166.02	2	2,765.90	2	3,386.93	2	4,018.57	2	4,650.88
1/4	16.21	1/4	254.02	1/4	627.64	1/4	1,087.74	1/4	1,610.19	1/4	2,178.25	1/4	2,778.68	1/4	3,400.02	1/4	4,031.77	1/4	4,663.98
1/2	19.02	1/2	260.71	1/2	636.46	1/2	1,098.07	1/2	1,621.62	1/2	2,190.48	1/2	2,791.45	1/2	3,413.11	1/2	4,044.98	1/2	4,677.08
3/4	21.83	3/4	267.40	3/4	645.29	3/4	1,108.40	3/4	1,633.05	3/4	2,202.70	3/4	2,804.23	3/4	3,426.20	3/4	4,058.18	3/4	4,690.18
3	24.64	3	274.10	3	654.12	3	1,118.74	3	1,644.48	3	2,214.93	3	2,817.00	3	3,439.29	3	4,071.38	3	4,703.29
1/4	27.97	1/4	280.99	1/4	663.09	1/4	1,129.17	1/4	1,655.98	1/4	2,227.21	1/4	2,829.80	1/4	3,452.39	1/4	4,084.58	1/4	4,716.37
1/2	31.30	1/2	287.89	1/2	672.06	1/2	1,139.61	1/2	1,667.49	1/2	2,239.49	1/2	2,842.61	1/2	3,465.50	1/2	4,097.79	1/2	4,729.45
3/4	34.63	3/4	294.79	3/4	681.03	3/4	1,150.04	3/4	1,678.99	3/4	2,251.77	3/4	2,855.41	3/4	3,478.61	3/4	4,110.99	3/4	4,742.54
4	37.95	4	301.69	4	690.00	4	1,160.48	4	1,690.50	4	2,264.05	4	2,868.21	4	3,491.71	4	4,124.19	4	4,755.62
1/4	41.73	1/4	308.80	1/4	699.11	1/4	1,171.01	1/4	1,702.08	1/4	2,276.39	1/4	2,881.06	1/4	3,504.85	1/4	4,137.39	1/4	4,768.68
1/2	45.50	1/2	315.92	1/2	708.21	1/2	1,181.55	1/2	1,713.67	1/2	2,288.73	1/2	2,893.90	1/2	3,517.98	1/2	4,150.58	1/2	4,781.75
3/4	49.27	3/4	323.03	3/4	717.32	3/4	1,192.08	3/4	1,725.25	3/4	2,301.07	3/4	2,906.75	3/4	3,531.11	3/4	4,163.78	3/4	4,794.82
5	53.05	5	330.14	5	726.43	5	1,202.62	5	1,736.83	5	2,313.40	5	2,919.60	5	3,544.24	5	4,176.98	5	4,807.88
1/4	57.21	1/4	337.45	1/4	735.68	1/4	1,213.26	1/4	1,748.26	1/4	2,325.79	1/4	2,932.47	1/4	3,557.37	1/4	4,190.17	1/4	4,820.92
1/2	61.38	1/2	344.76	1/2	744.93	1/2	1,223.89	1/2	1,759.69	1/2	2,338.18	1/2	2,945.35	1/2	3,570.51	1/2	4,203.37	1/2	4,833.96
3/4	65.55	3/4	352.07	3/4	754.18	3/4	1,234.53	3/4	1,771.12	3/4	2,350.57	3/4	2,958.22	3/4	3,583.65	3/4	4,216.57	3/4	4,847.01
6	69.71	6	359.38	6	763.43	6	1,245.17	6	1,782.55	6	2,362.95	6	2,971.10	6	3,596.79	6	4,229.76	6	4,860.05
1/4	74.24	1/4	366.88	1/4	772.81	1/4	1,255.90	1/4	1,794.50	1/4	2,375.39	1/4	2,983.99	1/4	3,609.94	1/4	4,242.95	1/4	4,873.07
1/2	78.76	1/2	374.38	1/2	782.19	1/2	1,266.63	1/2	1,806.45	1/2	2,387.82	1/2	2,996.89	1/2	3,623.10	1/2	4,256.14	1/2	4,886.10
3/4	83.29	3/4	381.88	3/4	791.57	3/4	1,277.36	3/4	1,818.40	3/4	2,400.26	3/4	3,009.79	3/4	3,636.25	3/4	4,269.33	3/4	4,899.12
7	87.81	7	389.38	7	800.95	7	1,288.10	7	1,830.36	7	2,412.69	7	3,022.69	7	3,649.40	7	4,282.52	7	4,912.14
1/4	92.67	1/4	397.07	1/4	810.46	1/4	1,298.92	1/4	1,842.15	1/4	2,425.18	1/4	3,035.62	1/4	3,662.57	1/4	4,295.71	1/4	4,925.14
1/2	97.52	1/2	404.75	1/2	819.98	1/2	1,309.75	1/2	1,853.95	1/2	2,437.67	1/2	3,048.56	1/2	3,675.73	1/2	4,308.89	1/2	4,938.13
3/4	102.38	3/4	412.43	3/4	829.49	3/4	1,320.58	3/4	1,865.75	3/4	2,450.15	3/4	3,061.49	3/4	3,688.89	3/4	4,322.08	3/4	4,951.13
8	107.24	8	420.12	8	839.00	8	1,331.40	8	1,877.55	8	2,462.64	8	3,074.43	8	3,702.05	8	4,335.26	8	4,964.12
1/4	112.40	1/4	427.98	1/4	848.64	1/4	1,342.33	1/4	1,889.41	1/4	2,475.17	1/4	3,087.39	1/4	3,715.22	1/4	4,348.44	1/4	4,977.10
1/2	117.57	1/2	435.85	1/2	858.27	1/2	1,353.25	1/2	1,901.27	1/2	2,487.70	1/2	3,100.35	1/2	3,728.39	1/2	4,361.62	1/2	4,990.07
3/4	122.74	3/4	443.71	3/4	867.91	3/4	1,364.17	3/4	1,913.14	3/4	2,500.23	3/4	3,113.30	3/4	3,741.57	3/4	4,374.80	3/4	5,003.05
9	127.90	9	451.57	9	877.55	9	1,375.10	9	1,925.00	9	2,512.76	9	3,126.26	9	3,754.74	9	4,387.98	9	5,016.02
1/4	133.36	1/4	459.61	1/4	887.31	1/4	1,386.11	1/4	1,936.92	1/4	2,525.33	1/4	3,139.25	1/4	3,767.92	1/4	4,401.14	1/4	5,028.97
1/2	138.81	1/2	467.64	1/2	897.07	1/2	1,397.12	1/2	1,948.85	1/2	2,537.90	1/2	3,152.24	1/2	3,781.11	1/2	4,414.31	1/2	5,041.92
3/4	144.26	3/4	475.68	3/4	906.83	3/4	1,408.13	3/4	1,960.77	3/4	2,550.48	3/4	3,165.23	3/4	3,794.29	3/4	4,427.48	3/4	5,054.86
10	149.71	10	483.71	10	916.60	10	1,419.14	10	1,972.69	10	2,563.05	10	3,178.21	10	3,807.48	10	4,440.64	10	5,067.81
1/4	155.44	1/4	491.92	1/4	926.48	1/4	1,430.24	1/4	1,984.68	1/4	2,575.67	1/4	3,191.23	1/4	3,820.66	1/4	4,453.80	1/4	5,080.73
1/2	161.17	1/2	500.12	1/2	936.36	1/2	1,441.35	1/2	1,996.68	1/2	2,588.29	1/2	3,204.24	1/2	3,833.84	1/2	4,466.96	1/2	5,093.65
3/4	166.89	3/4	508.32	3/4	946.24	3/4	1,452.45	3/4	2,008.67	3/4	2,600.90	3/4	3,217.25	3/4	3,847.03	3/4	4,480.12	3/4	5,106.58
11	172.62	11	516.52	11	956.12	11	1,463.55	11	2,020.67	11	2,613.52	11	3,230.26	11	3,860.21	11	4,493.29	11	5,119.50
1/4	178.61	1/4	524.89	1/4	966.11	1/4	1,474.73	1/4	2,032.72	1/4	2,626.18	1/4	3,243.29	1/4	3,873.41	1/4	4,506.43	1/4	5,132.39
1/2	184.60	1/2	533.26	1/2	976.11	1/2	1,485.92	1/2	2,044.77	1/2	2,638.85	1/2	3,256.32	1/2	3,886.61	1/2	4,519.58	1/2	5,145.27
3/4	190.58	3/4	541.63	3/4	986.10	3/4	1,497.10	3/4	2,056.83	3/4	2,651.51	3/4	3,269.35	3/4	3,899.80	3/4	4,532.73	3/4	5,158.16

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE SCALED FROM EXTREME BOTTOM OF TANK ON INNAGE BASIS.
GAUGE POINT: RIM OF MANWAY ON CENTERLINE OF TANK .

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 16807"

STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "HOLLYWOOD CHEM 168"

GAUGE HEIGHT 17'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	5,171.05	0	5,778.21	0	6,356.26	0	6,892.52	0	7,371.50	0	7,771.71	0	8,055.19	0		0		0	
1/4	5,183.90	1/4	5,790.58	1/4	6,367.88	1/4	6,903.11	1/4	7,380.68	1/4	7,778.92	1/4	8,059.16	1/4		1/4		1/4	
1/2	5,196.76	1/2	5,802.94	1/2	6,379.50	1/2	6,913.70	1/2	7,389.86	1/2	7,786.13	1/2	8,063.13	1/2		1/2		1/2	
3/4	5,209.62	3/4	5,815.30	3/4	6,391.12	3/4	6,924.29	3/4	7,399.04	3/4	7,793.34	3/4	8,067.10	3/4		3/4		3/4	
1	5,222.48	1	5,827.67	1	6,402.74	1	6,934.88	1	7,408.21	1	7,800.55	1	8,071.07	1		1		1	
1/4	5,235.30	1/4	5,839.98	1/4	6,414.28	1/4	6,945.37	1/4	7,417.26	1/4	7,807.55	1/4	8,074.63	1/4		1/4		1/4	
1/2	5,248.12	1/2	5,852.29	1/2	6,425.82	1/2	6,955.86	1/2	7,426.31	1/2	7,814.56	1/2	8,078.19	1/2		1/2		1/2	
3/4	5,260.94	3/4	5,864.60	3/4	6,437.36	3/4	6,966.35	3/4	7,435.36	3/4	7,821.57	3/4	8,081.75	3/4		3/4		3/4	
2	5,273.76	2	5,876.90	2	6,448.90	2	6,976.83	2	7,444.40	2	7,828.57	2	8,085.31	2		2		2	
1/4	5,286.55	1/4	5,889.16	1/4	6,460.38	1/4	6,987.21	1/4	7,453.30	1/4	7,835.37	1/4	8,088.39	1/4		1/4		1/4	
1/2	5,299.35	1/2	5,901.42	1/2	6,471.85	1/2	6,997.60	1/2	7,462.20	1/2	7,842.17	1/2	8,091.46	1/2		1/2		1/2	
3/4	5,312.14	3/4	5,913.67	3/4	6,483.32	3/4	7,007.98	3/4	7,471.10	3/4	7,848.96	3/4	8,094.54	3/4		3/4		3/4	
3	5,324.93	3	5,925.93	3	6,494.79	3	7,018.36	3	7,480.00	3	7,855.76	3	8,097.62	3		3		3	
1/4	5,337.69	1/4	5,938.13	1/4	6,506.18	1/4	7,028.63	1/4	7,488.75	1/4	7,862.34	1/4	8,100.13	1/4		1/4		1/4	
1/2	5,350.45	1/2	5,950.32	1/2	6,517.57	1/2	7,038.90	1/2	7,497.50	1/2	7,868.92	1/2	8,102.63	1/2		1/2		1/2	
3/4	5,363.21	3/4	5,962.52	3/4	6,528.96	3/4	7,049.18	3/4	7,506.25	3/4	7,875.49	3/4	8,105.14	3/4		3/4		3/4	
4	5,375.98	4	5,974.71	4	6,540.36	4	7,059.45	4	7,515.00	4	7,882.07	4	8,107.64	4		4		4	
1/4	5,388.69	1/4	5,986.86	1/4	6,551.67	1/4	7,069.62	1/4	7,523.60	1/4	7,888.42	1/4	8,109.40	1/4		1/4		1/4	
1/2	5,401.40	1/2	5,999.00	1/2	6,562.98	1/2	7,079.79	1/2	7,532.20	1/2	7,894.76	1/2	8,111.15	1/2		1/2		1/2	
3/4	5,414.12	3/4	6,011.14	3/4	6,574.29	3/4	7,089.95	3/4	7,540.80	3/4	7,901.11	3/4	8,112.91	3/4		3/4		3/4	
5	5,426.83	5	6,023.29	5	6,585.60	5	7,100.12	5	7,549.40	5	7,907.45	5	8,114.67	5		5		5	
1/4	5,439.51	1/4	6,035.37	1/4	6,596.82	1/4	7,110.17	1/4	7,557.85	1/4	7,913.57	1/4	8,115.51	1/4		1/4		1/4	
1/2	5,452.19	1/2	6,047.45	1/2	6,608.05	1/2	7,120.21	1/2	7,566.30	1/2	7,919.68	1/2	8,116.36	1/2		1/2		1/2	
3/4	5,464.87	3/4	6,059.54	3/4	6,619.27	3/4	7,130.26	3/4	7,574.74	3/4	7,925.79	3/4		3/4		3/4		3/4	
6	5,477.55	6	6,071.62	6	6,630.50	6	7,140.31	6	7,583.19	6	7,931.90	6		6		6		6	
1/4	5,490.18	1/4	6,083.64	1/4	6,641.64	1/4	7,150.25	1/4	7,591.48	1/4	7,937.76	1/4		1/4		1/4		1/4	
1/2	5,502.82	1/2	6,095.67	1/2	6,652.79	1/2	7,160.19	1/2	7,599.76	1/2	7,943.61	1/2		1/2		1/2		1/2	
3/4	5,515.46	3/4	6,107.69	3/4	6,663.93	3/4	7,170.13	3/4	7,608.05	3/4	7,949.46	3/4		3/4		3/4		3/4	
7	5,528.10	7	6,119.71	7	6,675.07	7	7,180.07	7	7,616.33	7	7,955.31	7		7		7		7	
1/4	5,540.69	1/4	6,131.67	1/4	6,686.13	1/4	7,189.89	1/4	7,624.46	1/4	7,960.90	1/4		1/4		1/4		1/4	
1/2	5,553.29	1/2	6,143.63	1/2	6,697.18	1/2	7,199.71	1/2	7,632.58	1/2	7,966.50	1/2		1/2		1/2		1/2	
3/4	5,565.88	3/4	6,155.59	3/4	6,708.23	3/4	7,209.54	3/4	7,640.71	3/4	7,972.10	3/4		3/4		3/4		3/4	
8	5,578.48	8	6,167.55	8	6,719.29	8	7,219.36	8	7,648.83	8	7,977.69	8		8		8		8	
1/4	5,591.03	1/4	6,179.45	1/4	6,730.26	1/4	7,229.06	1/4	7,656.78	1/4	7,983.01	1/4		1/4		1/4		1/4	
1/2	5,603.58	1/2	6,191.35	1/2	6,741.23	1/2	7,238.76	1/2	7,664.73	1/2	7,988.32	1/2		1/2		1/2		1/2	
3/4	5,616.14	3/4	6,203.24	3/4	6,752.20	3/4	7,248.46	3/4	7,672.67	3/4	7,993.64	3/4		3/4		3/4		3/4	
9	5,628.69	9	6,215.14	9	6,763.17	9	7,258.17	9	7,680.62	9	7,998.95	9		9		9		9	
1/4	5,641.20	1/4	6,226.97	1/4	6,774.04	1/4	7,267.74	1/4	7,688.39	1/4	8,003.96	1/4		1/4		1/4		1/4	
1/2	5,653.71	1/2	6,238.80	1/2	6,784.92	1/2	7,277.31	1/2	7,696.17	1/2	8,008.98	1/2		1/2		1/2		1/2	
3/4	5,666.23	3/4	6,250.63	3/4	6,795.79	3/4	7,286.88	3/4	7,703.94	3/4	8,013.99	3/4		3/4		3/4		3/4	
10	5,678.74	10	6,262.45	10	6,806.67	10	7,296.45	10	7,711.71	10	8,019.00	10		10		10		10	
1/4	5,691.20	1/4	6,274.21	1/4	6,817.45	1/4	7,305.90	1/4	7,719.31	1/4	8,023.70	1/4		1/4		1/4		1/4	
1/2	5,703.65	1/2	6,285.98	1/2	6,828.23	1/2	7,315.35	1/2	7,726.90	1/2	8,028.39	1/2		1/2		1/2		1/2	
3/4	5,716.11	3/4	6,297.74	3/4	6,839.01	3/4	7,324.79	3/4	7,734.50	3/4	8,033.09	3/4		3/4		3/4		3/4	
11	5,728.57	11	6,309.50	11	6,849.79	11	7,334.24	11	7,742.10	11	8,037.79	11		11		11		11	
1/4	5,740.98	1/4	6,321.19	1/4	6,860.47	1/4	7,343.55	1/4	7,749.50	1/4	8,042.14	1/4		1/4		1/4		1/4	
1/2	5,753.39	1/2	6,332.88	1/2	6,871.15	1/2	7,352.87	1/2	7,756.90	1/2	8,046.49	1/2		1/2		1/2		1/2	
3/4	5,765.80	3/4	6,344.57	3/4	6,881.84	3/4	7,362.18	3/4	7,764.31	3/4	8,050.84	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED 04/06/92
REPRINTED: 04/05/2002 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2002

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>