

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 17 Jan 2023 Expiration Date: 17 Jan 2024

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name Official Number IMO Number Call Sign **KIRBY 16808** 986598 Tank Barge Hailing Port Hull Material Horsepower Propulsion HOUSTON, TX Steel UNITED STATES Place Built Delivery Date Keel Laid Date Gross Tons Net Tons DWT Lenath BEAUMONT, TX R-1378 R-1378 R-260.0 12Aug1992 1-0 UNITED STATES Operator KIRBY INLAND MARINE LP KIRBY INLAND MARINE, LP 55 WAUGH DR STE 1000 18350 MARKET ST. HOUSTON, TX 77007 CHANNELVIEW, TX 77530 **UNITED STATES UNITED STATES** This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators. 0 Masters 0 Licensed Mates 0 Chief Engineers 0 Chief Mates 0 First Class Pilots 0 First Assistant Engineers 0 Second Mates 0 Radio Officers 0 Second Assistant Engineers 0 Third Mates 0 Able Seamen 0 Third Assistant Engineers 0 Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers 0 Mate First Class Pilots 0 Deckhands 0 Qualified Member Engineer In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0 Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection		ction	This certificate issued by:		
Zone	A/P/R	Signature	K. A. Hantal, CDR, USCG By direction		
			Officer in Charge, Marine Inspection		
	+		Marine Safety Unit Port Arthur		
			Inspection Zone		
		STATE OF THE PARTY			



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 17 Jan 2023 **Expiration Date:** 17 Jan 2024

Temporary Certificate of Inspection

Vessel Name: KIRBY 16808

(TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Sep2032

17Jan2023

10Sep2012

Internal Structure

30Jun2027

17Jan2023

21Jun2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

LIQUEFIED FLAMMABLE GASES AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated

Part154 Regulated

16253

Barrels

LFG

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1&2 (BDI)	835	5.200
1&2 (BUT)	767	4.800
1&2 (BTN)	793	4.960
1&2 (IBL)	797	5.000
1&2 (PRP,PPM)	639	4.200
1&2 (PPL)	668	4.300
1&2 (IBT, BMX)	739	4.700

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment(CAA), serial # VN92006289, dated 18 Apr 2001, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Loading Constraints - Stability

Hull Type	Max Lo	ad Max	Draft	Max Density	Route
	(S/T)	(ft/in)	(lbs/ga	1)	
II (BUT)	1535	8'1"	4.8	LBS	, R, LC (0-12)
II (IBT)	1478	7'11"	4.7		6, R, LC (0-12)
II (BTN)	1587	8'2"	4.9		6, R, LC (0-12)
II (fBL)	1595	8'3"	5.0		R, LC (0-12)
li (BDI)	1671	8'5"	5.2	LBS	, R, LC (0-12)
II (PRP)	1279	7'4"	4.2	LBS	6, R, LC (0-12)
II (PPL)	1326	7'6"	4.3	LBS	S, R, LC (0-12)

Inspected and approved for the carriage of liquefied flammable gases at a pressure not to exceed 260 psig and at a temperature not less than ambient.

Mixtures of Subchapter "D" LFG cargoes Butane (BUT), Isobutane (IBT), Butylene (BTN), Isobutylene (IBL), Propane (PRP), and Propylene (PPL) are also authorized for carriage subject to the loading and stability constraints of the least dense gas cargo in the mixture specified above. Mixtures of Subchapter "O" and "D" LFG cargoes not specified above must be approved by Commandant (G-MSO) prior to being authorized for carriage.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 17 Jan 2023 Expiration Date: 17 Jan 2024

Temporary Certificate of Inspection

Vessel Name: KIRBY 16808

Vessel authorized special seasonal loading constraints for the carriage of Propylene (PPL) not to exceed 98% of cargo tank capacity and in accordance with operating procedures approved by MSO New Orleans letter serial #16711 dated 02 May 1996.

STABILITY AND TRIM

Per 46 CFR 151.10(c)(2), the maximum tank weights listed above reflect uniform(within 5%) loading at the deepest draft allowed. When carrying subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	n	
Tank ld	Previous	Last	Next	Previous	Last	Next
1&2 (BDI)	10Sep2012	17Jan2023	30Sep2032	07Jun2019	17Jan2023	31Jan2028
1&2 (BUT)	10Sep2012	17Jan2023	30Sep2032	07Jun2019	17Jan2023	31Jan2028
1&2 (BTN)	10Sep2012	17Jan2023	30Sep2032	07Jun2019	17Jan2023	31Jan2028
1&2 (IBL)	10Sep2012	17Jan2023	30Sep2032	07Jun2019	17Jan2023	31Jan2028
1&2 (PRP,PPM)	10Sep2012	17Jan2023	30Sep2032	07Jun2019	17Jan2023	31Jan2028
1&2 (PPL)	10Sep2012	17Jan2023	30Sep2032	07Jun2019	17Jan2023	31Jan2028
1&2 (IBT, BMX)	10Sep2012	17Jan2023	30Sep2032	07Jun2019	17Jan2023	31Jan2028
•			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1&2 (BDI)	29Nov2022		-	-	-	
1&2 (BUT)	29Nov2022		-	-	-	
1&2 (BTN)	29Nov2022		-	-	-	
1&2 (IBL)	29Nov2022		-	-	-	
1&2 (PRP,PPM)	29Nov2022		-	-	-	
1&2 (PPL)	29Nov2022		-	-	-	
1&2 (IBT, BMX)	29Nov2022		-	-	-	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

Qualitity

40-B

END

^{*}Special Seasonal Loading Constraints*



Department of Transportation **United States Coast Guard**

Serial #: VN92006289 CO! Ref: 18-Apr-01

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 16808 Official #: D986598

Page 1 of 1

Shipyard: TRINITY MARINE BEA

Hull #: 1305

List of Authorized Cargoes

Cargo Identification					C	Conditions of Carriage	
Name	Chem Code	Comp Group No	П	Grade	Hull Type	Note	Special Requirements in 46 CFR 15 General and Mail's of Conginuction
uthorized Subchapter 0 (46 CFR 151) and Liquefied Flamma	ble Gases						
Butadiene	BDi	30	N	LFG	11		50-70(a), 50-73
Butane (Iso-, n-)	BMX	31	N	LFG		_	•
utylene	BTN	30	N	LFG			
utane	BUT	31	N	LFG			· · · · · · · · · · · · · · · · · · ·
obulylens	IBL	30	N	LFG			
obutane	IBT	31	N	LFG			<u> </u>
ropylene	PPL	30	N	LFG			
Propylene, Propane, MAPP gas mixture (containing 12% orless MAPP gas)	PPM	30	Y	LFG	2)(50-78 'c' anly

Explanation of terms & symbols used in the Table:

Cargo Identification

Name The proper shipping name as listed in 45 CFR Table 151.05.

Chem Code The three letter designation essigned to the cargo in the Chemical Hezards Response Information System (CHRIS) Menual.

Compatability Group No. The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables 1 and II. In accordance with 46 CFR 150,130, the Person-in-Clurge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendicas of 46 CFR 150 in conjunction with the assigned reactive group number.

Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix t to 46 CFR Part 150.

Exceptions (Exc)

The cargo classification assigned to each flammable or combusible figuid. Grades inside of "{ }" indicate a provisional assignment based upon literatures sources which were not vertiled by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for

facturers data and ensure that the barge is authorized for

A, B, C D, E

NA, NF

ware not version by manusculers data. The Person-in-Charge Show verify the cargo grade based on Manusculrus data and ensure that the owinge is authorized carriage of that grade of Cargo.
Flammable Equid cargoes, as defined in 46 CFR 30-10.22.
Combusible Equid cargoes, as defined in 46 CFR 30-10.15.
Those subchapter O cargoes which are not desclided as a flammable or combusible Equid.
No flammability/combusiblity grade has been assigned you, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

The required barge half classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventivo measures to proclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

See Cartificate of Inspection for explaination of symbols used in this column.

Certificate nr

2750

Date

11-23-2022

Set pressure (cold)

Set pressure test Found set pressure

Reseat pressure (indication)

260 psi

CROSBY

Manufacturer Type / Model Serial No.

Result

Test method

JBS35Q 802483-5

258 psi

251 psi

Passed

AIR

Valve data

Job no.

LV-11768-WO

Client

KIRBY INLAND MARINE

Barge #

KIRBY-16808

Size

6XQX8

Rating

300X150

Nozzle / Orifice

Q

Test data

Seat tightness test

Leakage

0 bubbles/min.

Test pressure

235 psi

Result


Passed

Backpressure test Pressure

31 psi

Result

Passed





INTERLINK

Tested by

Name

EDUARDO PEREZ

Date

11-23-2022

Signature

Inspected by

Name

Date

Certificate nr

2749

Date

11-23-2022

Set pressure (cold)

260 psi

Manufacturer

CROSBY

Type / Model Serial No.

JBS35Q 802483-4 Valve data

Job no.

LV-11768-WO

Client

KIRBY INLAND MARINE

Barge #

KIRBY-16808

Size

6XQX8

Rating

300X150

Nozzle / Orifice

Q

Set pressure test

Found set pressure

263 psi

Reseat pressure (indication) Result

259 psi Passed

Test method

AIR

Test data

Seat tightness test

Leakage

0 bubbles/min.

Test pressure

234 psi

Result

Passed


Backpressure test

Pressure

31 psi

Result

Passed





INTERLINK



Tested by

Name

EDUARDO PEREZ

Date

11-23-2022

Signature

Inspected by

Name

Date

Certificate nr

Set pressure (cold)

Set pressure test

Reseat pressure (indication)

Found set pressure

Manufacturer

Type / Model

Serial No.

Result

Test method

2748

260 psi

CROSBY

JBS35Q

802483-3

261 psi

255 psi

Passed

AIR

Date

11-23-2022

Valve data

Job no.

LV-11768-WO

Client Barge # KIRBY INLAND MARINE

KIRBY-16808

Size

6XQX8

Rating

300X150

Nozzle / Orifice

Q

Test data

Seat tightness test

Leakage

0 bubbles/min.

Test pressure

234 psi

Result

Passed


Backpressure test

Pressure

31 psi

Result

Passed





INTERLINK

Tested by

Name

EDUARDO PEREZ

Date

11-23-2022

Signature

Inspected by

Name Date

Certificate nr

2747

Date

11-23-2022

Set pressure (cold)

Manufacturer

Type / Model

Serial No.

260 psi

Valve data

LV-11768-WO

Client

KIRBY INLAND MARINE

Barge #

Job no.

KIRBY-16808

CROSBY

JBS35Q 802483-2 Size

6XQX8

Rating

300X150

Nozzle / Orifice

Q

Set pressure test

Found set pressure

259 psi

Reseat pressure (indication)

256 psi

Result

Passed

Test method

AIR

Test data

Seat tightness test

Leakage

0 bubbles/min.

Test pressure

235 psi

Result

Passed


Backpressure test

Pressure

31 psi

Result

Passed





INTERLINK

Tested by

Name

EDUARDO PEREZ

Date

11-23-2022

Signature

Inspected by

Name

Date