



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date: 13 Sep 2023
Expiration Date: 13 Sep 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
KIRBY 16848	1336154			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
WILMINGTON, DE	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
ORANGE, TX	13Sep2023	19Jan2023	R-1185	R-1185		R-245.0
UNITED STATES			-	-		10

Owner	Operator
KIRBY INLAND MARINE LP 55 WAUGH DRIVE SUITE 1000 HOUSTON, TX 77007 UNITED STATES	KIRBY INLAND MARINE LP 18350 MARKET ST. CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Officers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-inspection				This certificate issued by <i>L.L. Woodman</i> L. L. WOODMAN, CDR, USCG, By direction Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur Inspection Zone
Date	Zone	A/P/R	Signature	
9-20-24	HOU / GAL	A	DANNY G. MURRAY	



Certificate of Inspection

Vessel Name: KIRBY 16848

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	30Sep2033	13Sep2023	
Internal Structure	30Sep2028	13Sep2023	

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: **FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES**

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
16101	Barrels	LFG	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
P/1	822	5.17
S/1	822	5.17

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	1645	8ft 4in	5.17	R, LBS
III	1645	8ft 4in	5.17	R, LBS

Conditions Of Carriage

Inspected and approved for the carriage of liquified flammable gases (LFGs) at a pressure not to exceed 265 psi and at temperatures not less than ambient. Those LFGs that have been authorized for carriage are identified by their CHRIS Code in the Loading Constraints below.

Mixtures of the Subchapter D liquified flammable gas cargoes listed below are also authorized for carriage subject to the loading and stability constraints of the least dense cargo in the mixture.

Mixtures of Subchapter O and D liquified gas cargoes not specified below must be approved by the Marine Safety Center prior to being authorized for carriage.

In accordance with 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

The maximum tank weights listed below reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge should always be loaded uniformly.

Loading Constraints - Structural

Tanks	Cargo (Chris Code)	Max. Cargo Wgt/Each Tank (ST)	Max. Density (lbs/gal)
P/S	BDI	822	5.17
P/S	BBM	811	5.16



Certificate of Inspection

Vessel Name: KIRBY 16848

P/S	BUT	775	4.88
P/S	IBT	733	4.69
P/S	BTN	778	5.00
P/S	PRP	634	4.25
P/S	PPL	647	4.35

Loading Constraints - Stability

Cargo (Chris Code)	Route	Max Load (ST)	Max Draft (ft,in)	Max. Density (lbs/gal)
BDI	R,LBS	1645	8' 4.25"	5.17
BBM	R,LBS	1621	8' 2.625"	5.16
BUT	R,LBS	1550	8' 1.25"	4.88
IBT	R,LBS	1466	7' 11.25"	4.69
BTN	R,LBS	1557	8' 2.50"	5.00
PRP	R,LBS	1269	7' 6.50"	4.25
PPL	R,LBS	1293	7' 7.50"	4.35

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
P/1	-	13Sep2023	30Sep2033	-	13Sep2023	30Sep2028
S/1	-	13Sep2023	30Sep2033	-	13Sep2023	30Sep2028
Hydro Test						
Tank Id	Safety Valves		Previous	Last	Next	
P/1	07Aug2023		-	10Aug2023	-	
S/1	07Aug2023		-	10Aug2023	-	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
1	40-B

END