



BARGE "KIRBY 17001 B"

ULLAGE TRIM TABLE

FORMERLY "DXE 1752 B"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-0/8	01-0/8
1 STBD	- 00-1/8	00-1/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-0/8	01-0/8
2 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8
2 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8
3 CNTR	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

LENGTH BETWEEN DRAFT MARKS: 167'-00"

May 1, 2021

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-3/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT THE TRIM CORRECTED ULLAGE IS 4'-00 3/8"

<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0	3,567.14	0	3,331.23	0	3,086.66	0	2,834.66	0	2,566.01	0	2,284.75
1/4		1/4		1/4		1/4		1/4	3,562.31	1/4	3,326.22	1/4	3,081.47	1/4	2,829.39	1/4	2,560.13	1/4	2,278.90
1/2		1/2		1/2		1/2		1/2	3,557.47	1/2	3,321.21	1/2	3,076.27	1/2	2,824.12	1/2	2,554.24	1/2	2,273.05
3/4		3/4		3/4		3/4		3/4	3,761.57	3/4	3,552.64	3/4	3,316.19	3/4	3,071.08	3/4	2,818.85	3/4	2,548.36
1		1		1		1		1	3,759.40	1	3,547.80	1	3,311.18	1	3,065.88	1	2,813.58	1	2,542.47
1/4		1/4		1/4		1/4		1/4	3,757.14	1/4	3,542.97	1/4	3,306.16	1/4	3,060.69	1/4	2,808.31	1/4	2,536.59
1/2		1/2		1/2		1/2		1/2	3,754.59	1/2	3,538.13	1/2	3,301.15	1/2	3,055.49	1/2	2,803.04	1/2	2,530.70
3/4		3/4		3/4		3/4		3/4	3,751.77	3/4	3,533.28	3/4	3,296.12	3/4	3,050.28	3/4	2,797.77	3/4	2,524.82
2		2		2		2		2	3,748.85	2	3,528.42	2	3,291.07	2	3,045.06	2	2,792.50	2	2,518.93
1/4		1/4		1/4		1/4		1/4	3,745.84	1/4	3,523.56	1/4	3,286.03	1/4	3,039.83	1/4	2,787.23	1/4	2,513.05
1/2		1/2		1/2		1/2		1/2	3,742.54	1/2	3,518.69	1/2	3,280.99	1/2	3,034.61	1/2	2,781.96	1/2	2,507.16
3/4		3/4		3/4		3/4		3/4	3,738.97	3/4	3,513.83	3/4	3,275.94	3/4	3,029.38	3/4	2,776.69	3/4	2,501.28
3		3		3		3		3	3,735.30	3	3,508.97	3	3,270.90	3	3,024.15	3	2,771.42	3	2,495.39
1/4		1/4		1/4		1/4		1/4	3,731.52	1/4	3,504.10	1/4	3,265.85	1/4	3,018.93	1/4	2,766.15	1/4	2,489.51
1/2		1/2		1/2		1/2		1/2	3,727.37	1/2	3,499.23	1/2	3,260.80	1/2	3,013.70	1/2	2,760.87	1/2	2,483.62
3/4		3/4		3/4		3/4		3/4	3,722.86	3/4	3,494.35	3/4	3,255.75	3/4	3,008.46	3/4	2,755.56	3/4	2,477.74
4		4		4		4		4	3,718.23	4	3,489.46	4	3,250.67	4	3,003.21	4	2,750.22	4	2,471.86
1/4		1/4		1/4		1/4		1/4	3,713.59	1/4	3,484.57	1/4	3,245.60	1/4	2,997.95	1/4	2,744.87	1/4	2,466.00
1/2		1/2		1/2		1/2		1/2	3,708.95	1/2	3,479.68	1/2	3,240.53	1/2	2,992.70	1/2	2,739.51	1/2	2,460.15
3/4		3/4		3/4		3/4		3/4	3,704.32	3/4	3,474.78	3/4	3,235.45	3/4	2,987.44	3/4	2,734.08	3/4	2,454.30
5		5		5		5		5	3,699.68	5	3,469.89	5	3,230.38	5	2,982.19	5	2,728.60	5	2,448.45
1/4		1/4		1/4		1/4		1/4	3,695.04	1/4	3,465.00	1/4	3,225.30	1/4	2,976.93	1/4	2,723.10	1/4	2,442.61
1/2		1/2		1/2		1/2		1/2	3,690.40	1/2	3,460.10	1/2	3,220.22	1/2	2,971.67	1/2	2,717.58	1/2	2,436.76
3/4		3/4		3/4		3/4		3/4	3,685.75	3/4	3,455.19	3/4	3,215.13	3/4	2,966.41	3/4	2,712.00	3/4	2,430.91
6		6		6		6		6	3,681.09	6	3,450.27	6	3,210.03	6	2,961.14	6	2,706.37	6	2,425.07
1/4		1/4		1/4		1/4		1/4	3,676.42	1/4	3,445.34	1/4	3,204.93	1/4	2,955.87	1/4	2,700.71	1/4	2,419.22
1/2		1/2		1/2		1/2		1/2	3,671.75	1/2	3,440.42	1/2	3,199.82	1/2	2,950.60	1/2	2,695.04	1/2	2,413.37
3/4		3/4		3/4		3/4		3/4	3,667.09	3/4	3,435.50	3/4	3,194.72	3/4	2,945.33	3/4	2,689.31	3/4	2,407.53
7		7		7		7		7	3,662.42	7	3,430.57	7	3,189.61	7	2,940.06	7	2,683.52	7	2,401.68
1/4		1/4		1/4		1/4		1/4	3,657.75	1/4	3,425.65	1/4	3,184.51	1/4	2,934.79	1/4	2,677.71	1/4	2,395.83
1/2		1/2		1/2		1/2		1/2	3,653.08	1/2	3,420.72	1/2	3,179.40	1/2	2,929.52	1/2	2,671.89	1/2	2,389.99
3/4		3/4		3/4		3/4		3/4	3,648.40	3/4	3,415.78	3/4	3,174.28	3/4	2,924.25	3/4	2,666.04	3/4	2,384.14
8		8		8		8		8	3,643.70	8	3,410.83	8	3,169.15	8	2,918.98	8	2,660.17	8	2,378.30
1/4		1/4		1/4		1/4		1/4	3,639.00	1/4	3,405.88	1/4	3,164.01	1/4	2,913.71	1/4	2,654.28	1/4	2,372.45
1/2		1/2		1/2		1/2		1/2	3,634.27	1/2	3,400.92	1/2	3,158.88	1/2	2,908.44	1/2	2,648.40	1/2	2,366.60
3/4		3/4		3/4		3/4		3/4	3,629.51	3/4	3,395.97	3/4	3,153.75	3/4	2,903.17	3/4	2,642.51	3/4	2,360.76
9		9		9		9		9	3,624.74	9	3,391.02	9	3,148.61	9	2,897.90	9	2,636.63	9	2,354.91
1/4		1/4		1/4		1/4		1/4	3,619.97	1/4	3,386.06	1/4	3,143.48	1/4	2,892.63	1/4	2,630.74	1/4	2,349.06
1/2		1/2		1/2		1/2		1/2	3,615.20	1/2	3,381.10	1/2	3,138.34	1/2	2,887.36	1/2	2,624.86	1/2	2,343.22
3/4		3/4		3/4		3/4		3/4	3,610.41	3/4	3,376.13	3/4	3,133.19	3/4	2,882.09	3/4	2,618.97	3/4	2,337.37
10		10		10		10		10	3,605.62	10	3,371.15	10	3,128.03	10	2,876.82	10	2,613.09	10	2,331.52
1/4		1/4		1/4		1/4		1/4	3,600.82	1/4	3,366.17	1/4	3,122.86	1/4	2,871.55	1/4	2,607.21	1/4	2,325.68
1/2		1/2		1/2		1/2		1/2	3,596.02	1/2	3,361.19	1/2	3,117.70	1/2	2,866.28	1/2	2,601.32	1/2	2,319.83
3/4		3/4		3/4		3/4		3/4	3,591.21	3/4	3,356.20	3/4	3,112.53	3/4	2,861.01	3/4	2,595.44	3/4	2,313.99
11		11		11		11		11	3,586.41	11	3,351.22	11	3,107.37	11	2,855.74	11	2,589.55	11	2,308.14
1/4		1/4		1/4		1/4		1/4	3,581.60	1/4	3,346.23	1/4	3,102.20	1/4	2,850.47	1/4	2,583.67	1/4	2,302.29
1/2		1/2		1/2		1/2		1/2	3,576.79	1/2	3,341.24	1/2	3,097.03	1/2	2,845.20	1/2	2,577.78	1/2	2,296.44
3/4		3/4		3/4		3/4		3/4	3,571.97	3/4	3,336.24	3/4	3,091.85	3/4	2,839.93	3/4	2,571.90	3/4	2,290.60

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 31'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,003.39	0	1,720.95	0	1,438.50	0	1,156.04	0	873.61	0	591.19	0	308.76	0	34.20	0		0	
1/4	1,997.51	1/4	1,715.06	1/4	1,432.61	1/4	1,150.16	1/4	867.73	1/4	585.31	1/4	302.88	1/4	30.27	1/4		1/4	
1/2	1,991.62	1/2	1,709.18	1/2	1,426.73	1/2	1,144.28	1/2	861.85	1/2	579.42	1/2	296.99	1/2	26.72	1/2		1/2	
3/4	1,985.74	3/4	1,703.29	3/4	1,420.84	3/4	1,138.39	3/4	855.97	3/4	573.54	3/4	291.11	3/4	23.29	3/4		3/4	
1	1,979.85	1	1,697.41	1	1,414.96	1	1,132.51	1	850.08	1	567.66	1	285.22	1	19.98	1		1	
1/4	1,973.97	1/4	1,691.52	1/4	1,409.07	1/4	1,126.62	1/4	844.20	1/4	561.77	1/4	279.34	1/4	16.92	1/4		1/4	
1/2	1,968.08	1/2	1,685.64	1/2	1,403.19	1/2	1,120.74	1/2	838.32	1/2	555.89	1/2	273.46	1/2	15.44	1/2		1/2	
3/4	1,962.20	3/4	1,679.76	3/4	1,397.30	3/4	1,114.85	3/4	832.43	3/4	550.00	3/4	267.57	3/4		3/4		3/4	
2	1,956.32	2	1,673.87	2	1,391.42	2	1,108.97	2	826.55	2	544.12	2	261.69	2		2		2	
1/4	1,950.43	1/4	1,667.99	1/4	1,385.54	1/4	1,103.08	1/4	820.67	1/4	538.24	1/4	255.80	1/4		1/4		1/4	
1/2	1,944.55	1/2	1,662.10	1/2	1,379.65	1/2	1,097.20	1/2	814.79	1/2	532.35	1/2	249.92	1/2		1/2		1/2	
3/4	1,938.66	3/4	1,656.22	3/4	1,373.77	3/4	1,091.32	3/4	808.90	3/4	526.47	3/4	244.04	3/4		3/4		3/4	
3	1,932.78	3	1,650.33	3	1,367.88	3	1,085.43	3	803.02	3	520.58	3	238.15	3		3		3	
1/4	1,926.90	1/4	1,644.45	1/4	1,362.00	1/4	1,079.55	1/4	797.14	1/4	514.70	1/4	232.27	1/4		1/4		1/4	
1/2	1,921.01	1/2	1,638.56	1/2	1,356.11	1/2	1,073.66	1/2	791.26	1/2	508.82	1/2	226.38	1/2		1/2		1/2	
3/4	1,915.13	3/4	1,632.68	3/4	1,350.23	3/4	1,067.78	3/4	785.37	3/4	502.93	3/4	220.50	3/4		3/4		3/4	
4	1,909.24	4	1,626.80	4	1,344.34	4	1,061.89	4	779.49	4	497.05	4	214.62	4		4		4	
1/4	1,903.36	1/4	1,620.91	1/4	1,338.46	1/4	1,056.01	1/4	773.60	1/4	491.16	1/4	208.75	1/4		1/4		1/4	
1/2	1,897.47	1/2	1,615.03	1/2	1,332.58	1/2	1,050.12	1/2	767.71	1/2	485.28	1/2	202.89	1/2		1/2		1/2	
3/4	1,891.59	3/4	1,609.14	3/4	1,326.69	3/4	1,044.24	3/4	761.83	3/4	479.40	3/4	197.03	3/4		3/4		3/4	
5	1,885.71	5	1,603.26	5	1,320.81	5	1,038.36	5	755.94	5	473.51	5	191.17	5		5		5	
1/4	1,879.82	1/4	1,597.37	1/4	1,314.92	1/4	1,032.47	1/4	750.06	1/4	467.63	1/4	185.32	1/4		1/4		1/4	
1/2	1,873.94	1/2	1,591.49	1/2	1,309.04	1/2	1,026.59	1/2	744.18	1/2	461.74	1/2	179.46	1/2		1/2		1/2	
3/4	1,868.05	3/4	1,585.61	3/4	1,303.15	3/4	1,020.70	3/4	738.29	3/4	455.86	3/4	173.60	3/4		3/4		3/4	
6	1,862.17	6	1,579.72	6	1,297.27	6	1,014.82	6	732.41	6	449.98	6	167.74	6		6		6	
1/4	1,856.28	1/4	1,573.84	1/4	1,291.39	1/4	1,008.93	1/4	726.52	1/4	444.09	1/4	161.88	1/4		1/4		1/4	
1/2	1,850.40	1/2	1,567.95	1/2	1,285.50	1/2	1,003.05	1/2	720.64	1/2	438.21	1/2	156.03	1/2		1/2		1/2	
3/4	1,844.52	3/4	1,562.07	3/4	1,279.62	3/4	997.17	3/4	714.76	3/4	432.32	3/4	150.17	3/4		3/4		3/4	
7	1,838.63	7	1,556.18	7	1,273.73	7	991.28	7	708.87	7	426.44	7	144.31	7		7		7	
1/4	1,832.75	1/4	1,550.30	1/4	1,267.85	1/4	985.40	1/4	702.99	1/4	420.56	1/4	138.45	1/4		1/4		1/4	
1/2	1,826.86	1/2	1,544.41	1/2	1,261.96	1/2	979.51	1/2	697.10	1/2	414.67	1/2	132.60	1/2		1/2		1/2	
3/4	1,820.98	3/4	1,538.53	3/4	1,256.08	3/4	973.63	3/4	691.22	3/4	408.79	3/4	126.74	3/4		3/4		3/4	
8	1,815.10	8	1,532.65	8	1,250.19	8	967.74	8	685.34	8	402.90	8	120.88	8		8		8	
1/4	1,809.21	1/4	1,526.76	1/4	1,244.31	1/4	961.86	1/4	679.45	1/4	397.02	1/4	115.02	1/4		1/4		1/4	
1/2	1,803.33	1/2	1,520.88	1/2	1,238.43	1/2	955.97	1/2	673.57	1/2	391.14	1/2	109.17	1/2		1/2		1/2	
3/4	1,797.44	3/4	1,514.99	3/4	1,232.54	3/4	950.09	3/4	667.68	3/4	385.25	3/4	103.31	3/4		3/4		3/4	
9	1,791.56	9	1,509.11	9	1,226.66	9	944.21	9	661.80	9	379.37	9	97.45	9		9		9	
1/4	1,785.67	1/4	1,503.22	1/4	1,220.77	1/4	938.33	1/4	655.92	1/4	373.48	1/4	91.59	1/4		1/4		1/4	
1/2	1,779.79	1/2	1,497.34	1/2	1,214.89	1/2	932.44	1/2	650.03	1/2	367.60	1/2	85.74	1/2		1/2		1/2	
3/4	1,773.91	3/4	1,491.45	3/4	1,209.00	3/4	926.56	3/4	644.15	3/4	361.72	3/4	79.88	3/4		3/4		3/4	
10	1,768.02	10	1,485.57	10	1,203.12	10	920.68	10	638.26	10	355.83	10	74.08	10		10		10	
1/4	1,762.14	1/4	1,479.69	1/4	1,197.23	1/4	914.79	1/4	632.38	1/4	349.95	1/4	68.45	1/4		1/4		1/4	
1/2	1,756.25	1/2	1,473.80	1/2	1,191.35	1/2	908.91	1/2	626.50	1/2	344.06	1/2	63.00	1/2		1/2		1/2	
3/4	1,750.37	3/4	1,467.92	3/4	1,185.47	3/4	903.03	3/4	620.61	3/4	338.18	3/4	57.61	3/4		3/4		3/4	
11	1,744.48	11	1,462.03	11	1,179.58	11	897.15	11	614.73	11	332.30	11	52.34	11		11		11	
1/4	1,738.60	1/4	1,456.15	1/4	1,173.70	1/4	891.26	1/4	608.84	1/4	326.41	1/4	47.43	1/4		1/4		1/4	
1/2	1,732.72	1/2	1,450.26	1/2	1,167.81	1/2	885.38	1/2	602.96	1/2	320.53	1/2	42.90	1/2		1/2		1/2	
3/4	1,726.83	3/4	1,444.38	3/4	1,161.93	3/4	879.50	3/4	597.08	3/4	314.64	3/4	38.49	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/18/1995 SI
REPRINTED: 05/01/2021 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 3/8"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 31'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "KIRBY 17001 B"

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,001.91	0	1,719.84	0	1,437.78	0	1,155.63	0	873.33	0	591.00	0	308.66	0	34.18	0		0	
1/4	1,996.03	1/4	1,713.96	1/4	1,431.91	1/4	1,149.75	1/4	867.45	1/4	585.12	1/4	302.78	1/4	30.26	1/4		1/4	
1/2	1,990.15	1/2	1,708.09	1/2	1,426.03	1/2	1,143.87	1/2	861.57	1/2	579.24	1/2	296.89	1/2	26.71	1/2		1/2	
3/4	1,984.28	3/4	1,702.21	3/4	1,420.15	3/4	1,137.99	3/4	855.69	3/4	573.36	3/4	291.01	3/4	23.28	3/4		3/4	
1	1,978.40	1	1,696.34	1	1,414.28	1	1,132.11	1	849.81	1	567.48	1	285.13	1	19.97	1		1	
1/4	1,972.52	1/4	1,690.46	1/4	1,408.40	1/4	1,126.23	1/4	843.93	1/4	561.59	1/4	279.25	1/4	16.91	1/4		1/4	
1/2	1,966.65	1/2	1,684.58	1/2	1,402.53	1/2	1,120.35	1/2	838.05	1/2	555.71	1/2	273.37	1/2	15.44	1/2		1/2	
3/4	1,960.77	3/4	1,678.71	3/4	1,396.66	3/4	1,114.46	3/4	832.17	3/4	549.83	3/4	267.48	3/4		3/4		3/4	
2	1,954.89	2	1,672.83	2	1,390.78	2	1,108.58	2	826.29	2	543.95	2	261.60	2		2		2	
1/4	1,949.02	1/4	1,666.95	1/4	1,384.91	1/4	1,102.70	1/4	820.41	1/4	538.06	1/4	255.72	1/4		1/4		1/4	
1/2	1,943.14	1/2	1,661.08	1/2	1,379.03	1/2	1,096.82	1/2	814.53	1/2	532.18	1/2	249.84	1/2		1/2		1/2	
3/4	1,937.27	3/4	1,655.20	3/4	1,373.16	3/4	1,090.93	3/4	808.65	3/4	526.30	3/4	243.95	3/4		3/4		3/4	
3	1,931.39	3	1,649.33	3	1,367.28	3	1,085.05	3	802.76	3	520.42	3	238.07	3		3		3	
1/4	1,925.51	1/4	1,643.45	1/4	1,361.40	1/4	1,079.17	1/4	796.88	1/4	514.54	1/4	232.19	1/4		1/4		1/4	
1/2	1,919.64	1/2	1,637.57	1/2	1,355.52	1/2	1,073.29	1/2	791.00	1/2	508.65	1/2	226.31	1/2		1/2		1/2	
3/4	1,913.76	3/4	1,631.70	3/4	1,349.64	3/4	1,067.40	3/4	785.12	3/4	502.77	3/4	220.43	3/4		3/4		3/4	
4	1,907.88	4	1,625.82	4	1,343.76	4	1,061.52	4	779.23	4	496.89	4	214.55	4		4		4	
1/4	1,902.01	1/4	1,619.94	1/4	1,337.88	1/4	1,055.64	1/4	773.35	1/4	491.01	1/4	208.68	1/4		1/4		1/4	
1/2	1,896.13	1/2	1,614.07	1/2	1,332.00	1/2	1,049.76	1/2	767.47	1/2	485.12	1/2	202.82	1/2		1/2		1/2	
3/4	1,890.25	3/4	1,608.19	3/4	1,326.12	3/4	1,043.87	3/4	761.59	3/4	479.24	3/4	196.97	3/4		3/4		3/4	
5	1,884.38	5	1,602.32	5	1,320.24	5	1,037.99	5	755.71	5	473.36	5	191.11	5		5		5	
1/4	1,878.50	1/4	1,596.44	1/4	1,314.36	1/4	1,032.11	1/4	749.82	1/4	467.48	1/4	185.25	1/4		1/4		1/4	
1/2	1,872.62	1/2	1,590.56	1/2	1,308.48	1/2	1,026.23	1/2	743.94	1/2	461.60	1/2	179.40	1/2		1/2		1/2	
3/4	1,866.75	3/4	1,584.69	3/4	1,302.61	3/4	1,020.35	3/4	738.06	3/4	455.71	3/4	173.54	3/4		3/4		3/4	
6	1,860.87	6	1,578.81	6	1,296.73	6	1,014.47	6	732.18	6	449.83	6	167.69	6		6		6	
1/4	1,855.00	1/4	1,572.94	1/4	1,290.85	1/4	1,008.59	1/4	726.29	1/4	443.95	1/4	161.83	1/4		1/4		1/4	
1/2	1,849.12	1/2	1,567.06	1/2	1,284.97	1/2	1,002.71	1/2	720.41	1/2	438.07	1/2	155.97	1/2		1/2		1/2	
3/4	1,843.24	3/4	1,561.18	3/4	1,279.09	3/4	996.83	3/4	714.53	3/4	432.18	3/4	150.12	3/4		3/4		3/4	
7	1,837.37	7	1,555.31	7	1,273.21	7	990.94	7	708.65	7	426.30	7	144.26	7		7		7	
1/4	1,831.49	1/4	1,549.43	1/4	1,267.33	1/4	985.06	1/4	702.77	1/4	420.42	1/4	138.41	1/4		1/4		1/4	
1/2	1,825.61	1/2	1,543.55	1/2	1,261.45	1/2	979.18	1/2	696.88	1/2	414.54	1/2	132.55	1/2		1/2		1/2	
3/4	1,819.74	3/4	1,537.68	3/4	1,255.57	3/4	973.30	3/4	691.00	3/4	408.66	3/4	126.70	3/4		3/4		3/4	
8	1,813.86	8	1,531.80	8	1,249.69	8	967.42	8	685.12	8	402.77	8	120.84	8		8		8	
1/4	1,807.98	1/4	1,525.93	1/4	1,243.81	1/4	961.54	1/4	679.24	1/4	396.89	1/4	114.98	1/4		1/4		1/4	
1/2	1,802.11	1/2	1,520.05	1/2	1,237.93	1/2	955.66	1/2	673.36	1/2	391.01	1/2	109.13	1/2		1/2		1/2	
3/4	1,796.23	3/4	1,514.17	3/4	1,232.06	3/4	949.78	3/4	667.47	3/4	385.13	3/4	103.27	3/4		3/4		3/4	
9	1,790.36	9	1,508.30	9	1,226.18	9	943.90	9	661.59	9	379.25	9	97.42	9		9		9	
1/4	1,784.48	1/4	1,502.42	1/4	1,220.30	1/4	938.02	1/4	655.71	1/4	373.36	1/4	91.56	1/4		1/4		1/4	
1/2	1,778.60	1/2	1,496.54	1/2	1,214.42	1/2	932.14	1/2	649.83	1/2	367.48	1/2	85.70	1/2		1/2		1/2	
3/4	1,772.73	3/4	1,490.67	3/4	1,208.54	3/4	926.26	3/4	643.94	3/4	361.60	3/4	79.85	3/4		3/4		3/4	
10	1,766.85	10	1,484.79	10	1,202.66	10	920.38	10	638.06	10	355.72	10	74.05	10		10		10	
1/4	1,760.97	1/4	1,478.92	1/4	1,196.78	1/4	914.50	1/4	632.18	1/4	349.83	1/4	68.43	1/4		1/4		1/4	
1/2	1,755.10	1/2	1,473.04	1/2	1,190.90	1/2	908.62	1/2	626.30	1/2	343.95	1/2	62.98	1/2		1/2		1/2	
3/4	1,749.22	3/4	1,467.16	3/4	1,185.02	3/4	902.74	3/4	620.42	3/4	338.07	3/4	57.59	3/4		3/4		3/4	
11	1,743.35	11	1,461.29	11	1,179.14	11	896.85	11	614.53	11	332.19	11	52.32	11		11		11	
1/4	1,737.47	1/4	1,455.41	1/4	1,173.26	1/4	890.97	1/4	608.65	1/4	326.31	1/4	47.42	1/4		1/4		1/4	
1/2	1,731.59	1/2	1,449.54	1/2	1,167.38	1/2	885.09	1/2	602.77	1/2	320.42	1/2	42.88	1/2		1/2		1/2	
3/4	1,725.72	3/4	1,443.66	3/4	1,161.50	3/4	879.21	3/4	596.89	3/4	314.54	3/4	38.47	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/18/1995 SI
REPRINTED: 05/01/2021 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 3/8"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	1/8	3,763.12	0	3,557.86	0	3,316.06	0	3,065.68	0	2,807.95	0	2,539.55	0	2,261.19	
1/4	1/4	1/4	1/4	1/4	1/4	3,762.24	1/4	3,552.90	1/4	3,310.92	1/4	3,060.37	1/4	2,802.56	1/4	2,533.73	1/4	2,255.40	
1/2	1/2	1/2	1/2	1/2	1/2	3,760.29	1/2	3,547.94	1/2	3,305.79	1/2	3,055.05	1/2	2,797.17	1/2	2,527.90	1/2	2,249.61	
3/4	3/4	3/4	3/4	3/4	3/4	3,758.06	3/4	3,542.98	3/4	3,300.65	3/4	3,049.74	3/4	2,791.78	3/4	2,522.08	3/4	2,243.83	
1		1		1	1	3,755.74	1	3,538.03	1	3,295.52	1	3,044.42	1	2,786.39	1	2,516.26	1	2,238.04	
1/4	1/4	1/4	1/4	1/4	1/4	3,753.33	1/4	3,533.07	1/4	3,290.38	1/4	3,039.11	1/4	2,781.01	1/4	2,510.43	1/4	2,232.25	
1/2	1/2	1/2	1/2	1/2	1/2	3,750.64	1/2	3,528.11	1/2	3,285.24	1/2	3,033.79	1/2	2,775.62	1/2	2,504.61	1/2	2,226.47	
3/4	3/4	3/4	3/4	3/4	3/4	3,747.67	3/4	3,523.13	3/4	3,280.09	3/4	3,028.46	3/4	2,770.23	3/4	2,498.78	3/4	2,220.68	
2		2		2	2	3,744.61	2	3,518.15	2	3,274.93	2	3,023.12	2	2,764.84	2	2,492.96	2	2,214.90	
1/4	1/4	1/4	1/4	1/4	1/4	3,741.46	1/4	3,513.16	1/4	3,269.76	1/4	3,017.77	1/4	2,759.45	1/4	2,487.13	1/4	2,209.11	
1/2	1/2	1/2	1/2	1/2	1/2	3,738.03	1/2	3,508.18	1/2	3,264.60	1/2	3,012.43	1/2	2,754.06	1/2	2,481.31	1/2	2,203.33	
3/4	3/4	3/4	3/4	3/4	3/4	3,734.32	3/4	3,503.19	3/4	3,259.43	3/4	3,007.09	3/4	2,748.67	3/4	2,475.48	3/4	2,197.54	
3		3		3	3	3,730.51	3	3,498.20	3	3,254.26	3	3,001.74	3	2,743.28	3	2,469.66	3	2,191.76	
1/4	1/4	1/4	1/4	1/4	1/4	3,726.59	1/4	3,493.22	1/4	3,249.10	1/4	2,996.40	1/4	2,737.89	1/4	2,463.84	1/4	2,185.97	
1/2	1/2	1/2	1/2	1/2	1/2	3,722.32	1/2	3,488.22	1/2	3,243.93	1/2	2,991.05	1/2	2,732.52	1/2	2,458.01	1/2	2,180.18	
3/4	3/4	3/4	3/4	3/4	3/4	3,717.68	3/4	3,483.22	3/4	3,238.75	3/4	2,985.69	3/4	2,727.17	3/4	2,452.19	3/4	2,174.40	
4		4		4	4	3,712.92	4	3,478.21	4	3,233.56	4	2,980.32	4	2,721.87	4	2,446.37	4	2,168.61	
1/4	1/4	1/4	1/4	1/4	1/4	3,708.16	1/4	3,473.19	1/4	3,228.36	1/4	2,974.94	1/4	2,716.58	1/4	2,440.56	1/4	2,162.83	
1/2	1/2	1/2	1/2	1/2	1/2	3,703.40	1/2	3,468.18	1/2	3,223.16	1/2	2,969.57	1/2	2,711.27	1/2	2,434.77	1/2	2,157.04	
3/4	3/4	3/4	3/4	3/4	3/4	3,698.64	3/4	3,463.16	3/4	3,217.97	3/4	2,964.19	3/4	2,705.90	3/4	2,428.99	3/4	2,151.26	
5		5		5	5	3,693.87	5	3,458.14	5	3,212.77	5	2,958.82	5	2,700.47	5	2,423.20	5	2,145.47	
1/4	1/4	1/4	1/4	1/4	1/4	3,689.11	1/4	3,453.12	1/4	3,207.58	1/4	2,953.44	1/4	2,695.03	1/4	2,417.42	1/4	2,139.69	
1/2	1/2	1/2	1/2	1/2	1/2	3,684.35	1/2	3,448.10	1/2	3,202.38	1/2	2,948.07	1/2	2,689.57	1/2	2,411.63	1/2	2,133.90	
3/4	3/4	3/4	3/4	3/4	3/4	3,679.57	3/4	3,443.07	3/4	3,197.17	3/4	2,942.68	3/4	2,684.05	3/4	2,405.84	3/4	2,128.12	
6		6		6	6	3,674.78	6	3,438.03	6	3,191.94	6	2,937.29	6	2,678.47	6	2,400.06	6	2,122.33	
1/4	1/4	1/4	1/4	1/4	1/4	3,669.99	1/4	3,432.98	1/4	3,186.72	1/4	2,931.90	1/4	2,672.87	1/4	2,394.27	1/4	2,116.55	
1/2	1/2	1/2	1/2	1/2	1/2	3,665.20	1/2	3,427.94	1/2	3,181.49	1/2	2,926.51	1/2	2,667.26	1/2	2,388.49	1/2	2,110.76	
3/4	3/4	3/4	3/4	3/4	3/4	3,660.41	3/4	3,422.89	3/4	3,176.27	3/4	2,921.12	3/4	2,661.58	3/4	2,382.70	3/4	2,104.98	
7		7		7	7	3,655.62	7	3,417.84	7	3,171.04	7	2,915.74	7	2,655.85	7	2,376.91	7	2,099.19	
1/4	1/4	1/4	1/4	1/4	1/4	3,650.83	1/4	3,412.80	1/4	3,165.82	1/4	2,910.35	1/4	2,650.11	1/4	2,371.13	1/4	2,093.38	
1/2	1/2	1/2	1/2	1/2	1/2	3,646.03	1/2	3,407.75	1/2	3,160.59	1/2	2,904.96	1/2	2,644.35	1/2	2,365.34	1/2	2,087.56	
3/4	3/4	3/4	3/4	3/4	3/4	3,641.22	3/4	3,402.68	3/4	3,155.35	3/4	2,899.57	3/4	2,638.56	3/4	2,359.56	3/4	2,081.73	
8		8		8	8	3,636.41	8	3,397.61	8	3,150.10	8	2,894.18	8	2,632.74	8	2,353.77	8	2,075.91	
1/4	1/4	1/4	1/4	1/4	1/4	3,631.58	1/4	3,392.54	1/4	3,144.84	1/4	2,888.79	1/4	2,626.92	1/4	2,347.98	1/4	2,070.09	
1/2	1/2	1/2	1/2	1/2	1/2	3,626.72	1/2	3,387.46	1/2	3,139.59	1/2	2,883.40	1/2	2,621.09	1/2	2,342.20	1/2	2,064.26	
3/4	3/4	3/4	3/4	3/4	3/4	3,621.84	3/4	3,382.38	3/4	3,134.33	3/4	2,878.01	3/4	2,615.27	3/4	2,336.41	3/4	2,058.44	
9		9		9	9	3,616.94	9	3,377.31	9	3,129.08	9	2,872.62	9	2,609.45	9	2,330.63	9	2,052.61	
1/4	1/4	1/4	1/4	1/4	1/4	3,612.05	1/4	3,372.23	1/4	3,123.82	1/4	2,867.23	1/4	2,603.62	1/4	2,324.84	1/4	2,046.79	
1/2	1/2	1/2	1/2	1/2	1/2	3,607.15	1/2	3,367.15	1/2	3,118.56	1/2	2,861.84	1/2	2,597.80	1/2	2,319.05	1/2	2,040.97	
3/4	3/4	3/4	3/4	3/4	3/4	3,602.25	3/4	3,362.06	3/4	3,113.29	3/4	2,856.45	3/4	2,591.97	3/4	2,313.27	3/4	2,035.14	
10		10		10	10	3,597.33	10	3,356.96	10	3,108.01	10	2,851.07	10	2,586.15	10	2,307.48	10	2,029.32	
1/4	1/4	1/4	1/4	1/4	1/4	3,592.40	1/4	3,351.85	1/4	3,102.72	1/4	2,845.68	1/4	2,580.32	1/4	2,301.70	1/4	2,023.50	
1/2	1/2	1/2	1/2	1/2	1/2	3,587.48	1/2	3,346.74	1/2	3,097.44	1/2	2,840.29	1/2	2,574.50	1/2	2,295.91	1/2	2,017.67	
3/4	3/4	3/4	3/4	3/4	3/4	3,582.55	3/4	3,341.64	3/4	3,092.15	3/4	2,834.90	3/4	2,568.67	3/4	2,290.12	3/4	2,011.85	
11		11		11	11	3,577.62	11	3,336.53	11	3,086.87	11	2,829.51	11	2,562.85	11	2,284.34	11	2,006.02	
1/4	1/4	1/4	1/4	1/4	1/4	3,572.69	1/4	3,331.42	1/4	3,081.58	1/4	2,824.12	1/4	2,557.03	1/4	2,278.55	1/4	2,000.20	
1/2	1/2	1/2	1/2	1/2	1/2	3,567.76	1/2	3,326.31	1/2	3,076.29	1/2	2,818.73	1/2	2,551.20	1/2	2,272.76	1/2	1,994.38	
3/4	3/4	3/4	3/4	3/4	3/4	3,562.82	3/4	3,321.19	3/4	3,071.00	3/4	2,813.34	3/4	2,545.38	3/4	2,266.98	3/4	1,988.55	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 31'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,982.73	0	1,703.19	0	1,423.63	0	1,144.08	0	864.53	0	585.05	0	305.58	0	33.85	0		0	
1/4	1,976.91	1/4	1,697.36	1/4	1,417.81	1/4	1,138.26	1/4	858.71	1/4	579.23	1/4	299.76	1/4	29.97	1/4		1/4	
1/2	1,971.08	1/2	1,691.54	1/2	1,411.99	1/2	1,132.43	1/2	852.88	1/2	573.41	1/2	293.94	1/2	26.45	1/2		1/2	
3/4	1,965.26	3/4	1,685.71	3/4	1,406.16	3/4	1,126.61	3/4	847.06	3/4	567.59	3/4	288.11	3/4	23.05	3/4		3/4	
1	1,959.43	1	1,679.89	1	1,400.34	1	1,120.79	1	841.23	1	561.77	1	282.29	1	19.78	1		1	
1/4	1,953.61	1/4	1,674.07	1/4	1,394.51	1/4	1,114.96	1/4	835.41	1/4	555.95	1/4	276.47	1/4	16.75	1/4		1/4	
1/2	1,947.79	1/2	1,668.24	1/2	1,388.69	1/2	1,109.14	1/2	829.59	1/2	550.13	1/2	270.64	1/2	15.29	1/2		1/2	
3/4	1,941.96	3/4	1,662.42	3/4	1,382.87	3/4	1,103.31	3/4	823.76	3/4	544.31	3/4	264.82	3/4		3/4		3/4	
2	1,936.14	2	1,656.59	2	1,377.04	2	1,097.49	2	817.94	2	538.49	2	259.00	2		2		2	
1/4	1,930.32	1/4	1,650.77	1/4	1,371.22	1/4	1,091.67	1/4	812.11	1/4	532.67	1/4	253.17	1/4		1/4		1/4	
1/2	1,924.49	1/2	1,644.95	1/2	1,365.39	1/2	1,085.84	1/2	806.29	1/2	526.85	1/2	247.35	1/2		1/2		1/2	
3/4	1,918.67	3/4	1,639.12	3/4	1,359.57	3/4	1,080.02	3/4	800.47	3/4	521.03	3/4	241.53	3/4		3/4		3/4	
3	1,912.84	3	1,633.30	3	1,353.75	3	1,074.19	3	794.64	3	515.22	3	235.70	3		3		3	
1/4	1,907.02	1/4	1,627.47	1/4	1,347.92	1/4	1,068.37	1/4	788.82	1/4	509.40	1/4	229.88	1/4		1/4		1/4	
1/2	1,901.20	1/2	1,621.65	1/2	1,342.10	1/2	1,062.55	1/2	782.99	1/2	503.58	1/2	224.05	1/2		1/2		1/2	
3/4	1,895.37	3/4	1,615.83	3/4	1,336.27	3/4	1,056.72	3/4	777.17	3/4	497.76	3/4	218.23	3/4		3/4		3/4	
4	1,889.55	4	1,610.00	4	1,330.45	4	1,050.90	4	771.35	4	491.94	4	212.41	4		4		4	
1/4	1,883.72	1/4	1,604.18	1/4	1,324.63	1/4	1,045.07	1/4	765.52	1/4	486.12	1/4	206.60	1/4		1/4		1/4	
1/2	1,877.90	1/2	1,598.35	1/2	1,318.80	1/2	1,039.25	1/2	759.70	1/2	480.29	1/2	200.80	1/2		1/2		1/2	
3/4	1,872.08	3/4	1,592.53	3/4	1,312.98	3/4	1,033.43	3/4	753.87	3/4	474.47	3/4	195.00	3/4		3/4		3/4	
5	1,866.25	5	1,586.71	5	1,307.15	5	1,027.60	5	748.05	5	468.65	5	189.20	5		5		5	
1/4	1,860.43	1/4	1,580.88	1/4	1,301.33	1/4	1,021.78	1/4	742.23	1/4	462.82	1/4	183.41	1/4		1/4		1/4	
1/2	1,854.61	1/2	1,575.06	1/2	1,295.51	1/2	1,015.95	1/2	736.40	1/2	457.00	1/2	177.61	1/2		1/2		1/2	
3/4	1,848.78	3/4	1,569.23	3/4	1,289.68	3/4	1,010.13	3/4	730.58	3/4	451.17	3/4	171.81	3/4		3/4		3/4	
6	1,842.96	6	1,563.41	6	1,283.86	6	1,004.31	6	724.75	6	445.35	6	166.02	6		6		6	
1/4	1,837.13	1/4	1,557.59	1/4	1,278.03	1/4	998.48	1/4	718.93	1/4	439.53	1/4	160.22	1/4		1/4		1/4	
1/2	1,831.31	1/2	1,551.76	1/2	1,272.21	1/2	992.66	1/2	713.11	1/2	433.70	1/2	154.42	1/2		1/2		1/2	
3/4	1,825.49	3/4	1,545.94	3/4	1,266.39	3/4	986.83	3/4	707.28	3/4	427.88	3/4	148.62	3/4		3/4		3/4	
7	1,819.66	7	1,540.11	7	1,260.56	7	981.01	7	701.46	7	422.06	7	142.83	7		7		7	
1/4	1,813.84	1/4	1,534.29	1/4	1,254.74	1/4	975.19	1/4	695.63	1/4	416.23	1/4	137.03	1/4		1/4		1/4	
1/2	1,808.02	1/2	1,528.47	1/2	1,248.91	1/2	969.36	1/2	689.81	1/2	410.41	1/2	131.23	1/2		1/2		1/2	
3/4	1,802.19	3/4	1,522.64	3/4	1,243.09	3/4	963.54	3/4	683.99	3/4	404.59	3/4	125.44	3/4		3/4		3/4	
8	1,796.37	8	1,516.82	8	1,237.27	8	957.71	8	678.16	8	398.76	8	119.64	8		8		8	
1/4	1,790.54	1/4	1,510.99	1/4	1,231.44	1/4	951.89	1/4	672.34	1/4	392.94	1/4	113.84	1/4		1/4		1/4	
1/2	1,784.72	1/2	1,505.17	1/2	1,225.62	1/2	946.07	1/2	666.52	1/2	387.12	1/2	108.05	1/2		1/2		1/2	
3/4	1,778.90	3/4	1,499.35	3/4	1,219.79	3/4	940.24	3/4	660.70	3/4	381.29	3/4	102.25	3/4		3/4		3/4	
9	1,773.07	9	1,493.52	9	1,213.97	9	934.42	9	654.88	9	375.47	9	96.45	9		9		9	
1/4	1,767.25	1/4	1,487.70	1/4	1,208.15	1/4	928.59	1/4	649.06	1/4	369.64	1/4	90.65	1/4		1/4		1/4	
1/2	1,761.42	1/2	1,481.87	1/2	1,202.32	1/2	922.77	1/2	643.24	1/2	363.82	1/2	84.86	1/2		1/2		1/2	
3/4	1,755.60	3/4	1,476.05	3/4	1,196.50	3/4	916.95	3/4	637.42	3/4	358.00	3/4	79.06	3/4		3/4		3/4	
10	1,749.78	10	1,470.23	10	1,190.67	10	911.12	10	631.60	10	352.17	10	73.32	10		10		10	
1/4	1,743.95	1/4	1,464.40	1/4	1,184.85	1/4	905.30	1/4	625.78	1/4	346.35	1/4	67.75	1/4		1/4		1/4	
1/2	1,738.13	1/2	1,458.58	1/2	1,179.03	1/2	899.47	1/2	619.96	1/2	340.53	1/2	62.36	1/2		1/2		1/2	
3/4	1,732.31	3/4	1,452.75	3/4	1,173.20	3/4	893.65	3/4	614.15	3/4	334.70	3/4	57.02	3/4		3/4		3/4	
11	1,726.48	11	1,446.93	11	1,167.38	11	887.83	11	608.33	11	328.88	11	51.80	11		11		11	
1/4	1,720.66	1/4	1,441.11	1/4	1,161.55	1/4	882.00	1/4	602.51	1/4	323.06	1/4	46.95	1/4		1/4		1/4	
1/2	1,714.83	1/2	1,435.28	1/2	1,155.73	1/2	876.18	1/2	596.69	1/2	317.23	1/2	42.46	1/2		1/2		1/2	
3/4	1,709.01	3/4	1,429.46	3/4	1,149.91	3/4	870.35	3/4	590.87	3/4	311.41	3/4	38.10	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/18/1995 SI
REPRINTED: 05/01/2021 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0		0		0		0		0		0		0		0	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1		1		1		1		1		1		1		1		1		1	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
2		2		2		2		2		2		2		2		2		2	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
3		3		3		3		3		3		3		3		3		3	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
4		4		4		4		4		4		4		4		4		4	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
5		5		5		5		5		5		5		5		5		5	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
6		6		6		6		6		6		6		6		6		6	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7		7		7		7		7		7		7		7		7		7	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
8		8		8		8		8		8		8		8		8		8	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
9		9		9		9		9		9		9		9		9		9	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
10		10		10		10		10		10		10		10		10		10	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
11		11		11		11		11		11		11		11		11		11	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 31'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 17'-01 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,978.27	0	1,699.53	0	1,421.04	0	1,143.26	0	864.93	0	586.26	0	307.58	0	35.81	0		0	
1/4	1,972.47	1/4	1,693.72	1/4	1,415.24	1/4	1,137.47	1/4	859.12	1/4	580.45	1/4	301.77	1/4	31.46	1/4		1/4	
1/2	1,966.66	1/2	1,687.91	1/2	1,409.44	1/2	1,131.69	1/2	853.31	1/2	574.65	1/2	295.97	1/2	28.08	1/2		1/2	
3/4	1,960.85	3/4	1,682.10	3/4	1,403.64	3/4	1,125.91	3/4	847.51	3/4	568.84	3/4	290.16	3/4	24.70	3/4		3/4	
1	1,955.04	1	1,676.30	1	1,397.84	1	1,120.12	1	841.70	1	563.04	1	284.35	1	21.32	1		1	
1/4	1,949.24	1/4	1,670.49	1/4	1,392.04	1/4	1,114.34	1/4	835.89	1/4	557.24	1/4	278.55	1/4	17.93	1/4		1/4	
1/2	1,943.43	1/2	1,664.68	1/2	1,386.24	1/2	1,108.56	1/2	830.08	1/2	551.43	1/2	272.74	1/2	15.51	1/2		1/2	
3/4	1,937.62	3/4	1,658.88	3/4	1,380.44	3/4	1,102.77	3/4	824.28	3/4	545.63	3/4	266.93	3/4		3/4		3/4	
2	1,931.82	2	1,653.07	2	1,374.64	2	1,096.99	2	818.47	2	539.83	2	261.13	2		2		2	
1/4	1,926.01	1/4	1,647.26	1/4	1,368.84	1/4	1,091.21	1/4	812.66	1/4	534.02	1/4	255.32	1/4		1/4		1/4	
1/2	1,920.20	1/2	1,641.45	1/2	1,363.04	1/2	1,085.42	1/2	806.86	1/2	528.22	1/2	249.51	1/2		1/2		1/2	
3/4	1,914.39	3/4	1,635.65	3/4	1,357.24	3/4	1,079.64	3/4	801.05	3/4	522.41	3/4	243.71	3/4		3/4		3/4	
3	1,908.59	3	1,629.84	3	1,351.44	3	1,073.86	3	795.24	3	516.61	3	237.90	3		3		3	
1/4	1,902.78	1/4	1,624.03	1/4	1,345.64	1/4	1,068.07	1/4	789.44	1/4	510.81	1/4	232.10	1/4		1/4		1/4	
1/2	1,896.97	1/2	1,618.23	1/2	1,339.84	1/2	1,062.29	1/2	783.63	1/2	505.00	1/2	226.29	1/2		1/2		1/2	
3/4	1,891.16	3/4	1,612.43	3/4	1,334.04	3/4	1,056.51	3/4	777.82	3/4	499.19	3/4	220.48	3/4		3/4		3/4	
4	1,885.36	4	1,606.63	4	1,328.24	4	1,050.72	4	772.02	4	493.39	4	214.68	4		4		4	
1/4	1,879.55	1/4	1,600.82	1/4	1,322.44	1/4	1,044.94	1/4	766.21	1/4	487.58	1/4	208.87	1/4		1/4		1/4	
1/2	1,873.74	1/2	1,595.02	1/2	1,316.66	1/2	1,039.13	1/2	760.40	1/2	481.77	1/2	203.09	1/2		1/2		1/2	
3/4	1,867.94	3/4	1,589.22	3/4	1,310.89	3/4	1,033.33	3/4	754.59	3/4	475.97	3/4	197.31	3/4		3/4		3/4	
5	1,862.13	5	1,583.42	5	1,305.11	5	1,027.52	5	748.79	5	470.16	5	191.53	5		5		5	
1/4	1,856.32	1/4	1,577.63	1/4	1,299.33	1/4	1,021.71	1/4	742.98	1/4	464.36	1/4	185.75	1/4		1/4		1/4	
1/2	1,850.51	1/2	1,571.83	1/2	1,293.55	1/2	1,015.91	1/2	737.17	1/2	458.55	1/2	179.97	1/2		1/2		1/2	
3/4	1,844.71	3/4	1,566.03	3/4	1,287.77	3/4	1,010.10	3/4	731.37	3/4	452.74	3/4	174.19	3/4		3/4		3/4	
6	1,838.90	6	1,560.23	6	1,281.99	6	1,004.29	6	725.56	6	446.94	6	168.41	6		6		6	
1/4	1,833.09	1/4	1,554.43	1/4	1,276.22	1/4	998.48	1/4	719.75	1/4	441.13	1/4	162.63	1/4		1/4		1/4	
1/2	1,827.29	1/2	1,548.63	1/2	1,270.44	1/2	992.68	1/2	713.95	1/2	435.32	1/2	156.85	1/2		1/2		1/2	
3/4	1,821.48	3/4	1,542.83	3/4	1,264.66	3/4	986.87	3/4	708.14	3/4	429.52	3/4	151.07	3/4		3/4		3/4	
7	1,815.67	7	1,537.03	7	1,258.88	7	981.06	7	702.33	7	423.71	7	145.29	7		7		7	
1/4	1,809.86	1/4	1,531.23	1/4	1,253.10	1/4	975.26	1/4	696.53	1/4	417.90	1/4	139.51	1/4		1/4		1/4	
1/2	1,804.06	1/2	1,525.43	1/2	1,247.32	1/2	969.45	1/2	690.72	1/2	412.10	1/2	133.73	1/2		1/2		1/2	
3/4	1,798.25	3/4	1,519.63	3/4	1,241.55	3/4	963.64	3/4	684.92	3/4	406.29	3/4	127.95	3/4		3/4		3/4	
8	1,792.44	8	1,513.83	8	1,235.77	8	957.84	8	679.11	8	400.48	8	122.17	8		8		8	
1/4	1,786.64	1/4	1,508.03	1/4	1,229.99	1/4	952.03	1/4	673.31	1/4	394.68	1/4	116.39	1/4		1/4		1/4	
1/2	1,780.83	1/2	1,502.23	1/2	1,224.21	1/2	946.22	1/2	667.51	1/2	388.87	1/2	110.61	1/2		1/2		1/2	
3/4	1,775.02	3/4	1,496.43	3/4	1,218.43	3/4	940.42	3/4	661.70	3/4	383.06	3/4	104.83	3/4		3/4		3/4	
9	1,769.21	9	1,490.63	9	1,212.65	9	934.61	9	655.90	9	377.26	9	99.05	9		9		9	
1/4	1,763.41	1/4	1,484.83	1/4	1,206.87	1/4	928.80	1/4	650.10	1/4	371.45	1/4	93.27	1/4		1/4		1/4	
1/2	1,757.60	1/2	1,479.03	1/2	1,201.09	1/2	922.99	1/2	644.29	1/2	365.64	1/2	87.49	1/2		1/2		1/2	
3/4	1,751.79	3/4	1,473.23	3/4	1,195.31	3/4	917.19	3/4	638.49	3/4	359.84	3/4	81.71	3/4		3/4		3/4	
10	1,745.98	10	1,467.43	10	1,189.52	10	911.38	10	632.68	10	354.03	10	75.93	10		10		10	
1/4	1,740.18	1/4	1,461.63	1/4	1,183.74	1/4	905.57	1/4	626.88	1/4	348.23	1/4	70.15	1/4		1/4		1/4	
1/2	1,734.37	1/2	1,455.83	1/2	1,177.96	1/2	899.77	1/2	621.08	1/2	342.42	1/2	64.83	1/2		1/2		1/2	
3/4	1,728.56	3/4	1,450.03	3/4	1,172.17	3/4	893.96	3/4	615.27	3/4	336.61	3/4	59.51	3/4		3/4		3/4	
11	1,722.76	11	1,444.23	11	1,166.39	11	888.15	11	609.47	11	330.81	11	54.19	11		11		11	
1/4	1,716.95	1/4	1,438.43	1/4	1,160.61	1/4	882.35	1/4	603.67	1/4	325.00	1/4	48.86	1/4		1/4		1/4	
1/2	1,711.14	1/2	1,432.64	1/2	1,154.82	1/2	876.54	1/2	597.86	1/2	319.19	1/2	44.51	1/2		1/2		1/2	
3/4	1,705.33	3/4	1,426.84	3/4	1,149.04	3/4	870.73	3/4	592.06	3/4	313.39	3/4	40.16	3/4		3/4		3/4	

STRAPPED: 12/18/1995 SI
REPRINTED: 05/01/2021

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 17001 B"

**3 CNTR
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

FORMERLY "DXE 1752 B"

GAUGE HEIGHT 13'-01 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	821.84	0	540.34	0	258.84	0	9.64	0		0		0		0		0		0	
1/4	815.98	1/4	534.48	1/4	252.98	1/4	7.87	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	810.12	1/2	528.61	1/2	247.11	1/2	6.34	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	804.25	3/4	522.75	3/4	241.25	3/4	4.94	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	798.39	1	516.89	1	235.38	1	3.78	1	1	1	1	1	1	1	1	1	1	1	1
1/4	792.52	1/4	511.02	1/4	229.52	1/4	2.99	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	786.66	1/2	505.16	1/2	223.66	1/2	2.44	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	780.79	3/4	499.29	3/4	217.79	3/4	2.20	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	774.93	2	493.43	2	211.94	2		2	2	2	2	2	2	2	2	2	2	2	2
1/4	769.06	1/4	487.56	1/4	206.09	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	763.20	1/2	481.70	1/2	200.25	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	757.33	3/4	475.83	3/4	194.41	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	751.47	3	469.97	3	188.58	3		3	3	3	3	3	3	3	3	3	3	3	3
1/4	745.60	1/4	464.10	1/4	182.74	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	739.74	1/2	458.24	1/2	176.90	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	733.88	3/4	452.37	3/4	171.06	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	728.01	4	446.51	4	165.22	4		4	4	4	4	4	4	4	4	4	4	4	4
1/4	722.15	1/4	440.65	1/4	159.38	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	716.28	1/2	434.78	1/2	153.55	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	710.42	3/4	428.92	3/4	147.71	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	704.55	5	423.05	5	141.87	5		5	5	5	5	5	5	5	5	5	5	5	5
1/4	698.69	1/4	417.19	1/4	136.03	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	692.82	1/2	411.32	1/2	130.19	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	686.96	3/4	405.46	3/4	124.36	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	681.09	6	399.59	6	118.52	6		6	6	6	6	6	6	6	6	6	6	6	6
1/4	675.23	1/4	393.73	1/4	112.68	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	669.36	1/2	387.86	1/2	106.84	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	663.50	3/4	382.00	3/4	101.00	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	657.64	7	376.13	7	95.16	7		7	7	7	7	7	7	7	7	7	7	7	7
1/4	651.77	1/4	370.27	1/4	89.33	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	645.91	1/2	364.41	1/2	83.49	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	640.04	3/4	358.54	3/4	77.68	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	634.18	8	352.68	8	71.99	8		8	8	8	8	8	8	8	8	8	8	8	8
1/4	628.31	1/4	346.81	1/4	66.46	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	622.45	1/2	340.95	1/2	61.06	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	616.58	3/4	335.08	3/4	55.75	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	610.72	9	329.22	9	50.68	9		9	9	9	9	9	9	9	9	9	9	9	9
1/4	604.85	1/4	323.35	1/4	45.97	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	598.99	1/2	317.49	1/2	41.51	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	593.13	3/4	311.62	3/4	37.18	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	587.26	10	305.76	10	33.08	10		10	10	10	10	10	10	10	10	10	10	10	10
1/4	581.40	1/4	299.90	1/4	29.36	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	575.53	1/2	294.03	1/2	25.88	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	569.67	3/4	288.17	3/4	22.52	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	563.80	11	282.30	11	19.41	11		11	11	11	11	11	11	11	11	11	11	11	11
1/4	557.94	1/4	276.44	1/4	16.66	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	552.07	1/2	270.57	1/2	14.15	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	546.21	3/4	264.71	3/4	11.77	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/18/1995 SI
REPRINTED: 05/01/2021 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>