

## **United States of America** Department of Homeland Security **United States Coast Guard**

Certification Date: 25 May 2021 25 May 2026 Expiration Date:

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name

Official Number

**MO Number** 

Horsepower

Call Sign

**KIRBY 17001B** 

1036486

Tank Barge

Service

Hailing Port

WILMINGTON, DE

**Hull Material** 

Steel

Propulsion

UNITED STATES

Place Buik

**Delivery Date** 

**Keel Laid Date** 

**Gross Tons** 

**Net Tons** 

DWT

Length

**HOUSTON TX** 

R-966

R-966

29Jun1995

R-177.5

ю

UNITED STATES

Owner

KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES

Operator

KIRBY INLAND MARINE, LP 18350 MARKET STREET CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be O Certified Lifeboatmen, O Certified Tankermen, O HSC Type Rating, and O GMDSS Operators.

0 Masters

O Licensed Mates

0 Chief Engineers

0 Oilers

O Chief Mates

O First Class Pilots

O First Assistant Engineers

0 Second Mates **0 Third Mates** 

0 Radio Officers 0 Able Seamen

0 Second Assistant Engineers

O Third Assistant Engineers

0 Master First Class Pilot

0 Ordinary Seamen

0 Licensed Engineers

0 Mate First Class Pilots

O Qualified Member Engineer 0 Deckhands

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

## ---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth & Ninth Coast Guard District's Tank Barge Streamlined Inspection

## \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection

A/P/R Date Zone Signature -11-2024 Byn

This certificate issued by:

B. T. INAGAKI, GS-13, USCG, By direction

Officer in Charge, Marine Inspection

Marine Safety Unit Port Arthur

Inspection Zone

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)

OMB No. 2115-0517

Scanned with CamScanner



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 25 May 2021 Expiration Date: 25 May 2026

### Certificate of Inspection

Vessel Name: KIRBY 17001B

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

#### ---Hull Exams---

 Exam Type
 Next Exam
 Last Exam
 Prior Exam

 DryDock
 29Mar2026
 29Mar2016
 06Feb2006

 Internal Structure
 31Mar2026
 25May2021
 29Mar2016

#### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE, COMBUSTIBLE AND SPECIFIED HAZARDOUS CARGOES

Total Capacity Units Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

17745 Barrels A Yes No No

#### \*Hazardous Bulk Solids Authority\*

Not Authorized

#### \*Loading Constraints - Structural\*

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
3 P/S	311	15.000
1 P/S	622	15.000
2 P/S	622	15.000

#### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	2441	10ft 0in	13.6	R, LBS, & LC 0-12
Ш	2964	11ft 9in	13.6	R, LBS, & LC 0-12
II	2441	10ft 0in	13.6	
Ш	2964	11ft 9in	13.6	

#### \*Conditions Of Carriage\*

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment(CAA), serial #VN95013189, dated 03JAN01, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR, Part 39, excluding Part 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter serial #C2-9502616 dated 25JUN95, and found acceptable for collection of bulk liquid cargo vapors from those specific Subchapter "D" cargoes contained in the that letter, and those specified hazardous cargoes annotated a "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.2009. A high level and overfill alarm is required by 46 CFR 39.2007.

\*Stability and Trim\*

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2) Page 2 of 3

<sup>\*</sup>Vapor Control Authorization\*



# United States of America Department of Homeland Security United States Coast Guard

Certification Date: 25 May 2021 Expiration Date: 25 May 2026

### Certificate of Inspection

Vessel Name: KIRBY 17001B

allowed. When carrying subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

#### --- Inspection Status ---

#### \*Cargo Tanks\*

	Internal Exam			External Exan	n	
Tank Id	Previous	Last	Next	Previous	Last	Next
3 P/S	04Apr2011	29Mar2016	29Mar2026	-	-	-
1 P/S	04Apr2011	29Mar2016	29Mar2026	-	-	-
2 P/S	04Apr2011	29Mar2016	29Mar2026	-	-	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
3 P/S	-		-	-	-	
1 P/S	-		-	-	-	
2 P/S	-		-	_	-	

#### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

2

40-B

\*\*\*END\*\*\*

### Department of Homeland Security United States Coast Guard

Serial #: VN95013189 COI Ref: 03-Jan-01



# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: KIRBY 17001B
Official #: D1036486

Page 1 of 3

Shipyard: NEWPARK SHIPBUILDI

Hull #: 9804

#### List of Authorized Cargoes

Cargo Identification						Conditions of Carriage		
Name	Chem Code	Group No		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	
uthorized Subchapter O Cargoes						1		
Acetic acid	AAC	4	Υ	D	Ш	V	.50-73, .55-1(g)	
Ammonium bisulfite solution (70% or less)	ABX	43	Υ		111		.50-73, .56-1(a), (b), (c)	
Acetic anhydride	ACA	11	N	D	III	V	.50-73, .55-1(g)	
Acrylonitrile	ACN	15	Y	C	II	T	.50-70(a), .55-1(e)	
Adiponitrile	ADN	37	N	E	II	· V	No	
Aminoethylethanolamine	AEE	8	N	E	III	V	.55-1(b)	
Anthracene oil (Coal tar fraction)	AHO	33	N		II		No	
Alkyl(C7-C9) nitrates	AKN	34	Y			V	.50-81, .50-86	
Ammonium hydroxide (28% or less NH3)	AMH	6	N		III		.56-1(a), (b), (c), (f), (g)	
Acetonitrile	ATN	37	N	С	III	Т	No	
Butyraldehyde (all isomers)	BAE	19	N	C	 III		.55-1(h)	
Butyl acrylate (all isomers)	BAR	14	N	D		v	.50-70(a), .50-81(a), (b)	
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA	32	Y		 III	v	.50-60, .56-1(b), (d), (f), (g)	
Benzene hydrocarbon mixtures (having 10% Benzene ormore)	BHB	32	N		III	v	.50-60	
Butyl methacrylate	BMH	14	N	D	111		.50-70(a), .50-81(a), (b)	
Benzene	BNZ	32	N	C	111	v	.50-60	
Benzene, Toluene, Xylene mixtures (having 10% Benzeneor more)	BTX	32	N	B/C	111		.50-60	
Carbon tetrachloride	CBT	36	N		III	•	No	
Cyclohexanone	CCH	18	N	D	10	V	.56-1(a), (b)	
Creosote (all isomers)	CCW	21	Y	E	111	v	No	
Cyclohexylamine	CHA	7	N		 III		.56-1(a), (b), (c), (g)	
Crude hydrocarbon feedstock (containing Butyraldehydesand Ethylpropyl acrolein)	CHG	0	N	C		•	No	
Camphor oil (light)	CPO	18	N	D	11		No	
Caustic potash solution	CPS	5	Y		111		.50-73, .55-1(j)	
Chlorobenzene	CRB	36	N	D	111	V	No	
Chloroform	CRF	36	N	E	III		No	
Cresols (all isomers)	CRS	21	N	 E	III	V	No	
Cresylic acid tar	CRX	21	N		III		.55-1(f)	
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N	D	 III	v	.50-60, .56-1(b)	
Cresylate spent caustic	CSC	5	N		III		.50-73, .55-1(b)	
Caustic soda solution	CSS	5	Y		III		.50-73, .55-1(j)	
Crotonaldehyde	CTA	19	Y	С		Т	.55-1(h)	
N,N-Dimethylacetamide	DAC	10	N	E	III	T	.56-1(b)	
2,4-Dichlorophenoxyacetic acid, dimethylamine saltsolution	DAD	0	Y		III	· ·	.56-1(a), (b), (c), (g)	
Diisobutylamine	DBU	7	N	D	III	Т	.55-1(c)	
Dichlorobenzenes (all isomers)	DBX	36	N	E	III	T	.56-1(a), (b)	
,1-Dichloroethane	DCH	36	N		III	v	No	
Dichloromethane	DCM	36	N	NF	111		No	
,4-Dichlorophenoxyacetic acid, dimethylamine saltsolution (70% or less)	DDA	0	Y	NF	III		.55-1(b)	
,4-Dichlorophenoxyacetic acid, diethanolamine saltsolution	DDE	43	N		III		.56-1(a), (b), (c), (g)	
Diethanolamine	DEA	8	N	E	III	V	.55-1(c)	
,2'-Dichloroethyl ether	DEE	41	N	D	11	V	.55-1(f)	
Diethylamine	DEN	7	N	С	111	Т	.55-1(c)	
Diethylenetriamine	DET	7	Υ	E	III	V	.55-1(c)	
Diisopropylamine	DIA	7	N	С	II	Т	.55-1(c)	
Diisopropanolamine	DIP	8	N	E	III	V	.55-1(c)	
Dimethylethanolamine	DMB	8	N	D	111	V	.56-1(b), (c)	
Dimethylformamide	DMF	10	N	D	111	V	.55-1(e)	

### Department of Homeland Security United States Coast Guard

Serial #: VN95013189 COI Ref: 03-Jan-01



# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: KIRBY 17001B Official #: D1036486

Page 2 of 3

Shipyard: NEWPARK SHI

Hull #: 9804

						1			
Cargo Identification					C	Conditions of Carriage			
Name	Chem Code	Group No	Exc	Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction		
Dichloropropene, Dichloropropane mixtures	DMX	15	N		11	V	No		
Di-n-propylamine	DNA	7	N	С	11	T	.55-1(c)		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	Ν	Ε	111		.56-1(b)		
1,1-Dichloropropane	DPB	36	Ν	С	111	Т	No		
1,3-Dichloropropane	DPC	36	Ν	С	111	Т	No		
,2-Dichloropropane	DPP	36	Ν	С	III	Т	No		
,3-Dichloropropene	DPU	15	Ν	D	11	Т	No		
2,4-Dichlorophenoxyacetic acid, triisopropanolaminesalt solution	DTI	43	Υ		III		.56-1(a), (b), (c), (g)		
Ethyl acrylate	EAC	14	N	С	111	V	.50-70(a), .50-81(a), (b)		
2-Ethylhexyl acrylate	EAI	14	Ν	E	111	V	.50-70(a), .50-81(a), (b)		
Ethylamine solution (72% or less)	EAN	7	N	Α	11	Т	.55-1(b)		
N-Ethylbutylamine	EBA	7	Ν	С	III	Т	.55-1(b)		
N-Ethylcyclohexylamine	ECC	7	N	D	111	V	.55-1(b)		
Ethylenediamine	EDA	7	Υ	D	111	V	.55-1(c)		
Ethylene dichloride	EDC	36	Υ	С	III	V	No		
Ethylene glycol monoalkyl ethers	EGC	40	N	D/E	III	V	No		
Ethylene glycol propyl ether	EGP	40	N	E	111		No		
-Ethyl-3-propylacrolein	EPA	19	Υ	E	III	V	No		
Ethylene cyanohydrin	ETC	20	N	E	III	V	No		
ithyl methacrylate	ETM	14	N	С	III	V	.50-70(a)		
urfural	FFA	19	N	E	III	V	.55-1(h)		
Formic acid	FMA	4	Υ	 E	III		.50-73, .55-1(i)		
ormaldehyde solution (37% to 50%)	FMS	19	Y	D/E	III	V	.55-1(h)		
Glutaraldehyde solution (50% or less)	GTA	19	N	NF	III	T	No		
Hexamethylenediamine solution	НМС	7	N	E	III	v	.55-1(c)		
Hexamethyleneimine	HMI	7	N	c	11	v	.56-1(b), (c)		
sodecyl acrylate	IAI	14	N	E	111		.50-70(a), .50-81(a), (b), .55-1(c)		
soprene, Pentadiene mixture	IPN	30	N	A	111		.50-70(a), .55-1(c)		
so-Propylamine	IPP	7	N	A	11		.55-1(c)		
soprene	IPR	30	N	A			.50-70(a), .50-81(a), (b)		
(raft pulping liquors (free alkali content 3% or more)	KPL	5	N				.50-73, .56-1(a), (c), (g)		
Methyl acrylate	MAM	14	N	С		V	.50-70(a), .50-81(a), (b)		
Methylcyclopentadiene dimer	MCK	30	N	-C	 III		No No		
Methyl diethanolamine	MDE	8	N	E	111		.56-1(b), (c)		
Ethanolamine	MEA	8		E	111		.55-1(c)		
-Methyl-5-ethylpyridine		9	N				.55-1(e)		
	MEP		N	E			.50-70(a), .50-81(a), (b)		
Methyl methacrylate	MMM	14	N	C	111		.55-1(c)		
so-Propanolamine  Morpholine	MPA	8	N	E			.55-1(c)		
Morpholine  Mothylpyridine	MPL	7	Y	D	!!!				
P-Methylpyridine	MPR	9	N	D	111		.55-1(c) No		
Mesityl oxide	MSO	18	Y	D	111	V	.50-70(a), .50-81(a), (b)		
Ilpha-Methylstyrene	MSR	30	N	D	111		.50-73		
Coal tar naphtha solvent	NCT	33	N	D	111		.50-73		
- or 2-Nitropropane	NPM	42	N	D	111	V			
Propanolamine (iso-, n-)	PAX	8	N	E	111	V	.56-1(b), (c)		
Pentachloroethane	PCE	36	N		!!!		No 50.70(-) 50.04		
1,3-Pentadiene	PDE	30	N			V	.50-70(a), .50-81		
Polyethylene polyamines	PEB	7	Y	E		V	.55-1(e)		
Perchloroethylene	PER	36	N	NF			No 50.72 55.44=)		
Propionic acid	PNA	4	N	D	III	V	.50-73, .55-1(g)		





Serial #: VN95013189 COI Ref: 03-Jan-01

# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: KIRBY 17001B
Official #: D1036486

Page 3 of 3

Shipyard: NEWPARK SHI

Hull #: 9804

Cargo Identification						C	onditions of Carriage
Compat				Conditions of Carriage			
Name	Chem Code	Group No		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Pyridine	PRD	9	N	С	111	V	.55-1(e)
Salicylaldehyde	SAL	19	N	E			
Sodium aluminate solution (45% or less)	SAU	5	Ν		Ш		.50-73, .56-1(a), (b), (c)
Sodium chlorate solution (50% or less)	SDD	0	Υ	NF	111		.50-73
Sodium hypochlorite solution (20% or less)	SHQ	5	N	NF	Ш		.50-73, .56-1(a), (b)
Sodium sulfide, hydrosulfide solution (H2S 15 ppm orless)	SSH	0	Υ		III		.50-73, .55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than15 ppm but less than 200 ppm)	SSI	0	Υ		III		.50-73, .55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than200 ppm)	SSJ	0	Υ		11		.50-73, .55-1(b)
Styrene (crude)	STX	30	N	С	Ш	V	No
Styrene monomer	STY	30	N	D	III	V	.50-70(a), .50-81(a), (b)
Trichloroethylene	TCL	36	Υ		III	V	No
1,1,2-Trichloroethane	TCM	36	N		III	V	.50-73, .56-1(a)
1,2,3-Trichloropropane	TCN	36	N	E	II	Т	.50-73, .56-1(a)
Triethanolamine	TEA	8	Υ	E	Ш	V	.55-1(b)
1,1,2,2-Tetrachloroethane	TEC	36	N	NF	111		No
Triethylamine	TEN	7	N	С	11	Т	.55-1(e)
Triethylenetetramine	TET	7	Υ	Е	111	V	.55-1(b)
Tetrahydrofuran	THF	41	N	С	III	V	.50-70(b)
Triphenylborane (10% or less), caustic soda solution	TPB	5	N		111		.56-1(a), (b), (c)
Tetraethylenepentamine	TTP	7	N	E	III	V	.55-1(c)
Urea, Ammonium nitrate solution (containing more than2% Ammonia)	UAS	6	N		III		.56-1(b)
Vinyl acetate	VAM	13	N	С	III	V	.50-70(a), .50-81(a), (b)
Vanillin black liquor (free alkali content 3% or more)	VBL	5	N		III		.50-73, .56-1(a), (c), (g)
Vinyltoluene	VNT	13	N	D	III	V	.50-70(a), .50-81, .56-1(a), (b), (c), (g)

#### Explanation of terms & symbols used in the Table:

Cargo I	dontifi	catio

Name

The proper shipping name as listed in 46 CFR Table 151.05.

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Exceptions (Exc)

Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A, B, C D, E NA, NF Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type I II

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriag

Note

See Certificate of Inspection for explaination of symbols used in this column.