



**United States of America  
Department of Homeland Security  
United States Coast Guard**

Certification Date: 19 Dec 2023  
Expiration Date: 19 Dec 2024

# Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name	Official Number	IMO Number	Call Sign	Service
KIRBY 17801	607890			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
WILMINGTON, DE	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
TAMPA, FL	01Jan1979	01Oct1978	R-2084	R-2084		R-240.0
UNITED STATES			I-	I-		I-0

Owner	Operator
KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES	KIRBY INLAND MARINE, LP 18350 MARKET STREET CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

**Route Permitted And Conditions Of Operation:**  
**---Lakes, Bays, and Sounds---**

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth & Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

**\*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\***

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: <i>L. L. Woodman</i> L. L. WOODMAN, CDR, USCG, By direction Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur Inspection Zone
Date	Zone	A/P/R	Signature	



# Temporary Certificate of Inspection

Vessel Name: KIRBY 1782

### ---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Dec2028	28Dec2018	30May2008
Internal Structure	31Dec2028	19Dec2023	28Dec2018

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: LFG AND SPECIFIED HAZARDOUS CARGO

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
17308	Barrels	LFG	Yes	No	No

### \*Hazardous Bulk Solids Authority\*

Not Authorized

### \*Loading Constraints - Structural\*

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
P.C.S (PPL)	475	4.300
P.C.S (BDI)	512	5.200

### \*Conditions Of Carriage\*

#### \*Loading Constraints - Stability\*

Hull Type	Max Load (S/T)	Max Draft (ft/in)	Max Density (lbs/gal)	Route
II (BDI)	1789	8'4.6"	5.2	LBS. R. LC (0-12)
II (PPL)	1425	7'5.5"	4.3	LBS. R. LC (0-12)

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN80014207 dated 11FEB00, may be carried.

Inspected and approved for the carriage of specified liquefied flammable gases at a pressure not to exceed 260 PSIG relief valve setting and at temperatures 0-115 degrees Fahrenheit.

### --- Inspection Status ---

#### \*Cargo Tanks\*

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
P,C,S (PPL)	30May2008	28Dec2018	31Dec2028	23Oct2020	28Jul2022	31Jul2024
P,C,S (BDI)	30May2008	28Dec2018	31Dec2028	23Oct2020	28Jul2022	31Jul2024
				Hydro Test		
Tank Id	Safety Valves		Previous	Last	Next	
P,C,S (PPL)	14Nov2023		-	-	-	
P,C,S (BDI)	14Nov2023		-	-	-	

### ---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery



United States of America  
Department of Homeland Security  
United States Coast Guard

Certification Date:	19 Dec 2023
Expiration Date:	19 Dec 2024

# Temporary Certificate of Inspection

Vessel Name: KIRBY 17801

## --- Fire Fighting Equipment ---

### \*Fire Extinguishers - Hand portable and semi-portable\*

Quantity	Class Type
1	B-II

\*\*\*END\*\*\*



# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: KIRBY 17801

Shipyard: MISNER INDUSTRIES I

Official #: D607890

Page 1 of 1

Hull #: 116

### List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 48 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
<b>Authorized Subchapter O Cargoes</b>							
Butadiene	BDI	30	N	LFG	II		.50-70(e), .50-73
Propylene	PPL	30	N	LFG			

### Explanation of terms & symbols used in the Table:

#### Cargo Identificatio

- Name** The proper shipping name as listed in 48 CFR Table 151.05.
- Chem Code** The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatability Group No.** The cargo reactive group number assigned for compatibility determinations in 48 CFR Part 150 Tables I and II. In accordance with 48 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 48 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 48 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc)** Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 48 CFR Part 150.
- Grade** The cargo classification assigned to each flammable or combustible liquid. Grades inside of "( )" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
- A, B, C** Flammable liquid cargoes, as defined in 48 CFR 30-10.22.
- D, E** Combustible liquid cargoes, as defined in 48 CFR 30-10.15.
- NA, NF** Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
- #** No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type** The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 48 CFR 151.10-1.
- I** Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 48 CFR 151.10-1(b)(1).
- II** Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 48 CFR 151.10-1(b)(3).
- III** Designed to carry products of sufficient hazard to require a moderate degree of control. See 48 CFR 151.10-1(b)(4).

#### Conditions of Carriage

- Note** See Certificate of Inspection for explanation of symbols used in this column.