



**United States of America  
Department of Homeland Security  
United States Coast Guard**

Certification Date: 21 Sep 2023  
Expiration Date: 21 Sep 2024

# Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name	Official Number	IMO Number	Call Sign	Service
KIRBY 20851	500478			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
WILMINGTON, DE	Steel		Unknown
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
HOUSTON, TX	01Jan1965		R-2481	R-2481		R-278.0
UNITED STATES			I-	I-		I-0

Owner	Operator
KIRBY INLAND MARINE LP 18350 MARKET ST CHANNELVIEW, TX 77530 UNITED STATES	KIRBY INLAND MARINE LP 18350 MARKET ST. CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

**Route Permitted And Conditions Of Operation:**  
**---Lakes, Bays, and Sounds---**

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 91.40-3(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals as per 46 CFR 91.40-3(a) (1), and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamline Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

**\*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\***

With this Inspection for Certification having been completed at **UNITED STATES**, the Officer in Charge, Marine Inspection, Sector Lower Mississippi River certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: <b>G. S. Gertiser, LCDR, USCG</b> By direction _____ Officer in Charge, Marine Inspection <b>Sector Lower Mississippi River</b> _____ Inspection Zone
Date	Zone	A/P/R	Signature	



# Temporary Certificate of Inspection

Vessel Name: KIRBY 20851

### ---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	30Sep2028	06Sep2018	12Jun2008
Internal Structure	30Sep2028	06Sep2023	07Sep2018

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: LIQUEFIED FLAMMABLE GASES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
20408	Barrels	LFG	Yes	No	No

#### \*Hazardous Bulk Solids Authority\*

#### \*Loading Constraints - Structural\*

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	1200	5.69
2	1200	5.69

#### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	2400	0ft 0in	5.69	
II	2400	0ft 0in	5.69	

#### \*Conditions Of Carriage\*

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN80008074, dated 15FEB00 may be carried.

Inspected and approved for the carriage of anhydrous ammonia at a pressure not to exceed 25 PSIG and a temperature not less than -50 degrees fahrenheit.

### --- Inspection Status ---

#### \*Cargo Tanks\*

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1	28Feb2013	06Sep2018	30Sep2028	28Feb2013	06Sep2018	30Sep2028
2	28Feb2013	06Sep2018	30Sep2028	28Feb2013	06Sep2018	30Sep2028

#### Hydro Test

Tank Id	Safety Valves	Previous	Last	Next
1	13Jul2023	-	-	-
2	13Jul2023	-	-	-

### ---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

### --- Fire Fighting Equipment ---



# Temporary Certificate of Inspection

Vessel Name: KIRBY 20851

**\*Fire Extinguishers - Hand portable and semi-portable\***

Quantity	Class Type
2	40-B

\*\*\*END\*\*\*



Department of Transportation  
United States Coast Guard

Serial #: VN80008074  
COI Ref: 15-Feb-00

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: B 2400A  
Official #: D500478

Page 1 of 1

Shipyard: PORT HOUST  
Hull #: 233

### List of Authorized Cargoes

Name	Cargo Identification					Conditions of Carriage	
	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 48 CFR 151 General and Matters of Construction
		Group No	Exc				
<b>Authorized Subchapter O Cargoes</b>							
Ammonia, anhydrous	AMA	6	N	LCG	II		.50-30, .50-32
Ammonia, anhydrous	AMA	6	N	LCG	II		.40-1(B)(1), .50-30, .50-32

### Explanation of terms & symbols used in the Table:

#### Cargo Identification

- Name** The proper shipping name as listed in 48 CFR Table 151.05.
- Chem Code** The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibility Group No.** The cargo reactive group number assigned for compatibility determinations in 48 CFR Part 150 Tables I and II. In accordance with 48 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 48 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 48 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc)** Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 48 CFR Part 150.
- Grade** The cargo classification assigned to each flammable or combustible liquid. Grades inside of "[ ]" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
- A, B, C** Flammable liquid cargoes, as defined in 48 CFR 30-10.22.
- D, E** Combustible liquid cargoes, as defined in 48 CFR 30-10.15.
- NA, NF** Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
- g** No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type** The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 48 CFR 151.10-1.
- I** Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 48 CFR 151.10-1(b)(1).
- II** Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 48 CFR 151.10-1(b)(3).
- III** Designed to carry products of sufficient hazard to require a moderate degree of control. See 48 CFR 151.10-1(b)(4).

#### Conditions of Carriage

**Note** See Certificate of Inspection for explanation of symbols used in this column.

\*\*\* This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*