



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date: 13 Sep 2019
Expiration Date: 13 Sep 2020

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

| | | | | |
|-------------|-----------------|------------|-----------|------------|
| Vessel Name | Official Number | IMO Number | Call Sign | Service |
| KIRBY 24703 | 1027117 | | | Tank Barge |

| | | | |
|---------------|---------------|------------|------------|
| Hailing Port | Hull Material | Horsepower | Propulsion |
| HOUSTON, TX | Steel | | |
| UNITED STATES | | | |

| | | | | | | |
|--------------|---------------|----------------|------------|----------|-----|---------|
| Place Built | Delivery Date | Keel Laid Date | Gross Tons | Net Tons | DWT | Length |
| MADISONVILLE | 13Jan1995 | 13Nov1994 | R-1406 | R-1406 | | R-299.6 |
| | | | I- | I- | | I-0 |

| | |
|--|--|
| Owner | Operator |
| KIRBY INLAND MARINE, LP 55 Waugh Drive Suite 1000 Houston, TX 77007 UNITED STATES | KIRBY INLAND MARINE, LP 16402 1/2 DEZAVALA RD CHANNELVIEW, TX 77530 UNITED STATES |

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

| | | | |
|----------------------------|----------------------|------------------------------|----------|
| 0 Masters | 0 Licensed Mates | 0 Chief Engineers | 0 Oilers |
| 0 Chief Mates | 0 First Class Pilots | 0 First Assistant Engineers | |
| 0 Second Mates | 0 Radio Officers | 0 Second Assistant Engineers | |
| 0 Third Mates | 0 Able Seamen | 0 Third Assistant Engineers | |
| 0 Master First Class Pilot | 0 Ordinary Seamen | 0 Licensed Engineers | |
| 0 Mate First Class Pilots | 0 Deckhands | 0 Qualified Member Engineer | |

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

| | | | | |
|-------------------------------|------|-------|-----------|---|
| Annual/Periodic/Re-Inspection | | | | This certificate issued by: E. M. CARRERO CDR, USCG, BY DIRECTION Officer in Charge, Marine Inspection Houston-Galveston Inspection Zone |
| Date | Zone | A/P/R | Signature | |
| | | | | |
| | | | | |
| | | | | |



Temporary Certificate of Inspection

Vessel Name: KIRBY 24703

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

| Exam Type | Next Exam | Last Exam | Prior Exam |
|--------------------|-----------|-----------|------------|
| DryDock | 12Jun2024 | 12Jun2014 | 30Sep2004 |
| Internal Structure | 30Sep2024 | 04Sep2019 | 12Jun2014 |

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

| Total Capacity | Units | Highest Grade Type | Part151 Regulated | Part153 Regulated | Part154 Regulated |
|----------------|---------|--------------------|-------------------|-------------------|-------------------|
| 24959 | Barrels | A | Yes | No | No |

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

| Tank Location Description | Max Cargo Weight per Tank (short tons) | Maximum Density (lbs/gal) |
|---------------------------|--|---------------------------|
| 3 P/S | 688 | 13.600 |
| 1 & 2 P/S | 736 | 13.600 |

Loading Constraints - Stability

| Hull Type | Maximum Load (short tons) | Maximum Draft (ft/in) | Max Density (lbs/gal) | Route Description |
|-----------|---------------------------|-----------------------|-----------------------|--------------------------------|
| III | 4116 | 11ft 0in | 13.6 | RIVERS, LAKES, BAYS AND SOUNDS |
| II | 3071 | 9ft 6in | 13.6 | RIVERS, LAKES, BAYS AND SOUNDS |
| II | 3071 | 9ft 6in | 13.6 | RIVERS |
| III | 4116 | 11ft 0in | 13.6 | RIVERS |

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN94016208, dated 04Oct01, and Grade "A" and lower cargoes may be carried

Vapor Control Authorization

This vessel's vapor control system has been inspected to the plans approved by the Marine Safety Center letter(s) serial # M-20534 dated 10Jul92, and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in those (or that) letter(s), and those specified hazardous cargoes annotated with either "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. An overfill alarm is required by 46 CFR 39.20-7.

Stability & Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter 'O' cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.



Temporary Certificate of Inspection

Vessel Name: KIRBY 24703

Tandem Loading

In accordance with 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

--- Inspection Status ---

Cargo Tanks

| Tank Id | Internal Exam | | | External Exam | | |
|-----------|---------------|-----------|-----------|---------------|------|------|
| | Previous | Last | Next | Previous | Last | Next |
| 3 P/S | 30Sep2004 | 12Jun2014 | 12Jun2024 | - | - | - |
| 1 & 2 P/S | 30Sep2004 | 12Jun2014 | 12Jun2024 | - | - | - |

Hydro Test

| Tank Id | Safety Valves | Previous | Last | Next |
|-----------|---------------|----------|------|------|
| 3 P/S | - | - | - | - |
| 1 & 2 P/S | - | - | - | - |

---Lifesaving Equipment---

Total Equipment for 0 Persons

| Primary Lifesaving Equipment | Quantity | Capacity | | Required |
|------------------------------------|----------|----------|--------------------------|----------|
| Lifeboats (Total) | 0 | 0 | Life Preservers (Adult) | 0 |
| Lifeboats (Port) | 0 | 0 | Life Preservers (Child) | 0 |
| Lifeboats (Starboard) | 0 | 0 | Ring Buoys (Total) | 0 |
| Motor Lifeboats | 0 | 0 | With Lights | 0 |
| Lifeboats With Radio | 0 | 0 | With Line Attached | 0 |
| Rescue Boats/Platforms | 0 | 0 | Other | 0 |
| Inflatable Rafts | 0 | 0 | Immersion Suits | 0 |
| Life Floats/Buoyant App | 0 | 0 | Portable Lifeboat Radios | 0 |
| Inflatable Buoyant Apparatus (IBA) | 0 | 0 | Equipped With EPIRB? | NO |

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Number of Fireman Outfits - 0

Fire Extinguishers - Hand portable and semi-portable

| Quantity | Class Type |
|----------|------------|
| 2 | B-II |

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 24703
Official #: D1027117

Page 1 of 2

Shipyard: TRINITY MARINE GRO
Hull #: 1994-2

List of Authorized Cargoes

| Cargo Identification | | | | | | | Conditions of Carriage | |
|--|-----------|----------|-----|-------|-----------|------|---|--|
| Name | Chem Code | Compat | | Grade | Hull Type | Note | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | |
| | | Group No | Exc | | | | | |
| Authorized Subchapter O Cargoes | | | | | | | | |
| Acrylonitrile | ACN | 15 | Y | C | II | T | .50-70(a), .55-1(e) | |
| Adiponitrile | ADN | 37 | N | E | II | V | No | |
| Anthracene oil (Coal tar fraction) | AHO | 33 | N | | II | | No | |
| Acetonitrile | ATN | 37 | N | C | III | T | No | |
| Butyl acrylate (all isomers) | BAR | 14 | N | D | III | V | .50-70(a), .50-81(a), (b) | |
| Benzene hydrocarbon mixtures (having 10% Benzene or more) | BHB | 32 | N | | III | V | .50-60 | |
| Butyl methacrylate | BMH | 14 | N | D | III | V | .50-70(a), .50-81(a), (b) | |
| Benzene | BNZ | 32 | N | C | III | V | .50-60 | |
| Benzene, Toluene, Xylene mixtures (having 10% Benzene or more) | BTX | 32 | N | B/C | III | V | .50-60 | |
| Carbon tetrachloride | CBT | 36 | N | | III | | No | |
| Cyclohexanone | CCH | 18 | N | D | III | V | .56-1(a), (b) | |
| Creosote (all isomers) | CCW | 21 | Y | E | III | V | No | |
| Camphor oil (light) | CPO | 18 | N | D | II | V | No | |
| Chlorobenzene | CRB | 36 | N | D | III | V | No | |
| Chloroform | CRF | 36 | N | E | III | | No | |
| Cresols (all isomers) | CRS | 21 | N | E | III | | No | |
| Creosylic acid tar | CRX | 21 | N | | III | V | .55-1(f) | |
| Cyclopentadiene, Styrene, Benzene mixture | CSB | 30 | N | D | III | V | .50-60, .56-1(b) | |
| N,N-Dimethylacetamide | DAC | 10 | N | E | III | T | .56-1(b) | |
| Dichlorobenzenes (all isomers) | DBX | 36 | N | E | III | T | .56-1(a), (b) | |
| 1,1-Dichloroethane | DCH | 36 | N | C | III | V | No | |
| Dichloromethane | DCM | 36 | N | NF | III | | No | |
| 2,2'-Dichloroethyl ether | DEE | 41 | N | D | II | V | .55-1(f) | |
| Dimethylformamide | DMF | 10 | N | D | III | V | .55-1(e) | |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | N | | II | V | No | |
| Dodecyltrimethylamine, Tetradecyltrimethylamine mixture | DOT | 7 | N | E | III | | .56-1(b) | |
| 1,1-Dichloropropane | DPB | 36 | N | C | III | T | No | |
| 1,3-Dichloropropane | DPC | 36 | N | C | III | T | No | |
| 1,2-Dichloropropane | DPP | 36 | N | C | III | T | No | |
| 1,3-Dichloropropene | DPU | 15 | N | D | II | T | No | |
| Ethyl acrylate | EAC | 14 | N | C | III | V | .50-70(a), .50-81(a), (b) | |
| 2-Ethylhexyl acrylate | EAI | 14 | N | E | III | V | .50-70(a), .50-81(a), (b) | |
| Ethylene dichloride | EDC | 36 | Y | C | III | V | No | |
| Ethylene glycol propyl ether | EGP | 40 | N | E | III | V | No | |
| Ethylene cyanohydrin | ETC | 20 | N | E | III | V | No | |
| Ethyl methacrylate | ETM | 14 | N | C | III | V | .50-70(a) | |
| Glutaraldehyde solution (50% or less) | GTA | 19 | N | NF | III | | No | |
| Isoprene | IPR | 30 | N | A | III | V | .50-70(a), .50-81(a), (b) | |
| Methyl acrylate | MAM | 14 | N | C | III | V | .50-70(a), .50-81(a), (b) | |
| 2-Methyl-5-ethylpyridine | MEP | 9 | N | E | III | V | .55-1(e) | |
| Methyl methacrylate | MMM | 14 | N | C | III | V | .50-70(a), .50-81(a), (b) | |
| Mesityl oxide | MSO | 18 | Y | D | III | V | No | |
| alpha-Methylstyrene | MSR | 30 | N | D | III | V | .50-70(a), .50-81(a), (b) | |
| Coal tar naphtha solvent | NCT | 33 | N | D | III | | .50-73 | |
| 1,3-Pentadiene | PDE | 30 | N | A | III | V | .50-70(a), .50-81 | |
| Polyethylene polyamines | PEB | 7 | Y | E | III | V | .55-1(e) | |
| Perchloroethylene | PER | 36 | N | NF | III | | No | |
| Pyridine | PRD | 9 | N | C | III | V | .55-1(e) | |

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 24703
Official #: D1027117

Page 2 of 2

Shipyard: TRINITY MARI
Hull #: 1994-2

| Cargo Identification | | | | | | Conditions of Carriage | |
|---|-----------|----------|-----|-------|-----------|------------------------|--|
| Name | Chem Code | Compat | | Grade | Hull Type | Nota | Special Requirements in 46 CFR 151 General and Mat's of Construction |
| | | Group No | Exc | | | | |
| Sodium chlorate solution (50% or less) | SDD | 0 | Y | NF | III | | .50-73 |
| Sodium hypochlorite solution (20% or less) | SHQ | 5 | N | NF | III | | .50-73, .56-1(a), (b) |
| Styrene (crude) | STX | 30 | N | C | III | | No |
| Styrene monomer | STY | 30 | N | D | III | V | .50-70(a), .50-81(a), (b) |
| Trichloroethylene | TCL | 36 | Y | | III | | No |
| 1,1,2-Trichloroethane | TCM | 36 | N | | III | V | .50-73, .56-1(a) |
| 1,2,3-Trichloropropane | TCN | 36 | N | E | II | T | .50-73, .56-1(a) |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | N | NF | III | | No |
| Urea, Ammonium nitrate solution (containing more than 2% Ammonia) | UAS | 6 | N | | III | | .56-1(b) |
| Vinyl acetate | VAM | 13 | N | C | III | V | .50-70(a), .50-81(a), (b) |

Explanation of terms & symbols used in the Table:

Cargo Identification

- Name: The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code: The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibility Group No.: The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc): Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade: The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
 - A, B, C: Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
 - D, E: Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
 - NA, NF: Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
 - #: No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type: The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
 - I: Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
 - II: Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
 - III: Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

Note: See Certificate of Inspection for explanation of symbols used in this column.