

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 05 Apr 2023 Expiration Date: 05 Apr 2024

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the

receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection. Call Sign Vessel Name IMO Number **KIRBY 27724** 1166473 Tank Barge Hailing Port Hull Material Horsepower Propulsion WILMINGTON, DE Steel UNITED STATES Place Built DWT Delivery Date Keel Laid Date Gross Tons Net Tons Length ASHLAND CITY, TN R-300.0 R-1632 R-1632 19Apr2005 03Mar2005 1-0 **UNITED STATES** KIRBY INLAND MARINE LP KIRBY INLAND MARINE, LP 55 WAUGH DRIVE SUITE 1000 18350 MARKET STREET HOUSTON, TX 77007 CHANNELVIEW, TX 77530 UNITED STATES UNITED STATES This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators. 0 Masters 0 Licensed Mates 0 Chief Engineers 0 Oilers 0 Chief Mates 0 First Class Pilots 0 First Assistant Engineers 0 Second Mates 0 Radio Officers 0 Second Assistant Engineers 0 Third Mates 0 Able Seamen 0 Third Assistant Engineers 0 Ordinary Seamen 0 Master First Class Pilot 0 Licensed Engineers 0 Mate First Class Pilots 0 Deckhands 0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals as per 46 CFR 31.10-21(a)(1), and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at CHANNELVIEW, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Peri	odic/Re-Insp	ection	This certificate issued by
Zone	A/P/R	Signature	K. A. Hantal, CDR, USCG, By direction
			Officer in Charge, Marine Inspection
			Marine Safety Unit Port Arthur
			Inspection Zone
	a wordstate take	a was designed in the second and the second second	Zone A/P/R Signature



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 05 Apr 2023 **Expiration Date:** 05 Apr 2024

Temporary Certificate of Inspection

Vessel Name: KIRBY 27724

H	ul	I Exams
---	----	---------

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Apr2033

05Apr2023

31Jul2015

Internal Structure

30Apr2028

05Apr2023

31Jul2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED DANGEROUS CARGOES.

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

28484

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1S .	812	8.9
1P	812	8.9
2 S	810	8.9
2P	810	8.9
3S	750	8.9
3P*,	750	8.9

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	3526	9ft 6in	8.9	
11	3526	9ft 6in	8.9	
111	4521	11ft 6in	8.9	
Ш	4521	11ft 6in	8.9	

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-2203899 dated 12 DEC 2022 may be carried and then only in the tanks indicated.

Per 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR, Part 150, are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR, Part 150, in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's Cargo Authority.

In accordance with 46 CFR Part 39, excluding part 39,4000 and 39,5000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial No. C1-2203899 dated December 12, 2022, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Stability and Trim

The maximum design density of cargo which may be filled to the tank top is 8.745 LBS/GAL. Cargoes with higher densities, up to 8.91 LBS/GAL., may be carried as slack loads, but shall not exceed the tank weight limits as listed above.



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date:

05 Apr 2023 05 Apr 2024

Expiration Date:

Temporary Certificate of Inspection

Vessel Name: KIRBY 27724

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

A thermal fluid heater (TFH) is installed inside the hazardous area. A TFH can only be energized and used when carrying cargoes with flashpoints greater than 60 degrees C (140 degrees F). Approved TFH securing procedures should be maintained onboard and shall be followed when carrying a cargo with a flashpoint lower than 60 degrees C (140 degrees F).

--- Inspection Status ---

Cargo Tanks

-	Internal Exar	n		External Exa	am	
Tank Id	Previous	Last	Next	Previous	Last	Next
1S	31Jul2015	05Apr2023	30Apr2033	5		5
1P	31Jul2015	05Apr2023	30Apr2033	₩.	₹.	5.
2S +	31Jul2015	05Apr2023	30Apr2033	7	7	⟨₹:
2P	31Jul2015	05Apr2023	30Apr2033	Ē	4	2
3S	31Jul2015	05Apr2023	30Apr2033	3	3	
3P	31Jul2015	05Apr2023	30Apr2033	-	<u>=</u>	<u>(2</u>
			Hydro Test			ŭ.
*Fank Id	Safety Valve	s	Previous	Last	Next	
1S	54)			- N	=	
1P	T/2		₹.		75	
28	<u> </u>		<u>\$</u>)	3	÷	5
2P	Ξ.		2	8	2	
3S	=		<u> </u>	2	2	
3P	=		23	2	2	

Boilers/Steam Piping

Maximum Steam Pressure Allowed: 90

	Hydro Inspe	ection		Mountings I	nspection	
Boiler/Piping ID	Previous	Last	Next	Opened	Removed	
800SB-0502-1234	3	19Apr2005	25			
	Fireside Ins	pection		Waterside I	nspection	
Boiler/Piping ID	Previous	Last	Next	Previous	Last	Next
800SB-0502-1234	ω.	-	-		-	

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

3

40-B

END

^{*}Benzene Program*

^{*}Thermal Fluid Heater Restriction*

Serial #:

C1-2203899

Dated: 12-Dec-22



Certificate of Inspection

Cargo Authority Attachment

Official #: 1166473

Shipyard: Trinity Ashland City

Hull #: 4487

Tan	ank Group Information Cargo Identification			Tanks			Cargo Transfer		Environmental Control		Special Requirements							
Tnk Grp	Tanks in Group	Density	Press.	Temp.	Hull Typ	Cargo Seg Tank	-	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A	#1 - #3 P/S	8.91	Almos.	Amb.	11	1ii 2ii	Integral Gravity	PV	Restr.	it	G-1	NR	NA	Portable	40-1(f)(1), .50-73, .50-86,	55-1(h), (j), 56-1(a), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identificat			Condi	tions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor R App'd (Y or N)	ecovery VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes										
Bis(2-ethylhexyl) terephthalate	PEC	34	D/O	E	j)	Α	No	N/A	No	G
Olefins (C13+, all isomers)	OFZ	30	D/O	Ε	111	Α	Yes	1		G
Acetonitrile	ATN	37	0	С	111	Α	Yes	3	Na	G
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	o
Alkyl (C7-C9) nitrates	AKN	34 2	0	NA	111	Α	No	N/A	.50-81, .50-86	G
Benzene, C10-16 alkyl derivatives	BEN	32	0	D	111	A	No	N/A		G
Butyl acrylate (all isomers)	BAR	14	0	D	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Butyl methacrylate	вмн	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	a
Butyraldehyde (all isomers)	BAE	19	0	С	HI	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G
Coal tar naphtha solvent	NCT	33	0	D	III	Α	Yes	1	.50-73	G
Creosote	ccw	21 2	0	E	111	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No	G
Crotonaldehyde	CTA	19 ²	0	С	- 0	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	111	A	Yes	1	No	G
1-Dodecene	DDC	30	0	E	11	Α	No	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0	D	111	Α	No	N/A	No	G
Ethyl acrylate	EAC	14	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylene cyanohydrin	ETC	20	0	E	111	A	Yes	1	No	a
Ethylene glycol hexyl ether	EGH	40	0	Ε	111	Α	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	111	Α	Yes	1	No	G
Ethylene glycol propyl ether	EGP	40	0	E	111	Α	Yes	1	No	G
2-Ethylhexyl acrylate	EAI	14	0	E	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E	UL	Α	Yes	2	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	111	Α	Yes	1	No	G
Isoprene	IPR	30	0	Α	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
Mesityl oxide	MSO	18 ²	0	D	111	A	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	111	Α	Yes	1	No	G
Methyl methacrylate	MMM	14	0	С		Α	Yes	2	.50-70(a), .50-81(a). (b)	G
alpha-Methylstyrene	MSR	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
1- or 2-Nitropropane	NPM	42	0	D	III	Α	Yes	1	.50-81	G
1.3-Pentadiene	PDE	30	0	Α	III	Α	No	N/A	.50-70(a), .50-81	G



Serial #: Dated: C1-2203899 12-Dec-22

Certificate of Inspection

Cargo Authority Attachment

Official #: 1166473

Page 2 of 7

Shipyard: Trinity Ashland City

Cargo Identification	Conditions of Carriage									
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	lecovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Sodium Methylate (30% or less) in Methyl Alcohol Mixture	SMS	20	0	D	111	A	No	N/A	No	4 yr
Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Tetrahydrofuran	THF	41	0	С	111	Α	Yes	1	.50-70(b)	G
Trisodium phosphate solution	TSP	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (c).	G
Vinyl acetate	VAM	13	0	С	Ш	A	Yes	2	50-70(a), 50-81(a), (b)	G
Vinyl neodecanoate	VND	13	0	E	111	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
Subchapter D Cargoes Authorized for Vapor Contro	ol									
Acetone	ACT	18 9	0	С		Α	Yes	1		
Acetophenone	ACP	18	D	Ε		Α	Yes	1		
Alcohol (C12-C16) poly(20+) ethoxylates	APW	20	D	E		Α	Yes	1		
Alcohol (C6-C17) (secondary) poly(3-6) ethoxylates	AEA	20	D	Ε		A	Yes	1		
Alcohol (C6-C17) (secondary) poly(7-12) ethoxylates	AEB	20	D	E		А	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		А	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1		
Benzyl acetate	BZE	34	D	E		Α	Yes	1		
Benzyl alcohol	BAL	21	D	E		A	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)aikylene(C2-C3) glycols Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFY	20	D	E		A	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Isobutyl alcohol	IAL	20 2	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 2	D	С		Α	Yes	1		
tert-Butyl Alcohol	BAT	20 2	D	С		А	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		А	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		A	Yes	4		
	CYE	31	D	c		A	Yes	1		
Cycloheptane	CHX	31	D	С		A	Yes	3		
Cyclohexane	Total College	255	2000			1000		1		
Cyclohexanol	CHN	20	D	E	_	A_	Yes			
Cyclohexyl acetate	CYC	34	D	D		A	Yes	_1_		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
Cyclopentane	CYP	31	D	В	-	A	Yes	. 1		
p-Cymene	CMP	32	D	D		A	Yes	1_		-
iso-Decaldehyde	IDA	19	۵	_ E		Α	Yes	1		
n-Decaldehyde .	DAL	19	D	E		Α	Yes	1		
Decanoic acid	DCO	4	D	#		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 2	D	E		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20 2	D	D		Α	Yes	1		

Serial #:

C1-2203899



Certificate of Inspection

Cargo Authority Attachment

Official #: 1166473

Page 3 of 7

Shipyard: Trinity Ashland City

Cargo Identification						Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period		
Dibutyl phthalate	DPA	34	D	E		Α	Yes	1				
Diethylbenzene	DEB	32	D	D		Α	Yes	1				
Diethylene glycol	DEG	40	D 5	E		Α	Yes	4				
Diisobutylene	DBL	30	۵	c		Α	Yes	1				
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1				
Diisopropylbenzene (all isomers)	DIX	32	D	E		Α	Yes	1				
Dimethyl phthalate	DTL	34	D	Ε		Α	Yes	1				
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1				
Dipentene	DPN	30	D	D		Α	Yes	1				
Diphenyl	DIL	32	D	D/E		Α	Yes	1				
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		Α	Yes	4				
Diphenyl ether	DPE	41	D	(E)		Α	Yes	- 1				
Dipropylene glycol	DPG	40	D	E		Α	Yes	1				
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	31				
Distillates: Straight run	DSR	33	D	E		А	Yes	4				
Dodecene (all isomers)	- DOZ	30	D	D		Α	Yes	- 1				
Dodecylbenzene	DDB	32	D	E		А	Yes	1				
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1				
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	4				
Ethyl acetate	ETA	34	D	С		Α	Yes	4				
Ethyl acetoacetate	EAA	34	D	E		А	Yes	1				
Ethyl alcohol	EAL	20 3	D	С		Α	Yes	1				
Ethylbenzene	ETB	32	D	С		Α	Yes	1				
Ethyl butanol	EBT	20	D	D		Α	Yes	1				
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	- 1				
Ethyl butyrate	EBR	34	D	D		A	Yes	1				
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1				
Ethylene glycol	EGL	20 2	D	E		Α	Yes	1				
Ethylene glycol bulyl ether acetate	EMA	34	D	E		Α	Yes	1				
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1				
Ethylene glycol phenyl ether	EPE	40	D	Ε		Α	Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1				
2-Ethylhexanol	EHX	20	D	E		A	Yes	1				
Ethyl propionate	EPR	34	D	С		Α	Yes	1				
Ethyl toluene	ETE	32	D	D	-	Α	Yes		- 11 W/W 21 1 - 12 2			
Formamide	FAM	10	D	E		Α	Yes	1				
Furfuryl alcohol	FAL	20 2		E		A	Yes	1				
Gasoline blending stocks: Alkylates	GAK	33	D	С		A	Yes	1				
Gasoline blending stocks: Reformates	GRF	33	D	c		A	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)		33	D	A/C		A	Yes	1				



Serial #: Dated:

C1-2203899 12-Dec-22

Certificate of Inspection

Cargo Authority Attachment

Official #: 1166473

Page 4 of 7

Shippard: Trinity Ashland City

Cargo Identification		Conditions of Carriage								
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) GAV	33	D	С		А	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1		
Gasolines: Polymer	GPL	33	D	С		Α	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1		
Glycerine	GCR	20	2 0	E		А	Yes	1		
Heptane (all isomers)	нмх	31	D	С		Α	Yes	1		11.00
n-Heptanoic acid	HEN	4	D	E		А	Yes	1	2. 1/2.	
Heptanol (all isomers)	HTX	20	D	D/E		A	Yes	1		
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2		
Heptyl acetate	HPE	34	D	E		A	Yes	1		
Hexane (all isomers)	HXS	31	D	B/C		Α	Yes	1		
Hexanoic acid	нхо	4	D	E		Α	Yes	1		
Hexanol	HXN	20	D	D		Α	Yes	1		
Hexene (all isomers)	HEX	30	D	С		А	Yes	2		
Hexylene glycol	HXG	20	D	E		Α	Yes	1		
Isophorone	IPH	18	D	E		Α	Yes	1		
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1		
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		
Kerosene	KRS	33	D	D		A	Yes	1		
Lauric acid	LRA	34	D	#		A	Yes	- 1		
Methyl acetate	MTT	34	D	D		Α	Yes	1		
Methyl alcohol	MAL	20	D	C		Α	Yes	1		
Methylamyl acetate	MAC	34	D	D		Α	Yes	1		
Methylamyl alcohol	MAA	20	D	D		A	Yes	1		
Methyl amyl ketone	MAK	18	D	D		A	Yes	1		
Methyl tert-butyl ether	MBE	41 8	D	С		A	Yes	1		
Methyl butyl ketone	мвк	18	D	C		Α	Yes	1		
Methyl butyrate	мви	34	D	С		Α	Yes	1		
Methylcyclohexane	MCY	31	D	С		Α	Yes	1		
Methyl ethyl ketone	MEK	18 3	D	С		Α	Yes	1		
Methyl heptyl ketone	мнк	18	D	D		А	Yes	1		
2-Methyl-2-hydroxy-3-butyne	МНВ	20	D	С		А	Yes	1		
Methyl isobutyl ketone	MIK	18 2	0.000	c		A	Yes	1		
Mineral spirits	MNS	33	D	D		A	Yes	1		
Myrcene	MRE	30	D	D		Α	Yes	1		
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		A	Yes	- 1		
Naphtha: Solvent	NSV	33	D	D		A	Yes	1		
Naphtha: Stoddard solvent	NSS	33	D	D		A	Yes	1		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	c		A	Yes	1		



Serial #: C1-2203899

12-Dec-22

Certificate of Inspection

Cargo Authority Attachment

Official #: 1166473

Page 5 of 7

Shipyard: Trinity Ashland City

Cargo Identification								Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'is of Construction	Insp. Period			
Neodecanoic acid	NEA	4	D	E		А	Yes	1					
Nonane (all isomers)	NAX	31	D	D		Α	Yes	1					
Nonene (all isomers)	NON	30	D	D		Α	Yes	2					
Nonyl alcohol (all isomers)	NNS	20 2	D	E		Α	Yes	1					
Nonyl phenol	NNP	21	D	E		Α	Yes	1					
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1					
Octane (all isomers)	OAX	31	D	С		Α	Yes	- 1					
Octanoic acid (all isomers)	OAY	4	D	E		Α	Yes	1					
Octanol (all isomers)	осх	20 2	. D	E		Α	Yes	1					
Octene (all isomers)	отх	30	D	С		Α	Yes	2					
Oil, fuel: No. 2	OTW	33	D	D/E		Α	Yes	1					
Oil, fuel: No. 2-D	ОТО	33	D	D		A	Yes	1					
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1	4.845 -95 X- 5 0 -5				
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1					
Oil, fuel: No. 6	osx	33	D	E		Α	Yes	1					
Oil, misc: Crude	OIL	33	D	A/D		A	Yes	-					
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1					
Oil, misc: Gas, high pour	OGP	list's	D	E		Α	Yes	-					
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1					
Oil, misc: Residual	ORL	33	D	E		A	Yes	1					
Oll, misc: Turbine	ОТВ	33	D	E		A	Yes	4					
alpha-Olefins (C6-C18) mixtures	OAM		D	E		Α	Yes	1					
Pentane (all isomers)	PTY	31	D	A		А	Yes	5					
Pentene (all isomers)	PTX	30	D	Α		Α	Yes	5					
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1					
alpha-Pinene	PIO	30	D	D		Α	Yes	1					
beta-Pinene	PIP	30	D	D		Α	Yes						
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether	PAG	40	D	E		A	Yes	-					
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	PAF	34	D	E		Α	Yes	4					
Polybutene	PLB	30	D	E		A	Yes	4					
Polypropylene glycol	PGC	40	D	E		A	Yes	4					
Propionaldehyde	PAD	19	D	С		Α	Yes	2					
Isopropyl acetate	IAC	34	D	С		A	Yes	9					
n-Propyl acetate	PAT	34	D	С		Α	Yes	4					
Isopropyl alcohol	IPA	20 2	W	c		A	Yes	i	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
n-Propyl alcohol	PAL	20 2		c		A	Yes	1					
Propylbenzene (all isomers)	PBY	32	D	D		A	Yes	4					
Isopropylcyclohexane	IPX	31	D	D		A	Yes	Ý.					
Propylene glycol	PPG	20 2	100	E		A	Yes	1					
Propylene glycol methyl ether acetate	PGN	-	D	D		A	Yes	1					
r repliere Bilest trienth same sectors	1.014	- 50.77				10.	1.03	(0).					



C1-2203899 Serial #:

12-Dec-22

Certificate of Inspection

Cargo Authority Attachment

Page 6 of 7 Official #: 1166473

Shipyard: Trinity Ashland City

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	Е		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	E		A	Yes	1_		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Tetramethylbenzene (all isomers)	TTC	32	D	#		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (containing less than 1% ortho isomer)	TCP	34	D	E		Α	Yes	1		
Triethylbenzene	TEB	32	D	Ε		Α	Yes	. 1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
2,2,4-Trimethyl-1,3-pentanediol-1-isobutyrate	TMP	34	D	E		Α	Yes	1		
Trixylyl phosphate	TRP	34	D	Ε		Α	Yes	1		
1-Undecene	UDC	30	D	D/E		Α	Yes	. 1		
Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes	XLX	32	D	D		Α	Yes	1		



Department of Homeland Security United States Coast Guard

Serial #: C1-2203899

12-Dec-22

Dated:

Certificate of Inspection

Cargo Authority Attachment

Official #: 1166473

Page 7 of 7

Shipyard: Trinity Ashland

Hull #: 4487

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

none

Compatability Group No.

Note 1

Note 2

Subchapter Subchapter D

Subchapter O

Grade

A, B, C DE Note 4

NA

Hull Type NA

The propper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-ENG-5), 2703 Martin Luther King Jr. Ave SE Stop 7509, Washington DC 20593-7509. Email: hazmatstandards@uscq.mil.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1 Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

Flammable liquid cargoes, as defined in 46 CFR 30-10.22.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 48 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vacor Recover Approved (Y ar N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.2011) and the pressure drop calculations (46 CFR 39.3001) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.2009. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5, (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5,

The cargo has not been evaluated/classified for use in vapor control systems