



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 21 Jul 2016
Expiration Date: 21 Jul 2021

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name KIRBY 28011	Official Number 1038971	IMO Number	Call Sign	Service Tank Barge		
Hailing Port WILMINGTON, DE UNITED STATES	Hull Material Steel	Horsepower	Propulsion			
Place Built HOUSTON TX, UNITED STATES	Delivery Date 21Feb1996	Keel Laid Date 31Oct1995	Gross Tons R-1619	Net Tons R-1619	DWT 10	Length R-297.5 10
Owner KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES	Operator KIRBY INLAND MARINE, LP 18350 Market St. CHANNELVIEW, TX 77530 UNITED STATES					

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

- | | | | |
|--|---|--|--|
| <input type="checkbox"/> Masters | <input type="checkbox"/> Licensed Mates | <input type="checkbox"/> Chief Engineers | <input type="checkbox"/> Qualified Member Engineer Depts |
| <input type="checkbox"/> Chief Mates | <input type="checkbox"/> First Class Pilots | <input type="checkbox"/> First Assistant Engineers | <input type="checkbox"/> Oilers |
| <input type="checkbox"/> Second Mates | <input type="checkbox"/> Radio Officers | <input type="checkbox"/> Second Assistant Engineers | <input type="checkbox"/> Crew Members |
| <input type="checkbox"/> Third Mates | <input type="checkbox"/> Able Seamen | <input type="checkbox"/> Third Assistant Engineers | |
| <input type="checkbox"/> Master First Class Pilots | <input type="checkbox"/> Ordinary Seamen | <input type="checkbox"/> Licensed Engineers | |
| <input type="checkbox"/> Mate First Class Pilots | <input type="checkbox"/> Deckhands | <input type="checkbox"/> Non Licensed Engineer Depts | |

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval as per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted as per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur Texas UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				Signature	This certificate issued by: <i>L. T. O'Brien</i> L. T. O'BRIEN, CDR, USCG, By direction
Date	Zone	A/P/R			
8-31-17	BRCA TBSIP	A		<i>[Signature]</i>	Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur Inspection Zone
10-20-18	HOU-GALV	P		<i>[Signature]</i>	
5-8-19	BR TBSIP	A		<i>[Signature]</i>	
5-6-20	BR TBSIP	A		<i>[Signature]</i>	



Certificate of Inspection

Vessel Name: KIRBY 28011

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	21Jul2026	21Jul2016	12Apr2006
Internal Structure	21Jul2021	21Jul2016	01Jun2011

---Stability---

Type	Issued Date	Office
Book	None Valid	
Letter	None Valid	

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE, COMBUSTIBLE AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
29600		A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Maximum Load (short tons)	Maximum Density (lbs/gal)
1 P/S	824	15.00
2 P/S	838	15.00
3 P/S	775	15.00

Loading Constraints - Stability

Hull Type	Max Cargo Weight/Tank (short tons)	Maximum Draft (Ft/In)	Max Density (lbs/gal)	Route Description
III	4642	11ft 9in	15.00	
II	3776	10ft 0in	15.00	
II	3776	10ft 0in	15.00	
III	4642	11ft 9in	15.00	

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN96000388, dated 23MAR01, and Grade "A" and lower cargoes may be carried.

Vapor Control Authorization

This vessel's Vapor Collection System (VCS) has been inspected to the plans approved by the Marine Safety Center letter serial #C2-9504609 dated 27DEC95, and found acceptable for the collection of cargo vapors from the subchapter "D" cargoes listed in that letter and those Specific Hazardous Cargoes annotated above with a "V" or "T".

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 28011

Official #: D1038971

Page 1 of 3

Shipyard: PLATZER SHIP

Hull #: E323

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
Acetic acid	AAC	4	Y	D	III		50-73, .55-1(g)
Ammonium bisulfite solution (70% or less)	ABX	43	Y		III		50-73, .56-1(a), (b), (c)
Acetic anhydride	ACA	11	N	D	III		50-73, .55-1(g)
Acrylonitrile	ACN	15	Y	C	II	T	50-70(a), .55-1(e)
Adiponitrile	ADN	37	N	E	II	V	No
Aminoethyl ethanolamine	AEE	8	N	E	III	V	55-1(b)
Anthracene oil (Coal tar fraction)	AHO	33	N		II		No
Ammonium hydroxide (28% or less NH3)	AMH	6	N		III		.56-1(a), (b), (c), (f), (g)
Acetonitrile	ATN	37	N	C	III	T	No
Butyl acrylate (all isomers)	BAR	14	N	D	III	V	50-70(a), .50-81(a), (b)
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA				III	V	50-60, .56-1(b), (d), (f), (g)
Benzene hydrocarbon mixtures (having 10% Benzene or more)	BHB	32	N		III	V	.50-60
Butyl methacrylate	BMH	14	N	D	III	V	50-70(a), .50-81(a), (b)
Benzene	BNZ	32	N	C	III	V	.50-60
Benzene, Toluene, Xylene mixtures (having 10% Benzene or more)	BTX	32	N	B/C	III	V	.50-60
Carbon tetrachloride	CBT	36	N		III		No
Cyclohexanone	CCH	18	N	D	III	V	.56-1(a), (b)
Creosote (all isomers)	CCW	21	Y	E	III	V	No
Cyclohexylamine	CHA	7	N	D	III	V	.56-1(a), (b), (c), (g)
Camphor oil	CPO	18	N	D	II		No
Caustic potash solution	CPS	5	Y		III		50-73, .55-1(j)
Chlorobenzene	CRB	36	N	D	III	V	No
Chloroform	CRF	36	N	E	III		No
Cresols	CRS	21	N	E	III	V	No
Cresylate spent caustic	CSC	5	N		III		50-73, .55-1(b)
Caustic soda solution	CSS	5	Y		III		50-73, .55-1(j)
N,N-Dimethylacetamide	DAC	10	N	E	III	T	.56-1(b)
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0	Y		III		.56-1(a), (b), (c), (g)
Dichlorobenzenes (all isomers)	DBX	36	N	E	III	T	.56-1(a), (b)
1,1-Dichloroethane	DCH	36	N	C	III	V	No
Dichloromethane	DCM	36	N	NF	III		No
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less)	DDA	0	Y	NF	III		.55-1(b)
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	N		III		.56-1(a), (b), (c), (g)
Diethanolamine	DEA	8	N	E	III	V	55-1(c)
2,2'-Dichloroethyl ether	DEE	41	N	D	II	V	55-1(f)
Diethylenetriamine	DET	7	Y	E	III	V	55-1(c)
Diisopropanolamine	DIP	8	N	E	III	V	55-1(c)
Dimethylformamide	DMF	10	N	D	III	V	55-1(e)
Dichloropropene, Dichloropropane mixtures	DMX	15	N		II	V	No
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	N	E	III		.56-1(b)
1,1-Dichloropropane	DPB	36	N	C	III	T	No
1,3-Dichloropropane	DPC	36	N	C	III	T	No
1,2-Dichloropropane	DPP	36	N	C	III	T	No
1,3-Dichloropropene	DPU	15	N	D	II	T	No
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43	Y		III		.56-1(a), (b), (c), (g)
Ethyl acrylate	EAC	14	N	C	III	V	50-70(a), .50-81(a), (b)
2-Ethylhexyl acrylate	EAI	14	N	E	III	V	50-70(a), .50-81(a), (b)
Ethylamine solution (72% or less)	EAN	7	N	A	II	V	55-1(b)
Ethylenediamine	EDA	7	Y	D	III	V	55-1(c)



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **KIRBY 28011**
Official #: **D1038971**

Page 2 of 3

Shipyard: **PLATZER SHIP**
Hull #: **E323**

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mats of Construction
		Group No	Exc				
Ethylene dichloride	EDC	36	Y	C	III	V	No
Ethylene glycol propyl ether	EGP	40	N	E	III		No
Ethylene cyanohydrin	ETC	20	N	E	III	V	No
Ethyl methacrylate	ETM	14	N	C	III	V	50-70(a)
Formic acid	FMA	4	Y	E	III		50-73, 55-1(f)
Glutaraldehyde solution (50% or less)	GTA	19	N	NF	III		No
Hexamethylenediamine solution	HMC	7	N	E	III	V	55-1(c)
Isodecyl acrylate	IAI	14	N	E	III		50-70(a), 50-81(a), (b), 55-1(c)
iso-Propylamine	IPP	7	N	A	II		55-1(c)
Isoprene	IPR	30	N	A	III		50-70(a), 50-81(a), (b)
Kraft pulping liquors (free alkali content 3% or more)	KPL	5	N		III		50-73, 56-1(a), (c), (g)
Methyl acrylate	MAM	14	N	C	III	V	50-70(a), 50-81(a), (b)
Ethanolamine	MEA	8	N	E	III	V	55-1(c)
2-Methyl-5-ethylpyridine	MEP	9	N	E	III	V	55-1(e)
Methyl methacrylate	MMM	14	N	C	III	V	50-70(a), 50-81(a), (b)
iso-Propanolamine	MPA	8	N	E	III	V	55-1(c)
2-Methylpyridine	MPR	9	N	D	III	T	55-1(c)
Mesityl oxide	MSO	18	Y	D	III	V	No
alpha-Methylstyrene	MSR	30	N	D	III	V	50-70(a), 50-81(a), (b)
Coal tar naphtha solvent	NCT	33	N	D	III		50-73
Propanolamine (iso-, n-)	PAX	8	N	E	III	V	56-1(b), (c)
Pentachloroethane	PCE	36	N		III		No
1,3-Pentadiene	PDE	30	N	A	III	V	50-70(a), 50-81
Polyethylene polyamines	PEB	7	Y	E	III	V	55-1(e)
Perchloroethylene	PER	36	N	NF	III		No
Propionic acid	PNA	4	N	D	III		50-73, 55-1(g)
Pyridine	PRD	9	N	C	III	V	55-1(e)
Sodium aluminate solution (45% or less)	SAU	5	N		III		50-73, 56-1(a), (b), (c)
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	III		50-73
Sodium hypochlorite solution (15% or less)	SHP	5	N		III		
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0	Y		III		50-73, 55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0	Y		III		50-73, 56-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0	Y		II		50-73, 55-1(b)
Styrene	STY	30	N	D	III	V	50-70(a), 50-81(a), (b)
Trichloroethylene	TCL	36	Y		III	V	No
1,1,2-Trichloroethane	TCM	36	N		III	V	50-73, 56-1(a)
1,2,3-Trichloropropane	TCN	36	N	E	II	T	50-73, 56-1(a)
Triethanolamine	TEA	8	Y	E	III	V	55-1(b)
1,1,2,2-Tetrachloroethane	TEC	36	N	NF	III		No
Triethylenetetramine	TET	7	Y	E	III	V	56-1(b)
Triphenylborane (10% or less), caustic soda solution	TPB	5	N		III		56-1(a), (b), (c)
Tetraethylenepentamine	TTP	7	N	E	III	V	55-1(c)
Urea, Ammonium nitrate solution (containing more than 2% Ammonia)	UAS	6	N		III		56-1(b)
Vinyl acetate	VAM	13	N	C	III	V	50-70(a), 50-81(a), (b)
Vanillin black liquor (free alkali content 3% or more)	VLB	5	N		III		50-73, 56-1(a), (c), (g)
Vinyltoluene	VNT	13	N	D	III	V	50-70(a), 50-81, 56-1(a), (b), (c), (g)



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **KIRBY 28011**
Official #: D1038971

Page 3 of 3

Shipyard: PLATZER SHIP
Hull #: E323

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat's of Construction
		Group No	Exc				

Explanation of terms & symbols used in the Table:

Cargo Identification

- Name** The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code** The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibility Group No.** The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc)** Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade** The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
 - A, B, C Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
 - D, E Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
 - NA, NF Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
 - # No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type** The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
 - I Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
 - II Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
 - III Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

- Note** See Certificate of Inspection for explanation of symbols used in this column.