

### United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 21 Oct 2019 21 Oct 2024 **Expiration Date:** 

Vassal Name

Official Number

BAIO Number

Call Sign

Service

**KIRBY 28061** 

1151556

Tank Barge

Hailing Port

Hull Material

Horsepower

Propulsion

WILMINGTON, DE

Steel

**UNITED STATES** 

Place Built

**Delivery Date** 

Keel Laid Date

Gross Tons

Net Tons

DWT

ASHLAND CITY, TN

27Apr2004

27Feb2004

R-1632

R-1632

1632

R-300.0 ю

UNITED STATES

KIRBY INLAND MARINE LP 55 Waugh Drive Suite 1000 Houston, TX 77007 UNITED STATES

Operator

KIRBY INLAND MARINE, LP

18350 Market St.

Channelview, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

**O Licensed Mates** 

0 Chief Engineers

0 Oilers

**0 Chief Mates** 

**0 First Class Pilots** 

0 First Assistant Engineers

**0 Second Mates** 

**0 Radio Officers** 

0 Second Assistant Engineers

**0 Third Mates** 

0 Able Seamen 0 Ordinary Seamen 0 Third Assistant Engineers

0 Master First Class Pilot 0 Mate First Class Pilots

0 Deckhands

**0 Licensed Engineers** 0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

Also, in fair weather only, limited coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at Freeport, TX, UNITED STATES, the Office in Charge, Marine Inspection, Houston-Gaiveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection.

Date A/P/R Zone Signature 8-6-2020 Garage Cheisty

This certificate issued by

E. M. CARRERO ODR, USGG, BY DIRECTION

Officer in Charge, Marine Inspection

Houston-Galveston

Inspection Zone



### United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 21 Oct 2019 **Expiration Date:** 21 Oct 2024

## Certificate of Inspection

Vessel Name: KIRBY 28061

This tank barge is participating in the Eighth & Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

#### ---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Jul2024

17Jul2014

27Apr2004

Internal Structure

31Jul2024

07Oct2019

17Jul2014

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES.

**Total Capacity** 

Units

Highest Grade Type Part151 Regulated

Part153 Regulated Part154 Regulated

28484

Barrels

Yes

No

No

### \*Hazardous Bulk Solids Authority\*

Not Authorized

### \*Loading Constraints - Structural\*

Tank Number		Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S		820	13.6
2 P/S		817	13.6
3 P/S	2	757	13.6

### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
ш	356 <b>3</b>	9ft 6in	13.6	R,LBS
m ·	4559	11ft 6in	13.6	R,LBS

### \*Conditions Of Carriage\*

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial# C2-0402521, dated September 27, 2004, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR part 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

In accordance with 46 CFR part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated and approved for multibreasted tandem loading with this vessel.



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 21 Oct 2019 Expiration Date: 21 Oct 2024

## Certificate of Inspection

Vessel Name: KIRBY 2806\*

\*Vapor Control Authorization\*

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system has been inspected to the plans approved by MSC Letter C2-0400740 dated April 12, 2004, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS system has been approved with a pressure side of 3 psig P/V valve. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.5 psig.

### --- Inspection Status ---

### \*Cargo Tanks\*

	Internal Exam			External Exar	m	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	27Apr2004	17Jul2014	17Jul2024		-	
2 P/S	27Apr2004	17Jul2014	17Jul2024	:	-1	-
3 P/S	27Apr2004	17Jul2014	17Jul2024			-
		,	Hydro Test			
Tank Id	Safety Valves	3	Previous	Last	Next	
1 P/S	-					
2 P/S	-			<b>-</b>	-	
3 P/S	<b>-</b> a		-		· .	

### ---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

### --- Fire Fighting Equipment ---

Number of Fireman Outfits - 0

### \*Fire Extinguishers - Hand portable and semi-portable\*


Quantity

Class Type

\_

40-B

\*\*\*END\*\*\*





Vessel Name: KIRBY 28061

Official #: 1151556

## Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Ashland City

Hull #: 4461

Serial #: C2-0402521

Generated: 27-Sep-04

46 CFR 151 Tank Tank Group Information	<del></del>	dentificati			Сага	1	Tanks		Carg Trans		Environ Control		Fire	Special Requir	emenis	Т	Τ
ini Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Тура	Vent	Gauge	Pipe Class	Çont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Tem p
41PIS,#2PIS,#3PIS	13,6	Almos.	Amb.	Į <b>i</b>	1ji 2ii	Integral Gravity	PV	Closed	ŧ	G-1	NR	NA	Portable	.50-81(a), .50- 81(b), .50-86,	55-1(b), (c), (e), (f), (h), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control. Tanks, NR means that the tank oroup is suitable only for those cargoes which require no environmental control in the cargo tanks,

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

### List of Authorized Cargoes

Cargo Identification	Cargo Identification										
							Vapor R	ecovery			
	Code	Compat Group	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mati's of Construction		
Authorized Subchapter O Cargoes											
Acetonitrile	ATN	37	Q	C	Ш	Α	Yes	3	No		
	ACN	15 <sup>2</sup>	0	С	li .	А	Yes	4	.50-70(a), .55-1(a)		
Adiponitrile	ADN	37	0	E	H	Α	Yes	1	No		
	AKN	34 <sup>2</sup>	0	NΑ	111	Α	No	N/A	.50-81, .50-66		
	AEE	8	0	E	111	Α	Yes	1	.55-1(b)		
	ABX	43 <sup>2</sup>	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)		
	AMH	6	0	NA	111	Α	No	N/A	,56-1(a), (b), (c), (f), (g)		
	AHO	33	٥	NA	Ш	Α	Nο	N/A	No		
Benzene	BNZ	32	0	С	111	Α	Yes	1	,50-60		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	NA	111	Α	Yes	1	.50-60		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 <sup>2</sup>	Ō	NA	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	втх	32	٥	B/C	111	Α	Yes	1	.50-60		
Butyl acrylate (all isomers)	BAR	14	٥	a	111	Α	Yes	2	.50-70(a), .50-01(a), (b)		
Butyl methacrylate	BMH	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)		
Bulyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	.55-1{h}		
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No		
Carbon tetrachloride	CBT	36	0	NA	UI	A	No	N/A	No		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	11	Α	No	N/A	.50-73		
Chlorobenzene	CRB	36	0	D	[]]	A	Yes	1	No		
Chloroform	CRF	36	0	E	III	Α	Yes	3	No		
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73		
Creosote	CCW	21 2	0	Ε	III	Α	Yes	1	No		
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No		
Cresylate spent caustic	CSC	5	0	NA	111	Á	No	N/A	.50-73, .55-1(b)		
Cresylic acid tar	CRX		0		111	Α	Yes	1	.55-1(1)		
Crotonaldehyde	CTA	19 <sup>2</sup>	0	С	11	Α	Yes	4	.55-1(a)		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0		111	Α	No	N/A	No		
Cyclohexanone	ССН	18	0	D	111	Α	Yes	1	.55-1(a), (b)		
Cyclohexanone, Cyclohexanol míxture	CYX	18 <sup>2</sup>	0	E	111	Α	Yes	1	.56-1 (b)		
Cyclohexylamine	CHA	7	0	D	111	Α	Yes	1	.56-1(a), (b), (c), (g)		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	. 0	D	111	А	Yes	1	.50-60, .56-1(b)		
iso-Decyl acrylate	IAJ	14	0	E	111	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)		
Dichlorobenzene (all isomers)	DBX	36	0	E	111	А	Yes	3	.56-1(a), (b)		
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No		
2,2'-Dichloroethyl ether	DEE	41	0	D	11	Α	Yes	1	.55-1(f)		
	DCM	36	0	NA	111		41.	1.75	No		
Dichloromethane		1 30	0	INA	111	Α	No	N/A	110		



### Cargo Authority Attachment

Vessel Name: KIRBY 28061 Official #: 1151556

Page 2 of 7

Shipyard: Trinity Ashland City

Serial #: C2-0402521

Generated: 27-Sep-04

Hull #: 4461

Cargo Identification									ns of Carriage
	_						Vapor Re		
Name	등 년 년 00	Compat Group	Sub Chapter	Grada	Huli Type	Tank Group	App'd (Y or N)	VCS Catagory	Special Requirements in 46 CFR 151 General and Mattis of Construction
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	g 1.	² 0	NA	111	А	No	N/A	.56-1(a), (b), (c), (g)
2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less			0		111	A	No	N/A	.55-1(b)
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 Z	ō	NA	111	Α	No	N/A	.56-1(a), (b), (c), (g)
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No
1,2-Dichloropropane	DPP	36	0	c	111	Α	Yes	3	No
1,3-Dichloropropane	DPC	36	0	C	111	A	Yes	3	No
1,3-Dichloropropene	DPU	15	ō	Ď	11	A	Yes	4	No
Dichloropropene, Dichloropropene mixtures	DMX	15	0	NA	ii	A	Yes	1	No
Diethanolamine	DEA	8	ō	Ε	111	Ä	Yes	1	.55-1(c)
Diethylamine	DEN	7	0	C	III	A	Yes	3	.55-1(c)
Diethylenetriamine	DET	7 2	ō	Ē	-111	A	Yes	1	.55-1(c)
Diisobutylamine	DBU	7	0	D	III	A	Yes	3	.55-1(c)
Disopropanolamine	DIP	8	ō	E	111	Ā	Yes	1	.55-1(c)
Disopropylamine	DIA	7	0	c		A	Yes	3	.55-1(c)
N.N-Dimethylacetamide	DAC	10	ō	Ē	111	Α	Yes	3	.56-1(b)
Dimethylethanolamine	DMB	8	0	D	111	A	Yes	1	.55-1(b), (c)
Dimethylformamide	DMF	10	<u> </u>	D	III	A	Yes	1	.55-1(0)
Di-n-propylamine	DNA	7	<del>-</del>	<del>_</del>	<u>ii</u>	A	Yes	3	.55-1(c)
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	-	E	111	A	No	N/A	.56-1(b)
Elhanolamine	MEA	<del>.</del> 8	<del>- 0</del>	Ē	111	— <u>~</u>	Yes	1	.55-1(c)
Ethyl acrylate	EAC	14	- 0		111	A	Yes	2	.50-70(a), .50-81(a), (b)
Ethylamine solution (72% or less)	EAN	7	ō	A	<del></del>	A	No	N/A	.55-1(b)
N-Ethylbutylamine	EBA	7	ŏ	D	111	A	Yes	3	.55-1(b)
N-Ethylcyclohexylamine	ECC		0	D	111	A	Yes	1	.55-1(b)
Ethylene cyanohydrin	ETC	20	0	Ε	111	A	Yes	1	No
Ethylenediamine	EDA	7 2		D	111	A	Yes	<u> </u>	.5S-1(c)
Ethylene dichloride	EDC	····		c	111	A	Yes	1	No
Ethylene glycol hexyl ether	EGH	40	ő	Ē	111	A	No	N/A	No
Ethylene glycol monoalkyl ethers	EGC		0	D/E		A	Yes	1	No
Ethylene glycol propyl ether	EGP	40	<del>- </del>	E		A	Yes		No
2-Ethylhexyl acrylate	EAI	14	0	٤	111	A	Yes	2	.50-70(a), .50-81(a), (b)
Ethyl methacrylale	ETM	14	0	D/E		A	Yes		.50-70(a)
2-Ethyl-3-propylacrolein	EPA	19 2		E .	111	A	Yes	<del>- 1</del>	No
Formaldehyde solution (37% to 50%)	FMS	19 2		D/E		A	Yes	<del>-</del>	.55-1(ክ)
Furfural	FFA	19	<del>-</del>	E	<del></del>	<u>/`</u> A	Yes	1	,55-1(n)
Glutaraldehyde solution (50% or less)	GTA	19	- <del>-</del>	NA		A	No	N/A	No
Hexamelhylenediamine solution	HMC			E	10	A	Yes		.55-1(c)
Hexamethyleneimine	HMI	7	<del>-</del>	<del>c</del>	11	A	Yes		.56-1(b), (c)
Hydrocarbon 5-9	HFN		- 6	<u>~</u>	111	— <u>A</u>	Yes		.50-70(a), .50-81(a), (b)
Isoprene	IPR	30	<del>-</del>	A	111	A	No	N/A	.50-70(a), .50-81(a), (b)
Isoprene, Pentadiene mixture	IPN	- 50			10	A	No	N/A	
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	111	A	No	N/A	
Mesityl oxide	MSC	18 2	0	D	- 111	A	Yes	1	No
Methyl acrylate	MAN		<del>- ö</del>	<del>- č</del> -	111	$\frac{2}{A}$	Yes		.50-70(a), .50-81(a), (b)
Methylcyclopentadiene dimer	MCK		-	Ç	111	A	Yes		No
Melhyl diethanolamine	MDE		Ö	E,	111	A	Yes	<del></del>	.56-1(b), (c)
2-Methyl-5-ethylpyridine	MEP		<del>-</del>	E	111	<del>2</del>	Yes		.55-1(a)
Methyl methacrylate	MMA		<del>-</del>	c	III	A	Yes		.50-70(a), .50-81(a), (b)
2-Methylpyridine	MPF		- 0	Ď	III	A	Yes		.55-1(c)
alpha-Methylstyrene	MSF		- 0	D	111	A	Yes		.50-70(a), .50-81(a), (b)
Moroholine	MPL			D	111	A	Yes		.55-1(c)
1- or 2-Nitropropane	NPN		0	D	III	A	Yes		.50-81
1- or a mitopiopano	141-11	, 46		U	111	м	1 62		•



### Cargo Authority Attachment

Vessel Name: KIRBY 28061 Official #: 1151556

Page 3 of 7

Shipyard: Trinity Ashland City

Serial #: C2-0402521 Generated: 27-Sep-04

Hull#: 4461

Cargo Identification									ns of Carriage
Name	Chem Code	Compat Group	Sub Chapter	Grade	Hull Typ <del>a</del>	Tank Group	Vapor Ri App'd (Y or N)	VCS Category	Special Requirements in 45 CFR 151 General and Matts of Construction
1,3-Pentadiene	PDE	30	0	Α	111	Α	No	N/A	.50-70(a), .50-81
Perchloroethylene	PER	36	0	NA	111	. A	No	N/A	Ma
Polyethylene polyamines	PEB	7 2	0	<u>E</u>	111	A	Yes	1	.55-1(0)
iso-Propanolamine	MPA	8	<u> </u>	<u>E</u>	111	A	Yes	1	.55-1(c) .55-1(b), (c)
Propanolamine (iso-, n-)	PAX IPP	- 8 7	0	<u>E</u>	- 111	<u>A</u> _	Yes		.55-1(c)
iso-Propylamine Pyridine	PRD	9	- 0	A C	111	<u>A</u> _	Yes Yes	5	.55-1(6)
Sodium aluminate solution (45% or less)	SAU	5		NA.	<u> </u>	A	No	N/A	.50-73, .55-1(a), (b), (c)
Sodium chlorate solution (50% or less)	SDD	0 1,		NA NA	- 111	- A	No	N/A	50-73
Sodium hypochlorite solution (20% or less)	SHQ			NA.	- 111		No	N/A	.50-73, .56-1(a), (b)
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,		NA	111	A	Yes	1	.50-73, .55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1.		NA	III	Α	No	N/A	.50-73, .55-1(b)
Sodium suifide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,	<sup>2</sup> O	NA	l)	Α	No	N/A	,50-73, ,55-1(b)
Styrene (crude)	STX		0	D	111	Α	Yes	2	No
Styrene monomer	STY	30	Ō	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	Α	No	N/A	No
Tetraethylenepentamine	TTP	7	0	Ε	III	A	Yes	1	.55-1(c)
Tetrahydrofuran	THE	41	0	С	111	Α	Yes	1	.50-70(b)
Toluenediamine	TDA	9	0	E	ll .	Α	Nο	N/A	.50-73, .56-1(a), (b), (c), (g)
1,2,4-Trichlorobenzene	TCB	36	0	E		Α	Yes	1	No
1,1,2-Trichloroethane	TCM		0	NA	111	Α	Yes	1	.50-73, .56-1(a)
Trichloroethylene	TCL	36 <sup>2</sup>		NA	111	A	Yes		No
1,2,3-Trichloropropane Triethanolamine	TCN	36 g 2	0	E		A	Yes		.50-73, .56-1(a) .55-1(b)
Triethylamine	TEA	7	0	E C	111	A_	Yes		.55-1(a)
Triethylenetetramine	TET	7 2		E	111	A A	Yes Yes		.55-1(b)
Triphenylborane (10% or less), caustic soda solution	TPB	5	<del>-</del>	NA	111	A	No	N/A	
Trisodium phosphate solution	TSP	5	- 6	NA	111	A	No	N/A	
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS		0	NA	111	Α	No	N/A	
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	<del></del>	NA	111	A	No	N/A	
Vinyl acetate	VAM	13	0	C	111	A	Yes		.50-70(a), .50-81(a), (b)
Vinyl neodecanate	VND	13	0	E	III	A	No	N/A	.50-70(a), .50-81(a), (b)
Vinyltoluene	VNT	13	0	D	111	Α	Yes	2	.50-70(a), .50-81, .55-1(a), (b), (c), (g)
Subchapter D Cargoes Authorized for Vapor Control									-
Acetone	ACT	18 <sup>2</sup>	D	С		Α	Yes	1	
Acetophenone	ACP	18	D	ξ		Α	Yes	1	
Alcohol(C12-C16) poly(1-6)ethoxylates	APU		D	E		Α	Yes	1	
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		A			
Amyl acetate (all isomers)	AEC		D	D		A	Yes		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	<u>D</u>	<u>D</u>		A			
Benzyl alcohol	BAL	21	D	E		<u>A</u>			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		А	Yes	1	
Butyl acetate (all isomers)	BAX	34	D	D		А	Yes	1	
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	D		A	Yes	; 1	
Butyl alcohol (n-)	BAN		D	D		А	Yes	1	
Butyl alcohol (sec-)	BAS		D	С		A	Yes	; 1	
Butyl alcohol (lert-)	BAT		D	C		A			
Butyl benzyl phthalate	врн		D	E		A			
Butyl toluene	BUE	32	D	D		A	Yes	: 1	



## Cargo Authority Attachment

Vessel Name: KIRBY 28061 Official #: 1151556

Page 4 of 7

Shipyard: Trinity Ashland City

Serial #: C2-0402521

Generated: 27-Sep-04

Hull #: 4461

Cargo Identification									ns of Carriage
			]				Vapor R		
Name	Chem Code	Compat Group	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Calegory	Special Requirements in 46 CFR 151 General and Mattis of Construction
	<u> </u>	•	1	<u> </u>		I			1
Caprolactam solutions	CLS	22	D	E		Α	Yes	1	
Cyclohexane	CHX	31	D	С		Α	Yes	1	
Cyclohexanol	CHN	20	D	Ε		Α	Yes	1	
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2	
p-Cymene	CMP	32	D	D		A	Yes	1	
iso-Decaldehyde	IDA	19	D	E	····	A	Yes	1	
n-Decaldehyde	DAL	19	D	E		A	Yes	1	
Decene	DCE	30	D	D		A	Yes	1	
Decyl alcohol (all isomers)	DAX	20 2		E		Α	Yes	1	
n-Decylbanzene, see Alkyl(C9+)benzenes	DBZ	32	0	E		A	Yes	1	
Diacetone alcohol	DAA			E		A	Yes	1	
ortho-Dibutyl phthalate	DPA		D	E		A	Yes	<u>-</u>	
Diethylbenzene	DEB		<u> </u>	<u>D</u>		A	Yes	<del></del>	
Diethylene glycol	DEG	·		E		^_	Yes	1	
Diisobulylene	DBL	30	<u>D</u>	c		A	Yes	1	
	DIK			D					
Dilsobulyi ketone Dilsopropyibenzene (ali isomers)		18				<u> </u>	Yes	1	
	DIX	32	D	E		A	Yes	1	
Dimethyl phthalate	DTL	34	<u>D</u>	E		A	Yes	1	
Dioctyl phthalate	DOP		<u>D</u>	E		A	Yes	1	
Dipentene	DPN	****	D	D		A	Yes	1	
Diphenyl	DIL	32	ם	D/E		A	Yes	1	
Diphenyl, Diphenyl ether mixtures	DDC		D	E		Α	Yes	1	
Diphenyl ether	DPE		D	{E}		A	Yes	1	
Dipropylene glycol	DPG	40	D	E		Α	Yes	1	
Distillates: Flashed feed stocks	DFF		D	Ε		Α	Yes	1	
Distillates: Straight run	DSR	33	D	E		Α	Yes	1	-
Dodecene (all isomers)	DOZ	30	D	D		Á	Yes	1	
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1	
2-Ethoxyethyl acetale	EEA	34	D	D		A	Yes	1	
Ethoxy triglycol (crude)	ETG	40	D	E		A	Yes	1	
Elhyl acetate	ETA	34	D	С		A	Yes	1	
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1	
Ethyl alcohol	EAL	20 2	2 D	С		A	Yes		
Ethylbenzene	ETB	32	D	С		A	Yes		
Ethyl butanol	EBT	20	D	D		A	Yes		
Ethyl tert-butyl ether	EBE	41	D	c		A	Yes		
Elhyl bulyrate	EBR		D	D		A	Yes		
Elhyi cyclohexane	ECY		D	D		A	Yes		
Elhylene glycol	EGL	20		E			Yes		
Ethylene glycol butyl ether acetate	EMA		<u>D</u>	E			Yes		
Ethylene glycol diacetate	EGY		D	<u>E</u>					
Ethylene glycol phenyl ether					<del></del>	A	Yes		
	EPE		D	E		<u> </u>	Yes		
Ethyl-3-ethoxypropionate	EEP		<u>D</u>	E		A	Yes	<del></del>	_
2-Ethylhexanol	EHX		D	E		<u>A</u>			
Ethyl propionale	EPR		D	Ç		A	Yes		
Ethyl toluene	ETE		. 0	E		A			
Formamide	FAN		D	E		A	Yes		
Ferfuryl alcohol	FAL			E		<u>A</u>			
Gasoline blending stocks: Alkylates	GAK		D	A/C		A	<del></del>		
Gasoline blending stocks: Reformates	GRE	33	D	A/C	;	A	Yes	: 1	
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	Þ	С		Α	Yes	: 1	
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	/ 33	D	C		Α	Yes	; 1	



## Cargo Authority Attachment

Vessel Name: KIRBY 28061 Official #: 1151556

Page 5 of 7

Shipyard: Trinity Ashland City

Serial #: C2-0402521

Generaled: 27-Sep-04

Hull#: 4461

Cargo Identification							Co	nditio	ns of Carriage
							Vapor R	ecovery	
Name	Chem Code	Compat Group	Sub Chapter	Grade	Huli Typo	Tank Group	App'd (Y or N)	VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Gasolines: Casinghead (natural)	GCS	33	D	A/C		А	Yes	1	
Gasolines: Polymer	GPL	33	D	A/C		А	Yes	1	
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1	
Glycerine	GCR	20 <sup>2</sup>	D	E		Α	Yes	1	
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1	
Heptanoic acld	HEP	4	D	E		Α	Yes	1	
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1	
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2	
Heptyl acetate	HPE	34	D	D		Α	Yes	1	
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		Α	Yes	1	
Hexanoic acid	HXO	4	Đ	Ε		Α	Yes	1	
<u>Hexanol</u>	HXN	20	Đ	D		Α	Yes	1	
Hexene (all Isomers)	HEX	30	D	С		Α	Yes	2	
Hexylene glycol	HXG	20	D	Ε		Α	Yes	1	
Isophorone	IPH	18 <sup>2</sup>	D	E		A	Yes	1	
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1	
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	1	
Kerosene	KRS	33	D	D	<del></del>	Α	Yes	1	
Methyl acetate	MTT	34	D	D		Α	Yes	1	
Methyl alcohol	MAL	20 <sup>2</sup>	D	C		A	Yes	1	
Methylamyl acetate	MAC	34	D	D		A	Yes	1	
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1	
Methyl amyl ketone	MAK	18	D	D		A	Yes	1	
Methyl test-butyl ether	MBE	41 2	D	С		Α	Yes	1	
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1	
Methyl butyrate	MBU	34	D	C	············	A	Yes	1	
Methyl ethyl ketone	MEK	18 <sup>2</sup>	D	Ċ		Α	Yes	1	
Methyl heptyl ketone	MHK	18	D	D	***************************************	A	Yes	1	
Methyl isobutyl ketone	MIK	18 <sup>2</sup>	D	C		Α	Yes	1	
Methyl naphthalene (molten)	MNA		D	Ē		A	Yes	1	
Mineral spirits	MNS		D	D		A	Yes	1	
Myrcene	MRE			D		Α.	Yes	1	
Naphtha: Heavy	NAG	33	D	#		A	Yes	1	
Naphtha: Petroleum	PTN	33	a	#		A	Yes	<del></del>	
Naphtha: Solvent	NSV	33	D	D		A	Yes	<u> </u>	
Naphtha: Stoddard solvent	NSS	33	D			A	Yes	<u> </u>	
Naphtha: Varnish makers and painters (75%)	NVM		<del></del>	Ç		A	Yes	1	
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31		Ť	····	— <u>;</u>	Yes	1	
Nonene (all isomers)	NON					— <u>~</u>	Yes		
Nonyl alcohol (all isomers)	NNS	20 2		E		—— <u>—</u>	Yes	1	
Nonyl phenol	NNP	21		ᄩ		<u>^</u>	Yes	1	
Nonyl phenol poly(4+)ethoxylates	NPE	40	<u>_</u>	Ē					
Octane (all isomers), see Alkanes (C6-C9)	OAX		<u>D</u>			<u>А</u> А	Yes Yes	1	
Octanoic acid (all isomers)	OAY		D	E		<u>A</u>	Yes		
Octanol (all isomers)	OCX			E		A	Yes		
Octene (all isomers)	XTO		D	c		<u>A</u>	Yes	· · · · · · · · · · · · · · · · · · ·	
Oil, fuel: No. 2	OTV	<del></del>	D	D/E			Yes		
Oil, fuel: No. 2-D	OTO		D	D		<u>Α</u>	Yes		
Oil, fuel: No. 4	OFR		<u>D</u>		:	<u>A</u>			
Oil, fuel: No. 5	OFV		D	D/E		A	Yes		
Oil, fuel: No. 6	OSX			E E	-	A	Yes		
Oil, misc: Crude	OIL	33	D D			A	Yes		
Oil, misc. Clade	UIL	33	U	C/D	<u>'</u>	A	Yes	1	



Generated: 27-Sep-04

# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: KIRBY 28061 Official #: 1151556

Page 6 of 7

Shipyard: Trinity Ashland City

Serial #: C2-0402521

Hull #: 4461

Cargo Identification	•••						Co	nditio	ns of Carriage
			Τ				Vapor R		
Name	Chem Code	Compat Group	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Calegory	Special Requirements in 46 CFR 151 General and Matts of Construction
Oil, misc: Diesel	ODS		D	D/E		A	Yes	1	
Oil, misc: Lubricating	OLB	33	D	E		A	Yes	1	
Oil, misc: Residual	ORL	33	۵	E		A	Yes	1	
Oil, misc: Turbine	ОТВ	33	D	Ε		Α	Yes	1	
Pentane (all isomers)	PTY	31	D	Α		A	Yes	5	
Pentene (all isomers)	PTX	30	D	Α		A	Yes	5	
alpha-Pinene	PIO	30	D	Ð		Α	Yes	1	
beta-Pinene	PIP	30	D	D		А	Yes	1	
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Ε		A	Yes	1	
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	Ð	E		Α	Yes	1	
Polybutene	PLB	30	ם	E		Α	Yes	1	
Polypropylene glycol	PGC	40	D	E		Α	Yes	1	
iso-Propyl acetate	IAC	34	D	C		А	Yes	1	
n-Propyl acetate	PAT	34	D	С		A	Yes	1	
Iso-Propyl alcohol	IPA	20 ²	D	С		A	Yes	1	
n-Propyl alcohol	PAL	20 <sup>2</sup>	D	С		A	Yes	1	
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1	
iso-Propylcyclohexane	IРХ	31	D	Ď		A	Yes	1	
Propylene glycol	PPG	20 2	D	E		A	Yes	1	
Propylene glycol methyl ether acetate	PGN	34	D	D		A	Yes	1	
Propylene leiramer	PIT	30	D	D		A	Yes	1	
Sulfolane	SFL	39	D	E		A	Yes	1	
Tetraethylene giycol	TTG	40		E		A	Yes	<u> </u>	
Telrahydronaphlhalene	THN	32	D	E		A	Yes	<del></del>	
Toluene	TOL	32		c		A	Yes	1	
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	<del></del>	E		A	Yes	1	
Triethylbenzene	TEB	32	<u>D</u>	E		A	Yes	1	
Triethylene glycol	TEG	40	<u>D</u>	E		A	Yes	1	
Triethyl phosphate	TPS	34	<u>D</u>	E			Yes		
Trimethylbenzene (all isomers)	TRE	32	<u>D</u>	(D)		A	Yes	11	
Trixylenyl phosphate	TRP	34	מ	<u>(U)</u> E					
Undecene			<del></del>		<del></del>	A	Yes		<u> </u>
	UDC		<u>D</u>	D/E		A	Yes	11	
1-Undecyl alcohol			D	E		A	Yes	1	
Xylenes (ortho-, meta-, para-)	אַגא	32	D	D		<u> </u>	Yes	11	



#### Department of Homeland Security United States Coast Guard

Serial #: C2-0402521 Generated: 27-Sep-04

# Certificate of Inspection

Cargo Authority Attachment

Page 7 of 7

Shipyard: Trinity Ashland

Hull #: 4461

#### Explanation of terms & symbols used in the Table:

Cargo Identificatio

Vessel Name: KIRBY 28061

Official #: 1151556

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Cortain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 190 Tables I and III. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, Compatability Group No.

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Note 1

Compatibility Chart. For additional compatibility information, contact Commandant (G-MSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Note 2

Telephone (202) 267-1217. See Appendix I to 46 CFR Part 150 - exceptions to the computability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids tisted in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges. Subchapter Subchapter D

Subchapter O

Grade

The cargo classification assigned to each flemmable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for

carriage of that grade of cargo.

A, B, C D, F Note 4

NA ♯

urriage of that grade of cargo.
Flammable liquid cargoes, as defined in 45 CFR 30-10.22.
Combustible liquid cargoes, as defined in 45 CFR 30-10.15.
The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufactures data and ensure that the barge is authorized for carriage of that grade of cargo.
Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriag

Tank Group The vessel's lank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Vapor Recover Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo. Approved (Y or N)

Conditions of Carriag

Tank Group The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Vapor Recover

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo. Approved (Y or N)

VCS Category: The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude cit) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-16)) must use appropriate friction factors, vapor densities and vapor growth rates.

Calegory 2 (Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could

lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is no causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in defonation

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1. Category 3

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3. Category 4

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air Category 5

mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further Information. This requirement is in addition to the requirements of Category 1.

Category 6 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. Category 7 (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.