



BARGE "KIRBY 28093"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2
1 STBD	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2
2 PORT	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2
2 STBD	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2
3 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-1/2
3 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/2"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 1/2"

LENGTH BETWEEN DRAFT MARKS: 237'-03"

April 25, 2024

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 28093"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-01 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,205.68	0	1,873.50	0	1,541.27	0	1,209.04	0	880.91	0	573.93	0	288.97	0	28.19	0			
1/4	2,198.76	1/4	1,866.58	1/4	1,534.35	1/4	1,202.12	1/4	874.27	1/4	567.77	1/4	283.26	1/4	23.53	1/4			
1/2	2,191.85	1/2	1,859.66	1/2	1,527.43	1/2	1,195.20	1/2	867.67	1/2	561.64	1/2	277.59	1/2	20.19	1/2			
3/4	2,184.93	3/4	1,852.74	3/4	1,520.51	3/4	1,188.28	3/4	861.06	3/4	555.51	3/4	271.91	3/4	16.86	3/4			
1	2,178.01	1	1,845.82	1	1,513.59	1	1,181.35	1	854.46	1	549.39	1	266.23	1	13.52	1			
1/4	2,171.09	1/4	1,838.90	1/4	1,506.67	1/4	1,174.43	1/4	847.85	1/4	543.26	1/4	260.56	1/4	10.18	1/4			
1/2	2,164.17	1/2	1,831.98	1/2	1,499.74	1/2	1,167.51	1/2	841.29	1/2	537.17	1/2	254.92	1/2		1/2			
3/4	2,157.25	3/4	1,825.05	3/4	1,492.82	3/4	1,160.59	3/4	834.73	3/4	531.09	3/4	249.29	3/4		3/4			
2	2,150.33	2	1,818.13	2	1,485.90	2	1,153.67	2	828.16	2	525.00	2	243.65	2		2			
1/4	2,143.41	1/4	1,811.21	1/4	1,478.98	1/4	1,146.75	1/4	821.60	1/4	518.91	1/4	238.01	1/4		1/4			
1/2	2,136.49	1/2	1,804.29	1/2	1,472.06	1/2	1,139.83	1/2	815.07	1/2	512.85	1/2	232.41	1/2		1/2			
3/4	2,129.57	3/4	1,797.37	3/4	1,465.14	3/4	1,132.90	3/4	808.55	3/4	506.79	3/4	226.82	3/4		3/4			
3	2,122.66	3	1,790.45	3	1,458.21	3	1,125.98	3	802.02	3	500.74	3	221.22	3		3			
1/4	2,115.74	1/4	1,783.53	1/4	1,451.29	1/4	1,119.06	1/4	795.50	1/4	494.68	1/4	215.62	1/4		1/4			
1/2	2,108.82	1/2	1,776.60	1/2	1,444.37	1/2	1,112.14	1/2	789.01	1/2	488.65	1/2	210.06	1/2		1/2			
3/4	2,101.90	3/4	1,769.68	3/4	1,437.45	3/4	1,105.22	3/4	782.53	3/4	482.62	3/4	204.50	3/4		3/4			
4	2,094.98	4	1,762.76	4	1,430.53	4	1,098.30	4	776.04	4	476.59	4	198.95	4		4			
1/4	2,088.06	1/4	1,755.84	1/4	1,423.61	1/4	1,091.38	1/4	769.56	1/4	470.56	1/4	193.39	1/4		1/4			
1/2	2,081.14	1/2	1,748.92	1/2	1,416.69	1/2	1,084.46	1/2	763.11	1/2	464.57	1/2	187.87	1/2		1/2			
3/4	2,074.22	3/4	1,742.00	3/4	1,409.76	3/4	1,077.54	3/4	756.67	3/4	458.58	3/4	182.35	3/4		3/4			
5	2,067.31	5	1,735.07	5	1,402.84	5	1,070.63	5	750.22	5	452.58	5	176.83	5		5			
1/4	2,060.39	1/4	1,728.15	1/4	1,395.92	1/4	1,063.71	1/4	743.78	1/4	446.59	1/4	171.31	1/4		1/4			
1/2	2,053.46	1/2	1,721.23	1/2	1,389.00	1/2	1,056.81	1/2	737.37	1/2	440.64	1/2	165.83	1/2		1/2			
3/4	2,046.54	3/4	1,714.31	3/4	1,382.08	3/4	1,049.92	3/4	730.97	3/4	434.68	3/4	160.36	3/4		3/4			
6	2,039.62	6	1,707.39	6	1,375.16	6	1,043.02	6	724.57	6	428.73	6	154.88	6		6			
1/4	2,032.70	1/4	1,700.47	1/4	1,368.24	1/4	1,036.12	1/4	718.16	1/4	422.78	1/4	149.40	1/4		1/4			
1/2	2,025.78	1/2	1,693.55	1/2	1,361.31	1/2	1,029.27	1/2	711.80	1/2	416.86	1/2	143.96	1/2		1/2			
3/4	2,018.86	3/4	1,686.62	3/4	1,354.39	3/4	1,022.42	3/4	705.44	3/4	410.95	3/4	138.52	3/4		3/4			
7	2,011.93	7	1,679.70	7	1,347.47	7	1,015.57	7	699.08	7	405.04	7	133.08	7		7			
1/4	2,005.01	1/4	1,672.78	1/4	1,340.55	1/4	1,008.72	1/4	692.71	1/4	399.12	1/4	127.64	1/4		1/4			
1/2	1,998.09	1/2	1,665.86	1/2	1,333.63	1/2	1,001.91	1/2	686.39	1/2	393.25	1/2	122.24	1/2		1/2			
3/4	1,991.17	3/4	1,658.94	3/4	1,326.71	3/4	995.11	3/4	680.06	3/4	387.37	3/4	116.84	3/4		3/4			
8	1,984.25	8	1,652.02	8	1,319.78	8	988.31	8	673.73	8	381.50	8	111.44	8		8			
1/4	1,977.33	1/4	1,645.10	1/4	1,312.86	1/4	981.51	1/4	667.41	1/4	375.63	1/4	106.04	1/4		1/4			
1/2	1,970.41	1/2	1,638.17	1/2	1,305.94	1/2	974.75	1/2	661.12	1/2	369.79	1/2	100.68	1/2		1/2			
3/4	1,963.48	3/4	1,631.25	3/4	1,299.02	3/4	967.99	3/4	654.83	3/4	363.96	3/4	95.32	3/4		3/4			
9	1,956.56	9	1,624.33	9	1,292.10	9	961.22	9	648.54	9	358.12	9	89.96	9		9			
1/4	1,949.64	1/4	1,617.41	1/4	1,285.18	1/4	954.46	1/4	642.26	1/4	352.29	1/4	84.60	1/4		1/4			
1/2	1,942.72	1/2	1,610.49	1/2	1,278.26	1/2	947.74	1/2	636.01	1/2	346.49	1/2	79.28	1/2		1/2			
3/4	1,935.80	3/4	1,603.57	3/4	1,271.33	3/4	941.02	3/4	629.76	3/4	340.70	3/4	73.96	3/4		3/4			
10	1,928.88	10	1,596.64	10	1,264.41	10	934.30	10	623.52	10	334.91	10	68.63	10		10			
1/4	1,921.96	1/4	1,589.72	1/4	1,257.49	1/4	927.57	1/4	617.27	1/4	329.11	1/4	63.31	1/4		1/4			
1/2	1,915.03	1/2	1,582.80	1/2	1,250.57	1/2	920.89	1/2	611.06	1/2	323.36	1/2	58.03	1/2		1/2			
3/4	1,908.11	3/4	1,575.88	3/4	1,243.65	3/4	914.21	3/4	604.85	3/4	317.61	3/4	52.75	3/4		3/4			
11	1,901.19	11	1,568.96	11	1,236.73	11	907.53	11	598.64	11	311.86	11	47.47	11		11			
1/4	1,894.27	1/4	1,562.04	1/4	1,229.81	1/4	900.84	1/4	592.44	1/4	306.11	1/4	42.19	1/4		1/4			
1/2	1,887.35	1/2	1,555.12	1/2	1,222.88	1/2	894.20	1/2	586.27	1/2	300.40	1/2	37.52	1/2		1/2			
3/4	1,880.43	3/4	1,548.19	3/4	1,215.96	3/4	887.56	3/4	580.10	3/4	294.68	3/4	32.86	3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/25/2024 JS
COMPUTED: 04/25/2024 CL
PRINTED: 04/25/2024 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2024

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "KIRBY 28093"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-03"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	188	0	376	0	563	0	751	0	0	0	0	0	0	0	0	0	0
1/4	4	1/4	192	1/4	379	1/4	567	1/4	755	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	8	1/2	196	1/2	383	1/2	571	1/2	759	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	12	3/4	199	3/4	387	3/4	575	3/4	763	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	16	1	203	1	391	1	579	1	767	1	1	1	1	1	1	1	1	1	1
1/4	20	1/4	207	1/4	395	1/4	583	1/4	771	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23	1/2	211	1/2	399	1/2	587	1/2	774	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	27	3/4	215	3/4	403	3/4	591	3/4	778	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	31	2	219	2	407	2	595	2	782	2	2	2	2	2	2	2	2	2	2
1/4	35	1/4	223	1/4	411	1/4	598	1/4	786	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39	1/2	227	1/2	415	1/2	602	1/2	790	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	43	3/4	231	3/4	419	3/4	606	3/4	794	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	47	3	235	3	422	3	610	3	798	3	3	3	3	3	3	3	3	3	3
1/4	51	1/4	239	1/4	426	1/4	614	1/4	802	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	55	1/2	243	1/2	430	1/2	618	1/2	806	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	59	3/4	246	3/4	434	3/4	622	3/4	810	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	63	4	250	4	438	4	626	4	814	4	4	4	4	4	4	4	4	4	4
1/4	66	1/4	254	1/4	442	1/4	630	1/4	818	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	70	1/2	258	1/2	446	1/2	634	1/2	821	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74	3/4	262	3/4	450	3/4	638	3/4	825	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	78	5	266	5	454	5	641	5	829	5	5	5	5	5	5	5	5	5	5
1/4	82	1/4	270	1/4	458	1/4	645	1/4	833	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	86	1/2	274	1/2	462	1/2	649	1/2	837	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	90	3/4	278	3/4	465	3/4	653	3/4	841	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	94	6	282	6	469	6	657	6	845	6	6	6	6	6	6	6	6	6	6
1/4	98	1/4	286	1/4	473	1/4	661	1/4	849	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	102	1/2	289	1/2	477	1/2	665	1/2	853	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	106	3/4	293	3/4	481	3/4	669	3/4	857	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	110	7	297	7	485	7	673	7	861	7	7	7	7	7	7	7	7	7	7
1/4	113	1/4	301	1/4	489	1/4	677	1/4	864	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	117	1/2	305	1/2	493	1/2	681	1/2	868	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	121	3/4	309	3/4	497	3/4	685	3/4	872	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	125	8	313	8	501	8	688	8	876	8	8	8	8	8	8	8	8	8	8
1/4	129	1/4	317	1/4	505	1/4	692	1/4	880	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	133	1/2	321	1/2	508	1/2	696	1/2	884	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	137	3/4	325	3/4	512	3/4	700	3/4	888	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	141	9	329	9	516	9	704	9	892	9	9	9	9	9	9	9	9	9	9
1/4	145	1/4	332	1/4	520	1/4	708	1/4	896	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	149	1/2	336	1/2	524	1/2	712	1/2	900	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153	3/4	340	3/4	528	3/4	716	3/4	904	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	156	10	344	10	532	10	720	10	908	10	10	10	10	10	10	10	10	10	10
1/4	160	1/4	348	1/4	536	1/4	724	1/4	912	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	164	1/2	352	1/2	540	1/2	728	1/2	916	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	168	3/4	356	3/4	544	3/4	731	3/4	920	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	172	11	360	11	548	11	735	11	924	11	11	11	11	11	11	11	11	11	11
1/4	176	1/4	364	1/4	552	1/4	739	1/4	928	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	180	1/2	368	1/2	555	1/2	743	1/2	932	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	184	3/4	372	3/4	559	3/4	747	3/4	936	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES .

STRAPPED: 04/25/2024 JS
CALCULATED: 04/25/2024 CL
PRINTED: 04/25/2024 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 28093"

PORT SLOP TANK

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-08 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,058	0	2,115	0	3,156	0	4,146	0		0		0		0		0	
1/4	22	1/4	1,080	1/4	2,137	1/4	3,178	1/4	4,166	1/4		1/4		1/4		1/4		1/4	
1/2	44	1/2	1,102	1/2	2,159	1/2	3,199	1/2	4,186	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	1,124	3/4	2,181	3/4	3,220	3/4	4,207	3/4		3/4		3/4		3/4		3/4	
1	88	1	1,146	1	2,203	1	3,241	1	4,227	1		1		1		1		1	
1/4	110	1/4	1,168	1/4	2,225	1/4	3,262	1/4	4,247	1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	1,190	1/2	2,247	1/2	3,283	1/2	4,266	1/2		1/2		1/2		1/2		1/2	
3/4	154	3/4	1,212	3/4	2,269	3/4	3,304	3/4	4,286	3/4		3/4		3/4		3/4		3/4	
2	176	2	1,234	2	2,291	2	3,325	2	4,306	2		2		2		2		2	
1/4	198	1/4	1,256	1/4	2,313	1/4	3,346	1/4	4,326	1/4		1/4		1/4		1/4		1/4	
1/2	220	1/2	1,278	1/2	2,335	1/2	3,367	1/2	4,346	1/2		1/2		1/2		1/2		1/2	
3/4	242	3/4	1,300	3/4	2,357	3/4	3,388	3/4	4,365	3/4		3/4		3/4		3/4		3/4	
3	264	3	1,322	3	2,380	3	3,409	3	4,385	3		3		3		3		3	
1/4	286	1/4	1,344	1/4	2,401	1/4	3,430	1/4	4,404	1/4		1/4		1/4		1/4		1/4	
1/2	308	1/2	1,366	1/2	2,423	1/2	3,451	1/2	4,422	1/2		1/2		1/2		1/2		1/2	
3/4	330	3/4	1,388	3/4	2,445	3/4	3,472	3/4	4,441	3/4		3/4		3/4		3/4		3/4	
4	353	4	1,410	4	2,467	4	3,493	4	4,460	4		4		4		4		4	
1/4	375	1/4	1,432	1/4	2,489	1/4	3,513	1/4	4,479	1/4		1/4		1/4		1/4		1/4	
1/2	397	1/2	1,454	1/2	2,511	1/2	3,534	1/2	4,497	1/2		1/2		1/2		1/2		1/2	
3/4	419	3/4	1,476	3/4	2,533	3/4	3,555	3/4	4,516	3/4		3/4		3/4		3/4		3/4	
5	441	5	1,498	5	2,555	5	3,576	5	4,535	5		5		5		5		5	
1/4	463	1/4	1,520	1/4	2,576	1/4	3,596	1/4	4,553	1/4		1/4		1/4		1/4		1/4	
1/2	485	1/2	1,542	1/2	2,598	1/2	3,617	1/2	4,572	1/2		1/2		1/2		1/2		1/2	
3/4	507	3/4	1,564	3/4	2,620	3/4	3,638	3/4	4,591	3/4		3/4		3/4		3/4		3/4	
6	529	6	1,586	6	2,642	6	3,658	6	4,609	6		6		6		6		6	
1/4	551	1/4	1,608	1/4	2,663	1/4	3,679	1/4	4,628	1/4		1/4		1/4		1/4		1/4	
1/2	573	1/2	1,630	1/2	2,685	1/2	3,699	1/2	4,646	1/2		1/2		1/2		1/2		1/2	
3/4	595	3/4	1,652	3/4	2,707	3/4	3,720	3/4	4,665	3/4		3/4		3/4		3/4		3/4	
7	617	7	1,674	7	2,728	7	3,741	7	4,683	7		7		7		7		7	
1/4	639	1/4	1,697	1/4	2,750	1/4	3,761	1/4	4,702	1/4		1/4		1/4		1/4		1/4	
1/2	661	1/2	1,719	1/2	2,771	1/2	3,782	1/2	4,720	1/2		1/2		1/2		1/2		1/2	
3/4	683	3/4	1,741	3/4	2,793	3/4	3,802	3/4	4,739	3/4		3/4		3/4		3/4		3/4	
8	705	8	1,763	8	2,814	8	3,823	8	4,757	8		8		8		8		8	
1/4	727	1/4	1,785	1/4	2,836	1/4	3,843	1/4	4,776	1/4		1/4		1/4		1/4		1/4	
1/2	749	1/2	1,807	1/2	2,858	1/2	3,863	1/2	4,795	1/2		1/2		1/2		1/2		1/2	
3/4	771	3/4	1,829	3/4	2,879	3/4	3,884	3/4	4,813	3/4		3/4		3/4		3/4		3/4	
9	793	9	1,851	9	2,901	9	3,904	9		9		9		9		9		9	
1/4	815	1/4	1,873	1/4	2,922	1/4	3,924	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	837	1/2	1,895	1/2	2,943	1/2	3,945	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	859	3/4	1,917	3/4	2,965	3/4	3,965	3/4		3/4		3/4		3/4		3/4		3/4	
10	881	10	1,939	10	2,986	10	3,985	10		10		10		10		10		10	
1/4	903	1/4	1,961	1/4	3,008	1/4	4,005	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	925	1/2	1,983	1/2	3,029	1/2	4,026	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	947	3/4	2,005	3/4	3,050	3/4	4,046	3/4		3/4		3/4		3/4		3/4		3/4	
11	969	11	2,027	11	3,071	11	4,066	11		11		11		11		11		11	
1/4	991	1/4	2,049	1/4	3,093	1/4	4,086	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,013	1/2	2,071	1/2	3,114	1/2	4,106	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,036	3/4	2,093	3/4	3,135	3/4	4,126	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES.

STRAPPED: 04/25/2024 JS
 CALCULATED: 04/25/2024 CL
 PRINTED: 04/25/2024 JS

CANCELS AND SUPERCEDES
 ALL PRIOR TO 04/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>

