

#### **United States of America** Department of Homeland Security **United States Coast Guard**

Certification Date: 27 Nov 2019 **Expiration Date:** 27 Nov 2024

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 ided regulation V 14, for a SAFE MANNING DOCUMENT

Vessei Name Official Number IMO Number Call Sign Service KIRBY 28112 1220958 Tank Barge Halling Port Hull Material Horseoower Propulsion WILMINGTON, DE Steel **UNITED STATES** Place Built Delivery Date Keel Laid Date Gross Tons DWT **Net Tons** Length ASHLAND CITY, TN R-1632 R-1632 R-300 0 18Aug2009 22Apr2009 ю **UNITED STATES** Owner

KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 **UNITED STATES** 

Operator

KIRBY INLAND MARINE, LP 18350 MARKET STREET CHANNELVIEW, TX 77530 **UNITED STATES** 

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators

0 Masters **O Licensed Mates** 0 Chief Engineers 0 Oilers 0 Chief Mates **0 First Class Pilots** 0 First Assistant Engineers 0 Second Mates 0 Radio Officers 0 Second Assistant Engineers **0 Third Mates** 0 Able Seamen 0 Third Assistant Engineers 0 Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers 0 Mate First Class Pilots 0 Deckhands 0 Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

--- Lakes, Bays, and Sounds---

fust, in fair weather inly, limited coastwise, not note twelve (12) miles from shore between 31. Marks and Carracelle, Florida.

This yesse, has been granted a fresh water service examination interval in accordance with 46 OFF 31770-21(a) 11. If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 DFP 31.10-21(a)(1) and the cognizant DCMI must be notified in whiting as soon as this change in status cookers.

#### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at Freeport, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

This ceruik	, while it is indicated in a property												
E. M.	Signature	A/P/R	Zone	Date									
Officer in Charge	DANNY E MURRAY		HCY/6pl	11-11-20									
	BENMAYBAUX	P	160	2 22 28									
Inspection Zone	DANNY B. MUSERY	A	HOU / GAL	11-03-22									
	Randy Nelson	A	Houston TX	12-21-23									

Annual/Periodic/Re-Inspection

This certificate issued by

1. CARRERO CDR, USCG, BY DIRECTION

a. Manne Inspection

Houston-Galveston



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Nov 2019 Expiration Date: 27 Nov 2024

### Certificate of Inspection

Vessel Name: KIRBY 28112

This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Sector Houston-Galveston.

#### ---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Aug2029

28Oct2019

18Aug2009

Internal Structure

31Aug2024

28Oct2019

30Sep2014

#### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE "A" AND LOWWER AND SPECIFIED HAZARDOUS CARGOES.

**Total Capacity** 

Units

Highest Grade Type Part151 Regulated

d Pa

Part153 Regulated Part154 Regulated

28500

Barrels

Α

Yes

No

No

#### \*Hazardous Bulk Solids Authority\*

Not Authorized

#### \*Loading Constraints - Structural\*

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	838	8.74
2 P/S	843	8.74
3 P/S	777	8.74

#### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II .	3804	10ft 0in	13.6	R, LBS
Ш	4680	11ft 9in	13.6	R, LBS

#### \*Conditions Of Carriage\*

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial# C1-0901515, dated May 15, 2009, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR part 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.60 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

In accordance with 46 CFR Part 39.1017 and 39.5001(e) this vessel's Vapor Control System (VCS) has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Nov 2019 Expiration Date: 27 Nov 2024

## Certificate of Inspection

Vessel Name: KIRBY 28112

In accordance with 46 CFR Part 39, excluding Part 39.4000, this vessel's VCS has been inspected to the plans approved by MSC Letters C1-0901515 dated May 15, 2009, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS has been approved with a pressure side of 6.0 psig P/V valve with Coast Guard Approval 162.017/167/2. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 6.5 psig.

#### --- Inspection Status ---

\*Fuel Tanks\*

Internal Examinations

Previous

Tank ID
aft deck stbd side

Last Next

18Aug2009

\*Cargo Tanks\*

	Internal Exam			External Exar	n	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	18Aug2009	28Oct2019	31Aug2029	-	-	-
2 P/S	18Aug2009	28Oct2019	31Aug2029	-	-	-
3 P/S	18Aug2009	28Oct2019	31Aug2029	-1	-	-
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		-	-	-	
3 P/S	-		-	-	-	

#### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

#### --- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

2

40-B

\*\*\*END\*\*\*

<sup>\*</sup>Vapor Control Authorization\*



Cargo Authority Attachment

Vessel Name: KIRBY 28112

Shipyard: TRINITY ASHLAND

Serial #: C1-0901515

15-May-09

CITY

Hull #: 4630

Official #: 1220958

46 CFR 151 Tank	Group (	Chara	cteris	tics													
Tank Group Information	Cargo I	dentificat	ion		Cargo		Tanks		Cargo Environmer Transfer Control		Tdan Comtoni		Fire	Special Requirements			
Trik Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Sea	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction		Temp Cont
A #1P/S, #2P/S, #3P/S	13.6	Atmos.	Amb.	O	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

**List of Authorized Cargoes** 

Cargo Identification	n					Conditions of Carriage					
	1						Vapor Re				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Authorized Subchapter O Cargoes											
Acetonitrile	ATN	37	0	С	111	Α	Yes		No	G	
Acrylonitrile	ACN	15 <sup>2</sup>	_ o_	С		Α	Yes	4	.50-70(a), .55-1(o)	G	
Adiponitrile	ADN	37	0	E	H	Α	Yes	1	No	G	
Alkyl(C7-C9) nitrates	AKN	34 <sup>2</sup>	0	NA	Ш	Α	No	N/A		G	
Aminoethylethanolamine	AEE	8	0	Ε	<b>#</b>	Α	Yes	1	.55-1(b)	G	
Ammonium bisulfite solution (70% or less)	ABX	43 <sup>2</sup>	0	NA	111	Α	No	N/A	.50-73, .58-1(a), (b), (c)	G	
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	111	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G	
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	- 11	Α	No	N/A	, No	G	
Benzene	BNZ	32	0	С	111	Α	Yes	1	.50-60	G	
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	BHB	32 <sup>2</sup>	0	С	111	Α	Yes	1	.50-60	G	
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 <sup>2</sup>	0	С	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G	
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	III	Α	Yes	1	.50-60	G	
Butyl acrylate (all isomers)	BAR	14	0	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G	
Butyl methacrylate	ВМН	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	.55-1(h)	G	
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G	
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No	G	
Caustic potash solution	CPS	5 <sup>2</sup>	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G	
Caustic soda solution	CSS	5 <sup>2</sup>	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G	
Chemical Oil (refined, containing phenolics)	COD	21	0	E	11	Α	No	N/A	.50-73	G	
Chlorobenzene	CRB	36	0	D	161	A	Yes	1	No	G	
Chloroform	CRF	36	0	NA	111	A	Yes	3	No	G	
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	.50-73	G	
Creosote	CCW	21 <sup>2</sup>	0	Е	111	A	Yes	1	No	G	
Cresols (all isomers)	CRS	21	0	E	III	Α	Yes	1	No	G	
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	.50-73, .55-1(b)	G	
Cresylic acid tar	CRX		0	E	111	A	Yes	1	.55-1(f)	G	
Crotonaldehyde	CTA	19 <sup>2</sup>	0	С	11	A	Yes	4	.55-1(h)	G	
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	111	A	No	N/A	No	G	
Cyclohexanone	ССН	18	0	D	111	A	Yes	1	.56-1(a), (b)	G	
Cyclohexanone, Cyclohexanol mixture	CYX	18 <sup>2</sup>	0	E	III	A	Yes	1	.56-1 (b)	G	
Cyclchexylamine	CHA	7	0	D	III	A	Yes	1	.56-1(a), (b), (c), (g)	G	
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	.50-60, .56-1(b)	G	



Serial #: C1-0901515 Dated: 15-May-09

## Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: KIRBY 28112

Official #: 1220958

Shipyard: TRINITY ASHLAND

CITY Hull #: 4630

Page 2 of 8

Cargo Identification	)					Conditions of Carriage						
		-					Vapor Re	covery		$\top$		
	Chem	Compat	Sub	Grade	Hull	Tank	App'd	vcs	Special Requirements in 46 CFR	insp.		
Name iso-Decyl acrylate	Code	Group No	Chapter O	E	Tvoel	Group A	(YorN) (	Category ! 2	151 General and Mat'ls of .50-70(a), .50-81(a), (b), .55-1(c)	Period G		
Dichlorobenzene (all isomers)	DBX	36	0	E	III	Α	Yes	3	.56-1(a), (b)	G		
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No	G		
2,2'-Dichloroethyl ether	DEE	41	0	D	- II	Α	Yes	1	.55-1(f)	G		
Dichloromethane	DCM	36	0	NA	III	Α	Yes	5	No	G		
2.4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	III	A	No	N/A	.56-1(a), (b), (c), (g)	G		
2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	_	Ā	III	A	No	N/A	.56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, trilsopropanolamine salt solution	DTI	43 2	<u> </u>	E	18	A	No	N/A	.56-1(a), (b), (c), (g)	G		
1,1-Dichloropropane	DPB	36	0	c	111	A	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	<del>-</del>	c	111		Yes	3	No	G		
1,3-Dichloropropane	DPC	36			111	A	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	-	<del>_</del>		A	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX		-0	c	<del>!!</del>	$\frac{2}{A}$	Yes	1	No	G		
Diethanolamine	DEA	8	-	E	111	$\frac{\hat{A}}{\hat{A}}$	Yes	1	.55-1(c)	G		
	DEN	7	-	c	111		Yes	3	.55-1(c)	G		
Diethylamine	DET	7 2				<u>A</u> _			.55-1(c)	G		
Diethylenetriamine			<u> </u>	E D		<u>A</u>	Yes	1	.55-1(c)	G		
Diisobutylamine	DBU	- 7 8			!!!	A	Yes	3	.55-1(c)	<del>-</del> -		
Diisopropanolamine			<u> </u>	E	- !!!	A	Yes	1	.55-1(c)			
Diisopropylamine	DIA	7	0	_ <u>c</u>		A	Yes	3		G		
N,N-Dimethylacetamide	DAC	10	0	<u>E</u>	- 111	A	Yes	3	.56-1(b)			
Dimethylethanolamine	DMB		<u> </u>	<u>D</u>	- 111	A	Yes	1	.58-1(b), (c)	G		
Dimethylformamide	DMF	10	0	D	111	A	Yes	1	.55-1(e)	G		
Di-n-propylamine	DNA	7	_ 0_	С	- H	A	Yes	3	.55-1(c)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	- 111	Α	No_	N/A		G		
Dodecyl diphenyl ether disulfonate solution	DOS	43	0_	#		Α	No	N/A		G		
EE Glycol Ether Mixture	EEG	40	0	<u>D</u>	111	Α	No	N/A		G		
Ethanolamine	MEA	8	0	Ε	III	A	Yes	1	.55-1(c)	G		
Ethyl acrylate	EAC	14	0	С	HI	A_	Yes	2	.50-70(a), .50-81(a), (b)	G		
Ethylamine solution (72% or less)	EAN	7	0	Α	<u>li</u>	Α	Yes	6	.55-1(b)	G		
N-Ethylbutylamine	EBA	7	0	D	IR	Α	Yes	3	.55-1(b)	G		
N-Ethylcyclohexylamine	ECC	7	0	D	III	Α	Yes	1	.55-1(b)	G		
Ethylene cyanohydrin	ETC	20	0	E	111	Α	Yes	1	No	G		
Ethylenediamine	EDA	7 2	0	D	111	Α	Yes	1	.55-1(c)	G		
Ethylene dichloride	EDC	36 <sup>2</sup>	0	C	101	Α	Yes	1	No	G		
Ethylene glycol hexyl ether	EGH	40	0	Ε	111	Α	No	N/A	No	G		
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	##	Α	Yes	1	No	G		
Ethylene glycol propyl ether	EGP	40	0	E	111	Α	Yes	1	No	G		
2-Ethylhexyl acrylate	EAI	14	0	E	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G		
Ethyl methacrylate	ETM	14	0	D/E	111	Α	Yes	2	.50-70(a)	G		
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	111	A	Yes	1	No	G		
Formaldehyde solution (37% to 50%)	FMS	19 <sup>2</sup>	0	D/E	111	A	Yes	1	.55-1(h)	G		
Furfural	FFA	19	0	D		A	Yes	1	.55-1(h)	G		
Glutaraldehyde solution (50% or less)	GTA	19	- <del>-</del> -	NA	111	A	No	N/A	No	G		
Hexamethylenediamine solution	HMC	7	-	E	111	<u>A</u>	Yes	1	.55-1(c)	G		
Hexamethyleneimine	НМІ	7	0		<del>!!!</del>	<del>-</del> -	Yes	1	.58-1(b), (c)	G		
Hydrocarbon 5-9	HFN		<del>-</del>	<del>- c</del>	<u>'''</u> _	A	Yes	1	.50-70(a), .50-81(a), (b)			
Isoprene	IPR	30	-	A					.50-70(a), .50-81(a), (b)	G		
Isoprene, Pentadiene mixture	IPN	- 50	-	B	- (1)	A	Yes	7		G		
Kraft pulping liquors (free alkali content 3% or more)(including: Black,	KPL	5	-	NA NA	- 181	A .	No	N/A	.50-70(a), .55-1(c)	<u> </u>		
Green, or White liquor)	145	3	9	INA	111	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G		
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	111	A	Yes	1	No	G		
		<del>-</del>	<u>_</u>				103	1		9		



C1-0901515

15-May-09

## Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: KIRBY 28112 Official #: 1220958

Shipyard: TRINITY ASHLAND

CITY

Page 3 of 8 Hull #: 4630

Cargo Identification	n					Conditions of Carriage					
	1			1		-	Vapor R		3	$\overline{}$	
Name Methyl acrylate	Chem Code MAM	Compat Group No 14	Sub Chapter O	Grade C	Hull Type III	Tank Group A	App'd	VCS Category 2	Special Requirements in 46 CFR 151 General and Mat's of .50-70(a), .50-81(a), (b)	Insp. Period G	
Methylcyclopentadiene dimer	MCK	30	0	С	111	Α	Yes	1	No	G	
Methyl diethanolamine	MDE	8	0	E	- 111	Α	Yes	1	.56-1(b), (c)	G	
2-Methyl-5-ethylpyridine	MEP	9	0	E	111	Α	Yes	1	.55-1(e)	G	
Methyl methacrylate	MMM	14	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
2-Methylpyridine	MPR	9	0	D	III	A	Yes	3	.55-1(c)	G	
alpha-Methylstyrene	MSR	30	0	D	III	Α	Yes	2 .	.50-70(a), .50-81(a), (b)	G	
Morpholine	MPL	7 2	0	D	III	A	Yes	1	.55-1(c)	G	
1- or 2-Nitropropane	NPM	42	0	D	III	A	Yes	1	.50-81	G	
1,3-Pentadiene	PDE	30	0	Ā		A	Yes	7	.50-70(a), .50-81	G	
Perchloroethylene	PER	36	0	NA.	111	A	No	N/A	No	G	
Polyethylene polyamines	PEB	7 2	0	E	155		Yes	1	.55-1(e)	G	
iso-Propanolamine	MPA	8	0	Ē	111	A	Yes	1	.55-1(c)	G	
Propanolamine (iso-, n-)	PAX	8		E	111	$\frac{1}{A}$	Yes	1	.56-1(b), (c)	<del>_</del>	
	IPP	<del> 7</del>	0	A	<u>'''</u>				.55-1(c)		
iso-Propylamine	PRD	9		<del></del>		A	Yes		.55-1(e)	G	
Pyridine		<del>9</del>	0	<u> </u>		<u>A</u> _	Yes	1	.50-73, .55-1(j)		
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0			Α	No	N/A			
Sodium aluminate solution (45% or less)	SAU	5	0	NA	[1]	Α	No	N/A	.50-73, .58-1(a), (b), (c)		
Sodium chlorate solution (50% or less)	SDD	0 1,2		NA	Ш	A	No	N/A	.50-73	G	
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	H	Α	No	N/A	.50-73, .56-1(a), (b)	G	
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2		NA	!!!_	A_	Yes	11	.50-73, .55-1(b)	G	
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2		NA	111	Α	No	N/A	.50-73, .55-1(b)	G	
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	II	Α	No	N/A	.50-73, .55-1(b)	G	
Styrene (crude)	STX		0	D	111	Α	Yes	2	No	G	
Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	lll	Α	No	N/A	No	G	
Tetraethylenepentamine	TTP	7	0	E	111	Α	Yes	1	.55-1(c)	G	
Tetrahydrofuran	THF	41	0	C	111	A	Yes	1	.50-70(b)	G	
Toluenediamine	TDA	9	0	Е	11	Α	No	N/A	.50-73, .56-1(a), (b), (c), (g)	G	
1,2,4-Trichlorobenzene	TCB	36	0	E	III	A	Yes	1	No	G	
1,1,2-Trichloroethane	TCM	36	0	NA	III	A	Yes	1	.50-73, .56-1(a)	G	
Trichloroethylene	TCL	36 <sup>2</sup>	0	NA	III	Α	Yes	1	No	G	
1,2,3-Trichloropropane	TCN	36	0	E	II	Α	Yes	3	.50-73, .56-1(a)	G	
Triethanolamine	TEA	8 2	0	E	III	A	Yes	1	.55-1(b)	G	
Triethylamine	TEN	7	0	<del>-</del>	11	A	Yes	3	.55-1(e)	G	
Triethylenetetramine	TET	7 2	<del>-</del>	E		A	Yes	1	.55-1(b)	G	
Triphenylborane (10% or less), caustic soda solution	TPB	5	-	NA	111	$\frac{2}{A}$	No	N/A	.56-1(a), (b), (c)	G	
Trisodium phosphate solution	TSP	5	-	NA NA	111	_ <u>^</u>	No	N/A	.50-73, .56-1(a), (c).		
									.56-1(b)	<u> </u>	
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	- 111	A	No	N/A	.50-73, .56-1(a), (c), (g)		
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA C	111	A	No	N/A	.50-73, .56-1(8), (c), (g)		
Vinyl acetate	VAM	13	0	C	111	<u>A</u>	Yes	2		G	
Vinyl neodecanate	VND	13	0	<u> </u>	- 111	<u>A</u> _	No	N/A	.50-70(a), .50-81(a), (b)	G	
Vinyitoluene	VNT	13	0	D	111	Α	Yes	2	.50-70(a), .50-81, .58-1(a), (b), (c), (	G	
Subchapter D Cargoes Authorized for Vapor Contro Acetone	OI ACT	18 <sup>2</sup>	D	С		Α	Yes	1			
Acetophenone	ACP	18	D	E			Yes	<del></del>			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	<u>D</u>	E		A	Yes	<del>- i</del> -			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E			Yes	1	·		
Alcoholico-c 17 /(3000)Idai y/ poly(1*12/8tilloxylates	760	20		-		_ ^_	162	ľ			



### Cargo Authority Attachment

Vessel Name: KIRBY 28112

Shipyard: TRINITY ASHLAND

Serial #: C1-0901515

15-May-09

CITY

Huil #: 4630

Cargo Identification	1					Conditions of Carriage					
								Recovery		T	
Name	Chem	Compat Group No	Sub	Grade	Huli	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	tnsp. Period	
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1			
Benzyl alcohol	BAL	21	D	E		Α	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	Đ	E		Α	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1			
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	D		Α	Yes	1			
Butyl alcohol (n-)	BAN	20 <sup>2</sup>	D	D		Α	Yes	1	· · · · · · · · · · · · · · · · · · ·		
Butyl alcohol (sec-)	BAS	20 <sup>2</sup>	D	С		Α	Yes	1			
Butyl alcohol (tert-)	BAT		D	С	-	Α	Yes	1			
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1			
Butyl toluene	BUE	32	D	D		Α	Yes	1			
Caprolactam solutions	CLS	22	D	E		A	Yes	1			
Cyclohexane	CHX	31	D	С		Α	Yes	1	· · · · · · · · · · · · · · · · · · ·		
Cyclohexanol	CHN	20	D	Ε		A	Yes	1			
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		A	Yes	2	10.000		
p-Cymene	CMP	32	D	D		A	Yes	1			
iso-Decaldehyde	IDA	19		E		A	Yes	1			
n-Decaldehyde	DAL	19		Ē		A	Yes	<u>-</u>			
Decene	DCE	30	D	<u> </u>		A	Yes	1			
Decyl alcohol (all isomers)	DAX	20 <sup>2</sup>	D	E		A	Yes	<u>-</u>			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1			
Diacetone alcohol	DAA	20 <sup>2</sup>	D	D			Yes	<u>-</u> -			
ortho-Dibutyl phthalate	DPA	34				A	Yes	1	- <del></del>		
Diethylbenzene	DEB	32	D	D		A	Yes	<del>-</del>			
Diethylene glycol	DEG	40 <sup>2</sup>	D	E			Yes	<u>-</u>			
Diisobutylene	DBL	30	D	c			Yes	<u></u>			
Diisobutyl ketone	DIK	18	D	Ď		A	Yes	1			
Diisopropylbenzene (all isomers)	DIX	32	D	Ē		A	Yes	1			
Dimethyl phthalate	DTL	34	- <u>5</u>	 E		A	Yes	<del>i</del>			
Dioctyl phthalate	DOP	34	D	<u>-</u> E		A	Yes	1			
Dipentene	DPN	30	D	<u>-</u>			Yes	1			
Diphenyl	DIL	32	D	D/E		A	Yes	1			
Diphenyl, Diphenyl ether mixtures	DDO	33		E			Yes	1			
Diphenyl ether	DPE	41	D	{E}		A	Yes	1			
Dipropylene glycol	DPG	40	<u> </u>	E		A	Yes	1			
Distillates: Flashed feed stocks	DFF	33	<u>D</u>	E		A	Yes	1			
Distillates: Straight run	DSR	33		E		A	Yes	1			
Dodecene (all isomers)	DOZ	30	<u>D</u>	D			Yes	<del></del>			
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		A	Yes	<del></del>			
2-Ethoxyethyl acetate	EEA	34	D	D			Yes	<del></del>			
	ETG	40	<u> </u>					_			
Ethoxy triglycol (crude)	ETA	34	D	E C		_ <u>A</u>	Yes	1			
Ethyl acetate						<u>A</u>	Yes	1			
Ethyl alcebal	EAA	34 20 <sup>2</sup>	<u>D</u>	E		_ <u>A</u>	Yes	1			
Ethyl alcohol	EAL	32	D	<u>c</u>		A	Yes	1			
Ethylbenzene Ethyl bytogol	ETB		D	<u>c</u>		Α	Yes	1			
Ethyl butanol	EBT	20	_ <u>D</u>	<u>D</u>		_A	Yes				
Ethyl tert-butyl ether	EBE	41	<u>D</u>	<u>c</u> _		<u> </u>	Yes	1			
Ethyl butyrate	EBR	34	<u>D</u>	<u>D</u>		A	Yes	1			
Ethyl cyclohexane	ECY	31	D	<u>D</u>		Α	Yes	1			



Serial #: C1-0901515

15-May-09

# Certificate of Inspection

### Cargo Authority Attachment

Vessel Name: KIRBY 28112

CITY

Shipyard: TRINITY ASHLAND

Hull #: 4630

Official #: 1220958 Page 5 of 8

Cargo Identification	Conditions of Carriage											
		1				Vapor Recovery						
Name Ethylene glycol	Chem Code EGL	Compat Group No 20 2	Sub Chapter D	Grade E	Huli Tvoe	Tank Group A	App'd (Y or N) Yes	VCS	   Special Requirements in 46 CFR   151 General and Mat'ls of	Insp. Period		
Ethylene glycol butyl ether acetate	EMA	34	D	E		A	Yes	1				
Ethylene glycol diacetate	EGY	34	D	E		A A	Yes	<del></del>				
Ethylene glycol phenyl ether	EPE	40	D	E			Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	<u> </u>	D			Yes	<del>-</del> -				
2-Ethylhexanol	EHX	20	D D	E				1				
Ethyl propionate	EPR	34	<u> </u>	c			Yes					
Ethyl toluene	ETE	32	D	D		- A	Yes	1				
Formamide	FAM	10	<u> </u>	E		A	Yes	1				
Furfuryl alcohol	FAL	20 <sup>2</sup>	- <u>D</u>	E		A	Yes	<u>'</u>				
· · · · · · · · · · · · · · · · · · ·	GAK	33	D	A/C		A .						
Gasoline blending stocks: Alkylates							Yes					
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes					
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		A	Yes	1				
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	с 		Α	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1				
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	11				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1				
Glycerine	GCR	20 <sup>2</sup>	D	Е		Α	Yes	11				
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1				
Heptanoic acid	HEP	4	Đ	E		Α	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1				
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2				
Heptyl acetate	HPE	34	D	E		Α	Yes	1				
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 <sup>2</sup>	D	B/C		Α	Yes	1				
Hexanoic acid	HXO	4	D	E		Α	Yes	1				
Hexanol	HXN	20	D	D		Α	Yes	1				
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2				
Hexylene glycol	HXG	20	D	E		Α	Yes	1				
Isophorone	IPH	18 <sup>2</sup>	D	E		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1				
Kerosene	KRS	33	D	D		Α	Yes	1				
Methyl acetate	MTT	34	D	D		Α	Yes	1				
Methyl alcohol	MAL	20 <sup>2</sup>	D	C		Α	Yes	1				
Methylamyl acetate	MAC	34	D	D		Α	Yes	1				
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1				
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1				
Methyl tert-butyl ether	MBE	41 <sup>2</sup>	D	С		Α	Yes	1				
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1				
Methyl butyrate	MBU	34	D	Ċ		Α	Yes	1				
Methyl ethyl ketone	MEK	18 <sup>2</sup>	D	c		A	Yes	1				
Methyl heptyl ketone	MHK	18	D	D		A	Yes	1				
Methyl isobutyl ketone	MIK	18 <sup>2</sup>	- <u>-</u> -	<del></del>		A	Yes	1				
Methyl naphthalene (molten)	MNA	32	D	E			Yes	<u>-</u>				
Mineral spirits	MNS	33	<u> </u>	D		$\frac{1}{A}$	Yes	1				
Myrcene	MRE	30	<u> </u>	D		$\frac{\alpha}{A}$	Yes	1				
Naphtha: Heavy	NAG	33	D	#			Yes	1				
	PTN	33	D	#				1				
Naphtha: Petroleum			<u>D</u>	# D		A	Yes	1				
Naphtha: Solvent	NSV	33	<u> </u>	υ		Α	Yes					

<sup>\*\*\*</sup> This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*



Cargo Authority Attachment

Vessel Name: KIRBY 28112

Official #: 1220958

Page 6 of 8

Shipyard: TRINITY ASHLAND CITY

Serial #: C1-0901515

15-May-09

Dated:

Hull #: 4630

Cargo Identifica		100 7. 4630									
ou.go identino	1011		Г	Т		Conditions of Carriage					
Naphtha: Stoddard solvent	Chem Code NSS	Compat Group No 33	Sub Chapte D	Grade D	Hull Type	Tank Group A	App'd (Y or N) Yes	Recovery VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	insp.	
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		A	Yes	<del>-</del>			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		A	Yes	1			
Nonene (all isomers)	NON	30	D	D		A	Yes	2			
Nonyl alcohol (all isomers)	NNS	20 <sup>2</sup>	D	E		Ā	Yes	1			
Nonyl phenol	NNP	21	D	E		A	Yes	<u>-</u> -			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	<del></del> -			
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		A	Yes	<del>- i-</del>			
Octanoic acid (all isomers)	OAY	4	D	E		A	Yes	<del>- i-</del>			
Octanol (all isomers)	OCX	20 <sup>2</sup>	D	E		A	Yes	1			
Octene (all isomers)	OTX	30	D	C		A	Yes				
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1			
Oil, fuel: No. 2-D	OTD	33	D	D		A	Yes	1			
Oil, fuel: No. 4	OFR	33	D	D/E			Yes	<del>-</del>			
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	<del>'</del>			
Oil, fuel: No. 6	osx	33	<del>_</del>	E		A	Yes	1			
Oil, misc: Crude	OIL	33	D	C/D		A	Yes	1			
Oil, misc: Diesel	ODS	33	D	D/E		_ <u>/`</u>	Yes	_ <u>i</u>			
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1			
Oil, misc: Lubricating	OLB	33	<u> </u>	E		A	Yes	1			
Oil, misc: Residual	ORL	33		E		A	Yes	<del>_</del>			
Oil, misc: Turbine	OTB	33	<u> </u>	- <del></del>		A	Yes	1			
Pentane (all isomers)	PTY	31				A	Yes	5			
Pentene (all isomers)	PTX	30	D	A		A	Yes	5			
alpha-Pinene	PIO	30	<u>D</u>	D		Α	Yes	1			
beta-Pinene	PIP	30		D .			Yes	<u>- i</u>			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Ē			Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	<u> </u>	E			Yes	1			
Polybutene	PLB	30	D	E		Α	Yes	<del></del>			
Polypropylene glycol	PGC	40	D	E		Α	Yes	1			
iso-Propyl acetate	IAC	34	<u></u>	c		A	Yes	1			
n-Propyl acetate	PAT	34	<u>D</u>	c		A	Yes	1			
iso-Propyl alcohol	IPA	20 <sup>2</sup>	D	Ċ		A	Yes	1			
n-Propyl alcohol	PAL	20 <sup>2</sup>	D	c			Yes	1			
Propylbenzene (all isomers)	PBY	32	D	Ď		Α	Yes	1			
iso-Propylcyclohexane	iPX	31	<u> </u>	D		A	Yes	1			
	PPG	20 2	<u> </u>	<u>-</u>		A	Yes	1			
Propylene glycol methyl ether acetate	PGN	34	D	D		A	Yes	1			
Propylene tetramer	PTT	30	D	D		A	Yes	1			
	SFL	39	D	Ē		A	Yes	1			
Sulfolane Tetraethylene glycol	TTG	40		E			Yes	1			
	THN	32	D	E		A	Yes	1			
Tetrahydronaphthalene Tetrahydronaphthalene	TOL	32	<u> </u>	c		A	Yes	1			
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	<u> </u>			A	Yes	1			
	TEB	32	<u>D</u>	Ē			Yes	1			
Triethylpeng glycel	TEG	40	D D	_ <u>=</u>			Yes	1			
Triethylene glycol	TPS	34		E		A	Yes	1			
Triethyl phosphate	TRE	32	<del>_</del>	(D)		A	Yes	<u>-</u>			
Trimethylbenzene (all isomers)	TRP	34	<u> </u>	E		A	Yes	<u> </u>			
Trixylenyl phosphate	UDC	30	D	D/E		A	Yes	<del>-</del> i-			
Undecene											





Serial #: C1-0901515 Dated: 15-May-09

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 28112

Shipyard: TRINITY ASHLAND

CITY

Hull #: 4630

Official #: 1220958

Page 7 of 8	8
-------------	---

Cargo Identification					Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Tvoe	Tank Gmun	App'd	Recovery VCS Category	Special Requirements in 46 CFR	insp.
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1	•	
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		





### Cargo Authority Attachment

Vessel Name: KIPRV 28112 Official #: 1220958

Page 8 of 8

Shipyard: TRINITY ASHL

Serial #: C1-0901515

15-May-09

Dated:

Hull #: 4630

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425.

Note 1 Note 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchapter O

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "( )" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

A, B, C D. E

lammable liquid cargoes, as defined in 46 CFR 30-10.22 Flammable liquid cargoes, as defined in 46 CFR 30-10.22.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

#### **Conditions of Carriage**

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

#### Conditions of Carriage

Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category:

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 39.30 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

Category 7 none

The cargo has not been evaluated/classified for use in vapor control systems