



# BARGE "KIRBY 28180"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-3/4	- 01-3/4
1 STBD	00-1/4	- 00-1/4	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2	01-3/4	- 01-3/4
2 PORT	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/4	- 01-1/4	01-5/8	- 01-5/8	02-0/8	- 02-0/8	02-3/8	- 02-3/8
2 STBD	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/4	- 01-1/4	01-5/8	- 01-5/8	02-0/8	- 02-0/8	02-3/8	- 02-3/8
3 PORT	00-3/8	- 00-3/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-5/8	- 01-5/8	02-1/8	- 02-1/8	02-1/2	- 02-1/2
3 STBD	00-3/8	- 00-3/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-5/8	- 01-5/8	02-1/8	- 02-1/8	02-1/2	- 02-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-5/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 3/8"

LENGTH BETWEEN DRAFT MARKS: 261'-00"

November 22, 2011

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "KIRBY 28180"

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07 1/2"

Table with columns for depth (0 FT. to 9 FT.) and sub-columns for gauge height (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7. CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL. CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK. CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE. GAUGE POINT: (HERMETIC) LOCATED 12'-09" OFF CENTERLINE AND 51'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC. P.O. Box 2092 Pearland, Texas 77588 http://www.pmacorp.net

Signature of Precision Measurement & Analysis, Inc.









# BARGE "KIRBY 28180"

## 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0		0		0		0		0		0		0		0	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
1		1		1		1		1		1		1		1		1		1	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
2		2		2		2		2		2		2		2		2		2	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
3		3		3		3		3		3		3		3		3		3	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
4		4		4		4		4		4		4		4		4		4	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
5		5		5		5		5		5		5		5		5		5	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
6		6		6		6		6		6		6		6		6		6	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
7		7		7		7		7		7		7		7		7		7	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
8		8		8		8		8		8		8		8		8		8	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
9		9		9		9		9		9		9		9		9		9	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
10		10		10		10		10		10		10		10		10		10	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4
11		11		11		11		11		11		11		11		11		11	
	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4
	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2
	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 12'-09" OFF CENTERLINE AND 51'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>











# BARGE "KIRBY 28180"

# 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-04 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 12'-09" OFF CENTERLINE AND 52'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>







BARGE "KIRBY 28180"

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-05"

Table with 19 columns (IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT., IN, 18 FT., IN, 19 FT.) and multiple rows of capacity data.

STRAPPED: 11/22/2011 CL - SW
CALCULATED: 11/22/2011 CL
PRINTED: 11/22/2011 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2011

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

Signature of Paul Jacquez