

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 23 Mar 2023 Expiration Date: 23 Mar 2024

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

| Vessel Name | Official Number | IMO Numb | er | Call Sign | Service | |
|------------------------------------|-------------------------|-------------------|------------|---|---------|---------|
| KIRBY 28714 | 1239863 | | | | Tank E | Barge |
| | | | | | , | |
| Hailing Port | Hull Material | Horse | power | Propulsion | | |
| GIBSON, LA | Steel | 110.30 | JOWG! | r iopaision | | |
| UNITED STATES | | | | | | |
| Place Built | | | | | | |
| MAdisonville, LA | Delivery Date | Keel Laid Date | Gross Tons | Net Tons | DWT | Length |
| WAdisoffville, LA | 30Oct2012 | 03Oct2012 | R-1619 | R-1619 I- | | R-297.5 |
| UNITED STATES | | | le: | ie. | | H |
| Owner | | Operato | r | | | |
| KIRBY INLAND MARINE LP | | | | MARINE LP | | |
| 55 WAUGH DR STE 1000 | | | 0 Market S | | | |
| HOUSTON, TX 77007 UNITED STATES | | | nelview, T | 100 mm m | | |
| UNITED STATES | | UNII | ED STATE | :5 | | |
| This vessel must be manned wit | | | | | | nust be |
| 0 Masters 0 Lic | ensed Mates 0 Chief | Engineers | 0 0 | Dilers | | |
| 0 Chief Mates 0 Fir | et Clace Pilote 0 Firet | Assistant Engines | ro | | | |

| 0 Masters | 0 Licensed Mates | 0 Chief Engineers | 0 Oilers |
|----------------------------|----------------------|------------------------------|----------|
| 0 Chief Mates | 0 First Class Pilots | 0 First Assistant Engineers | |
| 0 Second Mates | 0 Radio Officers | 0 Second Assistant Engineers | |
| 0 Third Mates | 0 Able Seamen | 0 Third Assistant Engineers | |
| 0 Master First Class Pilot | 0 Ordinary Seamen | 0 Licensed Engineers | |
| 0 Mate First Class Pilots | 0 Deckhands | 0 Qualified Member Engineer | |

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR table 31.10 - 21(a)(2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's tank barge streamlined inspection program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its tank barge action plan (TAP). Inspection issues concerning this barge should be directed to the OCMI Morgan City, Louisiana.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

| | Annual/Peri | odic/Re-Inspe | ction | This certificate issued by |
|------|-------------|---------------|-----------|--|
| Date | Zone | A/P/R | Signature | B. T. INAGAKI, CS-13, USCE, By direction |
| | | | | Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur |
| | | | | Inspection Zone |



United States of America Department of Homeland Security United States Coast Guard

23 Mar 2023 Certification Date: **Expiration Date:** 23 Mar 2024

Temporary Certificate of Inspection

Vessel Name: KIRBY 28714

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Mar2033

23Mar2023

Internal Structure

31Mar2028

23Mar2023

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Flammable/Combustable Liquids and Specified Hazardous Cargoes

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

28400

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 P/S

858

13.6

2 P/S

871

13.6

3 P/S

697

13.6

Loading Constraints - Stability

Hull Type

Maximum Load

Maximum Draft

Max Density

Route Description

(short tons) 3750 11

(ft/in) 10ft 0in

11ft 9in

(lbs/gal) 13.6

13.6

4621 III

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial #C1-1239863, dated 23MAR2023, may be carried, and then only in tanks indicated.

Per 46 CFR 150.130, the PIC of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "COMPAT GROUP NO" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person in Charge (PIC) is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

A thermal fluid heater (TFH) is installed inside the hazardous area. A TFH can only be energized and used when carrying cargoes with flashpoints greater than 60 degrees C (140 degrees F). Approved TFH securing procedures should be maintained onboard and shall be followed when carrying a cargo with a flashpoint lower than 60 degrees C (140 degrees F).

Vapor Control Authorization

Per 46 CFR 39, excluding 46 CFR 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial #C1-1202856 dated 06JUN12, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Stability and Trim

The maximum density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.6 Page 2 of 3 Dept. Of Home Sec., USCG - CG-854 (Rev. 06-04)



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 23 Mar 2023 Expiration Date: 23 Mar 2024

Temporary Certificate of Inspection

Vessel Name: KIRBY 28714

lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max. tank weights listed below reflect uniform (within 5%) loading at the deepest draft allowed. When carrying SubCh. "O" cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

| | | Internal Exam | | | External Exam | | |
|---|---------|---------------|-----------|------------|---------------|------|------|
| | Tank Id | Previous | Last | Next | Previous | Last | Next |
| | 1 P/S | = | 23Mar2023 | 31Mar2027 | = | = | - |
| | 2 P/S | - | 23Mar2023 | 31Mar2027 | *: | -2 | |
| | 3 P/S | ÷ | 23Mar2023 | 31Mar2027 | 5 | | |
| ١ | | | | Hydro Test | | | |
| ١ | Tank Id | Safety Valves | | Previous | Last | Next | |
| | 1 P/S | - | | ~ | - | - | |
| | 2 P/S | | | - | | - | |
| | 3 P/S | | | ÷ | | - | |

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

B-II

END

Serial #:

Dated:

C1-2300932

23-Mar-23



Certificate of Inspection

Cargo Authority Attachment

 Official #: 1239863
 Shipyard: Trinity Marine
 Hull #: 2203-8

Madisonville

| Tank Group Information | Cargo I | dentificati | on | | Cargo | | Tanks | | Carg Tran | | Enviror Control | nmental | Fire | Special Require | ments | | |
|---------------------------|---------|-------------|-------|-------------|-------------|---------------------|-------|--------|---------------|------|--------------------|-------------------|------------------------|---|---|-------------|--------------|
| Tnk Grp Tanks in Group | Density | Press. | Temp. | Hull Typ | Seg Tank | _ | Vent | Gauge | Pipe Class | Cont | Tanks | Handling Space | Protection Provided | General | Materials of Construction | Elec Haz | Temp Cont |
| A #1P/S, #2P/S, #3P/S | 13.6 | Atmos. | Amb. | II | 1ii 2ii | Integral Gravity | PV | Closed | II | G-1 | NR | NA | Portable | 40-1(f)(1), .50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50-81(b). | 55-1(h), (j), 56-1(a), (c), (d), (e), (f), (g), | NR | Yes |

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

| Cargo Identificati | Conditions of Carriage | | | | | | | | | |
|--|------------------------|-----------------|---------|-------|------|-------|------------------|----------------|--------------------------------|--------|
| | Chem | Compat Group | Sub | | Hull | Tank | Vapor R App'd | ecovery VCS | Special Requirements in 46 CFR | Insp. |
| Name | Code | No | Chapter | Grade | Туре | Group | (Y or N) | Category | 151 General and Mat'ls of | Period |
| Authorized Subchapter O Cargoes | | | | | | | | | | |
| Bis(2-ethylhexyl) terephthalate | PEC | 34 | D/O | Е | П | Α | No | N/A | No | G |
| Olefins (C13+, all isomers) | OFZ | 30 | D/O | Е | Ш | Α | Yes | 1 | | G |
| Acetonitrile | ATN | 37 | 0 | С | Ш | Α | Yes | 3 | No | G |
| Adiponitrile | ADN | 37 | 0 | Е | II | Α | Yes | 1 | No | G |
| Alkyl (C7-C9) nitrates | AKN | 34 ² | 0 | NA | Ш | Α | No | N/A | .50-81, .50-86 | G |
| Anthracene oil (Coal tar fraction) | АНО | 33 | 0 | NA | П | Α | No | N/A | No | G |
| Benzene | BNZ | 32 | 0 | С | Ш | Α | Yes | 1 | .50-60 | G |
| Benzene, C10-16 alkyl derivatives | BEND | 32 | 0 | D | Ш | Α | No | N/A | | G |
| Benzene and mixtures having 10% Benzene or more | ВНВ | 32 ² | 0 | С | Ш | Α | Yes | 1 | .50-60 | G |
| Benzene, Toluene, Xylene mixtures (10% Benzene or more) | BTX | 32 | 0 | B/C | Ш | Α | Yes | 1 | .50-60 | G |
| Butyl acrylate (all isomers) | BAR | 14 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Butyl methacrylate | ВМН | 14 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Butyraldehyde (all isomers) | BAE | 19 | 0 | С | Ш | Α | Yes | 1 | .55-1(h) | G |
| Camphor oil (light) | СРО | 18 | 0 | D | П | Α | No | N/A | No | G |
| Carbon tetrachloride | CBT | 36 | 0 | NA | Ш | Α | Yes | 3 | No | G |
| Caustic potash solution | CPS | 5 ² | 0 | NA | Ш | Α | No | N/A | .50-73, .55-1(j) | G |
| Caustic soda solution | CSS | 5 ² | 0 | NA | Ш | Α | No | N/A | .50-73, .55-1(j) | G |
| Chlorobenzene | CRB | 36 | 0 | D | Ш | Α | Yes | 1 | No | G |
| Chloroform | CRF | 36 | 0 | NA | Ш | Α | Yes | 3 | No | G |
| Coal tar naphtha solvent | NCT | 33 | 0 | D | Ш | Α | Yes | 1 | .50-73 | G |
| Creosote | CCW | 21 ² | 0 | E | Ш | Α | Yes | 1 | No | G |
| Cresols (all isomers) | CRS | 21 | 0 | E | Ш | Α | Yes | 1 | No | G |
| Crotonaldehyde | СТА | 19 ² | 0 | С | П | Α | Yes | 4 | .55-1(h) | G |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | CHG | 19² | 0 | С | III | Α | Yes | 1 | No | G |
| 1,1-Dichloroethane | DCH | 36 | 0 | С | Ш | Α | Yes | 1 | No | G |



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Marine Madisonville

| Cargo Identification | | | | | | | Conditions of Carriage | | | | | |
|--|--------------|-----------------------|----------------|-------|--------------|---------------|------------------------|-----------------------------|---|-----------------|--|--|
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | Recovery VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | Insp. Period | | |
| Dichloromethane | DCM | 36 | 0 | NA | III | Α | Yes | 5 | No | G | | |
| 1,1-Dichloropropane | DPB | 36 | 0 | С | Ш | Α | Yes | 3 | No | G | | |
| 1,2-Dichloropropane | DPP | 36 | 0 | С | Ш | Α | Yes | 3 | No | G | | |
| 1,3-Dichloropropane | DPC | 36 | 0 | С | Ш | Α | Yes | 3 | No | G | | |
| 1,3-Dichloropropene | DPU | 15 | 0 | D | П | Α | Yes | 4 | No | G | | |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | 0 | С | П | Α | Yes | 1 | No | G | | |
| 1-Dodecene | DDC | 30 | 0 | Е | П | Α | No | N/A | No | G | | |
| Dodecyl diphenyl ether disulfonate solution | DOS | 43 | 0 | # | П | Α | No | N/A | No | G | | |
| EE Glycol Ether Mixture | EEG | 40 | 0 | D | Ш | Α | No | N/A | No | G | | |
| Ethyl acrylate | EAC | 14 | 0 | С | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Ethylene cyanohydrin | ETC | 20 | 0 | Е | III | Α | Yes | 1 | No | G | | |
| Ethylene dichloride | EDC | 36 ² | 0 | С | Ш | Α | Yes | 1 | No | G | | |
| Ethylene glycol hexyl ether | EGH | 40 | 0 | Е | Ш | Α | No | N/A | No | G | | |
| Ethylene glycol monoalkyl ethers | EGC | 40 | 0 | D/E | Ш | Α | Yes | 1 | No | G | | |
| Ethylene glycol propyl ether | EGP | 40 | 0 | Е | Ш | Α | Yes | 1 | No | G | | |
| 2-Ethylhexyl acrylate | EAI | 14 | 0 | Е | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Ethyl methacrylate | ETM | 14 | 0 | D/E | Ш | Α | Yes | 2 | .50-70(a) | G | | |
| 2-Ethyl-3-propylacrolein | EPA | 19 ² | 0 | Е | Ш | Α | Yes | 1 | No | G | | |
| Formaldehyde solution (37% to 50%) | FMS | 19 ² | 0 | D/E | Ш | Α | Yes | 1 | .55-1(h) | G | | |
| Furfural | FFA | 19 | 0 | D | Ш | Α | Yes | 1 | .55-1(h) | G | | |
| Glutaraldehyde solutions (50% or less) | GTA | 19 | 0 | NA | Ш | Α | No | N/A | No | G | | |
| Isoprene | IPR | 30 | 0 | Α | Ш | Α | Yes | 7 | .50-70(a), .50-81(a), (b) | G | | |
| Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor) | KPL | 5 | 0 | NA | III | А | No | N/A | .50-73, .56-1(a), (c), (g) | G | | |
| Mesityl oxide | MSO | 18 ² | . 0 | D | Ш | Α | Yes | 1 | No | G | | |
| Methyl acrylate | MAM | 14 | 0 | С | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Methylcyclopentadiene dimer | MCK | 30 | 0 | С | Ш | Α | Yes | 1 | No | G | | |
| Methyl methacrylate | MMN | 14 | 0 | С | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| alpha-Methylstyrene | MSR | 30 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| 1- or 2-Nitropropane | NPM | 42 | 0 | D | Ш | Α | Yes | 1 | .50-81 | G | | |
| 1,3-Pentadiene | PDE | 30 | 0 | Α | Ш | Α | Yes | 7 | .50-70(a), .50-81 | G | | |
| Perchloroethylene | PER | 36 | 0 | NA | Ш | Α | No | N/A | No | G | | |
| Potassium chloride solution (brine) | PCSE | 3 0 | 0 | NA | Ш | Α | No | N/A | | G | | |
| Sodium chlorate solution (50% or less) | SDD | 0 1 | ,2 O | NA | Ш | Α | No | N/A | .50-73 | G | | |
| Sodium Methylate (30% or less) in Methyl Alcohol Mixture | SMS | 20 | 0 | D | Ш | Α | No | N/A | No | 4 уг | | |
| Spent Caustic Soda Solution (containing up to 0.1% Benzene) | scss | 5 5 | 0 | NA | III | Α | No | N/A | .50-60, .50-73, .55-1(j) | G | | |
| Styrene monomer | STY | 30 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Tetrachloroethane | TEC | 36 | 0 | NA | Ш | Α | No | N/A | No | G | | |



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Marine Madisonville

Official #: 1239863 Page 3 of 8 Hull #: 2203-8

| Cargo Identification | n | | | | | | (| Condi | tions of Carriage | |
|---|--------------|-----------------------|----------------|-------|--------------|---------------|-----------|-----------------------------|---|-----------------|
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | Recovery VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | Insp. Period |
| Tetrahydrofuran | THF | 41 | 0 | С | III | Α | Yes | 1 | .50-70(b) | G |
| 1,2,4-Trichlorobenzene | ТСВ | 36 | 0 | Е | Ш | Α | Yes | 1 | No | G |
| 1,1,2-Trichloroethane | TCM | 36 | 0 | NA | III | Α | Yes | 1 | .50-73, .56-1(a) | G |
| Trichloroethylene | TCL | 36 ² | 0 | NA | III | Α | Yes | 1 | No | G |
| 1,2,3-Trichloropropane | TCN | 36 | 0 | Е | II | Α | Yes | 3 | .50-73, .56-1(a) | G |
| Trisodium phosphate solution | TSP | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (c). | G |
| Vanillin black liquor (free alkali content, 3% or more). | VBL | 5 | 0 | NA | III | A | No | N/A | • | |
| | VAM | | 0 | C | III | | | 2 | .50-70(a), .50-81(a), (b) | |
| Vinyl acetate Vinyl neodecanoate | VAIVI | 13 13 | 0 | E | III | A A | Yes No | N/A | | G |
| Subchapter D Cargoes Authorized for Vapor Contro | ol | | | | | | | | | |
| Acetone | ACT | 18 ² | 2 D | С | | Α | Yes | 1 | | |
| Acetophenone | ACP | 18 | D | Е | | Α | Yes | 1 | | |
| Alcohol (C12-C16) poly(20+) ethoxylates | APW | 20 | D | E | | Α | Yes | 1 | | |
| Alcohol (C6-C17) (secondary) poly(3-6) ethoxylates | AEA | 20 | D | Е | | Α | Yes | 1 | | |
| Alcohol (C6-C17) (secondary) poly(7-12) ethoxylates | AEB | 20 | D | E | | Α | Yes | 1 | | |
| Amyl acetate (all isomers) | AEC | 34 | D | D | | Α | Yes | 1 | | |
| Amyl alcohol (iso-, n-, sec-, primary) | AAI | 20 | D | D | | Α | Yes | 1 | | |
| Benzyl acetate | BZE | 34 | D | Е | | Α | Yes | 1 | | |
| Benzyl alcohol | BAL | 21 | D | Е | | Α | Yes | 1 | | |
| Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) | BFY | 20 | D | E | | Α | Yes | 1 | | |
| Butyl acetate (all isomers) | BAX | 34 | D | D | | Α | Yes | 1 | | |
| Isobutyl alcohol | IAL | 20 ² | ? D | D | | Α | Yes | 1 | | |
| Butyl alcohol (n-) | BAN | 20 ² | 2 D | D | | Α | Yes | 1 | | |
| Butyl alcohol (sec-) | BAS | 20 ² | 2 D | С | | Α | Yes | 1 | | |
| tert-Butyl Alcohol | BAT | 20 2 | ? D | С | | Α | Yes | 1 | | |
| Butyl benzyl phthalate | BPH | 34 | D | E | | Α | Yes | 1 | | |
| Butyl toluene | BUE | 32 | D | D | | Α | Yes | 1 | | |
| Caprolactam solutions | CLS | 22 | D | E | | Α | Yes | 1 | | |
| Cycloheptane | CYE | 31 | D | С | | Α | Yes | 1 | | |
| Cyclohexane | CHX | 31 | D | С | | Α | Yes | 1 | | |
| Cyclohexanol | CHN | 20 | D | Е | | Α | Yes | 1 | | |
| Cyclohexyl acetate | CYC | 34 | D | D | | Α | Yes | 1 | | |
| 1,3-Cyclopentadiene dimer (molten) | CPD | 30 | D | D/E | | Α | Yes | 2 | | |
| Cyclopentane | CYP | 31 | D | В | | Α | Yes | 1 | | |
| p-Cymene | CMP | 32 | D | D | | Α | Yes | 1 | | |
| iso-Decaldehyde | IDA | 19 | D | Е | | Α | Yes | 1 | | |
| n-Decaldehyde | DAL | 19 | D | Е | | Α | Yes | 1 | | |
| Decanoic acid | DCO | 4 | D | # | | Α | Yes | 1 | | |



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Marine Madisonville

| Cargo Identification | 1 | | | | | | (| Condi | tions of Carriage | |
|--|--------------|-----------------------|----------------|-------|--------------|---------------|-------|-----------------------------|---|-----------------|
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | Recovery VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | Insp. Period |
| Decene | DCE | 30 | D | D | | Α | Yes | 1 | | |
| Decyl alcohol (all isomers) | DAX | 20 ² | D | Е | | Α | Yes | 1 | | _ |
| n-Decylbenzene, see Alkyl(C9+)benzenes | DBZ | 32 | D | Е | | Α | Yes | 1 | | |
| Diacetone alcohol | DAA | 20 ² | D | D | | Α | Yes | 1 | | |
| Dibutyl phthalate | DPA | 34 | D | Е | | Α | Yes | 1 | | |
| Diethylbenzene | DEB | 32 | D | D | | Α | Yes | 1 | | |
| Diethylene glycol | DEG | 40 ² | D | Е | | Α | Yes | 1 | | |
| Diisobutylene | DBL | 30 | D | С | | Α | Yes | 1 | | |
| Diisobutyl ketone | DIK | 18 | D | D | | Α | Yes | 1 | | |
| Diisopropylbenzene (all isomers) | DIX | 32 | D | Е | | Α | Yes | 1 | | _ |
| Dimethyl phthalate | DTL | 34 | D | Е | | Α | Yes | 1 | | |
| Dioctyl phthalate | DOP | 34 | D | Е | | А | Yes | 1 | | |
| Dipentene | DPN | 30 | D | D | | А | Yes | 1 | | |
| Diphenyl | DIL | 32 | D | D/E | | А | Yes | 1 | | |
| Diphenyl, Diphenyl ether mixtures | DDO | 33 | D | Е | | А | Yes | 1 | | |
| Diphenyl ether | DPE | 41 | D | {E} | | А | Yes | 1 | | |
| Dipropylene glycol | DPG | 40 | D | Е | | Α | Yes | 1 | | |
| Distillates: Flashed feed stocks | DFF | 33 | D | Е | | Α | Yes | 1 | | |
| Distillates: Straight run | DSR | 33 | D | Е | | Α | Yes | 1 | | |
| Dodecene (all isomers) | DOZ | 30 | D | D | | Α | Yes | 1 | | |
| Dodecylbenzene | DDB | 32 | D | Е | | Α | Yes | 1 | | |
| 2-Ethoxyethyl acetate | EEA | 34 | D | D | | Α | Yes | 1 | | |
| Ethoxy triglycol (crude) | ETG | 40 | D | Е | | Α | Yes | 1 | | |
| Ethyl acetate | ETA | 34 | D | С | | Α | Yes | 1 | | |
| Ethyl acetoacetate | EAA | 34 | D | Е | | Α | Yes | 1 | | |
| Ethyl alcohol | EAL | 20 ² | D | С | | Α | Yes | 1 | | |
| Ethylbenzene | ETB | 32 | D | С | | Α | Yes | 1 | | |
| Ethyl butanol | EBT | 20 | D | D | | А | Yes | 1 | | |
| Ethyl tert-butyl ether | EBE | 41 | D | С | | Α | Yes | 1 | | |
| Ethyl butyrate | EBR | 34 | D | D | | Α | Yes | 1 | | |
| Ethyl cyclohexane | ECY | 31 | D | D | | Α | Yes | 1 | | |
| Ethylene glycol | EGL | 20 ² | D | Е | | Α | Yes | 1 | | |
| Ethylene glycol butyl ether acetate | EMA | 34 | D | Е | | А | Yes | 1 | | |
| Ethylene glycol diacetate | EGY | 34 | D | Е | | Α | Yes | 1 | | |
| Ethylene glycol phenyl ether | EPE | 40 | D | Е | | Α | Yes | 1 | | |
| Ethyl-3-ethoxypropionate | EEP | 34 | D | D | | Α | Yes | 1 | | |
| 2-Ethylhexanol | EHX | 20 | D | Е | | А | Yes | 1 | | |
| Ethyl propionate | EPR | 34 | D | С | | А | Yes | 1 | | |
| Ethyl toluene | ETE | 32 | D | D | | А | Yes | 1 | | |
| Formamide | FAM | 10 | D | Е | | Α | Yes | 1 | | |
| | | | | | | | | | | |



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Marine Madisonville

| Cargo Identification | | | | | | | | Condi | tions of Carriage | |
|--|--------------|-----------------------|----------------|-------|--------------|---------------|-------|-----------------------------|---|-----------------|
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | Recovery VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | Insp. Period |
| Furfuryl alcohol | FAL | 20 ² | D | Е | | Α | Yes | 1 | | |
| Gasoline blending stocks: Alkylates | GAK | 33 | D | С | | Α | Yes | 1 | | |
| Gasoline blending stocks: Reformates | GRF | 33 | D | С | | Α | Yes | 1 | | |
| Gasolines: Automotive (containing not over 4.23 grams lead per gallor | n) GAT | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasolines: Aviation (containing not over 4.86 grams of lead per gallon |) GAV | 33 | D | С | | Α | Yes | 1 | | |
| Gasolines: Casinghead (natural) | GCS | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasolines: Polymer | GPL | 33 | D | С | | Α | Yes | 1 | | |
| Gasolines: Straight run | GSR | 33 | D | A/C | | Α | Yes | 1 | | |
| Glycerine | GCR | 20 ² | D | E | | Α | Yes | 1 | | |
| Heptane (all isomers) | НМХ | 31 | D | С | | Α | Yes | 1 | | |
| n-Heptanoic acid | HEN | 4 | D | Е | | Α | Yes | 1 | | |
| Heptanol (all isomers) | HTX | 20 | D | D/E | | Α | Yes | 1 | | |
| Heptene (all isomers) | HPX | 30 | D | С | | Α | Yes | 2 | | |
| Heptyl acetate | HPE | 34 | D | E | | Α | Yes | 1 | | |
| Hexane (all isomers) | HXS | 31 ² | D | B/C | | Α | Yes | 1 | | |
| Hexanoic acid | НХО | 4 | D | Е | | Α | Yes | 1 | | |
| Hexanol | HXN | 20 | D | D | | Α | Yes | 1 | | |
| Hexene (all isomers) | HEX | 30 | D | С | | Α | Yes | 2 | | |
| Hexylene glycol | HXG | 20 | D | E | | Α | Yes | 1 | | |
| Isophorone | IPH | 18 ² | D | E | | Α | Yes | 1 | | |
| Jet fuel: JP-4 | JPF | 33 | D | E | | Α | Yes | 1 | | |
| Jet fuel: JP-5 (kerosene, heavy) | JPV | 33 | D | D | | Α | Yes | 1 | | |
| Kerosene | KRS | 33 | D | D | | Α | Yes | 1 | | |
| Lauric acid | LRA | 34 | D | # | | Α | Yes | 1 | | |
| Methyl acetate | MTT | 34 | D | D | | Α | Yes | 1 | | |
| Methyl alcohol | MAL | 20 ² | D | С | | Α | Yes | 1 | | |
| Methylamyl acetate | MAC | 34 | D | D | | Α | Yes | 1 | | |
| Methylamyl alcohol | MAA | 20 | D | D | | Α | Yes | 1 | | |
| Methyl amyl ketone | MAK | 18 | D | D | | Α | Yes | 1 | | |
| Methyl tert-butyl ether | MBE | 41 2 | D | С | | Α | Yes | 1 | | |
| Methyl butyl ketone | MBK | 18 | D | С | | Α | Yes | 1 | | |
| Methyl butyrate | MBU | 34 | D | С | | Α | Yes | 1 | | |
| Methylcyclohexane | MCY | 31 | D | С | | Α | Yes | 1 | | |
| Methyl ethyl ketone | MEK | 18 ² | D | С | | Α | Yes | 1 | | |
| Methyl formate | MFM | 34 | D | Α | | Α | Yes | 6 | | |
| Methyl heptyl ketone | MHK | 18 | D | D | | Α | Yes | 1 | | |
| 2-Methyl-2-hydroxy-3-butyne | МНВ | | D | С | | А | Yes | 1 | | |
| Methyl isobutyl ketone | MIK | 18 ² | D | С | | Α | Yes | 1 | | |
| Mineral spirits | MNS | | D | D | | Α | Yes | 1 | | |
| Myrcene | MRE | | D | D | | Α | Yes | 1 | | |
| - | | | | | | | | | | |



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Marine Madisonville

| Cargo Identification |) | | | | | | | Condi | tions of Carriage | |
|--|--------------|-----------------------|----------------|-------|--------------|---------------|-------|-----------------------------|---|-----------------|
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | Recovery VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | Insp. Period |
| Naphtha: Heavy | NAG | 33 | D | # | | Α | Yes | 1 | | |
| Naphtha: Petroleum | PTN | 33 | D | # | | Α | Yes | 1 | | |
| Naphtha: Solvent | NSV | 33 | D | D | | Α | Yes | 1 | | |
| Naphtha: Stoddard solvent | NSS | 33 | D | D | | Α | Yes | 1 | | |
| Naphtha: Varnish makers and painters (75%) | NVM | 33 | D | С | | Α | Yes | 1 | | |
| Neodecanoic acid | NEA | 4 | D | Е | | Α | Yes | 1 | | |
| Nonane (all isomers) | NAX | 31 | D | D | | Α | Yes | 1 | | |
| Nonene (all isomers) | NON | 30 | D | D | | Α | Yes | 2 | | |
| Nonyl alcohol (all isomers) | NNS | 20 ² | D | Е | | Α | Yes | 1 | | _ |
| Nonyl phenol | NNP | 21 | D | Е | | Α | Yes | 1 | | |
| Nonyl phenol poly(4+)ethoxylates | NPE | 40 | D | Е | | Α | Yes | 1 | | |
| Octane (all isomers) | OAX | 31 | D | С | | Α | Yes | 1 | | |
| Octanoic acid (all isomers) | OAY | 4 | D | Е | | Α | Yes | 1 | | |
| Octanol (all isomers) | OCX | 20 ² | D | Е | | Α | Yes | 1 | | |
| Octene (all isomers) | OTX | 30 | D | С | | Α | Yes | 2 | | _ |
| Oil, fuel: No. 2 | OTW | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 2-D | OTD | 33 | D | D | | Α | Yes | 1 | | |
| Oil, fuel: No. 4 | OFR | 33 | D | D/E | | Α | Yes | 1 | | _ |
| Oil, fuel: No. 5 | OFV | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 6 | OSX | 33 | D | Е | | Α | Yes | 1 | | _ |
| Oil, misc: Crude | OIL | 33 | D | A/D | | Α | Yes | 1 | | |
| Oil, misc: Diesel | ODS | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, misc: Gas, high pour | OGP | 33 | D | Е | | Α | Yes | 1 | | |
| Oil, misc: Lubricating | OLB | 33 | D | Е | | Α | Yes | 1 | | |
| Oil, misc: Residual | ORL | 33 | D | Е | | Α | Yes | 1 | | |
| Oil, misc: Turbine | ОТВ | 33 | D | Е | | Α | Yes | 1 | | |
| alpha-Olefins (C6-C18) mixtures | OAM | 30 | D | Е | | Α | Yes | 1 | | |
| Pentane (all isomers) | PTY | 31 | D | Α | | Α | Yes | 5 | | |
| Pentene (all isomers) | PTX | 30 | D | Α | | Α | Yes | 5 | | |
| n-Pentyl propionate | PPE | 34 | D | D | | Α | Yes | 1 | | |
| alpha-Pinene | PIO | 30 | D | D | | Α | Yes | 1 | | |
| beta-Pinene | PIP | 30 | D | D | | Α | Yes | 1 | | |
| Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether | PAG | 40 | D | Е | | Α | Yes | 1 | | |
| Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate | PAF | 34 | D | Е | | Α | Yes | 1 | | |
| Polybutene | PLB | 30 | D | Е | | А | Yes | 1 | | |
| Polypropylene glycol | PGC | 40 | D | Е | | А | Yes | 1 | | |
| Propionaldehyde | PAD | 19 | D | С | | А | Yes | 2 | | |
| Isopropyl acetate | IAC | 34 | D | С | | Α | Yes | | | |
| n-Propyl acetate | PAT | 34 | D | С | | Α | Yes | 1 | | |
| Isopropyl alcohol | IPA | 20 ^{2,} | 3 D | С | | Α | Yes | | | |
| | | | | | | | | | | |



Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Marine Madisonville

Hull #: 2203-8

Official #: 1239863 Page 7 of 8

| Cargo Identificati | ion | | | | | Conditions of Carriage | | | | | | | |
|--|--------------|-----------------------|----------------|-------|--------------|------------------------|-------|-----------------------------|---|-----------------|--|--|--|
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | Recovery VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of Construction | Insp. Period | | | |
| n-Propyl alcohol | PAL | 20 ² | D | С | | А | Yes | 1 | | | | | |
| Propylbenzene (all isomers) | PBY | 32 | D | D | | Α | Yes | 1 | | | | | |
| Isopropylcyclohexane | IPX | 31 | D | D | | Α | Yes | 1 | | | | | |
| Propylene glycol | PPG | 20 ² | D | Ε | | Α | Yes | 1 | | | | | |
| Propylene glycol methyl ether acetate | PGN | 34 | D | D | | Α | Yes | 1 | | | | | |
| Propylene tetramer | PTT | 30 | D | D | | Α | Yes | 1 | | | | | |
| Sulfolane | SFL | 39 | D | Е | | Α | Yes | 1 | | | | | |
| Tetraethylene glycol | TTG | 40 | D | Е | | Α | Yes | 1 | | | | | |
| Tetrahydronaphthalene | THN | 32 | D | Е | | Α | Yes | 1 | | | | | |
| Tetramethylbenzene (all isomers) | TTC | 32 | D | # | | Α | Yes | 1 | | | | | |
| Toluene | TOL | 32 | D | С | | Α | Yes | 1 | | | | | |
| Tricresyl phosphate (containing less than 1% ortho isomer) | TCP | 34 | D | Е | | Α | Yes | 1 | | | | | |
| Triethylbenzene | TEB | 32 | D | Е | | Α | Yes | 1 | | | | | |
| Triethylene glycol | TEG | 40 | D | Е | | Α | Yes | 1 | | | | | |
| Triethyl phosphate | TPS | 34 | D | Е | | Α | Yes | 1 | | | | | |
| Trimethylbenzene (all isomers) | TRE | 32 | D | {D} | | Α | Yes | 1 | | | | | |
| 2,2,4-Trimethyl-1,3-pentanediol-1-isobutyrate | TMP | 34 | D | Е | | Α | Yes | 1 | | | | | |
| Trixylyl phosphate | TRP | 34 | D | Е | | Α | Yes | 1 | | | | | |
| 1-Undecene | UDC | 30 | D | D/E | | Α | Yes | 1 | | | | | |
| Undecyl alcohol | UND | 20 | D | Е | | Α | Yes | 1 | | | | | |
| Xylenes | XLX | 32 | D | D | | Α | Yes | 1 | | | | | |

Certificate of Inspection

Page 8 of 8

Cargo Authority Attachment

Shipyard: Trinity Marine

Hull #: 2203-8

Explanation of terms & symbols used in the Table:

Cargo Identification

Name

Official #: 1239863

Chem Code none

Compatability Group No

Note 1

Note 2

Subchapter Subchapter D Subchapter O

Note 3

A. B. C

Grade

Note 4 NA

Hull Type

NA

Tank Group

Vapor Recovery Approved (Y or N)

Conditions of Carriage Vapor Recovery Approved (Y or N)

> VCS Category: Category 1

> > Category 2

Category 4 Category 5

Category 3

Category 6

Category 7

The propper shipping name as listed in 46 CFR Table 30,25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-ENG-5), 2703 Martin Luther King Jr. Ave SE Stop 7509, Washington DC 20593-7509. Email: hazmatstandards@uscq.mil.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

Flammable liquid cargoes, as defined in 46 CFR 30-10.22 Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo

No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.2011) and the pressure drop calculations (46 CFR 39.3001) must

use appropriate friction factors, vapor densities and vapor growth rates.

The specified cargo's provisional classification for vapor control systems.

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.2009

This requirement is in addition to the requirements of Category 1.

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air

mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5 (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

The cargo has not been evaluated/classified for use in vapor control systems. none