

Vessel Name

KIRBY 28719

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 30 Nov 2022 Expiration Date: 30 Nov 2023

Tank Barge

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

IMO Number

Official Number

1239859

Call Sign

GIBSON, LA			Hull Material Steel		Horsepower	Propulsion		
UNITED STA	TES							
Place Built	1.4		Delivery Date	Keel Laid Date		Net Tons	DWT	Length
Madisonville,	LA		11Sep2012	30Jul2012	2 R-1619	R-1619		1-0
UNITED STA	ATES							
				1 0	perator (irby Inland Mar 8350 MARKET CHANNELVIEW JNITED STATE	ST /, TX 77530		
This vessel m	nust be manned v feboatmen, 0 Ce	vith the fo rtified Tan	lowing license kermen, 0 HS	d and unlice C Type Rati	nsed Personne ng, and 0 GMD	l. Included in SS Operators	which there m s.	ust be
0 Masters	0	Licensed Ma	ates 0 Chie	ef Engineers	0.0	Dilers		
0 Chief Mate	s 0	First Class I	Pilots 0 Firs	t Assistant Eng	gineers			
0 Second Ma	ates 0	Radio Office	ers 0 Sec	ond Assistant	Engineers			
0 Third Mate	s 0	Able Seame	n 0 Thii	d Assistant Er	ngineers			
0 Master Fire	st Class Pilot 0	Ordinary Se	amen 0 Lice	ensed Engineer	rs			
0 Mate First		Deckhands		alified Member	The state of the s			
In addition, the Persons allow	nis vessel may ca wed: 0	arry 0 Pass	sengers, 0 Oth	er Persons i	in crew, 0 Perso	ons in additior	n to crew, and i	no Others. Total
Lakes, Also, in fa Florida.	nitted And Cond Bays, and S	ounds	plus Limite	ve (12) mil	es from shore			
21 (b); if vessel must	this workel is	anarated	in ealt wate	or more tha	an six (6) mon	ths in anv	twelve (12) m	CFR table 31.10 - onth period, the as soon as this
***SEE NE	XT PAGE FOR	ADDITIO	NAL CERTIF	ICATE INF				
Inspection, M	pection for Certifi Marine Safety Uni rules and regula	t Port Arth	our certified the	e vessel, in a	UNITEI all respects, is in	D STATES, the conformity w	ne Officer in Cl vith the applica	narge, Marine ble vessel inspectio
	Annual/Perio				This certifica	ite issued by	Aftau	alt
Date	Zone	A/P/R	Signa	ture	K.	A. Hantal, Ø	DR, USCG, By	direction
					Officer in Charge, N	Marine Inspection		17.101
						Marine Sat	ety Unit Port A	rthur

Inspection Zone



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 30 Nov 2022 Expiration Date: 30 Nov 2023

Temporary Certificate of Inspection

Vessel Name: KIRBY 28719

THIS TANK BARGE IS PARTICIPATING IN THE EIGHTH COAST GUARD DISTRICT'S TANK BARGE STREAMLINED INSPECTION PROGRAM INSPECTION ACTIVITIES ABOARD THIS BARGE SHALL BE CONDUCTED IN ACCORDANCE WITH ITS TANK BARGE ACTION PLAN (TAP). INSPECTION ISSUES CONCERNING THIS BARGE SHOULD BE DIRECTED TO THE OCMI MORGAN CITY, LOUISIANA.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Sep2032

30Nov2022

10Sep2012

Internal Structure

31Aug2027

30Nov2022

18Aug2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

28400

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	863	13.6
2 P/S	876	13.6
3 P/S	702	13.6

Loading Constraints - Stability

	Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
ı	II	3776	10ft 0in	13.6	R, LBS
	Ш	4648	11ft 9in	13.6	R, LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial #C1-1202856, dated 05JUN12, may be carried, and then only in tanks indicated.

Per 46 CFR 150.130, the PIC of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person in Charge (PIC) is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Thermal fluid heater may only be operated when carrying grade "E" cargoes.

STABILITY AND TRIM

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

The maximum density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 30 Nov 2022 Expiration Date: 30 Nov 2023

Temporary Certificate of Inspection

Vessel Name: KIRBY 28719

VAPOR CONTROL AUTHORIZATION

In accordance with 46 CFR 39, excluding 46 CFR 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial C1-1202856 dated 05 JUN 2012 and the list of authorized cargoes on the CAA, Serial C1-1202856 dated 05 JUN 2012, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Vessel restricted from carrying polymerizing cargoes until VCS lines and P/V valves are inspected by the Coast Guard and found clear of polymerized cargo.

--- Inspection Status ---

Cargo Tanks

	Internal Exam	0		External Exar	n	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	10Sep2012	30Nov2022	30Sep2032	8)	±	-
2 P/S	10Sep2012	30Nov2022	30Sep2032	3	=	£.
3 P/S	10Sep2012	30Nov2022	30Sep2032	¥	w.	-
			Hydro Test			
Tank Id	Safety Valves	5	Previous	Last	Next	
1 P/S	-		-	-	=	
2 P/S	-		-	20	2	
3 P/S	-		-	=0	-:	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

_

40-B

END

C1-1202856

ated:

05-Jun-12



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30036

Shipyard: Trinity Marine

Madisonville

Official #: 1239859

Hull #: 2203-4

Tank Group Information	Cargo Identification			Cargo	Tanks			Cargo Transfer		Environmental Control		Fire	Special Requirements				
Trik Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Sea		Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1P/S, #2P/S, #3P/S	13.6	Almos.	Amb.	H	1ii 2ii	Integrat Gravity	PV	Closed	П	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(h), (j), 56-1(a), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identificatio	n	······································				Conditions of Carriage						
							Vapor Re					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	insp. Period		
Authorized Subchapter O Cargoes												
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G		
Adiponitrile	ADN	37	0	E	II.	A	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 ²	0	NA	18	A	No	N/A		G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	II	Α	No	N/A		G		
Benzene	BNZ	32	0	C	111	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	C	Ш	ΑΑ	Yes	1	.50-60	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	10	Α	Yes	11	.50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	вмн	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	III	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G		
Carbon tetrachloride	CBT	36	0	NA	III	Α	No	N/A	No	G		
Caustic potash solution	CPS	5 ²	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G		
Caustic soda solution	CSS	5 2	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	H	Α	No	N/A	.50-73	G		
Chlorobenzene	CRB	36	0	D	HI	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	ill	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	.50-73	G		
Creosote	CCV	/ 21 ²	0	E	111	Α	Yes	1	No	G		
Cresols (all isomers)	CRS	21	0	Е	111	Α	Yes	1	No	G		
Crotonaldehyde	CTA	19 ²	0	С	li	Α	Yes	4	,55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	I	0	С	Ш	Α	No	N/A	, No	G		
1,1-Dichloroethane	DCH	36	0	С	Ш	Α	Yes	1	No	G		
Dichloromethane	DCM	36	0	NA	III	Α	Yes	5	No	G		
1,1-Dichloropropane	DPB	36	0	С	HI	Α	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	С	Ш	Α	Yes	3	No ,	G		
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	11	Α	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	11	Α	Yes	1	No	G		
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	- 11	Α	No	N/A	No	G		
EE Glycol Ether Mixture	EEG	40	0	D	ill	Α	No	N/A	No	G		
Ethyl acrylate	EAC	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Cargo Authority Attachment

Shipyard: Trinity Marine Madisonville

Serial #:

Dated

C1-1202856

05-Jun-12

Hull #: 2203-4

Vessel Name: SMI 30036

Official #: 1239859

Amyl alcohol (iso-, n-, sec-, primary)

Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and

Benzyl alcohol

their borate esters)

Page 2 of 7

Conditions of Carriage Cargo Identification Vapor Recovery Sub Hull Tank Chem Compat Code ETC 20 No hapte Grade Type Group or N) Yes 151 General and Mat'ls of Name Е Ethylene cyanohydrin G Yes EDC O C Ш 36 2 Ethylene dichloride Ш No No N/A 0 Е Α Ethylene glycol hexyl ether EGH 40 No Yes EGC 40 0 D/E 111 Ethylene glycol monoalkyl ethers EGP 0 H Yes 40 E Ethylene glycol propyl ether .50-70(a), .50-81(a), (b) o Ш Yes 2 EAI 14 Ë 2-Ethylhexyl acrylate 111 .50-70(a) ETM 14 0 D/E Yes Ethyl methacrylate 19 ² 0 Ε 111 Yes No **EPA** 2-Ethyl-3-propylacrolein **FMS** 19 ² 0 D/E 111 Α Yes Formaldehyde solution (37% to 50%) .55-1(h) G FFA o D Пŧ Α Yes 19 111 No N/A **GTA** 19 0 NΑ Α Glutaraldehyde solution (50% or less) G .50-70(a), .50-81(a), (b) 111 HFN 0 С Yes 1 Hydrocarbon 5-9 .50-70(a), .50-81(a), (b) G IPR 0 Ш Α Yes 7 30 Α G .50-73, .56-1(a), (c), (g) o NΑ 111 Α No N/A **KPL** Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor) MSO 18 2 o H Yes Mesityl oxide .50-70(a), .50-81(a), (b) 0 C ||} Α Yes MAM 14 Methyl acrylate 0 С Ш 30 Α Yes MCK Methylcyclopentadiene dimer Yes 2 .50-70(a), .50-81(a), (b) O С m MMM 14 Methyl methacrylate .50-70(a), .50-81(a), (b) n 2 O Ш Α Yes MSR 30 alpha-Methylstyrene G NPM 42 0 Đ Ш Α Yes 1- or 2-Nitropropane .50-70(a), .50-81 G PDE 30 0 Ш Yes 7 Α 1,3-Pentadiene G No PER 0 NA 111 No N/A G .50-73, .55-1(f) N/A Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide) SAP O Ш Α No G .50-73 N/A O NΑ III Α No SDD Sodium chlorate solution (50% or less) G 0 Ш Α Yes STX D Styrene (crude) G Yes 2 .50-70(a), .50-81(a), (b) O Đ Ш Α STY 30 Styrene monomer G N/A O Ш Α No TEC 36 NA 1,1,2,2-Tetrachloroethane .50-70(b) G THE 41 0 С Ш A Yes Tetrahydrofuran G 0 Ш Α Yes TCB 1,2,4-Trichlorobenzene G .50-73, .56-1(a) 0 NΑ 111 TCM 36 Α 1,1,2-Trichloroethane TCL 36 ² 0 NA 111 Α Yes Trichloroethylene G .50-73, .56-1(a) 36 0 E I Α Yes 3 TCN 1,2,3-Trichloropropane 5 0 Ш Α N/A .50-73, .56-1(a), (c) G TSP NA No Trisodium phosphate solution .50-73, .56-1(a), (c), (g) G റ Ш N/A Vaniilin black liquor (free alkali content, 3% or more). VBL NA Α No .50-70(a), .50-81(a), (b) G 111 Α Yes 2 VAM 13 O C Vinvl acetate .50-70(a), .50-81(a), (b) G Ш N/A VND 13 O F A No Vinyl neodecanate Subchapter D Cargoes Authorized for Vapor Control ACT 18 2 D Α Yes Acetone ACP 18 D Ε Α Yes 20 D Ε Α Yes APU Alcohol(C12-C16) poly(1-6)ethoxylates ח E Α Yes Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates AEB 20 AEC 34 D n Α Yes Amyl acetate (all isomers) 20 D D Α Yes AAI

D

Ε

Yes

21

BAL.



Serial #: C1-1202856 Dated: 05-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30036
Official #: 1239859

Page 3 of 7

Shipyard: Trinity Marine Madisonville

Hull #: 2203-4

Cargo Identification							Conditions of Carriage					
								Recovery	Once let Describe and to to CCC	I,		
Name	Chem Code	Compat Group No			Hull Type	Tank Groun	App'd (Y or N)		Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1				
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α .	Yes	1				
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1				
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1				
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1	Lander			
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1				
Butyl toluene	BUE	32	D	D		Α	Yes	1	· · · · · · · · · · · · · · · · · · ·			
Caprolactam solutions	CL.S	22	D	Ε		Α	Yes	1				
Cyclohexane	CHX	31	D	С		Α	Yes	1				
Cyclohexanol	CHN	20	D	E		Α	Yes	1				
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2				
p-Cymene	CMP	32	D	D		Α	Yes	1				
iso-Decaldehyde	IDA	19	Đ	E		Α	Yes	1				
n-Decaldehyde	DAL	19	D	Ë		Α	Yes	1				
Decene	DCE	30	D	D		Α	Yes	1				
Decyl alcohol (all isomers)	DAX	20 ²	D	E		Α	Yes	1				
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1				
Diacetone alcohol	DAA	20 ²	D	Q		A	Yes	1				
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1				
Diethylbenzene	DEB	32	D	D		A	Yes	1				
·	DEG	40 2	 D	E		A	Yes	1				
Diethylene glycol	DBL	30	D	c		A	Yes	1				
Diisobutylene	DIK	18	D			A	Yes	1				
Diisobutyl ketone	DIX	32	D	E		A	Yes	1				
Diisopropylbenzene (all isomers)	DTL	34	D	E		A	Yes	1				
Dimethyl phthalate	DOP	34		E			Yes	<u>.</u>				
Dioctyl phthalate	DOP	30	. D	D		A	Yes	1				
Dipentene		32	D D	D/E		A	Yes	1				
Diphenyl	DIL		D	E		A	Yes	1				
Diphenyl, Diphenyl ether mixtures	DDO	33					Yes					
Diphenyl ether	DPE	41	D	(E)		Α		1				
Dipropylene glycol	DPG	40	D	E		A	Yes					
Distillates: Flashed feed stocks	DFF	33	<u>D</u>	<u>E</u>		<u>A</u>	Yes	1				
Distillates: Straight run	DSR	33	D	E		<u> </u>	Yes	1				
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1				
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1				
2-Ethoxyethyl acetate	EEA	34	D	D		A	Yes	1				
Ethoxy triglycol (crude)	ETG	40	D	Ę		A	Yes	1				
Ethyl acetate	ETA	34	D	С		Α	Yes	1		******		
Ethyl acetoacetate	EAA	34	D	Ε		Α	Yes	1				
Ethyl alcohol	EAL	20 ²	D	C		A	Yes	1				
Ethylbenzene	ETB	32	D	С		Α	Yes					
Ethyl butanol	EBT	20	D	D		Α	Yes					
Ethyl tert-butyl ether	ЕВЕ	41	D	С		Α	Yes	1				
Ethyl butyrate	EBR	34	D	D		Α	Yes	1				
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1				
Ethylene glycol	EGL	20 ²	D	Е		Α	Yes	1				
Ethylene glycol butyl ether acetate	EMA	34	D	Е		Α	Yes	1				
Ethylene glycol diacetate	EGY		D	E		Α	Yes	1				



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30036

Official #: 1239859

Page 4 of 7

Shipyard: Trinity Marine Madisonville

C1-1202856 05-Jun-12

Hull #: 2203-4

Cargo Identification	n					Conditions of Carriage					
			۵. ۱		(Isa	Tools	Vapor F App'd	Recovery_ VCS	Special Requirements in 46 CFR	Inco	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	Category	151 General and Mattis of	Insp. Period	
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1			
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α .	Yes	1			
2-Ethylhexanol	EHX	20	D	E		A	Yes	1			
Ethyl propionate	EPR	34	D _.	С		Α	Yes	1			
Ethyl toluene	ETE	32	D	D		Α	Yes	1			
Formamide	FAM	10	D	E		Α	Yes	· 1			
Furfuryl alcohol	FAL	20 ²	D	E		Α	Yes	1	- LANGE CONTRACT CONT		
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1			
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	11			
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	C		Α	Yes	1			
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1			
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1			
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1			
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1			
Glycerine	GCR	20 ²	D	E		Α	Yes	1			
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С	PART.	Α	Yes	1			
Heptanoic acid	HEP	4	D	E		Α	Yes	1			
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	11			
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2			
Heptyl acetate	HPE	34	D	Ë		Α	Yes	1			
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1			
Hexanoic acid	нхо	4	D	E		Α	Yes	1			
Hexanol	HXN	20	D	D		Α	Yes	1			
Hexene (all isomers)	HEX	30	D	C		Α	Yes	2			
Hexylene glycol	HXG	20	D	Ε		Α	Yes	1			
Isophorone	IPH	18 ²	D	£		Α	Yes	1			
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1			
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1			
Kerosene	KRS	33	D	D		Α	Yes	1			
Methyl acetate	MTT	34	D	D		Α	Yes	1			
Methyl alcohol	MAL	20 ²	D	С		Α	Yes	1			
Methylamyl acetate	MAC	34	D	D		Α	Yes	1			
Methylamyi alcohol	MAA	20	Đ	D		Α	Yes	1			
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1			
Methyl tert-butyl ether	MBE	41 ²	D	С	***************************************	Α	Yes	1			
Methyl butyl ketone	MBK	18	D	С	•	Α	Yes	1			
Methyl butyrate	мви	34	D	С		Α	Yes	1			
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	1			
Methyl heptyl ketone	MHK		D			Α	Yes	1			
Methyl isobutyl ketone	MIK	18 2	D	c		A	Yes	1			
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1			
	MNS			D		A	Yes	1			
Mineral spirits	MRE			D		A	Yes	1			
Myrcene	NAG		D	#		A	Yes	1			
Naphtha: Heavy	PTN	33	D	#		Ā	Yes	1			
Naphtha: Petroleum	NSV	33	D	# D		A	Yes	1			
Naphtha: Solvent	NSS	33		D			Yes	1			



Dated:

05-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30036

Shipyard: Trinity Marine Madisonville

Hull #: 2203-4

Official #: 1239859

Page 5 of 7

Cargo Identification							Conditions of Carriage					
						Vapor Recovery						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	C		Α	Yes	1				
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1	<u> </u>			
Nonene (all isomers)	NON	30	D	D		Α	Yes	2				
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		Α	Yes	1				
Nonyl phenol	NNP	21	D	Е		Α	Yes	1				
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1				
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1		******		
Octanoic acid (all isomers)	OAY	4	D	E		Α	Yes	1				
Octanol (all isomers)	OCX	20 ²	D	E		Α	Yes	1				
Octene (all isomers)	OTX	30	D	С		Α	Yes	2				
Oil, fuel; No. 2	OTW	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1				
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 6	OSX	33	D	Ë		Α	Yes	1				
Oil, misc: Crude	OIL	33	D	C/D		Α	Yes	1				
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1				
Oil, misc: Gas, high pour	OGP	33	ם	Ε		, A	Yes	1				
Oil, misc: Lubricating	OLB	33	Đ	E		Α	Yes	1				
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1				
Oil, misc: Turbine	ОТВ	33	D	Ę		Α	Yes	1				
Pentane (all isomers)	PTY	31	D	A		Α	Yes	5				
Pentene (all isomers)	PTX	30	D	A		Α	Yes	5		**********		
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1	· · · · · · · · · · · · · · · · · · ·			
alpha-Pinene	PIO	30	D	D		A	Yes	1				
beta-Pinene	PIP	30	D	D		Α	Yes	1	•			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Ë		Α	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1				
Polybutene	PLB	30	Đ	E		Α	Yes	1				
Polypropylene głycol	PGC	40	D	E		A	Yes	1	,			
	IAC	34	D	C		A	Yes	1				
iso-Propyl acetate	PAT	34	D	c		A	Yes	1				
n-Propyl acetate	IPA	20 ²	D	c		Α	Yes	1				
iso-Propyl alcohol	PAL	20 ²	D	Č		A	Yes	1				
n-Propyl alcohol	PBY	32	D	D		Α	Yes	1				
Propylbenzene (all isomers)	IPX	31	D			A	Yes	<u>·</u>				
iso-Propylcyclohexane	PPG	20 2		Ë		A	Yes	 1				
Propylene glycol	PGN	34	D	D			Yes	1				
Propylene glycol methyl ether acetate	PTT	30	D	D		A	Yes	1				
Propylene tetramer	SFL	39	D	E		A	Yes	1				
Sulfolane	TTG	40	D	E			Yes	1				
Tetraethylene glycol	THN	32	D	E			Yes	1				
Tetrahydronaphthalene			D	C			Yes	1				
Toluene	TOL	32		E		A A	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D				Yes	1				
Triethylbenzene	TEB	32	D	E		A						
Triethylene glycol	TEG	40	D	E		A	Yes	1				
Triethyl phosphate	TPS	34	D	E		A	Yes	11				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		A	Yes	1				

Department of Homeland Security
United States Coast Guard

Serial #: C1-1202856

ted: 05-Jun-12



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30036

Shipyard: Trinity Marine


Madisonville

Official #: 1239859

Page 6 of 7

Hull #: 2203-4

Cargo Ider	ntification		•			Conditions of Carriage					
Name Trixylenyl phosphate	Chem Code TRP	Compat Group No 34	Sub Chapter D	Grade E	Hull Type	Tank Group A	App'd	Recovery VCS Cateoory 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Undecene	UDC	30	D	D/E		Α	Yes	1			
1-Undecyl alcohol	UND	20	D	Е		Α	Yes	1			
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1			



Dated:

Serial #: C1-1202856

05-Jun-12



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30036 Official #: 1239859

Page 7 of 7

Shipyard: Trinity Marine

Hull #: 2203-4

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 2

Subchapter Subchapter D

Subchapter O Note 3

A, B, C

Note 4

NA

Hull Type NA

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30,25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2. Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

mmable liquid cargoes, as defined in 46 CFR 30-10.22 Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The yessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The yessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30t(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5,

The cargo has not been evaluated/classified for use in vapor control systems.



Commanding Officer United States Coast Guard Marine Safety Center US Coast Guard Stop 7430 2703 Martin Luther King Jr Ave SE Washington, DC 20593-7430 Staff Symbol: MSC-3 Phone: (202) 795-6731 Email: msc@uscq.mil

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

The Shearer Group, Inc Attn: Mr. Harrison Brann 3101 NASA Parkway, Suite I Seabrook, TX 77586

Email: hbrann@shearer-group.com

Subj: Multi-Breasted Tandem Loading for Settoon Towing, LLC

Unmanned Double Hull Tank Barges (O/D)

Rivers; Lakes, Bays, and Sounds Multi-breasted Tandem Loading

Ref: (a) The Shearer Group, Dwg. No. 0231-018-043, Rev. 5, "Tank Barge Tandem Loading," dated July 22, 2016

- (b) Your letter Corr. No. 0231-018-SUBMIT005 dated July 22, 2016
- (c) MSC letter Serial No. C1-1402458 dated July 18, 2014
- (d) MSC letter Serial No. C1-1500300 dated January 25, 2015
- (e) MSC letter Serial No. C1-1501614 dated April 13, 2015
- (f) MSC letter Serial No. C1-1602221 dated June 10, 2016
- (g) Marine Safety Information bulletin 11-14, dated July 18, 2014

Dear Mr. Brann:

In response to your email dated July 22, 2016 (MSC Document No. 1615825), we have reviewed all previously submitted pressure drop calculations for multi-breasted tandem loading. The barges listed in enclosure (1) barges have vapor control systems previously approved by the letters listed in enclosure (1) for the applicable barges, and are acceptable for dual loading operations. Based on the calculations in references (a), tandem loading is limited to simultaneous collection of those cargoes listed in the vessels' CAA at a maximum transfer rate of **5,000 bbl/hr** per barge.

For the OCMI's convenience, we have included the following recommended COI endorsement:

In accordance with 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Please note that in accordance with the procedural changes outlined in reference (g), tandem loading no longer requires final approval by Commandant (CG-ENG-5), but may be approved by

Subj: Multi-Breasted Tandem Loading for Settoon Towing, LLC 16710/P018412/mpc

Serial: C1-1602921 August 10, 2016

the local Officer in Charge, Marine Inspection (OCMI) and may be subject to additional operational requirements.

Please contact LT Michael Comerford at (202) 795-6782 with questions concerning our review.

Sincerely,

R. W. MOWBRAY Lieutenant, U. S. Coast Guard Chief, Vessel and Cargo Branch By direction

Encl: (1) List of Applicable Barges

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

Enclosure 1 – List of Applicable Barges

Name	Builder	Hull#	Official No.	MAWP [psi]	PV Valve Setting [psig]	VCS Approval Letter	Approval Date
E2MS 300	Trinity, Ashland City	4943	1243228	3.00	1.5/-0.5	C1-1204608	November 2, 2012
E2MS 301	Trinity, Ashland City	4944	1243229	3.00	1.5/-0.5	C1-1204608	November 2, 2012
E2MS 302	Trinity, Ashland City	4968	1248273	3.00	1.5/-0.5	C1-1302286	August 20, 2013
E2MS 303	Trinity, Ashland City	4969	1248274	3.00	1.5/-0.5	C1-1302286	August 20, 2013
E2MS 304	Trinity, Ashland City	5041	1253982	3.00	1.5/-0.5	C1-1402458	July 18, 2014
E2MS 305	Trinity, Ashland City	5042	1254052	3.00	1.5/-0.5	C1-1402458	July 18, 2014
SMI 10001	Trinity, Ashland City	5051	1255567	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 10002	Trinity, Ashland City	5052	1255568	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 10003	Trinity, Ashland City	5053	1255569	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 10004	Trinity, Ashland City	5085	1255570	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 30007	Trinity, Madisonville	2177-1	1216337	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30010	Trinity, Madisonville	2177-2	1216338	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30011	Trinity, Madisonville	2177-3	1216339	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30012	Trinity, Madisonville	2177-4	1216340	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30014	Conrad Industries, Inc.	C-890	1222699	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30015	Conrad Industries, Inc.	H-407	1222689	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30016	Trinity, Ashland City	4749	1225135	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30017	Conrad Industries, Inc.	C-908	1229236	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30018	Conrad Industries, Inc.	C-909	1229235	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30019	Trinity, Madisonville	2192-1	1231348	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30020	Trinity, Madisonville	2192-2	1231349	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30021	Trinity, Madisonville	2191-1	1231350	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30022	Trinity, Madisonville	2191-2	1231351	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30023	Trinity, Ashland City	4791	1234345	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30024	Trinity, Ashland City	4792	1234347	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30025	Trinity, Ashland City	4793	1234348	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30026	Trinity, Ashland City	4794	1234349	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30027	Trinity, Ashland City	4802	1234351	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30028	Trinity, Ashland City	4803	1234352	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30029	Trinity, Ashland City	4804	1234354	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30030	Trinity, Ashland City	4805	1234355	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30031	Trinity, Ashland City	4806	1234356	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30032	Trinity, Madisonville	2203-1	1239856	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30033	Trinity, Madisonville	2203-2	1239857	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30034	Trinity, Madisonville	2204-1	1239887	3.00	1.5/-0.5	C1-1202871	June 6, 2012

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

Name	Builder	Hull #	Official No.	MAWP [psi]	PV Valve Setting [psig]	VCS Approval Letter	Approval Date
SMI 30035	Trinity, Madisonville	2203-3	1239858	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30036	Trinity, Madisonville	2203-4	1239859	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30037	Trinity, Madisonville	2204-2	1239888	3.00	1.5/-0.5	C1-1202871	June 6, 2012
SMI 30038	Trinity, Madisonville	2203-5	1239860	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30039	Trinity, Madisonville	2203-6	1239861	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30040	Trinity, Madisonville	2204-3	1239889	3.00	1.5/-0.5	C1-1202871	June 6, 2012
SMI 30041	Trinity, Madisonville	2203-7	1239862	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30042	Trinity, Madisonville	2203-8	1239863	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30043	Trinity, Madisonville	2204-4	1239890	3.00	1.5/-0.5	C1-1202871	June 6, 2012
SMI 30044	Kennedy Ship and Repair	H122	1242956	3.00	1.5/-0.5	C1-1204976	December 11, 2012
SMI 30045	Kennedy Ship and Repair	H123	1246170	3.00	1.5/-0.5	C1-1204976	December 11, 2012
SMI 30046	Trinity, Ashland City	4894	1243723	3.00	1.5/-0.5	C1-1204448	October 23, 2012
SMI 30047	Trinity, Ashland City	4895	1247204	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30048	Trinity, Ashland City	4896	1247205	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30049	Trinity, Ashland City	4945	1247206	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30050	Trinity, Ashland City	4946	1247207	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30051	Trinity, Ashland City	4947	1248992	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30052	Trinity, Ashland City	4998	1248993	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30053	Kennedy Ship and Repair	H124	1249447	3.00	1.5/-0.5	C1-1204976	December 11, 2012
SMI 30054	Trinity, Ashland City	4989	1243723	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30055	Trinity, Ashland City	4990	1249746	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30056	Trinity, Ashland City	5027	1252007	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30057	Trinity, Ashland City	5028	1252008	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30058	Trinity, Ashland City	5043	1252009	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30059	Trinity, Ashland City	5044	1252010	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30060	Trinity, Ashland City	4989	1252012	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30061	Trinity, Ashland City	4990	1252013	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30062	Trinity, Ashland City	5045	1251933	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30063	Trinity, Ashland City	5048	1251934	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30064	Trinity, Ashland City	5049	1251935	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30065	Sterling, Port Neches	H129	1250651	3.00	1.5/-0.5	C1-1400109	January 15, 2014
SMI 30201	Trinity, Gretna Machine	1408	1020950	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30202	Trinity, Gretna Machine	1409	1020951	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30203	Trinity, Gretna Machine	1410	1020952	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30204	Trinity, Gretna Machine	1411	1020953	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30205	Trinity, Gretna Machine	1412	1020955	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30206	Trinity, Gretna Machine	1413	1020957	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 213	Cenac Towing Co.	2059-2	1074634	3.00	1.5/-0.5	C2-9901178	April 13, 1999

Subj: Multi-Breasted Tandem Loading for Settoon Towing, LLC 1

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

Name	Builder	Hull#	Official No.	MAWP [psi]	PV Valve Setting [psig]	VCS Approval Letter	Approval Date
SMI 214	Cenac Towing Co.	2059-3	1074635	3.00	1.5/-0.5	C2-9901178	April 13, 1999
SMI 216	Cenac Towing Co.	2059-5	1074637	3.00	1.5/-0.5	C2-9901178	April 13, 1999
SMI 217	Cenac Towing Co.	2059-6	1074638	3.00	1.5/-0.5	C2-9901178	April 13, 1999
SMI 219	Cenac Towing Co.	2059-4	1074636	3.00	1.5/-0.5	C2-9901178	April 13, 1999