

## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 Apr 2024 Expiration Date: 03 Apr 2025

## Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in fieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name			Official Number	IMO Nun	ber	Call Sign	Service				
KIRBY 28	739		1248993				Tank	Barge			
Hailing Port											
GIBSON,	LA		Hull Material	Hors	epower	Propulsion					
			Steel								
UNITED S	STATES										
Place Built			Delivery Date	Keel Laid Date	Gross Tons	N-LT-					
ASHLAND	CITY, TN		·		R-1619	Net Tons R-1619	DWT	Length R-297.5			
HMITED C	TATEC		17Oct2013	19Sep2013	<b> -</b>	-	972	1-0			
UNITED S	TATES										
Owner	AND MADDIE			Operato							
55 WAUGE	AND MARINE L I DR STE 1000	.P				MARINE LP					
HOUSTON	, TX 77007				0 MARKET VNELVIEW						
UNITED ST	TATES				ED STATE						
				4							
This vessel 0 Certified I	must be manne ₋ifeboatmen, 0 (	d with the folk Certified Tank	owing licensed ermen, 0 HSC	and unlicensed Type Rating, a	Personnel. and 0 GMDS	. Included in wi	hich there m	ust be			
0 Masters		0 Licensed Mate		Engineers	0 Oi						
0 Chief Ma	tes	0 First Class Pil	ots 0 First A	ssistant Engineer	s						
0 Second N	/lates	0 Radio Officers	o Secon	d Assistant Engin	eers						
0 Third Mar	tes	0 Able Seamen	0 Third	Assistant Enginee	rs						
0 Master Fi	rst Class Pilot	0 Ordinary Sear	nen 0 Licens	ed Engineers							
	t Class Pilots	0 Deckhands		ed Member Engin							
In addition, t Persons allo	this vessel may owed: 0	carry 0 Passe	ngers, 0 Other	Persons in cre	w, 0 Persor	ns in addition to	crew, and r	no Others. Total			
Route Peri	mitted And Cor	nditions Of O	peration:								
	Bays, and		poration								
							•				
Also, in fa Florida.	ir weather on	Ly, not more	than twelve	(12) miles fi	com shore b	oetween St. Ma	erks and Ca	rrabelle,			
This vessel	has been gran	ited a fresh	water servic	e examination	interval	per 46 CFR 31	l.10-21(a)(	2). If this			
salt water	intervals per	.t water more	e than 6 mont	ns in anv 12	month peri	od the vecc	al much be	American American			
inange in s	tatus occurs.										
This tank b	arge is partic	ipating in	the Eighth Co	ast Guard Dis	trict's Ta	ink Barge Stre	amlined In	spection Program			
***SEE NE	XT PAGE FOR	R ADDITIONA	AL CERTIFICA	ATE INFORM	ATION***		· ·	$\mu \mapsto \Gamma_{++}$			
With this Insp	ection for Certif	ication having	been complet	ed at Port Arth	ur, TX, UNI	TED STATES,	the Officer	in Charge Marino			
nspection, iv	larine Safety Un	it Port Arthur	certified the ve	ssel, in all resp	ects, is in c	onformity with t	he applicabl	le vessel inspection			
aws and the	rules and regula	odic/Re-Inspe				<del> </del>	1.	117			
Date	Zone	A/P/R			s certificate	- \ /	a	Woodman			
	2016	- KALIK	Signature			OODMAN, CD	Kļ, USCĢ, E	By direction			
			y Code Cy	Office	er in Charge, Marir	•	(	dan in			
				Inene	ction Zone	Marine Safety	nuir Lou Áu	ınur,			
				"Ispe	Ston Zone						



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 Apr 2024 Expiration Date: 03 Apr 2025

### **Temporary Certificate of Inspection**

Vessel Name: KIRBY 28739

(TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

### ---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	30Apr2034	03Apr2024	17Oct2013
Internal Structure	30Apr2029	03Apr2024	08Nov2018

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:	FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES	

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated

28446 Barrel A Yes No No

### \*Hazardous Bulk Solids Authority\*

### \*Loading Constraints - Structural\*

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	846	13.58
2 P/S	859	13.58
3 P/S	688	13.58

### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
11	3685	10ft 0in	13.58	R, LBS
Ш	4556	11ft 9in	13.58	R, LBS

#### \*Conditions Of Carriage\*

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # C1-1303034, dated 05 Sep 2013, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Per 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial # C1-1303034, dated 05 Sep 2013, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

#### \*Stability and Trim\*

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Thermal fluid heater may only be operated when carrying Grade "E" cargoes.



## United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 Apr 2024 Expiration Date: 03 Apr 2025

## **Temporary Certificate of Inspection**

Vessel Name: KIRBY 28739

	Insi	pection	Status	Na 64 10
--	------	---------	--------	----------

\*Cargo Tanks\*

	"Cargo Tanks"						
		Internal Exam			External Exar	m	
	Tank Id	Previous	Last	Next	Previous	Last	Next
	1 P/S	17Oct2013	03Apr2024	30Apr2034	-	-	<b></b>
İ	2 P/S	17Oct2013	03Apr2024	30Apr2034	-	-	-
ı	3 P/S	17Oct2013	03Apr2024	30Apr2034	-	-	-
				Hydro Test			
	Tank Id	Safety Valves		Previous	Last	Next	
	1 P/S	-		-	17Oct2013	~~	
	2 P/S	-		-	17Oct2013	-	
	3 P/S	-		-	17Oct2013	-	
	*Safety Valves*						
	Serial Number	Location			Bench Test	Last	Next
	SB66341	aft 01deck			05Aug2013	17Oct2013	17Oct2014

### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

### --- Fire Fighting Equipment ---

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

3

40-B

\*\*\*END\*\*\*



Serial #: C1
Dated: 0

C1-1303034

d: 05-Sep-13

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30051

Official #: 1248993

Shipyard: Trinity Marine Ashland

City, TN

Hull #: 4947

46 CFR 151 Tank	Group (	Chara	cterist	tics													
Tank Group Information Cargo Identification			Cargo	1	Tanks		Cargo Transfer		Environmental Control		Fire	Special Requirements					
Trik Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1P/S, #2P/S, #3P/S	13.6	Atmos.	Elev	II	11i 2ii	Integral Gravity	PV	Closed	Iŧ	G-1	NR	NA	Portable	40-1(f)(1), .50-60, .50-70(a), .50- 70(b), .50-73, .50- 81(a), .50-81(b),	55-1(h), (j), 56-1(a), (c), (d), (e), (f), (g),	NR	Yes

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Gargo Identificatio	Conditions of Carriage									
					*****		Vapor Re	covery		
Náme	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes			,							
Acetonitrile	ATN	37	0	С	411	Α	Yes	3	No	G,
Adiponitrile	ADN	37	0	E	11	Α	Yes	. 1	No	G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	III	Α	No	N/A	.50-81, .50-86	G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA		Α	No	N/A	No	G
Benzene	BNZ	32	0	С	181	Α	Yes	1	,50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	BHB	32 2	0	С	}	Α	Yes	1	.50-60	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	lil	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	H	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	вмн	14	0	D	£II	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	,65-1(h)	G
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	Ш	Α	No	N/A	No	G
Caustic potash solution	CPS	5 2	0	NA	}	Α	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	CSS	5 <sup>2</sup>	0	NA	}	Α	No	N/A	.50-73, .55-1(‡)	G
Chemiçal Oil (refined, containing phenolics)	COD	21	0	E	II	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	111	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	,50-73	G
Coal tar pitch (molten)	CTP	33	0	E	Ш	Α	No	N/A	.50-73	G
Creosote	CCM	21 2	0	E	<b>[</b> ]]	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No	G
Crotonaldehyde	CTA	19 ²	0	С	il	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		0	С	111	Α	No	N/A	No	G
1,1-Dichloroethane	DCH	36	0	С	III	Α	Yes	1	No	G
Dichloromethane	DCM	36	0	NA	111	Α	Yes	5	No	G
1,1-Dichloropropane	DPB	36	0	С	}	Α	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	III	Α	Yes	3	No	G
1,3-Dichloropropane	DPC	36	0	С		Α	Yes	3	No	G
1,3-Dichloropropene	DPU	15	0	D	IE	Α	Yes	4	No	G
Dichtoropropene, Dichloropropane mixtures	DMX	15	0	С	11	Α	Yes	1	No	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	Iŧ	Α	No	N/A	No	G .
EE Glycol Ether Mixture	EEG	40	0	D	III	Α	No	N/A	No	G

<sup>2.</sup> Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

<sup>3.</sup> Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



C1-1303034

05-Sep-13

## Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30051

Benzyl alcohol

Shipyard: Trinity Marine

Ashland City, TN

Hull #: 4947

Official #: 1248993

Page 2 of 7

Cargo Identification	Conditions of Carriage									
	Chem	Compat	Sub	Grade	Hull	Tank Group	Vapor Re App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.
Name Ethyl acrylate	Code EAC	Group No	Chapter O	C	Tvoe	n Group	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylene cyanohydrin	ETC	20	0	E	111	Α	Yes	1	No	G
Ethylene dichloride	EDC	36 <sup>2</sup>	0	С	lil	Α	Yes	1	No	G
Ethylene glycol hexyl ether	EGH	40	0	Ε	III	Α	No	N/A	No	G
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	III	А	Yes	1	No	G
Ethylene glycol propyl ether	EGP	40	0	E	III	Α	Yes	1	No	G
2-Ethylhexyl acrylate	EAI	14	0	E	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	ETM	14	0	D/E		Α	Yes	2	.50-70(a)	G
2-Ethyl-3-propylacrolein	EPA	19 <sup>2</sup>	0	E	111	Α	Yes	1	No	G
Formaldehyde solution (37% to 50%)	FMS	19 <sup>2</sup>	0	D/E	III	Α	Yes	1	.55-1(h)	G
Furfural	FFA	19	0	D		Α	Yes	1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	III	Α	No	N/A	No	G
Hydrocarbon 5-9	HFN		0	С	Ш	Α	Yes	1	.50-70(a), .50-81(a), (b)	G
Isoprene	IPR	30	0	A	#11	Α	Yes	7	.50-70(a), .50-81(a), (b)	G
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)		5	0	NA	118	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	III	Α	Yes	1	No	G
Methyl acrylate	MAM		0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	111	Α	Yes	1	No	G
Methyl methacrylate	MMN	1 14	0	С	IIŧ	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
alpha-Methylstyrene	MSR	30	0	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
1- or 2-Nitropropane	NPM	42	0	D	III	Α	Yes	1	.50-81	G
1,3-Pentadiene	PDE	30	0	Α		Α	Yes	7	.50-70(a), .50-81	G
Perchloroethylene	PER	36	0	NA	111	Α	No	N/A	, No	G
Phthalic anhydride (molten)	PAN	11	0	E	III	Α	Yes	1	No	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxic			0		(1)	Α	No	N/A	.50-73, .55-1(j)	G
Sodium chlorate solution (50% or less)	SDD	0 1.2	0	NA	}	Α	No	N/A	.50-73	G
Styrene (crude)	STX		0	D	111	Α	Yes	2	No	G
Styrene monomer	STY	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	A	No	N/A	No	G
Tetrahydrofuran	THF	41	0	С	[\$]	Α	Yes	1	.50-70(b)	G
1,2,4-Trichlorobenzene	TCB	36	0	Ε	111	Α	Yes	1	No	G
1,1,2-Trichloroethane	TCM		0	NA	ill	Α	Yes	1	.50-73, .56-1(a)	G
Trichloroethylene	TCL	36 <sup>2</sup>	0	NA	111	Α	Yes	1	No	G
1,2,3-Trichloropropane	TCN	36	o	E	II.	A	Yes		.50-73, .56-1(a)	G
Trisodium phosphate solution	TSP	5	0	NA.	Įį.	A	No	N/A	,50-73, .56-1(a), (c).	G
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	111	A	No	N/A		G
Vinyl acetate	VAM		0	C		A	Yes		.50-70(a), .50-81(a), (b)	G
Vinyl neodecanate	VND		ō	E	III		No	N/A	,50-70(a), .50-81(a), (b)	G
Subchapter D Cargoes Authorized for Vapor Contro	ACT	18 2	D	С		Α	Yes	1	,	
Acetone	ACP	18		E			Yes	1		
Acetophenone	APU	20	D	E		A	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	AEB	20	D	E		^A	Yes	1		***
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEC	34	D			A	Yes	<u>'</u>		
Amyl acetate (all isomers)	AAI	20	D	D			Yes	1	13/17/	
Amyl alcohol (iso-, n-, sec-, primary)	DAI	20	ט			A	Vae	1		

21

BAL

Department of Homeland Security **United States Coast Guard**  C1-1303034

05-Sep-13 Dated:



# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30051

Official #: 1248993

Page 3 of 7

Shipyard: Trinity Marine Ashland City, TN

Hull #: 4947

Cargo Identification	n						Conditions of Carriage						
Name Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	Chem Code BFX	Compat Group No 20	Sub Chapter D	Grade E	Hull Tvoe	Tank Group A	Vapor F App'd (Y or N) Yes	Recovery VCS Calegory 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1					
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	D		Α	Yes	1					
Butyl alcohol (n-)	BAN	20 <sup>2</sup>	D	D		Α	Yes	1					
Butyl alcohol (sec-)	BAS	20 2	D	С		Α	Yes	1					
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1					
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1					
Butyl toluene	BUE	32	D	D		Α	Yes	1					
Caprolactam solutions	CLS	22	D	E		Α	Yes	1					
Cyclohexane	CHX	31	D	С		Α	Yes	1					
Cyclohexanol	CHN	20	D	Ε		Α	Yes	1					
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2					
p-Cymene	CMP	32	D	D		Α	Yes	1		•			
iso-Decaldehyde	IDA	19	D	E.		Α	Yes	1					
n-Decaldehyde	DAL	19	D	E		Α	Yes	1					
Decene	DCE	30	D	Ð		Α	Yes	1		-			
Decyl alcohol (all isomers)	DAX	20 <sup>2</sup>	D	E		Α	Yes	1		-			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32		E		A	Yes	1					
Diacetone alcohol	DAA	20 <sup>2</sup>	D	D		A	Yes	1					
ortho-Dibutyl phthalate	DPA	34	D	E		A	Yes	1					
Diethylbenzene	DEB	32	D	D		A	Yes	1					
Diethylene głycol	DEG	40 <sup>2</sup>		E.	-	Α	Yes	1					
	DBL	30	D	c		A	Yes	1		,			
Diisobutylene	DIK	18	D	D		Α	Yes	1	= HILLER AND				
Dilsobutyl ketone	DIX	32	D	Ε		A	Yes	1					
Disopropylbenzene (all isomers)	DTL	34	D	E		A	Yes	1					
Dimethyl phthalate	DOP	34	D	E		Α	Yes	1					
Dioctyl phthalate	DPN	30	D	D		A	Yes	1					
Dipentene	DIL	32		D/E		A	Yes	1					
Diphenyl  Dishard State and other mintures	DDO	33	D	E		Α	Yes	1					
Diphenyl, Diphenyl ether mixtures	DPE	41	D	(E)		A	Yes	1					
Diphenyl ether	DPG	40	D	ι∟; E		A	Yes	<u>·</u>					
Dipropylene glycol	DFF	33	D	E			Yes	1					
Distillates: Flashed feed stocks	DSR	33	D	E		A	Yes	1					
Distillates: Straight run	DOZ	30	D			A	Yes	1	/ART				
Dodecene (all isomers)	DDB	32	D	E			Yes	<u>·</u> 1		,-,-			
Dodecylbenzene, see Alkyl(C9+)benzenes	EEA	34				A	Yes	1					
2-Ethoxyethyl acetate	ETG	40	D D	E			Yes	1					
Ethoxy triglycol (crude)		34	D	C		$\frac{1}{A}$	Yes	1					
Ethyl acetate	ETA		D D	E			Yes	1					
Ethyl acetoacetate	EAA	34				A	Yes	1					
Ethyl alcohol	EAL	20 2	D	С		A	Yes						
Ethylbenzene	ETB	32	D	C		A							
Ethyl butanol	EBT	20	D	D		A	Yes						
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes						
Ethyl butyrate	EBR		D	D		A	Yes						
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	11					



05-Sep-13

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30051

Shipyard: Trinity Marine

Ashland City, TN

Hull #: 4947

Official #: 1248993

Page 4 of 7

Cargo Identification								Conditions of Carriage				
								Recovery				
	Chem	Compat	Sub	Grade	Hull	Tank Group	App'd (Y or N)	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Name Ethylene glycol butyl ether acetate	l Code EMA	Group No 34	Chapter D	E	i ivoe i	A	Yes	1	131 Obligial and Maria O	· Fermus		
Ethylene glycol diacetate	EGY	34	D	Е		Α	Yes	1				
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1				
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1				
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1				
Ethyl propionate	EPR	34	D	C		Α	Yes	1				
Ethyl toluene	ETE	32	D	D		Α	Yes	1				
Formamide	FAM	10	D	Е		Α	Yes	1				
Furfuryl alcohol	FAL	20 <sup>2</sup>	D	Е		Α	Yes	1				
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1				
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per	GAT	33		C		A	Yes	1				
gallon)	O/ (1	00	D	•		,,						
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1				
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1	-	-		
Glycerine	GCR	20 <sup>2</sup>	D	Е		Α	Yes	1				
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1				
Heptanoic acid	HEP	4	D	Ε		Α	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1				
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2	1			
Heptyl acetate	HPE:	34	D	E		Α	Yes	1				
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 <sup>2</sup>	D	B/C		Α	Yes	1				
Hexanoic acid	НХО	4	D	E		Α	Yes	1				
Hexanol	HXN	20	Đ	D		Α	Yes	1				
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2				
Hexylene glycol	HXG	20	D	E		Α	Yes	1				
Isophorone	IPH	18 <sup>2</sup>	D	E		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1				
Kerosene	KRS	33	D	 D	-	A	Yes	1				
	MTT	34				A	Yes	1				
Methyl acetate	MAL	20 <sup>2</sup>	D	C		A	Yes	1				
Methyl alcohol	MAC	34	D	D		A	Yes	1				
Methylamyl acetate	MAA	20		D		A	Yes	<u>·</u> 1				
Methylamyt alcohol	MAK		D	D			Yes	1	ware			
Methyl amyl ketone	MBE		D	C		A	Yes	1				
Methyl tert-butyl ether	MBK		D	C		— A	Yes	1				
Methyl butyl ketone	MBU			c			Yes	1				
Methyl butyrate				C			Yes	1				
Methyl ethyl ketone	MEK		D D	D		A A	Yes	1				
Methyl heptyl ketone	MHK											
Methyl isobutyl ketone	MIK	18 2	D	. C		Α	Yes	1				
Methyl naphthalene (molten)	MNA		<u>D</u>	E		A	Yes		AMARIAN .			
Mineral spirits	MNS		D	D		A	Yes					
Myrcene	MRE		D	D "		A	Yes					
Naphtha: Heavy	NAG		D	#		A	Yes					
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1				



C1-1303034

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: SMI 30051

Shipyard: Trinity Marine Ashland City, TN

Hull #: 4947

Official #: 1248993

Page 5 of 7

Cargo Identifica	Conditions of Carriage									
Name	Chem Code	Compat Group No 33		Grade D	Hull Tvoe	Tank Groun	Vapor I App'd (Y or N) Yes	Recovery VCS Category 1	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Naphtha: Solvent	NSV NSS	33	D D	D		A A	Yes	1		
Naphtha: Stoddard solvent	NVM	33	D	C		^	Yes	1	100 110 feedbad/117	
Naphtha: Varnish makers and painters (75%)			D	D			Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31						2		
Nonene (all isomers)	NON	30	D	D		A	Yes			
Nonyl alcohol (all isomers)	NNS	20 <sup>2</sup>	D	E		Α .	Yes	1		
Nonyl phenol	NNP	21	D	E		<u> </u>	Yes	1		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D -	Ε		A	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C _		Α.	Yes	1		-
Octanoic acid (all isomers)	OAY	4	D	Е		Α	Yes	1		
Octanol (all isomers)	OCX	20 <sup>2</sup>	D	E		Α	Yes	1	A CANADA	
Octene (all isomers)	XTO	30	D	С		Α	Yes	2		
Oil, fuel: No. 2	OTW	33	Ð	D/E		Α	Yes	1		
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1		
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	11	***************************************	
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1		
Oil, fuel: No. 6	OSX	33	Ð	E		Α	Yes	1		
Oil, misc: Crude	OIL	33	D	C/D		Α	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1		
Oil, misc: Gas, high pour	OGP	33	D	E		Α	Yes	1		
Oil, misc: Lubricating	OLB	33	D	E		A	Yes	1		
Oil, misc: Residual	ORL	33	D	E	•	A	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	E	/1A.2/1	Α	Yes	1		
Pentane (all isomers)	PTY	31	D	A		Α	Yes	5		
Pentene (all isomers)	PTX	30	 D	Α		Α	Yes	5		
	PPE	34		Đ		Α	Yes	1		
n-Pentyl propionate	PIO	30	D	D D		A	Yes	1	A STANFORM OF THE STANFORM OF	
alpha-Pinene	PIP	30		D		A	Yes	1		
beta-Pinene	PAG	40	D	E			Yes	<u>:</u>		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAF	34	D	E			Yes	1		
Poly(2-8)afkylene glycol monoalkyl(C1-C6) ether acetate				E		A	Yes	1		
Polybutene	PLB	30	D							
Polypropylene głycol	PGC	40		E		Α	Yes	1		
iso-Propyl acetate	IAC	34	D	С		A	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1		
iso-Propyl alcohol	IPA	20 <sup>2</sup>	D	C		A	Yes	1		
n-Propyl alcohol	PAL	20 2	D	С		A	Yes	1		
Propyfbenzene (all isomers)	PBY	32	D	D		Α	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1		
Propylene glycol	PPG	20 <sup>2</sup>	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		A	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	1	HU6-MA/UF	
Sulfolane	SFL	39	D	E		Α	Yes	1	***************************************	
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1	Anna Anna Anna Anna Anna Anna Anna Anna	
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Ε		Α	Yes	1		
Triethylbenzene	TEB	32	D	Ε		Α	Yes	1		
Triethylene glycol	TEG		D	Е		Α	Yes	1		
	,									



# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30051

Shipyard: Trinity Marine

Ashland City, TN

Hull #: 4947

Official #: 1248993 Page 6 of 7

Cargo Identification								Conditions of Carriage					
						Vapor		Recovery					
Name Triethyl phosphate	Chem Code TPS	Compat Group No 34	Sub Chaoter D	Grade E	Hufi Tvoe	Tank Groun A	App'd (Y or N) Yes		Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Trimethylbenzene (all isomers)	TRE	32	D	<b>(</b> D <b>)</b>		Α	Yes	1		-			
Trixylenyl phosphate	TRP	34	D	Ε		Α	Yes	1					
Undecene	UDC	30	D	D/E		Α	Yes	1					
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1					
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1					



C1-1303034

Dated: 05-Sep-13

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30051 Official #: 1248993

Page 7 of 7

Shipyard: Trinity Marine

Hull #: 4947

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Name

Chem Code

Compatability Group No.

Note 2

Subchapter Subchapter D

Note 3

A, B, C D. E Note 4

NΑ

Hull Type NA

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified. Those flammable and combustible liquids listed in 46 CFR Table 30:25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2. Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicale a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Flammable liquid cargoes, as defined in 46 CFR 30-10.22 Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Calegory 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) Ali requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specified dealing with vapor control systems are in 33 CFR 156.120, 33 CFR 156.120, 33 CFR 156.120, 33 CFR 156.120, 36 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.



Commanding Officer United States Coast Guard Marine Safety Center US Coast Guard Stop 7430 2703 Martin Luther King Jr Ave SE Washington, DC 20593-7430 Staff Symbol: MSC-3 Phone: (202) 795-6731 Email: msc@uscq.mil

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

The Shearer Group, Inc Attn: Mr. Harrison Brann 3101 NASA Parkway, Suite I Seabrook, TX 77586

Email: hbrann@shearer-group.com

Subj: Multi-Breasted Tandem Loading for Settoon Towing, LLC

Unmanned Double Hull Tank Barges (O/D)

Rivers; Lakes, Bays, and Sounds Multi-breasted Tandem Loading

Ref: (a) The Shearer Group, Dwg. No. 0231-018-043, Rev. 5, "Tank Barge Tandem Loading," dated July 22, 2016

- (b) Your letter Corr. No. 0231-018-SUBMIT005 dated July 22, 2016
- (c) MSC letter Serial No. C1-1402458 dated July 18, 2014
- (d) MSC letter Serial No. C1-1500300 dated January 25, 2015
- (e) MSC letter Serial No. C1-1501614 dated April 13, 2015
- (f) MSC letter Serial No. C1-1602221 dated June 10, 2016
- (g) Marine Safety Information bulletin 11-14, dated July 18, 2014

### Dear Mr. Brann:

In response to your email dated July 22, 2016 (MSC Document No. 1615825), we have reviewed all previously submitted pressure drop calculations for multi-breasted tandem loading. The barges listed in enclosure (1) barges have vapor control systems previously approved by the letters listed in enclosure (1) for the applicable barges, and are acceptable for dual loading operations. Based on the calculations in references (a), tandem loading is limited to simultaneous collection of those cargoes listed in the vessels' CAA at a maximum transfer rate of **5,000 bbl/hr** per barge.

For the OCMI's convenience, we have included the following recommended COI endorsement:

In accordance with 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Please note that in accordance with the procedural changes outlined in reference (g), tandem loading no longer requires final approval by Commandant (CG-ENG-5), but may be approved by

Subj: Multi-Breasted Tandem Loading for Settoon Towing, LLC 16710/P018412/mpc

Serial: C1-1602921 August 10, 2016

the local Officer in Charge, Marine Inspection (OCMI) and may be subject to additional operational requirements.

Please contact LT Michael Comerford at (202) 795-6782 with questions concerning our review.

Sincerely,

R. W. MOWBRAY Lieutenant, U. S. Coast Guard Chief, Vessel and Cargo Branch By direction

Encl: (1) List of Applicable Barges

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

### **Enclosure 1 – List of Applicable Barges**

Name	Builder	Hull#	Official No.	MAWP [psi]	PV Valve Setting [psig]	VCS Approval Letter	Approval Date
E2MS 300	Trinity, Ashland City	4943	1243228	3.00	1.5/-0.5	C1-1204608	November 2, 2012
E2MS 301	Trinity, Ashland City	4944	1243229	3.00	1.5/-0.5	C1-1204608	November 2, 2012
E2MS 302	Trinity, Ashland City	4968	1248273	3.00	1.5/-0.5	C1-1302286	August 20, 2013
E2MS 303	Trinity, Ashland City	4969	1248274	3.00	1.5/-0.5	C1-1302286	August 20, 2013
E2MS 304	Trinity, Ashland City	5041	1253982	3.00	1.5/-0.5	C1-1402458	July 18, 2014
E2MS 305	Trinity, Ashland City	5042	1254052	3.00	1.5/-0.5	C1-1402458	July 18, 2014
SMI 10001	Trinity, Ashland City	5051	1255567	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 10002	Trinity, Ashland City	5052	1255568	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 10003	Trinity, Ashland City	5053	1255569	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 10004	Trinity, Ashland City	5085	1255570	3.00	2.5/-0.5	C1-1403077	September 17, 2014
SMI 30007	Trinity, Madisonville	2177-1	1216337	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30010	Trinity, Madisonville	2177-2	1216338	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30011	Trinity, Madisonville	2177-3	1216339	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30012	Trinity, Madisonville	2177-4	1216340	3.00	1.5/-0.5	C2-0803792	December 29, 2008
SMI 30014	Conrad Industries, Inc.	C-890	1222699	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30015	Conrad Industries, Inc.	H-407	1222689	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30016	Trinity, Ashland City	4749	1225135	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30017	Conrad Industries, Inc.	C-908	1229236	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30018	Conrad Industries, Inc.	C-909	1229235	3.00	1.5/-0.5	C2-0902035	July 14, 2009
SMI 30019	Trinity, Madisonville	2192-1	1231348	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30020	Trinity, Madisonville	2192-2	1231349	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30021	Trinity, Madisonville	2191-1	1231350	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30022	Trinity, Madisonville	2191-2	1231351	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30023	Trinity, Ashland City	4791	1234345	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30024	Trinity, Ashland City	4792	1234347	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30025	Trinity, Ashland City	4793	1234348	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30026	Trinity, Ashland City	4794	1234349	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30027	Trinity, Ashland City	4802	1234351	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30028	Trinity, Ashland City	4803	1234352	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30029	Trinity, Ashland City	4804	1234354	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30030	Trinity, Ashland City	4805	1234355	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30031	Trinity, Ashland City	4806	1234356	3.00	1.5/-0.5	C1-1000795	March 25, 2010
SMI 30032	Trinity, Madisonville	2203-1	1239856	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30033	Trinity, Madisonville	2203-2	1239857	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30034	Trinity, Madisonville	2204-1	1239887	3.00	1.5/-0.5	C1-1202871	June 6, 2012

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

Name	Builder	Hull#	Official No.	MAWP [psi]	PV Valve Setting [psig]	VCS Approval Letter	Approval Date
SMI 30035	Trinity, Madisonville	2203-3	1239858	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30036	Trinity, Madisonville	2203-4	1239859	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30037	Trinity, Madisonville	2204-2	1239888	3.00	1.5/-0.5	C1-1202871	June 6, 2012
SMI 30038	Trinity, Madisonville	2203-5	1239860	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30039	Trinity, Madisonville	2203-6	1239861	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30040	Trinity, Madisonville	2204-3	1239889	3.00	1.5/-0.5	C1-1202871	June 6, 2012
SMI 30041	Trinity, Madisonville	2203-7	1239862	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30042	Trinity, Madisonville	2203-8	1239863	3.00	1.5/-0.5	C1-1202856	June 6, 2012
SMI 30043	Trinity, Madisonville	2204-4	1239890	3.00	1.5/-0.5	C1-1202871	June 6, 2012
SMI 30044	Kennedy Ship and Repair	H122	1242956	3.00	1.5/-0.5	C1-1204976	December 11, 2012
SMI 30045	Kennedy Ship and Repair	H123	1246170	3.00	1.5/-0.5	C1-1204976	December 11, 2012
SMI 30046	Trinity, Ashland City	4894	1243723	3.00	1.5/-0.5	C1-1204448	October 23, 2012
SMI 30047	Trinity, Ashland City	4895	1247204	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30048	Trinity, Ashland City	4896	1247205	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30049	Trinity, Ashland City	4945	1247206	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30050	Trinity, Ashland City	4946	1247207	3.00	1.5/-0.5	C1-1301682	May 20, 2013
SMI 30051	Trinity, Ashland City	4947	1248992	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30052	Trinity, Ashland City	4998	1248993	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30053	Kennedy Ship and Repair	H124	1249447	3.00	1.5/-0.5	C1-1204976	December 11, 2012
SMI 30054	Trinity, Ashland City	4989	1243723	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30055	Trinity, Ashland City	4990	1249746	3.00	1.5/-0.5	C1-1303034	September 5, 2013
SMI 30056	Trinity, Ashland City	5027	1252007	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30057	Trinity, Ashland City	5028	1252008	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30058	Trinity, Ashland City	5043	1252009	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30059	Trinity, Ashland City	5044	1252010	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30060	Trinity, Ashland City	4989	1252012	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30061	Trinity, Ashland City	4990	1252013	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30062	Trinity, Ashland City	5045	1251933	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30063	Trinity, Ashland City	5048	1251934	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30064	Trinity, Ashland City	5049	1251935	3.00	2.5/-0.5	C1-1400860	March 14, 2014
SMI 30065	Sterling, Port Neches	H129	1250651	3.00	1.5/-0.5	C1-1400109	January 15, 2014
SMI 30201	Trinity, Gretna Machine	1408	1020950	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30202	Trinity, Gretna Machine	1409	1020951	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30203	Trinity, Gretna Machine	1410	1020952	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30204	Trinity, Gretna Machine	1411	1020953	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30205	Trinity, Gretna Machine	1412	1020955	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 30206	Trinity, Gretna Machine	1413	1020957	3.00	1.5/-0.5	C1-1205056	December 14, 2012
SMI 213	Cenac Towing Co.	2059-2	1074634	3.00	1.5/-0.5	C2-9901178	April 13, 1999

Subj: Multi-Breasted Tandem Loading for Settoon Towing, LLC 1

16710/P018412/mpc Serial: C1-1602921 August 10, 2016

Name	Builder	Hull#	Official No.	MAWP [psi]	PV Valve Setting [psig]	VCS Approval Letter	Approval Date
SMI 214	Cenac Towing Co.	2059-3	1074635	3.00	1.5/-0.5	C2-9901178	April 13, 1999
SMI 216	Cenac Towing Co.	2059-5	1074637	3.00	1.5/-0.5	C2-9901178	April 13, 1999
SMI 217	Cenac Towing Co.	2059-6	1074638	3.00	1.5/-0.5	C2-9901178	April 13, 1999
SMI 219	Cenac Towing Co.	2059-4	1074636	3.00	1.5/-0.5	C2-9901178	April 13, 1999