

United States of America Department of Homeland Security **United States Coast Guard** 

Certification Date: 22 Jul 2015 22 Jul 2020 **Expiration Date:** 

IMO Number:

### Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Official Number Catt Stan Service KIRBY 29007 1110099 Tank Barge Hailing Post Hu! Material Horsopower Propulsion WILMINGTON Steel DE Place Built Colivory Date Sets-Keel Laid Gross Tons DWT Net Tens Langin GALVESTON, TX 06Apr2001 05Dec2000 R-1619 R-1619 R-297 5 1-**UNITED STATES** Common KIRBY INLAND MARINE LP KIRBY INLAND MARINE, LP 55 WAUGH DR STE 1000 16402 1/2 DEZAVALA RD **HOUSTON TX 77007** CHANNELVIEW TX 77530 **UNITED STATES** UNITED STATES

This vessel must be manned with the following licensed and unlicensed personnel. Included in which there must be 0 certified lifeboatmen, 0 certified tankermen, 0 HSC type rating, and 0 GMDSS Operators.

Chief Mate

Master & 1st Class pilot

Radio Officer(s)

Chief Engineer

QMED/Rating

2nd Mate/OICNW

Mate & 1st Class Pilot

Able Seamen/ROANW

1st Asst. Engr/2nd Engr.

3rd Mate/OICNW

Lic. Mate/OICNW 1st Class Pilot

Ordinary Seamen

2nd Asst. Engr/3rd Engr.

Oilers

Deckhands

3rd Asst. Engr.

Lic. Engr.

In addition, this vessel may carry 0 passengers, 0 other persons in crew, 0 persons in addition to crew, and no others. Total persons allowed: 0

Route Permitted and Conditions of Operation:

---Lakes, Bays, and Sounds---

This vessel, was been granted a fresh water service examination interval in accordance with 46 CFR 31.40-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(4) and the cognizant CCMI notified in writing as soon as this change in status

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Self Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

#### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at New Orleans, LA, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Amual/Periodic/Quarterly Reinspections	This certificate issued by:
Date Zone A/P/Q Signature	
E-4-1 - 40-18-11 - 10 - July Kalley Jan	B. R. KHEY, COMMANDER, by direction
10/3/17-HOJMS - P 10/1000 Allo	Officer in Charge Marine Improvious
10/11/18 - HUNIGAL - A 1- Chapting in	Sector New Orleans
13019 RETESTE - A Rate Collins	Inspection Zone
	9.



### Certificate of Inspection

**KIRBY 29007** 

Certification Date: 22Jul2015

#### ---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
Drydock	09Jun2020	09Jun2010	06Apr2001
Internal Structure	22Jul2020	22Jul2015	09Jun2010

#### ---Liquid/Gas/Solid Cargo Authority/Conditions---

Authorization/ GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES.
46CFR Subchapter D Authority: Highest Grade/A Capacity/26256 Units/Barrels
46CFR Subchapter O Authority: Part 151/Yes Part 153/No Part 154/No

#### \*Loading Constraints - Structural\*

Tanks	Max Cargo Weight/Tank(Short Tons)	Max Density(LBS/Gal)
1 P/S	624	13.600
2 P/S	728	13.600
3 P/S	649	13.6000

#### \*Loading Constraints - Stability\*

ll noadrud c	Onscraines sea	O_L_LCy		
Hull Type	Max Load	Max Draft	Max Density	Route
	(STons)	(Ft/In)	(Lbs/Gal)	
II	3813	11'0	13.6	Lakes, Bays, and Sounds
II	3813	11'0	13.6	Rivers
III	3813	11'0	13.6	Lakes, Bays, and Sounds
III	3813	11'0	13.6	Rivers

<sup>\*</sup>Conditions of Carriage\*

Only Grade "A" and lower cargoes and specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C2-0305143, dated 21May03, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

In accordance with 46 CFR, Part 39, excluding part 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letters Serial #C2-0101081 dated 03Apr01, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

In accordance with46 CFR Part 39.1017 and 39.5001(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

\*Stability and Trim\*

<sup>\*</sup>Vapor Control Authorization\*



### Certificate of Inspection

**KIRBY 29007** 

Certification Date: 22Jul2015

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

#### ---Inspection Status---

\*Cargo Tanks\*

5						
	Internal Exam			External Exam		
TankID	Previous	Last	Next	Previous	Last	Next
1 P/S	06Apr2001	09Jun2010	09Jun2020	-	-	_
2 P/S	06Apr2001	09Jun2010	09Jun2020	_	-	-
3 P/S	06Apr2001	09Jun2010	09Jun2020	-	-	-
	Safety	Hydro Test				
TankID	Valves	Previous	Last	Next		
1 P/S	-	-	_	_		
2 P/S	-	-	-	-		
3 P/S	_	_	-	_		

#### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery.

#### ---Fire Fighting Equipment---

Number of Fireman Outfits/ 0

\*Fire Extinguishers - Hand portable and semi-portable\*

Qty Class Type

- R-

\*\*\*END\*\*\*





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29007

Official #: 1110099

Shipyard: West Gulf Marine

Hull #: 115

46 CFR 151 Tank G	roup (	Charac	cterist	ics													
Tank Group Information	Cargo I	dentificati	ion		Cargo	1	Tanks		Carg Tran		Enviror Control	mental	Fire	Special Require	ments		
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Sea	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A all	13.6	Atmos.	Amb.	11	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-5, .50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50-81(b),	55-1(b), (c), (e), (f), (h), 56-1(e), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control. Tanks. NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks

**List of Authorized Cargoes** 

Name  uthorized Subchapter O Cargoes  ucetonitrile  ucrylonitrile  udiponitrile	Chem Code ATN ACN	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor R App'd (Y or N)	VCS Category	Special Requirements in 48 CFR 151 General and Mat'ls of Construction
uthorized Subchapter O Cargoes cetonitrile ccrytonitrile	ATN ACN ADN	Group No	Chapter	Grade					
cetonitrile crytonitrile	ACN ADN		0						General and Mat is of Construction
crytonitrile	ACN ADN		0						
	ADN	15 <sup>2</sup>		С	111	Α	Yes	3	No
diponitrile			_ 0	С	!]	Α	Yes	4	.50-70(a), .55-1(a)
		37	0	E	11	Α	Yes	11	No
lkyl(C7-C9) nitrates	AKN	34 <sup>2</sup>	0	NA	111	Α	No	N/A	.50-81, .50-86
minoethylethanolamine	AEE	8	0_	E	111	Α	Yes	11	.55-1(b)
mmonium bisulfite solution (70% or less)	ABX	43 <sup>2</sup>	0	NA	aı	Α	No	N/A	.50-73, .56-1(a), (b), (c)
mmonium hydroxide (28% or less NH3)	AMH	6	0	NA	III	Α	No	N/A	.58-1(a), (b), (c), (f), (g)
nthracene oil (Coal tar fraction)	AHO	33	0	NA	(I	Α	No	N/A	No
lenzene	BNZ	32	0	С	a	Α	Yes	1	.50-60
enzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 <sup>2</sup>	0	NA	(II	Α	Yes	1	.50-60
enzene or hydrocarbon mixtures (containing Acetylene and 10% enzene or more)	ВНА	32 <sup>2</sup>	0	NA	tii	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)
enzene, Toluene, Xylene mixtures (10% Benzene or more)	втх	32	0	B/C	(II)	Α	Yes	1	.50-60
utyl acrylate (all isomers)	BAR	14	0	D	(1)	Α	Yes	2	.50-70(a), .50-81(a), (b)
iutyl methacrylate	вмн	14	0	D	(1)	Α	Yes	2	.50-70(a), .50-81(a), (b)
iutyraldehyde (all isomers)	BAE	19	0	С	III	Α	Yes	1	.55-1(h)
amphor oil (light)	СРО	18	0	D	11	Α	No	N/A	No
arbon tetrachloride	CBT	36	0	NA	ICI	Α	No	N/A	No
themical Oil (refined, containing phenolics)	COD	21	0	Ε	11	Α	No	N/A	.50-73
hlorobenzene	CRB	36	0	D	111	Α	Yes	1	No
hloroform	CRF	36	0	Е	10	Α	Yes	3	No
coal tar naphtha solvent	NCT	33	0	D	101	Α	Yes	1	.50-73
reosote	ccw	21 <sup>2</sup>	0	Ε	101	Α	Yes	1	No
resols (all isomers)	CRS	21	0	E	Iti	Α	Yes	1	No
resylate spent caustic	csc	5	0	NA	Itt	Α	No	N/A	.50-73, .55-1(b)
resylic acid tar	CRX		0		III	Α	Yes	1	.55-1(f)
rotonaldehyde	CTA	19 <sup>2</sup>	0	С	[]	Α	Yes	4	.55-1(h)
rude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropy crolein)	d CHG		0		III	Α	No	N/A	No
yclohexanone	ССН	18	0	D	111	Α	Yes	1	.56-1(a), (b)
cyclohexanone, Cyclohexanol mixture	CYX	18 <sup>2</sup>	0	E	131	Α	Yes	1	.56-1 (b)
yclohexylamine	CHA	7	0	D	(II	Α	Yes	1	.56-1(a), (b), (c), (g)
cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	(II	Α	Yes	1	.50-60, .56-1(b)
so-Decyl acrylate	IAI	14	0	Е	aı	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)
ichlorobenzene (all isomers)	DBX	36	0	Е	III	Α	Yes	3	.56-1(a), (b)

<sup>2.</sup> Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

<sup>3.</sup> Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



## Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29007 Official #: 1110099

Page 2 of 8

Shipyard: West Gulf Marine

Cargo Identification							Co	nditio	ns of Carriage
								ecovery	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
1.1-Dichloroethane	DCH	36	0	С	aı	Α	Yes	1	No
	DEE	41	0	D	0		Yes	1	.55-1(f)
2,2'-Dichloroethyl ether	DCM	36	<del>-</del>	NA.	01		No	N/A	No
Dichloromethane  2.4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	-0	NA NA	- <del>(1)</del>	A	No	N/A	.56-1(a), (b), (c), (g)
2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2		NA.	- iii		No	N/A	.56-1(a), (b), (c), (g)
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less)	DDA	<del>_</del>	<del>-</del>	147	<del></del>	A	No	N/A	.55-1(b)
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 <sup>2</sup>	0	NA	(11		No	N/A	.56-1(a), (b), (c), (g)
1,1-Dichloropropane	DPB	36	0	C	<u> </u>	Ā	Yes	3	No
1,2-Dichloropropane	DPP	36	<del>-</del>	c	- iii	A	Yes	3	No
1,3-Dichloropropane	DPC	36	0	c	01	A	Yes	3	No
1,3-Dichloropropene	DPU	15	0	D	<u> </u>	A	Yes	4	No
	DMX	15	-	NA NA	<u>;;</u>	A	Yes	1	No
Dichloropropene, Dichloropropane mixtures  Diethanotamine	DEA	8	0	E	111		Yes	1	.55-1(c)
	DEN	7	0	C	<u> </u>		Yes	3	.55-1(c)
Diethylamine  Diethylamine	DET	7 2	-	E	<u> </u>		Yes	1	.55-1(c)
Diethylenetriamine  Dilackut descina	DBU	7		_ <u>-</u>	111		Yes	3	.55-1(c)
Diisobutylamine	DIP	8	0	E	111		Yes	1	.55-1(c)
Diisopropanolamine		7			<u></u>			3	.55-1(c)
Diisopropylamine	DIA		0				Yes	3	.56-1(b)
N,N-Dimethylacetamide	DAC	10		<del>-</del>		A	Yes	1	.56-1(b), (c)
<u>Dimethylethanolamine</u>	DMB	8	0	D	<u> </u>	A	Yes		.55-1(e)
Dimethylformamide	DMF	10	0	D	01	A	Yes		.55-1(c)
Di-n-propylamine	DNA	7	0	<u>c</u>	- (1	A	Yes	3	.56-1(b)
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	_ <u>E</u>	<u> </u>	A	No	N/A	.55-1(c)
Ethanolamine	MEA	8	0	<u>E</u>	- 81	A	Yes	1	.50-70(a), .50-81(a), (b)
Ethyl acrylate	EAC	14	0	C		A	Yes	2	.55-1(b)
Ethylamine solution (72% or less)	EAN	7	0_	<u> </u>	- (1	<u> </u>	No	N/A	.55-1(b)
N-Ethylbutylamine	EBA	7	0_	_ <u>D</u>		A	Yes	3	.55-1(b)
N-Ethylcyclohexylamine	ECC	7	0	<u>D</u>		A	Yes		No No
Ethylene cyanohydrin	ETC	20	0	<u>E</u>		A	Yes	1	.55-1(c)
Ethylenediamine	EDA	72	0_	<u>D</u>		A	Yes	1	No
Ethylene dichloride	EDC	36 <sup>2</sup>	0	С	(1)	<u>A</u>	Yes	1	
Ethylene glycol hexyl ether	EGH	40	0	<u>E</u>	(1)	<u> </u>	No	N/A	No No
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	tii	<u>A</u>	Yes	1	No
Ethylene glycol propyl ether	EGP	40	0	<u>E</u>	[]]	<u> </u>	Yes	1	No 50 70(-) 50 91(-) (b)
2-Ethylhexyl acrylate	EAI	14	0	E	(1)	<u>A</u>	Yes	2	.50-70(a), .50-81(a), (b)
Ethyl methacrylate	ETM	14	0	D/E		<u> </u>	Yes	2	No No
2-Ethyl-3-propylacrolein	EPA	19 <sup>2</sup>	0	E	<u> </u>	A	Yes		
Formaldehyde solution (37% to 50%)	FMS	19 <sup>2</sup>	0	D/E	(1))	Α	Yes	1	.55-1(h)
Furfural	FFA	19	0	E	III	Α	Yes	1	.55-1(h)
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	10	A	No	N/A	No .
Hexamethylenediamine solution	HMC	7	0	<u>E</u>	III	Α	Yes	1	.55-1(c)
Hexamethyleneimine	HMI	7	0_	С	- 11	Α	Yes	1	.56-1(b), (c)
Hydrocarbon 5-9	HFN		0		101	Α	Yes	1	.50-70(a), .50-81(a), (b)
Isoprene	IPR	30	0	Α	[[]	Α	No	N/A	.50-70(a), .50-81(a), (b)
Isoprene, Pentadiene mixture	IPN		0		Ш	Α	No	N/A	.50-70(a), .55-1(c)
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	ltt	Α	No	N/A	.50-73, .56-1(a), (c), (g)
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	111	Α	Yes	1	No
Methyl acrylate	MAM	14	0	С	!!!	Α	Yes	2	.50-70(a), .50-81(a), (b)



**United States Coast Guard** 

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29007 Official #: 1110099

Page 3 of 8

Shipyard: West Gulf Marine

Serial #: C2-0305145

Generated: 21-May-03

Cargo Identification									ns of Carriage
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd (Y or N)	vCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Name	<u> </u>	`		L					L
an in the descriptions dispose	MCK	30	0	С	III	Α	Yes	1	No
Methylcyclopentadiene dimer	MDE	8	0	E	[1]	Α	Yes	1	.56-1(b), (c)
Methyl diethanolamine	MEP	9	0	E	01	A	Yes	1	.55-1(o)
2-Methyl-5-ethylpyridine	MMM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)
Methyl methacrylate	MPR	9	0	D	iii _	Α	Yes	3	.55-1(c)
2-Methylpyridine alpha-Methylstyrene	MSR	30	0	D	111	A	Yes	2	.50-70(a), .50-81(a), (b)
Morpholine	MPL	7 <sup>2</sup>	0	D	111	Α	Yes	1	.55-1(c)
1- or 2-Nitropropane	NPM	42	0	D	111	Α	Yes	11	.50-81
1,3-Pentadiene	PDE	30	0	Α	. 111	Α	No	N/A	.50-70(a), .50-81
Perchloroethylene	PER	36	0	NA	111	Α	No	N/A	No
Polyethylene polyamines	PEB	7 2	0	E	m	Α	Yes	1	.55-1(e)
iso-Propanolamine	MPA	8	0	E	lii	Α	Yes	1	.55-1(c)
Propanolamine (iso-, n-)	PAX	8	0	E	tii	Α	Yes	1	.56-1(b), (c)
iso-Propylamine	(PP	7	0	Α	- 11	A	No	N/A	.55-1(c)
Pyridine	PRD	9	0	С	01	Α	Yes	1	.55-1(e)
Sodium aluminate solution (45% or less)	SAU	5	0	NA	01	Α	No	N/A	.50-73, .56-1(a), (b), (c)
Sodium chlorate solution (50% or less)	SDD	0 1,2		NA	ill .	A	No	N/A	.50-73
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	(1)	Α	No	N/A	.50-73, .56-1(a), (b)
Sodium hypochioma soddion (20% of teas) Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2		NA	91	A	Yes	1	.50-73, .55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2		NA	EII	Α	No	N/A	.50-73, .55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	[]	A	No	N/A	.50-73, .55-1(b)
Styrene (crude)	STX		0	D	EII	Α	Yes	2	No
Styrene monomer	STY	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	III	Α	No	N/A	No
Tetraethylenepentamine	TTP	7	0	E	[]]	A	Yes	1	.55-1(c)
Tetrahydrofuran	THF	41	0	С	111	Α	Yes	1	.50-70(b)
Toluenediamine	TDA	9	0	E		A	No	· N/A	.50-73, .56-1(a), (b), (c), (g)
o-Toluidine	TLI	9	0	E	11	A	Yes	3	.50-5, .50-73
1,2,4-Trichlorobenzene	TCB	36	0	E	III	A	Yes	1	No
1,1,2-Trichloroethane	TCM	36	0	NA	111	A	Yes	1	.50-73, .56-1(a)
Trichloroethylene	TCL	36 <sup>2</sup>	0	NA	111	A	Yes	1	No
1,2,3-Trichloropropane	TCN	36	0	E	(1	A	Yes	3	.50-73, .56-1(a)
Triethanolamine	TEA	8 <sup>2</sup>	0		[]]	A	Yes	1	.55-1(b)
Triethylamine	TEN	7	0	c	il i	A	Yes	3	.55-1(e)
Triethylenetetramine	TET	7 2	0	E	10	A	Yes	1	.55-1(b)
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA		A	No	N/A	.56-1(a), (b), (c)
Trisodium phosphate solution	TSP	5	0	NA	111	Ā	No	N/A	.50-73, .56-1(a), (c).
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	<del></del>	A	No	N/A	.56-1(b)
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	<u>.</u>	A	No	N/A	.50-73, .56-1(a), (c), (g)
Vinyl acetate	VAM	13	0	C	111	A	Yes	2	.50-70(a), .50-81(a), (b)
Vinyl neodecanate	VND	13	<u> </u>	E	111	A	No	N/A	.50-70(a), .50-81(a), (b)
Vinyltoluene	VNT	13	<u> </u>	D	101	<u>^</u>	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (g)
Subchapter D Cargoes Authorized for Vapor Control	****				***		103	<u></u>	
Acetone	ACT	18 <sup>2</sup>		С		A	Yes	1	
Acetophenone	ACP	18	D	E		A	Yes	1	<u>-</u>
				_=			, 00		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1	



## Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29007 Official #: 1110099

Page 4 of 8

Shipyard: West Gulf Marine

Cargo Identification							Co	nditio	ns of Carriage
							Vapor R	ecovery	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 48 CFR 151 General and Mat'ls of Construction
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	11	
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1	
Benzyl alcohol	BAL	21	D	E		Α	Yes	1	
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1	
Butyl acetate (all isomers)	BAX	34	D	D		A	Yes	1	
Butyl alcohol (iso-)	IAL	20 <sup>2</sup>	D	D		A	Yes	1	
Butyl alcohol (n-)	BAN		D	D		Α	Yes	11	
Butyl alcohol (sec-)	BAS		D	С		Α	Yes	1	
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1	
Butyl benzyl phthalate	BPH	34	D	Ε		Α	Yes	11	
Butyl toluene	BUE	32	D	D		Α	Yes	1	
Caprolactam solutions	CLS	22	D	E		Α	Yes	1	
Cyclohexane	СНХ	31	D	С		Α	Yes	1	
Cyclohexanol	CHN	20	D	Ε		Α	Yes	1	
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2	
p-Cymene	CMP	32	D	D		Α	Yes	1	
iso-Decaldehyde	IDA	19	D	E		A	Yes	1	
n-Decaldehyde	DAL	19	D	E		A	Yes	1	
Decene	DCE	30	D			A	Yes	1	
Decyl alcohol (all isomers)	DAX		D	E		A	Yes	1	
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1	
Diacetone alcohol	DAA	20 <sup>2</sup>		E		A	Yes	1	
ortho-Dibutyl phthalate	DPA	34	D	E		A	Yes	1	
Diethylbenzene	DEB	32	D			A	Yes	1	
Diethylene glycol	DEG		D	E			Yes	1	
Diisobutylene	DBL	30	D				Yes	1	
Diisobutyl ketone	DIK	18	D			A	Yes	1	
Diisopropylbenzene (all isomers)	DIX	32	D	E			Yes	1	
Dimethyl phthalate	DTL	34		E		A	Yes	1	
Dioctyl phthalate	DOP			E			Yes	1	
Dipentene	DPN	30	<u>D</u>	<u> </u>			Yes	1	
Diphenyl	DIL	32		D/E			Yes	1	· - · · · ·
Diphenyl, Diphenyl ether mixtures	DDO			E		<u>^</u>	Yes	1	
Diphenyl ether	DPE	41	D	{E}		<u>^</u>	Yes	1	
	DPG		D	E	-	${A}$	Yes	1	
Dipropylene glycol Distillates: Flashed feed stocks	DFF	33	D	E		${A}$	Yes	_ <del>_</del>	The state of the s
Distillates: Straight run	DSR		D	E		$\overline{\lambda}$	Yes	1	
	DOZ		D	D		$\overline{A}$	Yes	1	
Dodecene (all isomers)	DDB		D	E			Yes	1	
Dodecylbenzene, see Alkyl(C9+)benzenes	EEA	34	D	D		A	Yes	1	
2-Ethoxyethyl acetate	ETG		D	E		A	Yes	1	
Ethoxy triglycol (crude)				C					
Ethyl acetate	ETA	34				A	Yes	1	
Ethyl acetoacetate	EAA	34 20 <sup>2</sup>	<u>D</u>	E C		A_	Yes	1	
Ethyl alcohol	EAL		<u>D</u>			A	Yes	1	
Ethylbenzene	ETB	32	<u>D</u>	<u>C</u>		A_	Yes	1	
Ethyl butanol	EBT	20	D	D		A	Yes	1	
Ethyl tert-butyl ether	EBE	41	D	С		A_	Yes	11	



## Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29007

Official #: 1110099

Page 5 of 8

Shipyard: West Gulf Marine

								<i>M</i> IGITIO	ns of Carriage
								Recovery	1
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Ethyl butyrate	EBR	34	D	D		Α	Yes	1	
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1	
Ethylene glycol	EGL	20 2					Yes	1	
Ethylene glycol butyl ether acetate	EMA			E		A	Yes	1	
Ethylene glycol diacetate	EGY		D	E		A	Yes	1	
Ethylene glycol phenyl ether	EPE	40	D	<del>_</del>		A	Yes	1	
Ethyl-3-ethoxypropionate	EEP	34	D			A	Yes	1	
2-Ethylhexanol	EHX			E		A	Yes	1	
Ethyl propionate	EPR	34				A	Yes	1	
Ethyl toluene	ETE	32	D	E		A	Yes	1	
Formamide	FAM			E		A	Yes	1	
Furfuryl alcohol	FAL	20 2		E			Yes	1	
Gasoline blending stocks: Alkylates	GAK		D	A/C	-	A	Yes	1	
Gasoline blending stocks: Reformates	GRF			A/C		A	Yes	1	
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT			С		Α	Yes	1	1.00
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV			c		A	Yes	1	
Gasolines: Casinghead (natural)	GCS			A/C		A	Yes	1	
Gasolines: Polymer	GPL	33	D	A/C		A	Yes	1	
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1	
Glycerine	GCR		D	E		A	Yes	1	
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX		D	c		A	Yes	1	
Heptanoic acid	HEP	4	D	E		Α	Yes	1	
teptanol (all isomers)	нтх	20	D	D/E		Α	Yes	1	
leptene (all isomers)	HPX	30	D	С		Α	Yes	2	
Heptyl acetate	HPE	34	D	D		Α	Yes	1	
Hexane (all isomers), see Alkanes (C8-C9)	HXS	31 <sup>2</sup>	D	B/C		A	Yes	1	
fexanoic acid	нхо		D	E		Α	Yes	1	
	HXN	20	D	D		A	Yes	1	
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2	
lexylene glycol	HXG	20	D	E		Α	Yes	1	
sophorone	!PH	18 <sup>2</sup>	D	E		A	Yes	1	
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1	
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1	
Kerosene	KRS	33	D	D		A	Yes	1	
Methyl acetate	MTT	34	D	D		Α	Yes	1	
Methyl alcohol	MAL	20 <sup>2</sup>	D	С		Α	Yes	1	
Methylamyl acetate	MAC	34	D	D		Α	Yes	1	
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1	
Wethyl tert-butyl ether	MBE	41 <sup>2</sup>	D	С		Α	Yes	1	
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1	
Methyl butyrate	MBU	34	D	С		Α	Yes	1	
Methyl ethyl ketone	MEK	18 <sup>2</sup>	D	С		Α	Yes	1	
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1	
Methyl isobutyl ketone	MIK	18 <sup>2</sup>	D	С		Α	Yes	1	
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1	
Mineral spirits	MNS	33	D	D		Α	Yes	1	
Myrcene	MRE	30	D	D		Α	Yes	1	
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1	<del></del>



### Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29007 Official #: 1110099

Page 6 of 8

Shipyard: West Gulf Marine

Cargo Identification						<u> </u>	Co	nditio	ons of Carriage
								ecovery	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	11	
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1	
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1	
Naphtha: Varnish makers and painters (75%)	NVM	33	D	Ç		Α	Yes	1	
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1	
Nonene (all isomers)	NON	30	Ð	D		Α	Yes	2	
Nonyl alcohol (all isomers)	NNS	20 ²	Ð	E		A	Yes	1	
Nonyl phenol	NNP	21	D	E		Α	Yes	1	
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		A	Yes	1	
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D			A	Yes	1	
Octanoic acid (all isomers)	OAY	4	D	Ē		A	Yes	1	
Octanol (all isomers)	OCX	20 <sup>2</sup>	D	E		A	Yes	1	
Octene (all isomers)	OTX	30	D	c		A	Yes	2	
	OTW		D	D/E		$\frac{1}{A}$	Yes	1	
Oil, fuel: No. 2	OFR	33		D/E		A	Yes	1	
Oil, fuel: No. 4									
Oil, fuel: No. 5	OFV	33	D	D/E E		A	Yes		
Oil, fuel: No. 6	OSX	33	<u>D</u>			A	Yes	1	
Oil, misc; Crude	OIL	33	<u>D</u>	C/D		A	Yes		
Oil, misc: Diesel	ODS	33	D	D/E		<u> </u>	Yes	1	
Oil, misc: Lubricating	OLB	33	D	<u>E</u>		Α	Yes	1	
Oil, misc: Turbine	ОТВ	33	D	E		A	Yes	1	
alpha-Pinene	PIO	30	D	D		A	Yes	1	
beta-Pinene	PIP	30	D	D		A	Yes	1	
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		A	Yes	1	
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	Ε		A	Yes	11	
Polybutene	PLB	30	D	E		Α	Yes	1	
Polypropylene glycol	PGC	40	D	Е		Α	Yes	11	
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1	
n-Propyl acetate	PAT	34	D	Ç		Α	Yes	1	
iso-Propyl alcohol	ĮΡΑ	20 <sup>2</sup>	D	С		Α	Yes	1	
n-Propyl alcohol	PAL	20 <sup>2</sup>	D	С		Α	Yes	11	
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1	
iso-Propylcyclohexane	ΙPX	31	D	D		Α	Yes	1	
Propylene glycol	PPG	20 <sup>2</sup>	D	Е		Α	Yes	1	
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1	· · · · · · · · · · · · · · · · · · ·
Propylene tetramer	PTT	30	D	D		Α	Yes	1	
Sulfolane	SFL	39	D	E		A	Yes	1	
Tetraethylene glycol	TTG	40	D	E		A	Yes	1	
Tetrahydronaphthalene	THN	32				A	Yes	1	
Toluene	TOL	32	D	c		A	Yes	1	
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E			Yes	1	
	TEB	32		E		A	Yes	1	
Triethylbenzene Triethylene glycol	TEG	40	D	E			Yes	1	
Triethylene glycol	TPS	34	D	E		Â	Yes	1	
Triethyl phosphate  Trimethyl phosphate (all icomorp)		32	D	{D}			Yes	1	
Trimethylbenzene (all isomers)	TRE					A			
Trixylenyl phosphate	TRP	34	<u>D</u>	E		<u>A</u>	Yes	1	
Undecene	UDC		<u> </u>	D/E		A_	Yes		
1-Undecyl alcohol	UND	20	D	E		A_	Yes	1	



Serial #: C2-0305145

Generated: 21-May-03

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29007 Official #: 1110099

Page 7 of 8

Shipyard: West Gulf Marine

Cargo Identification					Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd		Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Vidence (ortho meta nara.)	YIY	32	n	<b>D</b>		Δ	Yes	1	



#### Department of Homeland Security **United States Coast Guard**

Serial #: C2-0305145

Generated: 21-May-03

# Certificate of Inspection

The proper shipping name as listed in 46 CFR Table 30,25-1, 46 CFR Table 151,05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Cargo Authority Attachment

Vessel Name: KIRBY 29007

Official #: 1110099

Page 8 of 8

Shipyard: West Gulf Mari

Hull #: 115

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Name Chem Code

Compatability Group No.

Note 1 Note 2

Subchapter

Subchapter D Subchapter O

Grade

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-In-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

The cargo reactive group number assigned for compatibility determinations in 48 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility

additional compatibility information, contact Commandant (G-MSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 267-

the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

A, B, C Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15. Note 4

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type NA

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

#### **Conditions of Carriage**

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

#### **Conditions of Carriage**

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vesset's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety compo causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3,

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air re densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

Category 7 none

The cargo has not been evaluated/classified for use in vapor control systems