

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 31 Aug 2022 Expiration Date: 31 Aug 2027

Certificate of Inspection

Vessel Name		Official	Number	IMO Numi	ber	Call Sign	Senice	
KIRBY 290)22	1239	721				Tank B	arge
Hailing Port			Hull Material	Herse	power	Propulsion		
NEW YOR	IK, NY		Steel					
UNITED S	TATES							
Place Built	MILEIA	De	livery Date	Keel Laid Date	Gross Tons	Net Tons	OWT	Length
MADISON	VILLE, LA	23	Jun2012	24May2012	R-1619	R-1819		R-297 5
JNITED ST	TATES				ļ•			
wner	AND MARINE LP			Operato		MARINE LP		
5 WAUGH	DR STE 1000				0 Market S			
	TX 77007					TX 77530		
NITED ST	AIES			UNII	ED STATE	5		
	must be manned lifeboatmen, 0 C						hich there m	ust be
0 Masters		Licensed Mates	10 MIN 17 19 19 19 19 19 19 19 19 19 19 19 19 19	Engineers		llers		
0 Chief Mat		First Class Pilots		Assistant Enginee				
0 Second N 0 Third Mat		Radio Officers Able Seamen		nd Assistant Engine Assistant Engine				
	Market Colonia Colonia Colonia	Ordinary Seamen		sed Engineers	a s			
Charles St.		Deckhands	3.77 0~35 867	ied Member Engi	neer			
addition, tersons allo	this vessel may cowed: 0	arry 0 Passenge	rs, 0 Othe	Persons in cr	ew, 0 Perso	ns in addition t	o crew, and	no Others. Total
Route Per	mitted And Con	ditions Of Oper	ation:					
Lakes	Bays, and S	ounds						
lso, in fa lorida.	ir weather only	y, not more th	an twelve	(12) miles	from shore	between St.	Marks and C	arrabelle,
	has been gran	ted a fresh wa	ter servi	ce examination	on interval	l per 46 CFR	31.10-21(a)	(2). If this
nis vessel	perated in sal		12.4.114	nd the count	Court	notified in w	riting as a	onn as this
essel is o lit water	perated in sali intervals per tatus occurs,	16 CFR 31.10-2	L { B } (L) B	na che cogniti	ant buni		ricing as a	don as titts
ilt water lange in s	intervals per distus occurs,	16 CFR 31.10-2						
ilt water hange in s	pperated in sali intervals per latus occurs, arge is partic	16 CFR 31.10-2 ipating in the	Eighth 4	Ninth Coast	Guard Dis	trict's Tank		mlined Inspectio
ilt water hange in s his tank b	perated in salintervals per latus occurs, arge is partic	ipating in the	Eighth 4	Ninth Coast	Guard Dis	trict's Tank	Barge Strea	mlined Inspectio
it water hange in stank both this inspection, Spection, S	pperated in salintervals per leatus occurs, arge is partic: XT PAGE FOR pection for Certific	tpating in the ADDITIONAL (cation having be no certified the y	Eighth & CERTIFIC en completessel in a	Ninth Coast CATE INFORI	Guard Dis	trict's Tank	Barge Strea	
it water ange in stank but seek NE	perated in salintervals per leatus occurs, large is partic: XT PAGE FOR pection for Certific ector New Orlea regulations pres	tpating in the ADDITIONAL (cation having be no certified the y	CERTIFIC en completessel, in a	Ninth Coast CATE INFORI ated at New O	Guard Dis MATION*** rleans, LA, In conformit	UNITED STAT	Barge Strea	mlined Inspectio
it water lange in stank b "SEE NE Which this inspection, S	perated in salintervals per leatus occurs, large is partic: XT PAGE FOR pection for Certific ector New Orlea regulations pres	tpating in the ADDITIONAL (cation having be ns certified the v	Eighth 4 CERTIFIC en completessel, in a er.	Ninth Coast CATE INFORI ated at New O	Guard Dis MATION*** rleans, LA, in conformit	UNITED STAT by with the appl	ES, the Officable vesse	mlined Inspection cer in Charge, Marinspection laws ar
is tank b *SEE NE Ith this inspection, So rules and	perated in salintervals per leatus occurs, leatus o	ADDITIONAL cation having be ns certified the carbodic/Re-inspection	CERTIFIC en completessel, in a	Ninth Coast CATE INFORI ated at New O ill respects, is	Guard Dis MATION*** rleans, LA, in conformit his certifica	UNITED STAT by with the appl te issued by:	ES, the Officable vesse	mlined Inspection cer in Charge, Mar inspection laws ar
essel is de sit water mange in seis tank bestellt bestell	perated in salintervals per leatus occurs, leatus o	ADDITIONAL cation having be ns certified the carbodic/Re-inspection	Eighth & CERTIFIC en completessel, in a ser. on Signatu	Ninth Coast CATE INFORI ated at New O ill respects, is	Guard Dis MATION*** rleans, LA, in conformit	UNITED STAT y with the appl te issued by: H. HARTICO	ES, the Officable vesse	cer in Charge, Mar inspection laws ar



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 31 Aug 2022 **Expiration Date:** 31 Aug 2027

Certificate of Inspection

Vessel Name: KIRBY 29022

Program (TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Jun2032

26Jul2022

23Jun2012

Internal Structure

31Jul2027

26Jul2022

03Aug2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Flammable/Combustible Liquids and Specified Hazardous Cargoes.

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29400

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	925	13.57
2 P/S	939	13.57
3 P/S	844	13.57

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	4697	10ft 0in	13.57	LBS
III	5568	11ft 9in	13.57	LBS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # C1-1602192, dated 09JUN16, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Vapor Control Authorization

Per 46 CFR 39, excluding Part 39.40, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial # C1-1602192 dated 09JUN16, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Page 2 of 3

Stability and Trim

The maximum design density of cargo which may be filled to the tank top is 8.74lbs/gal.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 31 Aug 2022 Expiration Date: 31 Aug 2027

Certificate of Inspection

Vessel Name: KIRBY 29022

Per 46 CFR 151.10-15(c)(2), the maximum tank weights listed below reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

	Internal Exam	1		External Exar	m	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	23Jun2012	26Jul2022	30Jun2032	-	-	-
2 P/S	23Jun2012	26Jul2022	30Jun2032	-	-	-
3 P/S	23Jun2012	26Jul2022	30Jun2032	-	-	-
			Hydro Test			
Tank Id	Safety Valves	3	Previous	Last	Next	
1 P/S	-		-	-	-	
2 P/S	-		- 1	-	-	
3 P/S	-		-	-	-	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

B-II

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022

Shipyard: TRINITY

MADISONVILLE

Serial #: C1-1602192

09-Jun-16

Hull #: 2202-2

Official #: 1239721

Tank Group Information	Cargo Identification			Tanks Cargo					Environmental Control		Fire	Special Requirements					
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp
A #1P/S, #2P/S, #3P/S	13.6	Atmos.	Amb.	11	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identificatio	n			8.0		Conditions of Carriage						
							Vapor Re	ecovery				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio		
Authorized Subchapter O Cargoes												
Acetonitrile	ATN	37	0	C	111	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	H	Α	Yes	4	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	E	- 11	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	111	Α	No	N/A	50-81, 50-86	G		
Aminoethylethanolamine	AEE	8	0	E	111	Α	Yes	1	.55-1(b)	G		
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G		
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	111	А	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	Α	No	N/A	No	G		
Benzene	BNZ	32	0	C	111	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	С	111	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 2	0	С	Ш	А	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	Α	Yes	1	.50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	111	А	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	ВМН	14	0	D	-111	. A	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	III	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	CPO	18	0	D	H	Α	No	N/A	No	G		
Carbon tetrachloride	CBT	36	0	NA	III	Α	No	N/A	No	G		
Caustic potash solution	CPS	5 2	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G		
Caustic soda solution	CSS	5 2	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	11	Α	No	N/A	.50-73	G		
Chlorobenzene	CRB	36	0	D	111	А	Yes	1	No	G		
Chloroform	CRF	36	0	NA	111	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	.50-73	G		
Creosote	CCV	V 21 ²	0	E	III	Α	Yes	1	No	G		
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No	G		
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	.50-73, .55-1(b)	G		
Cresylic acid tar	CRX	21	0	E	111	Α	Yes	1	.55-1(f)	G		
Crotonaldehyde	CTA	19 2	0	C	11	Α	Yes	4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	III	А	Yes	1	No	G		
Cyclohexanone	CCH	18	0	D	Ш	Α	Yes	1	.56-1(a), (b)	G		
Cyclohexanone, Cyclohexanol mixture	CYX	18 2	0	E	III	Α	Yes	1	.56-1 (b)	G		



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022
Official #: 1239721

Page 2 of 8

Shipyard: TRINITY MADISONVILLE

Serial #: C1-1602192

Cargo Identificatio	n						(Condi	tions of Carriage			
						Vapor Recovery						
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull	Tank	App'd	VCS	Special Requirements in 46 CFR	Insp		
Cyclohexylamine	CHA	7	O	D	Type	Group	(Y or N) Yes	Category 1	151 General and Mat'ls of .56-1(a), (b), (c), (g)	Perio		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	A	Yes	1	.50-60, .56-1(b)	G		
iso-Decyl acrylate	IAI	14	0	E	111	A	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G		
Dichlorobenzene (all isomers)	DBX	36	0	E	III	A	Yes	3	.56-1(a), (b)	G		
1,1-Dichloroethane	DCH	36	0	C	111	A	Yes	1	No	G		
2,2'-Dichloroethyl ether	DEE	41	0	D	111			1	.55-1(f)	G		
Dichloromethane	DCM	18.197	0			A	Yes		No No	G		
	DDE		0	NA	111	A	Yes	5	56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution		43		E	111	A	No	N/A	56-1(a), (b), (c), (g)	G		
2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD			A	111	A	No	N/A		G		
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	E	111	A	No	N/A	.56-1(a), (b), (c), (g)	G		
1,1-Dichloropropane	DPB	36	0	С	111	A	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	С	III	Α	Yes	3	No			
1,3-Dichloropropane	DPC	36	0	С	- 111	A	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	II	A	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	II	А	Yes	1	No	G		
Diethanolamine	DEA	8	0	E	111	А	Yes	1	.55-1(c)	G		
Diethylamine	DEN	7	0	С	111	Α	Yes	3	.55-1(c)	G		
Diethylenetriamine	DET	7 2	0	E	111	Α	Yes	1	.55-1(c)	G		
Diisobutylamine	DBU	7	0	D	Ш	A	Yes	3	.55-1(c)	G		
Diisopropanolamine	DIP	8	0	E	111	Α	Yes	1	.55-1(c)	G		
Diisopropylamine	DIA	7	0	С	11	Α	Yes	3	.55-1(c)	G		
N,N-Dimethylacetamide	DAC	10	0	E	111	Α	Yes	3	.56-1(b)	G		
Dimethylethanolamine	DMB	8	0	D	111	Α	Yes	1	.56-1(b), (c)	G		
Dimethylformamide	DMF	10	0	D	Ш	Α	Yes	1	.55-1(e)	G		
Di-n-propylamine	DNA	7	0	C	H	Α	Yes	3	.55-1(c)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	111	Α	No	N/A	.56-1(b)	G		
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	A	No	N/A	No	G		
EE Glycol Ether Mixture	EEG	40	0	D	111	A	No	N/A	No	G		
Ethanolamine	MEA	8	0	E	111	A	Yes	1	.55-1(c)	G		
Ethyl acrylate	EAC	14	0	С	111	А	Yes	2	.50-70(a), .50-81(a), (b)	G		
Ethylamine solution (72% or less)	EAN	7	0	Α	11	Α	Yes	6	.55-1(b)	G		
N-Ethylbutylamine	EBA	7	0	D	111	A	Yes	3	.55-1(b)	G		
N-Ethylcyclohexylamine	ECC	7	0	D	III	А	Yes	1	.55-1(b)	G		
Ethylene cyanohydrin	ETC	20	0	E	Ш	А	Yes	1	No	G		
Ethylenediamine	EDA	7 2	0	D	III	А	Yes	1	.55-1(c)	G		
Ethylene dichloride	EDC	36 ²	0	С	111	А	Yes	1	No	G		
Ethylene glycol hexyl ether	EGH	40	0	Е	111	Α	No	N/A	No	G		
Ethylene glycol monoalkyl ethers	EGC		0	D/E	Ш	Α	Yes	1	No	G		
Ethylene glycol propyl ether	EGP	40	0	E	111	Α	Yes	1	No	G		
2-Ethylhexyl acrylate	EAI	14	0	E	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Ethyl methacrylate	ETM		0	D/E	III	Α	Yes	2	.50-70(a)	G		
2-Ethyl-3-propylacrolein	EPA	19 2	0	E	111	A	Yes	1	No	G		
Formaldehyde solution (37% to 50%)	FMS	19 2	0	D/E	III	A	Yes	1	.55-1(h)	G		
Furfural	FFA	19	0	D	III	A	Yes	1	.55-1(h)	G		
	GTA	19	0	NA	111	A	No	N/A		- G		
Glutaraldehyde solution (50% or less)	HMC		0	E	111	A	Yes	1	.55-1(c)	G		
Hexamethylenediamine solution	HMI	7	0	C	111	A	Yes	1	.56-1(b), (c)	G		
Hexamethyleneimine Hydrocarbon 5-9	HFN		0	C	III	A	Yes	1	.50-70(a), .50-81(a), (b)	G		



es Coast Guard Dated

Serial #: C1-1602192 Dated: 09-Jun-16

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022

Official #: 1239721

Page 3 of 8

Shipyard: TRINITY MADISONVILLE

	Cargo Identification						Conditions of Carriage							
	6							Vapor F	Recovery					
	Name	Chem	Compat	Sub	Grade	Hull	Tank	App'd	VCS	Special Requirements in 46 CFR	Insp.			
soprene	Name	Code	Group No 30	Chapter	A	Type	Group	(Y or N) Yes	Category 7	151 General and Mat'ls of .50-70(a), .50-81(a), (b)	Perio			
soprene, Pentadiene mixture		IPN	30	0	В	111	A	No	N/A	.50-70(a), .55-1(c)	G			
Kraft pulping liquors (free alk	ali content 3% or more)(including: Black,	KPL	5	0	NA	III	A	No	N/A	.50-73, .56-1(a), (c), (g)	G			
Green, or White liquor)								2.0			0			
Mesityl oxide		MSO		0	D	Ш	Α	Yes		No	G			
Methyl acrylate		MAM		0	С	111	Α	Yes	2	50-70(a), 50-81(a), (b)	G			
Methylcyclopentadiene dime	r	MCK		0	С	111	Α	Yes		No	G			
Methyl diethanolamine		MDE	8	0	E	111	Α	Yes		.56-1(b), (c)	G			
2-Methyl-5-ethylpyridine		MEP	9	0	E	111	А	Yes		.55-1(e)	G			
Methyl methacrylate		MMN		0	С	111	А	Yes		.50-70(a), .50-81(a), (b)	G			
2-Methylpyridine		MPR		0	D	111	Α	Yes		.55-1(c)	G			
alpha-Methylstyrene		MSR		0	D	Ш	А	Yes		50-70(a), 50-81(a), (b)	G			
Morpholine		MPL	7 2	0	D	111	Α	Yes	1	.55-1(c)	G			
Nitroethane		NTE	42	0	D	11	Α	No	N/A	.50-81, .56-1(b)	G			
1- or 2-Nitropropane		NPM	42	0	D	Ш	Α	Yes		.50-81	G			
1,3-Pentadiene		PDE	30	0	А	111	А	Yes	7	.50-70(a), .50-81	G			
Perchloroethylene		PER	36	0	NA	111	Α	No	N/A	No	G			
Polyethylene polyamines		PEB	7 2	0	Е	111	Α	Yes	1	.55-1(e)	G			
so-Propanolamine		MPA	8	0	E	III	Α	Yes	1	.55-1(c)	G			
Propanolamine (iso-, n-)		PAX	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G			
so-Propylamine		IPP	7	0	Α	11	A	Yes	5	.55-1(c)	G			
Pyridine		PRD	9	0	C	111	Α	Yes	1	.55-1(e)	G			
Sodium acetate, Glycol, Wat	er mixture (3% or more Sodium Hydroxid	e)SAP	5	0		111	Α	No	N/A	.50-73, .55-1(j)	G			
Sodium aluminate solution (4	15% or less)	SAU	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G			
Sodium chlorate solution (50	% or less)	SDD	0 1,2	0	NA	111	Α	No	N/A	.50-73	G			
Sodium hypochlorite solution	(20% or less)	SHQ	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b)	G			
Sodium sulfide, hydrosulfide	solution (H2S 15 ppm or less)	SSH	0 1.2	0	NA	111	Α	Yes	1	.50-73, .55-1(b)	G			
Sodium sulfide, hydrosulfide less than 200 ppm)	solution (H2S greater than 15 ppm but	SSI	0 1,2	2 0	NA	Ш	А	No	N/A	.50-73, .55-1(b)	G			
	solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	11	А	No	N/A	.50-73, .55-1(b)	G			
Styrene (crude)	, , ,	STX	30	0	D	Ш	А	Yes	2	No	G			
Styrene monomer		STY	30	0	D	111	А	Yes	2	.50-70(a), .50-81(a), (b)	G			
1.1.2.2-Tetrachloroethane		TEC	36	0	NA	111	Α	No	N/A	No	G			
Tetraethylenepentamine		TTP	7	0	Е	Ш	А	Yes	1	.55-1(c)	G			
Tetrahydrofuran		THF	41	0	С	111	А	Yes	1	.50-70(b)	G			
1,2,4-Trichlorobenzene		ТСВ	36	0	Е	Ш	Α	Yes	1	No	G			
1,1,2-Trichloroethane		TCM	36	0	NA	111	А	Yes	1	.50-73, .56-1(a)	G			
Trichloroethylene		TCL	36 ²	0	NA	111	А	Yes	1	No	G			
1,2,3-Trichloropropane		TCN		0	E	П	А	Yes		.50-73,-,56-1(a)	G			
Triethanolamine		TEA	8 2	0	E	Ш	А	Yes		.55-1(b)	G			
Triethylamine		TEN		0	С	П	A	Yes		.55-1(e)	G			
Triethylenetetramine		TET	7 2	0	E	III	Α	Yes		.55-1(b)	G			
Triphenylborane (10% or les	s), caustic soda solution	TPB	5	0	NA	111	А	No	N/A	.56-1(a), (b), (c)	G			
Trisodium phosphate solutio		TSP	5	0	NA	111	А	No	N/A		G			
	ution (containing more than 2% NH3)	UAS		0	NA	III	A	No	N/A	1000 10000	G			
Vanillin black liquor (free alk		VBL	5	0	NA	111	A	No	N/A		G			
Vinyl acetate	an content, or or more,	VAM		0	С	III	A	Yes		.50-70(a), .50-81(a), (b)	G			
Vinyl acetate Vinyl neodecanate		VND		0	E	111	A	No	N/A	The second secon	G			
Vinyl neodecanate Vinyltoluene		VNT		0	D	111	A	Yes		.50-70(a), .50-81, .56-1(a), (b), (c), (G			

Serial #: C1-1602192 09-Jun-16

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022 Official #: 1239721

Page 4 of 8

Shipyard: TRINITY MADISONVILLE

Cargo Identification	n					Conditions of Carriage						
	0							Recovery				
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Subchapter D Cargoes Authorized for Vapor Contr	ol											
Acetone	ACT	18 ²	D	C		Α	Yes	1				
Acetophenone	ACP	18	D	E		Α	Yes	1				
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1				
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1				
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1				
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1				
Benzyl alcohol	BAL	21	D	E		A	Yes	1				
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	Е		Α	Yes	1				
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1				
Butyl alcohol (iso-)	IAL	20 2	D	D		А	Yes	1				
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	1				
Butyl alcohol (sec-)	BAS	20 2	D	С		А	Yes	1				
Butyl alcohol (tert-)	BAT	20 2	D	C		Α	Yes	1				
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1				
Butyl toluene	BUE	32	D	D		A	Yes	1				
Caprolactam solutions	CLS	22	D	E		Α	Yes	1				
Cyclohexane	CHX	31	D	C		Α	Yes	1				
Cyclohexanol	CHN	20	D	E		Α	Yes	1				
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2				
p-Cymene	CMP	32	D	D		А	Yes	1				
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1				
n-Decaldehyde	DAL	19	D	E		Α	Yes	1				
Decene	DCE	30	D	D		А	Yes	1				
Decyl alcohol (all isomers)	DAX	20 2	D	E		Α	Yes	1				
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	Е		Α	Yes	1				
Diacetone alcohol	DAA	20 2	D	D		А	Yes	1				
ortho-Dibutyl phthalate	DPA	34	D	Е		Α	Yes	1				
Diethylbenzene	DEB	32	D	D		Α	Yes	1				
Diethylene glycol	DEG	40 2	D	E		А	Yes	1				
Diisobutylene	DBL	30	D	С		Α	Yes	1				
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1				
Diisopropylbenzene (all isomers)	DIX	32	D	E		Α	Yes	1				
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1				
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1				
Dipentene	DPN	30	D	D		A	Yes	1				
Diphenyl	DIL	32	D	D/E		A	Yes	1				
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		A	Yes	1				
Diphenyl ether	DPE	41	D	{E}		A	Yes	1				
Dipropylene glycol	DPG	40	D	E		A	Yes	1				
Distillates: Flashed feed stocks	DFF	33	D				Yes	1				
Distillates: Straight run	DSR	33	D	E D		A	Yes	1				
Dodecene (all isomers)	DOZ	30	D			A	Yes	1				
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E D		A	Yes	1				
2-Ethoxyethyl acetate	EEA	34	D			A		1				
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1				



Serial #: C1-1602192 Dated:

09-Jun-16

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022

Shipyard: TRINITY MADISONVILLE

Hull #: 2202-2

Official #: 1239721

Page 5 of 8

	Cargo Identification	n					Conditions of Carriage						
								Vapor I	Recovery				
Na	mo.	Chem	Compat Group No	Sub Chapter	Grade	Hull	Tank Group	App'd	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.		
Ethyl acetate	ne	ETA	34	D	C	Туре	A	(Y or N) Yes	Category 1	151 General and Matts of	Peri		
Ethyl acetoacetate		EAA	34	D	E		Α	Yes	1				
Ethyl alcohol		EAL	20 2	D	С		A	Yes	1				
Ethylbenzene		ETB	32	D	С		A	Yes	1				
Ethyl butanol		EBT	20	D	D		A	Yes	1				
3.00 3) 1000,400,50		EBE	41	D	C		A		1				
Ethyl tert-butyl ether		EBR	34	D	D		A	Yes	1				
Ethyl butyrate													
Ethyl cyclohexane		ECY	31	D	D		A	Yes	1				
Ethylene glycol		EGL	20 2	D	E		A	Yes	1				
Ethylene glycol butyl ether acetate		EMA	34	D	E		A	Yes	1				
Ethylene glycol diacetate		EGY	34	D	E		Α	Yes	1				
Ethylene glycol phenyl ether		EPE	40	D	E		Α	Yes	1				
Ethyl-3-ethoxypropionate		EEP	34	D	D	_	Α	Yes	1				
2-Ethylhexanol		EHX	20	D	E		А	Yes	1				
Ethyl propionate		EPR	34	D	С		А	Yes	1				
Ethyl toluene		ETE	32	D	D		Α	Yes	1				
Formamide		FAM	10	D	E		Α	Yes	1				
Furfuryl alcohol		FAL	20 2	D	E		Α	Yes	1				
Gasoline blending stocks: Alkylate	s	GAK	33	D	A/C		Α	Yes	1				
Gasoline blending stocks: Reforma	ates	GRF	33	D	A/C		Α	Yes	1				
Gasolines: Automotive (containing gallon)	not over 4.23 grams lead per	GAT	33	D	С		А	Yes	1				
Gasolines: Aviation (containing no gallon)	t over 4.86 grams of lead per	GAV	33	D	С		Α	Yes	1				
Gasolines: Casinghead (natural)		GCS	33	D	A/C		Α	Yes	1				
Gasolines: Polymer		GPL	33	D	A/C		Α	Yes	1				
Gasolines: Straight run		GSR	33	D	A/C		Α	Yes	1				
Glycerine		GCR	20 2	D	E		A	Yes	1				
Heptane (all isomers), see Alkane	s (C6-C9) (all isomers)	HMX	31	D	C		Α	Yes	. 1				
Heptanoic acid		HEP	4	D	E		Α	Yes	1				
Heptanol (all isomers)		HTX	20	D	D/E		Α	Yes	1				
Heptene (all isomers)		HPX	30	D	С		Α	Yes	2				
Heptyl acetate		HPE	34	D	E		Α	Yes	1				
Hexane (all isomers), see Alkanes	(C6-C9)	HXS	31 2	D	B/C		А	Yes	1				
Hexanoic acid		HXO	4	D	E		Α	Yes	1				
Hexanol		HXN	20	D	D		Α	Yes	1				
Hexene (all isomers)		HEX	30	D	С		А	Yes	2				
Hexylene glycol		HXG	20	D	E		А	Yes	1				
Isophorone		IPH	18 2	D	E		Α	Yes	1				
Jet fuel: JP-4		JPF	33	D	E		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)		JPV	33	D	D		А	Yes	1				
Kerosene		KRS	33	D	D		Α	Yes	1				
Methyl acetate		MTT	34	D	D		Α	Yes	1				
Methyl alcohol		MAL	20 2	D	С		Α	Yes	1				
		MAC	34	D	D		A	Yes	1				
Methylamyl alcetate		MAA	20	D	D		A	Yes	1				
Methylamyl alcohol		MAK		D	D		A	Yes	1				
Methyl amyl ketone			41 2	D	С		A	Yes	1				
Methyl tert-butyl ether Methyl butyl ketone		MBE	1000	D	С		A	Yes	1				



Serial #: C1-1602192 Dated: 09-Jun-16

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022

Shipyard: TRINITY

MADISONVILLE 2202-2

Official #: 1239721

Propylene glycol

Page 6 of 8

Cargo Identification Conditions of Carriage Vapor Recover Sub Tank VCS Special Requirements in 46 CFR Name Grade Group Category 151 General and Mat'ls of Period Methyl butyrate MBU 34 D C A Yes C Methyl ethyl ketone MFK 18 2 D A Yes Methyl heptyl ketone MHK 18 D D Yes Methyl isobutyl ketone MIK 18 2 D C Methyl naphthalene (molten) MNA 32 D E Yes Mineral spirits MNS 33 Yes MRE 30 D D Yes Myrcene Naphtha: Heavy NAG 33 D A Yes PTN Naphtha: Petroleum 33 Yes Naphtha: Solvent NSV 33 Yes Naphtha: Stoddard solvent NSS 33 D D Naphtha: Varnish makers and painters (75%) NVM 33 D C Yes Nonane (all isomers), see Alkanes (C6-C9) D Yes NON 30 D D Nonene (all isomers) Yes NNS 20 2 D E Nonyl alcohol (all isomers) Yes NNP 21 D E Nonyl phenol Yes Е NPE D A Nonyl phenol poly(4+)ethoxylates 40 Yes Octane (all isomers), see Alkanes (C6-C9) OAX 31 D C Yes Octanoic acid (all isomers) OAY 4 D E E Octanol (all isomers) OCX 20 2 OTX 30 D C Yes Octene (all isomers) OTW D/E A 33 D Yes Oil, fuel: No. 2 OTD 33 D D Oil. fuel: No. 2-D Yes OFR D D/F Oil, fuel: No. 4 33 YAS Oil, fuel: No. 5 OFV 33 D D/F Yes Oil, fuel: No. 6 OSX 33 D E Oil, misc: Crude OIL 33 ODS 33 D Α Yes Oil. misc: Diesel OGP D Е 33 Yes Oil, misc: Gas, high pour D E A OLB 33 Oil, misc: Lubricating Yes D F A Oil, misc: Residual ORL 33 Yes OTB 33 F A Yes Oil, misc: Turbine Pentane (all isomers) PTY 31 Α Yes 5 PTX Pentene (all isomers) 30 PPE 34 D Yes n-Pentyl propionate PIO 30 D D Yes alpha-Pinene PIP D Yes 30 D PAG 40 D E Yes Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether F PAF Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate 34 Yes PLB 30 E Yes Polybutene PGC 40 E Yes Polypropylene glyco IAC 34 D C Yes iso-Propyl acetate PAT 34 D C n-Propyl acetate IPA 20 2 C iso-Propyl alcohol C PAL 20 2 Yes n-Propyl alcohol PBY 32 D D Yes Propylbenzene (all isomers) 31 D IPX D Yes iso-Propylcyclohexane

D

20 2

PPG

Е

Yes

Department of Homeland Security **United States Coast Guard** Serial #: C1-1602192

09-Jun-16



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022 Official #: 1239721

Page 7 of 8

Shipyard: TRINITY MADISONVILLE

Cargo Identific	ation					Conditions of Carriage						
							Vapor I	Recovery				
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1				
Propylene tetramer	PTT	30	D	D		Α	Yes	1				
Sulfolane	SFL	39	D	E		Α	Yes	1				
Tetraethylene glycol	TTG	40	D	E		А	Yes	1				
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1				
Toluene	TOL	32	D	C		Α	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1				
Triethylbenzene	TEB	32	D	E		Α	Yes	1				
Triethylene glycol	TEG	40	D	E		Α	Yes	1				
Triethyl phosphate	TPS	34	D	E		А	Yes	1				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		А	Yes	1				
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1				
Undecene	UDC	30	D	D/E		Α	Yes	1				
1-Undecyl alcohol	UND	20	D	E		А	Yes	1				
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1				



Dated:

Serial #: C1-1602192

09-Jun-16



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 29022

Official #: 1239721

Page 8 of 8

Shipyard: TRINITY MADI

Hull #: 2202-2

Explanation of terms & symbols used in the Table:

Cargo Identification

Name Chem Code The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the

Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

Subchapter Subchapter D Note 3

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A. B. C D. E Note 4 Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3) Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N)

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category

Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

The cargo has not been evaluated/classified for use in vapor control systems