

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Dec 2023 Expiration Date: 22 Dec 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFF MANNING DOCUMENT

| , <u> </u> | | | | | 3 | | | |
|--|-----------------------|-------------|--------------------|-----------------------|-------------------|--------------|-------------------|----|
| Vessel Name | Official Nurr | nber | IMO Numb | ЭГ | Call Sign | Service | | |
| KIRBY 29088 | 124534 | 7 | | | | Tank | Barge | |
| | | | | | | | • | |
| Hailing Port | Иг | II Material | Horsey | nower. | Propulsion | | | |
| HOUMA, LA | | | 110130 | | , 10pa/3/01 | | | |
| | 51 | teel | | | | | | |
| UNITED STATES | | | | | | | | |
| | | | | | | | | |
| Place Built | Deliver | y Date | Keel Laid Date | Gross Tons | Net Tons | DWT | Length | |
| ASHLAND CITY, TN | 30S | ep2013 | 05Sep2013 | R-1619 | R-1619 | | R-297.5 | |
| UNITED STATES | | - | | - | l- | | 1-0 | |
| | | | | | | | | |
| Owner | | | Operator | | | | | - |
| KIRBY INLAND MARINE | | | | | MARINE LP | | | |
| 55 WAUGH DR STE 1000 |) | | | MARKET | | | | |
| HOUSTON, TX 77007 UNITED STATES | | | | NINELVIEW ED STATE | V, TX 77530 S | | | |
| | | | J | | | | | |
| This vessel must be mann | | | | | | | nust be | _ |
| 0 Certified Lifeboatmen, 0 | Certified Tankermen | , 0 HSC | Type Rating, a | nd 0 GMD | SS Operators. | | | |
| 0 Masters | 0 Licensed Mates | 0 Chief | Engineers | 0 C |)ilers | | | |
| 0 Chief Mates | 0 First Class Pilots | 0 First A | Assistant Engineer | s | | | | |
| 0 Second Mates | 0 Radio Officers | 0 Secor | nd Assistant Engin | eers | | | | |
| 0 Third Mates | 0 Able Seamen | | Assistant Enginee | rs | | | | |
| 0 Master First Class Pilot | 0 Ordinary Seamen | | sed Engineers | | | | | |
| 0 Mate First Class Pilots | 0 Deckhands | | fied Member Engin | | | | | |
| In addition, this vessel may Persons allowed: 0 | y carry 0 Passengers, | , 0 Other | r Persons in cre | w, 0 Perso | ons in addition t | to crew, and | no Others. Total | |
| Route Permitted And Co | onditions Of Operati | on: | | | | | | |
| Lakes, Bays, and | l Sounds | | | | | | | |
| Also, in fair weather o | only, limited coast | wise, n | ot more than | twelve (13 | 2) miles from | shore bet | veen St. Marks an | ıd |

Also, in fair weather only, limited coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida. This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs. This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP. Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Sector Houston-Galveston.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Freeport, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

| | Annual/Peri | odic/Re-Inspe | ection | This certificate issued by: B.P. Berson |
|------|-------------|---------------|-----------|--|
| Date | Zone | A/P/R | Signature | This certificate issued by: B.P. Bergan B.P. BERGAN CDR, USCG, BY DIRECTION |
| | | | | Officer in Charge, Marine Inspection |
| | | | | Houston-Galveston |
| | | | | Inspection Zone |
| | | | | J |



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 22 Dec 2023 **Expiration Date:** 22 Dec 2028

Certificate of Inspection

Vessel Name: KIRBY 29088

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Nov2033

29Nov2023

30Sep2013

Internal Structure

30Nov2028

09Nov2023

10Oct2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE A AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29148

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

| Tank Number | Max Cargo Weight per Tank (short tons) | Maximum Density (lbs/gal) |
|-------------|--|---------------------------|
| 1 P/S | 859 | 13.7 |
| 2 P/S | 816 | 13.7 |
| 3 P/S | 783 | 13.7 |

Loading Constraints - Stability

| Hull Type | Maximum Load (short tons) | Maximum Draft (ft/in) | Max Density (lbs/gal) | Route Description |
|-----------|---------------------------|--------------------------|--------------------------|-------------------|
| 15 | 3812 | 10ft 0in | 13.7 | R, LBS |
| Ш | 4683 | 11ft 9in | 13.7 | R, LBS |

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial # C1-1401401, dated 25 Apr 2014, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.7 lbs/gal. Cargoes with higher densities, up to 13.7 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above. Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Dec 2023 Expiration Date: 22 Dec 2028

Certificate of Inspection

Vessel Name: KIRRY 29088

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system (VCS) has been inspected to the plans approved by MSC Letter # C1-1302840 dated 11 Sep 2013 and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS system has been approved with a pressure side of 1.5 psig P/V valve with Coast Guard Approval 162.017/167/4. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.00 psig.

In accordance with 46 CFR Part 39.5000, this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved by Marine Safety Center letter dated 17 June 2014.

--- Inspection Status ---

Fuel Tanks

Internal Examinations

Tank ID Previous Last Next
Between INT slop tanks - 30Sep2013 -

Cargo Tanks

| | Internal Exam | | | External Exam | ı | |
|---------|---------------|-----------|------------|---------------|-----------|-----------|
| Tank ld | Previous | Last | Next | Previous | Last | Next |
| 1 P/S | 30Sep2013 | 09Nov2023 | 30Nov2033 | 30Sep2018 | 09Nov2023 | 30Nov2028 |
| 2 P/S | 30Sep2013 | 09Nov2023 | 30Nov2033 | 30Sep2018 | 09Nov2023 | 30Nov2028 |
| 3 P/S | 30Sep2013 | 09Nov2023 | 30Nov2033 | 30Sep2018 | 09Nov2023 | 30Nov2028 |
| | | | Hydro Test | | | |
| Tank Id | Safety Valves | | Previous | Last | Next | |
| 1 P/S | - | | - | 30Sep2013 | - | |
| 2 P/S | - | | - | 30Sep2013 | - | |
| 3 P/S | - | | _ | 30Sep2013 | - | |

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type

40-B

END

^{*}Vapor Control Authorization*



Dated: Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland City Official #: 1245347

Hull #: 4976

C1-1401401

25-Apr-14

| 46 | CFR 151 Tank G | roup (| Chara | cterist | tics | | | | | | | | | | | | | |
|------------|---------------------------------|----------------------|--------|---------|-------------|------------|---------------------|------|-------------------|---------------|--------------------------|-------|-------------------|------------------------|---|---|-------------|--------------|
| Та | nk Group Information | Cargo Identification | | | Cargo | Tanks | | | Cargo Transfer | | Environmental Control | | Fire | Special Requirements | | | | |
| Tnl Grp | | Density | Press. | Temp. | Hull Typ | Seq | Туре | Vent | Gauge | Pipe Class | Cont | Tanks | Handling Space | Protection Provided | General | Materials of Construction | Elec Haz | Temp Cont |
| Α | #1 P/S, #2 P/S, #3 P/S, Slop | 13.6 | Atmos. | Amb. | II | 1ii 2ii | Integral Gravity | PV | Closed | II | G-1 | NR | NA | Portable | .50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b), | 55-1(b), (c), (e), (f), (j), 56-1(a), (b), (c), (d), (e), (f), (g), | NR | No |

Notes: 1. Under Environmental Control. Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

| Cargo Identification | | | | | | | | Conditions of Carriage | | | | | |
|--|--------------|--------------------|----------------|-------|--------------|---------------|-------------------|------------------------|---|-----------------|--|--|--|
| | | | | | | | Vapor Re | | | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | | |
| Authorized Subchapter O Cargoes | | | | | | | | | | | | | |
| Acetonitrile | ATN | 37 | 0 | С | Ш | Α | Yes | 3 | No | G | | | |
| Acrylonitrile | ACN | 15 ² | 0 | С | II | Α | Yes | 4 | .50-70(a), .55-1(e) | G | | | |
| Adiponitrile | ADN | 37 | 0 | Е | II | Α | Yes | 1 | No | G | | | |
| Alkyl(C7-C9) nitrates | AKN | 34 ² | 0 | NA | Ш | Α | No | N/A | .50-81, .50-86 | G | | | |
| Aminoethylethanolamine | AEE | 8 | 0 | Е | III | Α | Yes | 1 | .55-1(b) | G | | | |
| Ammonium bisulfite solution (70% or less) | ABX | 43 ² | 0 | NA | Ш | Α | No | N/A | .50-73, .56-1(a), (b), (c) | G | | | |
| Ammonium hydroxide (28% or less NH3) | AMH | 6 | 0 | NA | III | Α | No | N/A | .56-1(a), (b), (c), (f), (g) | G | | | |
| Anthracene oil (Coal tar fraction) | AHO | 33 | 0 | NA | II | Α | No | N/A | No | G | | | |
| Benzene | BNZ | 32 | 0 | С | Ш | Α | Yes | 1 | .50-60 | G | | | |
| Benzene or hydrocarbon mixtures (having 10% Benzene or more) | BHB | 32 ² | 0 | С | Ш | Α | Yes | 1 | .50-60 | G | | | |
| Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more) | ВНА | 32 ² | 0 | С | III | Α | Yes | 1 | .50-60, .56-1(b), (d), (f), (g) | G | | | |
| Benzene, Toluene, Xylene mixtures (10% Benzene or more) | BTX | 32 | 0 | B/C | Ш | Α | Yes | 1 | .50-60 | G | | | |
| Butyl acrylate (all isomers) | BAR | 14 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| Butyl methacrylate | BMH | 14 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | | |
| Butyraldehyde (all isomers) | BAE | 19 | 0 | С | III | Α | Yes | 1 | .55-1(h) | G | | | |
| Camphor oil (light) | CPO | 18 | 0 | D | II | Α | No | N/A | No | G | | | |
| Carbon tetrachloride | CBT | 36 | 0 | NA | III | Α | No | N/A | No | G | | | |
| Caustic potash solution | CPS | 5 ² | 0 | NA | Ш | Α | No | N/A | .50-73, .55-1(j) | G | | | |
| Caustic soda solution | CSS | 5 ² | 0 | NA | III | Α | No | N/A | .50-73, .55-1(j) | G | | | |
| Chemical Oil (refined, containing phenolics) | COD | 21 | 0 | Е | Ш | Α | No | N/A | .50-73 | G | | | |
| Chlorobenzene | CRB | 36 | 0 | D | III | Α | Yes | 1 | No | G | | | |
| Chloroform | CRF | 36 | 0 | NA | Ш | Α | Yes | 3 | No | G | | | |
| Coal tar naphtha solvent | NCT | 33 | 0 | D | Ш | Α | Yes | 1 | .50-73 | G | | | |
| Creosote | CCW | 21 ² | 0 | E | Ш | Α | Yes | 1 | No | G | | | |
| Cresols (all isomers) | CRS | 21 | 0 | Е | III | Α | Yes | 1 | No | G | | | |
| Cresylate spent caustic | CSC | 5 | 0 | NA | III | Α | No | N/A | .50-73, .55-1(b) | G | | | |
| Cresylic acid tar | CRX | | 0 | Е | Ш | Α | Yes | 1 | .55-1(f) | G | | | |
| Crotonaldehyde | CTA | 19 ² | 0 | С | II | Α | Yes | 4 | .55-1(h) | G | | | |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | CHG | | 0 | С | III | Α | No | N/A | No | G | | | |
| Cyclohexanone | CCH | 18 | 0 | D | Ш | Α | Yes | 1 | .56-1(a), (b) | G | | | |
| Cyclohexanone, Cyclohexanol mixture | CYX | 18 ² | 0 | E | Ш | Α | Yes | 1 | .56-1 (b) | G | | | |
| Cyclohexylamine | CHA | 7 | 0 | D | Ш | Α | Yes | 1 | .56-1(a), (b), (c), (g) | G | | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland City
Official #: 1245347 Page 2 of 8 Hull #: 4976

| Cargo Identification | Conditions of Carriage | | | | | | | | | |
|---|------------------------|--------------------|----------------|----------|--------------|---------------|-------------------|-----------------|---|-----------------|
| | | | | | | | Vapor R | Recovery | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Cyclopentadiene, Styrene, Benzene mixture | CSB | 30 | 0 | D | Ш | Α | Yes | 1 | .50-60, .56-1(b) | G |
| iso-Decyl acrylate | IAI | 14 | 0 | Е | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b), .55-1(c) | G |
| Dichlorobenzene (all isomers) | DBX | 36 | 0 | Е | Ш | Α | Yes | 3 | .56-1(a), (b) | G |
| 1,1-Dichloroethane | DCH | 36 | 0 | С | Ш | Α | Yes | 1 | No | G |
| 2,2'-Dichloroethyl ether | DEE | 41 | 0 | D | Ш | Α | Yes | 1 | .55-1(f) | G |
| Dichloromethane | DCM | 36 | 0 | NA | Ш | Α | Yes | 5 | No | G |
| 2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution | DDE | 43 | 0 | Е | Ш | Α | No | N/A | .56-1(a), (b), (c), (g) | G |
| 2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution | DAD | 0 1,2 | 2 0 | Α | Ш | Α | No | N/A | .56-1(a), (b), (c), (g) | G |
| 2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution | DTI | 43 ² | 0 | Е | Ш | Α | No | N/A | .56-1(a), (b), (c), (g) | G |
| 1,1-Dichloropropane | DPB | 36 | 0 | С | Ш | Α | Yes | 3 | No | G |
| 1,2-Dichloropropane | DPP | 36 | 0 | С | Ш | Α | Yes | 3 | No | G |
| 1,3-Dichloropropane | DPC | 36 | 0 | С | Ш | Α | Yes | 3 | No | G |
| 1,3-Dichloropropene | DPU | 15 | 0 | D | П | Α | Yes | 4 | No | G |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | 0 | С | Ш | Α | Yes | 1 | No | G |
| Diethanolamine | DEA | 8 | 0 | Е | Ш | Α | Yes | 1 | .55-1(c) | G |
| Diethylamine | DEN | 7 | 0 | С | Ш | Α | Yes | 3 | .55-1(c) | G |
| Diethylenetriamine | DET | 7 ² | 0 | Е | Ш | Α | Yes | 1 | .55-1(c) | G |
| Diisobutylamine | DBU | 7 | 0 | D | III | Α | Yes | 3 | .55-1(c) | G |
| Diisopropanolamine | DIP | 8 | 0 | E | III | Α | Yes | 1 | .55-1(c) | G |
| Diisopropylamine | DIA | 7 | 0 | С | II | Α | Yes | 3 | .55-1(c) | G |
| N,N-Dimethylacetamide | DAC | 10 | 0 | E | III | Α | Yes | 3 | .56-1(b) | G |
| Dimethylethanolamine | DMB | | 0 | D | III | A | Yes | 1 | .56-1(b), (c) | G |
| Dimethylformamide | DMF | 10 | 0 | D | III | A | Yes | <u>·</u> 1 | .55-1(e) | G |
| Di-n-propylamine | DNA | 7 | 0 | С | II | A | Yes | 3 | .55-1(c) | G |
| Dodecyldimethylamine, Tetradecyldimethylamine mixture | DOT | 7 | 0 | E | | A | No | N/A | .56-1(b) | G |
| Dodecyl diphenyl ether disulfonate solution | DOS | 43 | 0 | # | II | A | No | N/A | No | G |
| EE Glycol Ether Mixture | EEG | 40 | 0 | <i>"</i> | III | A | No | N/A | No | G |
| Ethanolamine | MEA | 8 | 0 | E | | A | Yes | 1 | .55-1(c) | G |
| Ethyl acrylate | EAC | 14 | 0 | C | | A | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| | EAN | 7 | 0 | A | II | A | Yes | 6 | .55-1(b) | G |
| Ethylamine solution (72% or less) | EBA | 7 | 0 | D | III | A | Yes | 3 | .55-1(b) | G |
| N-Ethylbutylamine | ECC | 7 | 0 | D | III | A | Yes | 1 | .55-1(b) | G |
| N-Ethylcyclohexylamine | ETC | 20 | 0 | E | III | A | Yes | 1 | No | G |
| Ethylene cyanohydrin | EDA | 7 ² | 0 | D | III | A | | 1 | .55-1(c) | G |
| Ethylenediamine Thylenediamine | EDC | 36 ² | 0 | С | III | A | Yes | 1 | No No | G |
| Ethylene dichloride | | | | | | | Yes | | No | G |
| Ethylene glycol hexyl ether | EGH | 40 | 0 | E | III | Α | No | N/A | No | G |
| Ethylene glycol monoalkyl ethers | EGC | | 0 | D/E | III | A | Yes | 1 | No | G |
| Ethylene glycol propyl ether | EGP | 40 | 0 | E | III | A | Yes | 1 | | G |
| 2-Ethylhexyl acrylate | EAI | 14 | 0 | E | III | A | Yes | 2 | .50-70(a), .50-81(a), (b) | |
| Ethyl methacrylate | ETM | 14 | 0 | D/E | III | A | Yes | 2 | .50-70(a) | G |
| 2-Ethyl-3-propylacrolein | EPA | 19 2 | 0 | E | III | Α . | Yes | 1 | No 55 1/h) | G |
| Formaldehyde solution (37% to 50%) | FMS | 19 ² | 0 | D/E | III | A | Yes | 1 | .55-1(h) | G |
| Furfural | FFA | 19 | 0 | D | III | A | Yes | 1 | .55-1(h) | G |
| Glutaraldehyde solution (50% or less) | GTA | 19 | 0 | NA | III | Α | No | N/A | No | G |
| Hexamethylenediamine solution | HMC | | 0 | E | Ш | Α | Yes | 1 | .55-1(c) | G |
| Hexamethyleneimine | HMI | 7 | 0 | С | II | Α | Yes | 1 | .56-1(b), (c) | G |
| Hydrocarbon 5-9 | HFN | | 0 | С | Ш | Α | Yes | 1 | .50-70(a), .50-81(a), (b) | G |
| Isoprene | IPR | 30 | 0 | Α | Ш | Α | Yes | 7 | .50-70(a), .50-81(a), (b) | G |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland City
Official #: 1245347 Page 3 of 8 Hull #: 4976

| Cargo Identification | | Conditions of Carriage | | | | | | | | |
|--|--------------|------------------------|----------------|---------|--|---------------|-------------------|-----------------|---|-----------------|
| | | | | | | | Vapor R | Recovery | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Isoprene, Pentadiene mixture | IPN | | 0 | В | III | Α | No | N/A | .50-70(a), .55-1(c) | G |
| Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor) | KPL | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (c), (g) | G |
| Mesityl oxide | MSO | 18 ² | 0 | D | Ш | Α | Yes | 1 | No | G |
| Methyl acrylate | MAM | 14 | 0 | С | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Methylcyclopentadiene dimer | MCK | 30 | 0 | С | III | Α | Yes | 1 | No | G |
| Methyl diethanolamine | MDE | 8 | 0 | Е | III | Α | Yes | 1 | .56-1(b), (c) | G |
| 2-Methyl-5-ethylpyridine | MEP | 9 | 0 | Е | Ш | Α | Yes | 1 | .55-1(e) | G |
| Methyl methacrylate | MMN | 14 | 0 | С | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| 2-Methylpyridine | MPR | 9 | 0 | D | Ш | Α | Yes | 3 | .55-1(c) | G |
| alpha-Methylstyrene | MSR | 30 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Morpholine | MPL | 7 ² | 0 | D | Ш | Α | Yes | 1 | .55-1(c) | G |
| Nitroethane | NTE | 42 | 0 | D | II | Α | No | N/A | .50-81, .56-1(b) | G |
| 1- or 2-Nitropropane | NPM | 42 | 0 | D | III | Α | Yes | 1 | .50-81 | G |
| 1,3-Pentadiene | PDE | 30 | 0 | Α | III | Α | Yes | 7 | .50-70(a), .50-81 | G |
| Perchloroethylene | PER | 36 | 0 | NA | III | Α | No | N/A | No | G |
| Polyethylene polyamines | PEB | 7 ² | 0 | Е | III | Α | Yes | 1 | .55-1(e) | G |
| iso-Propanolamine | MPA | 8 | 0 | Е | III | Α | Yes | 1 | .55-1(c) | G |
| Propanolamine (iso-, n-) | PAX | 8 | 0 | Е | III | Α | Yes | 1 | .56-1(b), (c) | G |
| iso-Propylamine | IPP | 7 | 0 | Α | II | Α | Yes | 5 | .55-1(c) | G |
| Pyridine | PRD | 9 | 0 | С | III | Α | Yes | 1 | .55-1(e) | G |
| Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide) | SAP | | 0 | | III | Α | No | N/A | .50-73, .55-1(j) | G |
| Sodium aluminate solution (45% or less) | SAU | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (b), (c) | G |
| Sodium chlorate solution (50% or less) | SDD | 0 1,2 | | NA | III | A | No | N/A | .50-73 | G |
| Sodium hypochlorite solution (20% or less) | SHQ | 5 | 0 | NA | III | A | No | N/A | .50-73, .56-1(a), (b) | G |
| Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less) | SSH | 0 1,2 | | NA | | A | Yes | 1 | .50-73, .55-1(b) | G |
| Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but | SSI | 0 1,2 | | NA | III | A | No | N/A | .50-73, .55-1(b) | G |
| less than 200 ppm) | SSJ | 0 1,2 | 0 | NA | II | Α | No | N/A | .50-73, .55-1(b) | G |
| Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm) | STX | 0 .,2 | 0 | D | III | A | Yes | 2 | No No | G |
| Styrene (crude) | STY | 30 | 0 | D | III | A | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Styrene monomer | TEC | 36 | 0 | NA NA | III | A | No | N/A | No | G |
| 1,1,2,2-Tetrachloroethane | TTP | 7 | 0 | E | III | A | Yes | 1 | .55-1(c) | G |
| Tetraethylenepentamine Tetraethylenepentamine | THE | 41 | 0 | C | III | A | Yes | 1 | .50-70(b) | G |
| Tetrahydrofuran Telungadiamina | TDA | 9 | 0 | E | | A | No | N/A | .50-73, .56-1(a), (b), (c), (g) | G |
| Toluenediamine | TCB | 36 | 0 | E | III | A | Yes | 1 | No | G |
| 1,2,4-Trichlorobenzene | TCM | | 0 | NA | III | | | 1 | .50-73, .56-1(a) | G |
| 1,1,2-Trichloroethane | | 36 36 ² | | | | Α | Yes | | No No | G |
| Trichloroethylene | TCL | | 0 | NA F | III | Α | Yes | 1 | .50-73, .56-1(a) | G |
| 1,2,3-Trichloropropane | TCN | 36 8 ² | | E | <u> </u> | Α | Yes | 3 | .55-1(b) | G |
| Triethanolamine | TEA | | 0 | E | - 111 | A | Yes | 1 | | G |
| Triethylamine | TEN | 7 | 0 | С | II | Α | Yes | 3 | .55-1(e) .55-1(b) | G |
| Triethylenetetramine | TET | 7 ² | 0 | E | III | Α | Yes | 1 | .56-1(0) .56-1(a), (b), (c) | G |
| Triphenylborane (10% or less), caustic soda solution | TPB | 5 | 0 | NA | III | A | No | N/A | | G |
| Trisodium phosphate solution | TSP | 5 | 0 | NA | - 111 | A | No | N/A | .50-73, .56-1(a), (c). | |
| Urea, Ammonium nitrate solution (containing more than 2% NH3) | UAS | 6 | 0 | NA | - 111 | Α . | No | N/A | .56-1(b) | G |
| Vanillin black liquor (free alkali content, 3% or more). | VBL | 5 | 0 | NA | | A | No | N/A | | G |
| Vinyl acetate | VAM | 13 | 0 | С | | Α. | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Vinyl neodecanate | VND | 13 | 0 | Е | III | Α | No | N/A | .50-70(a), .50-81(a), (b) | G |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland City
Official #: 1245347 Page 4 of 8 Hull #: 4976

| Cargo Identification | า | | | | | | (| Condi | tions of Carriage | |
|---|--------------|--------------------|----------------|-------|--------------|---------------|-------------------|-----------------|---|-----------------|
| | 01 | | 0.1 | | | | | Recovery | 0 | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Vinyltoluene | VNT | 13 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81, .56-1(a), (b), (c), (| G |
| Subchapter D Cargoes Authorized for Vapor Control | ol | | | | | | | | | |
| Acetone | ACT | 18 ² | D | С | | Α | Yes | 1 | | |
| Acetophenone | ACP | 18 | D | Е | | Α | Yes | 1 | | |
| Alcohol(C12-C16) poly(1-6)ethoxylates | APU | 20 | D | Е | | Α | Yes | 1 | | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates | AEB | 20 | D | Е | | Α | Yes | 1 | | |
| Amyl acetate (all isomers) | AEC | 34 | D | D | | Α | Yes | 1 | | |
| Amyl alcohol (iso-, n-, sec-, primary) | AAI | 20 | D | D | | Α | Yes | 1 | | |
| Benzyl alcohol | BAL | 21 | D | Е | | Α | Yes | 1 | | |
| Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) | BFX | 20 | D | E | | Α | Yes | 1 | | |
| Butyl acetate (all isomers) | BAX | 34 | D | D | | Α | Yes | 1 | | |
| Butyl alcohol (iso-) | IAL | 20 ² | D | D | | Α | Yes | 1 | | |
| Butyl alcohol (n-) | BAN | 20 ² | D | D | | Α | Yes | 1 | | |
| Butyl alcohol (sec-) | BAS | 20 ² | D | С | | Α | Yes | 1 | | |
| Butyl alcohol (tert-) | BAT | | D | С | | Α | Yes | 1 | | |
| Butyl benzyl phthalate | BPH | 34 | D | E | | Α | Yes | 1 | | |
| Butyl toluene | BUE | 32 | D | D | | Α | Yes | 1 | | |
| Caprolactam solutions | CLS | 22 | D | E | | Α | Yes | 1 | | |
| Cyclohexane | CHX | 31 | D | С | | Α | Yes | 1 | | |
| Cyclohexanol | CHN | 20 | D | Е | | Α | Yes | 1 | | |
| 1,3-Cyclopentadiene dimer (molten) | CPD | 30 | D | D/E | | Α | Yes | 2 | | |
| p-Cymene | CMP | 32 | D | D | | Α | Yes | 1 | | |
| iso-Decaldehyde | IDA | 19 | D | E | | Α | Yes | 1 | | |
| n-Decaldehyde | DAL | 19 | D | E | | Α | Yes | 1 | | |
| Decene | DCE | 30 | D | D | | Α | Yes | 1 | | |
| Decyl alcohol (all isomers) | DAX | 20 ² | D | E | | Α | Yes | 1 | | |
| n-Decylbenzene, see Alkyl(C9+)benzenes | DBZ | 32 | D | E | | Α | Yes | 1 | | |
| Diacetone alcohol | DAA | 20 ² | D | D | | Α | Yes | 1 | | |
| ortho-Dibutyl phthalate | DPA | 34 | D | E | | Α | Yes | 1 | | |
| Diethylbenzene | DEB | 32 | D | D | | Α | Yes | 1 | | |
| Diethylene glycol | DEG | 40 ² | D | E | | Α | Yes | 1 | | |
| Diisobutylene | DBL | 30 | D | С | | Α | Yes | 1 | | |
| Diisobutyl ketone | DIK | 18 | D | D | | Α | Yes | 1 | | |
| Diisopropylbenzene (all isomers) | DIX | 32 | D | E | | Α | Yes | 1 | | |
| Dimethyl phthalate | DTL | 34 | D | E | | Α | Yes | 1 | | |
| Dioctyl phthalate | DOP | 34 | D | E | | Α | Yes | 1 | | |
| Dipentene | DPN | 30 | D | D | | Α | Yes | 1 | | |
| Diphenyl | DIL | 32 | D | D/E | | Α | Yes | 1 | | |
| Diphenyl, Diphenyl ether mixtures | DDO | 33 | D | Е | | Α | Yes | 1 | | |
| Diphenyl ether | DPE | 41 | D | {E} | | Α | Yes | 1 | | |
| Dipropylene glycol | DPG | 40 | D | E | | Α | Yes | 1 | | |
| Distillates: Flashed feed stocks | DFF | 33 | D | Е | | Α | Yes | 1 | | |
| Distillates: Straight run | DSR | 33 | D | Е | | Α | Yes | 1 | | |
| Dodecene (all isomers) | DOZ | 30 | D | D | | Α | Yes | 1 | | |
| Dodecylbenzene, see Alkyl(C9+)benzenes | DDB | 32 | D | Е | | Α | Yes | 1 | | |
| 2-Ethoxyethyl acetate | EEA | 34 | D | D | | Α | Yes | 1 | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland City
Official #: 1245347 Page 5 of 8 Hull #: 4976

| Cargo Identification | | | | | | | | Conditions of Carriage | | | | | | |
|---|--------------|--------------------|----------------|-------|--------------|---------------|-------------------|------------------------|---|-----------------|--|--|--|--|
| | | | | | | | | Recovery | | | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | | | |
| Ethoxy triglycol (crude) | ETG | 40 | D | Е | | Α | Yes | 1 | | | | | | |
| Ethyl acetate | ETA | 34 | D | С | | Α | Yes | 1 | | | | | | |
| Ethyl acetoacetate | EAA | 34 | D | Е | | Α | Yes | 1 | | | | | | |
| Ethyl alcohol | EAL | 20 ² | D | С | | Α | Yes | 1 | | | | | | |
| Ethylbenzene | ETB | 32 | D | С | | Α | Yes | 1 | | | | | | |
| Ethyl butanol | EBT | 20 | D | D | | Α | Yes | 1 | | | | | | |
| Ethyl tert-butyl ether | EBE | 41 | D | С | | Α | Yes | 1 | | | | | | |
| Ethyl butyrate | EBR | 34 | D | D | | Α | Yes | 1 | | | | | | |
| Ethyl cyclohexane | ECY | 31 | D | D | | Α | Yes | 1 | | | | | | |
| Ethylene glycol | EGL | 20 ² | D | Е | | Α | Yes | 1 | | | | | | |
| Ethylene glycol butyl ether acetate | EMA | 34 | D | Е | | Α | Yes | 1 | | | | | | |
| Ethylene glycol diacetate | EGY | 34 | D | Е | | Α | Yes | 1 | | | | | | |
| Ethylene glycol phenyl ether | EPE | 40 | D | Е | | Α | Yes | 1 | | | | | | |
| Ethyl-3-ethoxypropionate | EEP | 34 | D | D | | Α | Yes | 1 | | | | | | |
| 2-Ethylhexanol | EHX | 20 | D | Е | | Α | Yes | 1 | | | | | | |
| Ethyl propionate | EPR | 34 | D | С | | Α | Yes | 1 | | | | | | |
| Ethyl toluene | ETE | 32 | D | D | | Α | Yes | 1 | | | | | | |
| Formamide | FAM | 10 | D | E | | Α | Yes | 1 | | | | | | |
| Furfuryl alcohol | FAL | 20 ² | D | Е | | Α | Yes | 1 | | | | | | |
| Gasoline blending stocks: Alkylates | GAK | 33 | D | A/C | | Α | Yes | 1 | | | | | | |
| Gasoline blending stocks: Reformates | GRF | 33 | D | A/C | | Α | Yes | 1 | | | | | | |
| Gasolines: Automotive (containing not over 4.23 grams lead per gallon) | GAT | 33 | D | С | | Α | Yes | 1 | | | | | | |
| Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) | GAV | 33 | D | С | | Α | Yes | 1 | | | | | | |
| Gasolines: Casinghead (natural) | GCS | 33 | D | A/C | | Α | Yes | 1 | | | | | | |
| Gasolines: Polymer | GPL | 33 | D | A/C | | Α | Yes | 1 | | | | | | |
| Gasolines: Straight run | GSR | 33 | D | A/C | | Α | Yes | 1 | | | | | | |
| Glycerine | GCR | 20 ² | D | Е | | Α | Yes | 1 | | | | | | |
| Heptane (all isomers), see Alkanes (C6-C9) (all isomers) | HMX | 31 | D | С | | Α | Yes | 1 | | | | | | |
| Heptanoic acid | HEP | 4 | D | E | | Α | Yes | 1 | | | | | | |
| Heptanol (all isomers) | HTX | 20 | D | D/E | | Α | Yes | 1 | | | | | | |
| Heptene (all isomers) | HPX | 30 | D | С | | Α | Yes | 2 | | | | | | |
| Heptyl acetate | HPE | 34 | D | Е | | Α | Yes | 1 | | | | | | |
| Hexane (all isomers), see Alkanes (C6-C9) | HXS | 31 ² | D | B/C | | Α | Yes | 1 | | | | | | |
| Hexanoic acid | НХО | 4 | D | E | | Α | Yes | 1 | | | | | | |
| Hexanol | HXN | 20 | D | D | | Α | Yes | 1 | | | | | | |
| Hexene (all isomers) | HEX | 30 | D | С | | Α | Yes | 2 | | | | | | |
| Hexylene glycol | HXG | 20 | D | Е | | Α | Yes | 1 | | | | | | |
| Isophorone | IPH | 18 ² | D | Е | | Α | Yes | 1 | | | | | | |
| Jet fuel: JP-4 | JPF | 33 | D | Е | | Α | Yes | 1 | | | | | | |
| Jet fuel: JP-5 (kerosene, heavy) | JPV | 33 | D | D | | Α | Yes | 1 | | | | | | |
| Kerosene | KRS | 33 | D | D | | Α | Yes | 1 | | | | | | |
| Methyl acetate | MTT | 34 | D | D | | Α | Yes | 1 | | | | | | |
| Methyl alcohol | MAL | 20 ² | D | С | | Α | Yes | 1 | | | | | | |
| Methylamyl acetate | MAC | 34 | D | D | | Α | Yes | 1 | | | | | | |
| Methylamyl alcohol | MAA | 20 | D | D | | Α | Yes | 1 | | | | | | |
| Methyl amyl ketone | MAK | 18 | D | D | | Α | Yes | 1 | | | | | | |
| Methyl tert-butyl ether | MBE | 41 ² | D | С | | Α | Yes | 1 | | | | | | |
| | | | | | | | | | | | | | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland City
Official #: 1245347 Page 6 of 8 Hull #: 4976

| Cargo Identification | | | | | | | | Conditions of Carriage | | | | | |
|---|--------------|--------------------|----------------|-------|--------------|---------------|-------------------|------------------------|---|-----------------|--|--|--|
| | | | | | | | Vapor F | Recovery | | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | | |
| Methyl butyl ketone | MBK | 18 | D | С | | Α | Yes | 1 | | | | | |
| Methyl butyrate | MBU | 34 | D | С | | Α | Yes | 1 | | | | | |
| Methyl ethyl ketone | MEK | 18 ² | D | С | | Α | Yes | 1 | | | | | |
| Methyl heptyl ketone | MHK | 18 | D | D | | Α | Yes | 1 | | | | | |
| Methyl isobutyl ketone | MIK | 18 ² | D | С | | Α | Yes | 1 | | | | | |
| Methyl naphthalene (molten) | MNA | 32 | D | Е | | Α | Yes | 1 | | | | | |
| Mineral spirits | MNS | 33 | D | D | | Α | Yes | 1 | | | | | |
| Myrcene | MRE | 30 | D | D | | Α | Yes | 1 | | | | | |
| Naphtha: Heavy | NAG | 33 | D | # | | Α | Yes | 1 | | | | | |
| Naphtha: Petroleum | PTN | 33 | D | # | | Α | Yes | 1 | | | | | |
| Naphtha: Solvent | NSV | 33 | D | D | | Α | Yes | 1 | | | | | |
| Naphtha: Stoddard solvent | NSS | 33 | D | D | | Α | Yes | 1 | | | | | |
| Naphtha: Varnish makers and painters (75%) | NVM | 33 | D | С | | Α | Yes | 1 | | | | | |
| Nonane (all isomers), see Alkanes (C6-C9) | NAX | 31 | D | D | | Α | Yes | 1 | | | | | |
| Nonene (all isomers) | NON | 30 | D | D | | Α | Yes | 2 | | | | | |
| Nonyl alcohol (all isomers) | NNS | 20 ² | D | Е | | Α | Yes | 1 | | | | | |
| Nonyl phenol | NNP | 21 | D | Е | | Α | Yes | 1 | | | | | |
| Nonyl phenol poly(4+)ethoxylates | NPE | 40 | D | Е | | Α | Yes | 1 | | | | | |
| Octane (all isomers), see Alkanes (C6-C9) | OAX | 31 | D | С | | Α | Yes | 1 | | | | | |
| Octanoic acid (all isomers) | OAY | 4 | D | Е | | Α | Yes | 1 | | | | | |
| Octanol (all isomers) | OCX | 20 ² | D | E | | Α | Yes | 1 | | | | | |
| Octene (all isomers) | OTX | 30 | D | С | | Α | Yes | 2 | | | | | |
| Oil, fuel: No. 2 | OTW | 33 | D | D/E | | Α | Yes | 1 | | | | | |
| Oil, fuel: No. 2-D | OTD | 33 | D | D | | Α | Yes | 1 | | | | | |
| Oil, fuel: No. 4 | OFR | 33 | D | D/E | | Α | Yes | 1 | | | | | |
| Oil, fuel: No. 5 | OFV | 33 | D | D/E | | Α | Yes | 1 | | | | | |
| Oil, fuel: No. 6 | OSX | 33 | D | E | | Α | Yes | 1 | | | | | |
| Oil, misc: Crude | OIL | 33 | D | C/D | | Α | Yes | 1 | | | | | |
| Oil, misc: Diesel | ODS | 33 | D | D/E | | A | Yes | 1 | | | | | |
| Oil, misc: Gas, high pour | OGP | 33 | D | E | | A | Yes | 1 | | | | | |
| Oil, misc: Lubricating | OLB | 33 | D | E | | A | Yes | 1 | | | | | |
| Oil, misc: Residual | ORL | 33 | D | E | | A | Yes | 1 | | | | | |
| Oil, misc: Turbine | OTB | 33 | D | E | | A | Yes | 1 | | | | | |
| Pentane (all isomers) | PTY | 31 | D | A | | A | Yes | 5 | | | | | |
| Pentene (all isomers) | PTX | 30 | D | A | | A | Yes | 5 | | | | | |
| n-Pentyl propionate | PPE | 34 | D | D | | A | Yes | 1 | | | | | |
| alpha-Pinene | PIO | 30 | D | D | | A | Yes | 1 | | | | | |
| | PIP | 30 | D | D | | A | Yes | 1 | | | | | |
| beta-Pinene | | | | | | | | | | | | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether | PAG PAF | 40 | D | E | | A | Yes | 1 | | | | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate | | 34 | D | E | | Α | Yes | 1 | | | | | |
| Polybutene Polybutene | PLB | 30 | D | | | A | Yes | 1 | | | | | |
| Polypropylene glycol | PGC | 40 | D | E | | A | Yes | 1 | | | | | |
| iso-Propyl acetate | IAC | 34 | D | С | | A | Yes | 1 | | | | | |
| n-Propyl acetate | PAT | 34 | D | С | | A | Yes | 1 | | | | | |
| iso-Propyl alcohol | IPA | 20 2 | D | С | | Α | Yes | 1 | | | | | |
| n-Propyl alcohol | PAL | 20 ² | D | С | | A | Yes | 1 | | | | | |
| Propylbenzene (all isomers) | PBY | 32 | D | D | | A | Yes | 1 | | | | | |
| iso-Propylcyclohexane | IPX | 31 | D | D | | Α | Yes | 1 | | | | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland City
Official #: 1245347 Page 7 of 8 Hull #: 4976

| Cargo Identification | | | | | | Conditions of Carriage | | | | |
|--|--------------|--------------------|----------------|-------|--------------|------------------------|-------------------|-----------------|--|-----------------|
| Name | | Compat Group No | Sub Chapter | Grade | Hull Type | | Vapor Recovery | | | |
| | Chem Code | | | | | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Propylene glycol | PPG | 20 ² | D | Е | | Α | Yes | 1 | | |
| Propylene glycol methyl ether acetate | PGN | 34 | D | D | | Α | Yes | 1 | | |
| Propylene tetramer | PTT | 30 | D | D | | Α | Yes | 1 | | |
| Sulfolane | SFL | 39 | D | Е | | Α | Yes | 1 | | |
| Tetraethylene glycol | TTG | 40 | D | Е | | Α | Yes | 1 | | |
| Tetrahydronaphthalene | THN | 32 | D | Е | | Α | Yes | 1 | | |
| Toluene | TOL | 32 | D | С | | Α | Yes | 1 | | |
| Tricresyl phosphate (less than 1% of the ortho isomer) | TCP | 34 | D | Е | | Α | Yes | 1 | | |
| Triethylbenzene | TEB | 32 | D | Е | | Α | Yes | 1 | | |
| Triethylene glycol | TEG | 40 | D | Е | | Α | Yes | 1 | | |
| Triethyl phosphate | TPS | 34 | D | Е | | Α | Yes | 1 | | |
| Trimethylbenzene (all isomers) | TRE | 32 | D | {D} | | Α | Yes | 1 | | |
| Trixylenyl phosphate | TRP | 34 | D | E | | Α | Yes | 1 | | |
| Undecene | UDC | 30 | D | D/E | | Α | Yes | 1 | | |
| 1-Undecyl alcohol | UND | 20 | D | Е | | Α | Yes | 1 | | |
| Xylenes (ortho-, meta-, para-) | XLX | 32 | D | D | | Α | Yes | 1 | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CTCO 316 Shipyard: Trinity Ashland Official #: 1245347

Hull #: 4976 Page 8 of 8

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. Name The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Chem Code

Compatability Group No.

Note 1 Note 2

Subchapter

Subchapter D Subchapter O Note 3

A, B, C

DE

NΑ

NΑ

Grade

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified Those flammable and combustible liquids listed in 46 CFR Table 30.25-1

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The yessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category:

Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

none

The cargo has not been evaluated/classified for use in vapor control systems