



# BARGE "KIRBY 29139"

INNAGE TRIM TABLE

FORMERLY "SMI 30007"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4
2 STBD	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS 00-1/8"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 237'-00"

February 4, 2024

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "KIRBY 29139"

## 1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY:" SMI 30007"

GAUGE HEIGHT 16'-05"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,542.54	0	3,900.38	0	4,258.22	0	4,616.06	0	4,973.90	0		0		0		0		0	
1/4	3,549.99	1/4	3,907.83	1/4	4,265.67	1/4	4,623.51	1/4	4,981.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,557.45	1/2	3,915.29	1/2	4,273.13	1/2	4,630.97	1/2	4,988.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,564.90	3/4	3,922.74	3/4	4,280.58	3/4	4,638.42	3/4	4,996.26	3/4		3/4		3/4		3/4		3/4	
1	3,572.36	1	3,930.20	1	4,288.04	1	4,645.88	1	5,003.72	1		1		1		1		1	
1/4	3,579.81	1/4	3,937.65	1/4	4,295.49	1/4	4,653.33	1/4	5,010.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,587.27	1/2	3,945.11	1/2	4,302.95	1/2	4,660.79	1/2	5,017.41	1/2		1/2		1/2		1/2		1/2	
3/4	3,594.72	3/4	3,952.56	3/4	4,310.40	3/4	4,668.24	3/4	5,024.25	3/4		3/4		3/4		3/4		3/4	
2	3,602.18	2	3,960.02	2	4,317.86	2	4,675.70	2	5,031.10	2		2		2		2		2	
1/4	3,609.63	1/4	3,967.47	1/4	4,325.31	1/4	4,683.15	1/4	5,036.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,617.09	1/2	3,974.93	1/2	4,332.77	1/2	4,690.61	1/2	5,042.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,624.54	3/4	3,982.38	3/4	4,340.22	3/4	4,698.06	3/4	5,047.90	3/4		3/4		3/4		3/4		3/4	
3	3,632.00	3	3,989.84	3	4,347.68	3	4,705.52	3	5,053.50	3		3		3		3		3	
1/4	3,639.45	1/4	3,997.29	1/4	4,355.13	1/4	4,712.97	1/4	5,057.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,646.91	1/2	4,004.75	1/2	4,362.59	1/2	4,720.43	1/2	5,062.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,654.36	3/4	4,012.20	3/4	4,370.04	3/4	4,727.88	3/4	5,066.56	3/4		3/4		3/4		3/4		3/4	
4	3,661.82	4	4,019.66	4	4,377.50	4	4,735.34	4	5,070.92	4		4		4		4		4	
1/4	3,669.27	1/4	4,027.11	1/4	4,384.95	1/4	4,742.79	1/4	5,074.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,676.73	1/2	4,034.57	1/2	4,392.41	1/2	4,750.25	1/2	5,077.14	1/2		1/2		1/2		1/2		1/2	
3/4	3,684.18	3/4	4,042.02	3/4	4,399.86	3/4	4,757.70	3/4	5,080.26	3/4		3/4		3/4		3/4		3/4	
5	3,691.64	5	4,049.48	5	4,407.32	5	4,765.16	5	5,083.37	5		5		5		5		5	
1/4	3,699.09	1/4	4,056.93	1/4	4,414.77	1/4	4,772.61	1/4	5,085.24	1/4		1/4		1/4		1/4		1/4	
1/2	3,706.54	1/2	4,064.39	1/2	4,422.23	1/2	4,780.07	1/2	5,087.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,714.00	3/4	4,071.84	3/4	4,429.68	3/4	4,787.52	3/4	5,088.97	3/4		3/4		3/4		3/4		3/4	
6	3,721.45	6	4,079.30	6	4,437.14	6	4,794.98	6	5,090.84	6		6		6		6		6	
1/4	3,728.91	1/4	4,086.75	1/4	4,444.59	1/4	4,802.43	1/4	5,091.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,736.36	1/2	4,094.21	1/2	4,452.05	1/2	4,809.89	1/2	5,092.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,743.82	3/4	4,101.66	3/4	4,459.50	3/4	4,817.34	3/4	5,092.70	3/4		3/4		3/4		3/4		3/4	
7	3,751.28	7	4,109.12	7	4,466.96	7	4,824.80	7	5,093.32	7		7		7		7		7	
1/4	3,758.73	1/4	4,116.57	1/4	4,474.41	1/4	4,832.25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,766.19	1/2	4,124.03	1/2	4,481.87	1/2	4,839.71	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,773.64	3/4	4,131.48	3/4	4,489.32	3/4	4,847.16	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,781.10	8	4,138.94	8	4,496.78	8	4,854.62	8		8		8		8		8		8	
1/4	3,788.55	1/4	4,146.39	1/4	4,504.23	1/4	4,862.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,796.01	1/2	4,153.85	1/2	4,511.69	1/2	4,869.53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,803.46	3/4	4,161.30	3/4	4,519.14	3/4	4,876.98	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,810.92	9	4,168.76	9	4,526.60	9	4,884.44	9		9		9		9		9		9	
1/4	3,818.37	1/4	4,176.21	1/4	4,534.05	1/4	4,891.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,825.83	1/2	4,183.67	1/2	4,541.51	1/2	4,899.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,833.28	3/4	4,191.12	3/4	4,548.96	3/4	4,906.80	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,840.74	10	4,198.58	10	4,556.42	10	4,914.26	10		10		10		10		10		10	
1/4	3,848.19	1/4	4,206.03	1/4	4,563.87	1/4	4,921.71	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,855.65	1/2	4,213.49	1/2	4,571.33	1/2	4,929.17	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,863.10	3/4	4,220.94	3/4	4,578.78	3/4	4,936.62	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,870.56	11	4,228.40	11	4,586.24	11	4,944.08	11		11		11		11		11		11	
1/4	3,878.01	1/4	4,235.85	1/4	4,593.69	1/4	4,951.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,885.47	1/2	4,243.31	1/2	4,601.15	1/2	4,958.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,892.92	3/4	4,250.76	3/4	4,608.60	3/4	4,966.44	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/15/2008 INS.  
CALCULATED: 12/15/2008 INS  
RENAMED: 02/04/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>









# BARGE "KIRBY 29139"

## 2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY:" SMI 30007"

GAUGE HEIGHT 16'-04 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,599.77	0	3,959.72	0	4,319.67	0	4,679.62	0	5,039.68	0		0		0		0		0	
1/4	3,607.27	1/4	3,967.22	1/4	4,327.17	1/4	4,687.12	1/4	5,047.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,614.76	1/2	3,974.72	1/2	4,334.67	1/2	4,694.62	1/2	5,054.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,622.26	3/4	3,982.22	3/4	4,342.17	3/4	4,702.12	3/4	5,062.10	3/4		3/4		3/4		3/4		3/4	
1	3,629.76	1	3,989.72	1	4,349.67	1	4,709.62	1	5,069.57	1		1		1		1		1	
1/4	3,637.26	1/4	3,997.22	1/4	4,357.17	1/4	4,717.12	1/4	5,076.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,644.76	1/2	4,004.71	1/2	4,364.67	1/2	4,724.62	1/2	5,083.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.26	3/4	4,012.21	3/4	4,372.16	3/4	4,732.12	3/4	5,090.18	3/4		3/4		3/4		3/4		3/4	
2	3,659.76	2	4,019.71	2	4,379.66	2	4,739.62	2	5,097.05	2		2		2		2		2	
1/4	3,667.26	1/4	4,027.21	1/4	4,387.16	1/4	4,747.12	1/4	5,102.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,674.76	1/2	4,034.71	1/2	4,394.66	1/2	4,754.62	1/2	5,108.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,682.26	3/4	4,042.21	3/4	4,402.16	3/4	4,762.11	3/4	5,113.92	3/4		3/4		3/4		3/4		3/4	
3	3,689.76	3	4,049.71	3	4,409.66	3	4,769.61	3	5,119.54	3		3		3		3		3	
1/4	3,697.26	1/4	4,057.21	1/4	4,417.16	1/4	4,777.11	1/4	5,123.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,704.75	1/2	4,064.70	1/2	4,424.66	1/2	4,784.61	1/2	5,128.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,712.25	3/4	4,072.20	3/4	4,432.16	3/4	4,792.11	3/4	5,132.65	3/4		3/4		3/4		3/4		3/4	
4	3,719.75	4	4,079.70	4	4,439.66	4	4,799.61	4	5,137.02	4		4		4		4		4	
1/4	3,727.25	1/4	4,087.20	1/4	4,447.16	1/4	4,807.11	1/4	5,140.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,734.75	1/2	4,094.70	1/2	4,454.66	1/2	4,814.61	1/2	5,143.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,742.25	3/4	4,102.20	3/4	4,462.15	3/4	4,822.10	3/4	5,146.40	3/4		3/4		3/4		3/4		3/4	
5	3,749.75	5	4,109.70	5	4,469.65	5	4,829.60	5	5,149.52	5		5		5		5		5	
1/4	3,757.25	1/4	4,117.20	1/4	4,477.15	1/4	4,837.10	1/4	5,151.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,764.74	1/2	4,124.70	1/2	4,484.65	1/2	4,844.60	1/2	5,153.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,772.24	3/4	4,132.20	3/4	4,492.15	3/4	4,852.10	3/4	5,155.14	3/4		3/4		3/4		3/4		3/4	
6	3,779.74	6	4,139.70	6	4,499.65	6	4,859.60	6	5,157.01	6		6		6		6		6	
1/4	3,787.24	1/4	4,147.20	1/4	4,507.15	1/4	4,867.10	1/4	5,157.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,794.74	1/2	4,154.69	1/2	4,514.65	1/2	4,874.60	1/2	5,158.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,802.24	3/4	4,162.19	3/4	4,522.14	3/4	4,882.10	3/4	5,158.89	3/4		3/4		3/4		3/4		3/4	
7	3,809.74	7	4,169.69	7	4,529.64	7	4,889.60	7	5,159.51	7		7		7		7		7	
1/4	3,817.24	1/4	4,177.19	1/4	4,537.14	1/4	4,897.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,824.74	1/2	4,184.69	1/2	4,544.64	1/2	4,904.60	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,832.24	3/4	4,192.19	3/4	4,552.14	3/4	4,912.09	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,839.74	8	4,199.69	8	4,559.64	8	4,919.59	8		8		8		8		8		8	
1/4	3,847.24	1/4	4,207.19	1/4	4,567.14	1/4	4,927.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,854.73	1/2	4,214.68	1/2	4,574.64	1/2	4,934.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,862.23	3/4	4,222.18	3/4	4,582.14	3/4	4,942.09	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,869.73	9	4,229.68	9	4,589.64	9	4,949.59	9		9		9		9		9		9	
1/4	3,877.23	1/4	4,237.18	1/4	4,597.14	1/4	4,957.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,884.73	1/2	4,244.68	1/2	4,604.64	1/2	4,964.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,892.23	3/4	4,252.18	3/4	4,612.13	3/4	4,972.08	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,899.73	10	4,259.68	10	4,619.63	10	4,979.58	10		10		10		10		10		10	
1/4	3,907.23	1/4	4,267.18	1/4	4,627.13	1/4	4,987.08	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,914.72	1/2	4,274.68	1/2	4,634.63	1/2	4,994.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,922.22	3/4	4,282.18	3/4	4,642.13	3/4	5,002.08	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,929.72	11	4,289.68	11	4,649.63	11	5,009.58	11		11		11		11		11		11	
1/4	3,937.22	1/4	4,297.18	1/4	4,657.13	1/4	5,017.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,944.72	1/2	4,304.67	1/2	4,664.63	1/2	5,024.63	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,952.22	3/4	4,312.17	3/4	4,672.12	3/4	5,032.16	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 12/15/2008 INS.  
CALCULATED: 12/15/2008 INS  
RENAMED: 02/04/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>







# BARGE "KIRBY 29139"

## 2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY:" SMI 30007"

GAUGE HEIGHT 16'-04 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	3,599.77	0	3,959.72	0	4,319.67	0	4,679.62	0	5,039.68	0		0		0		0		0	
1/4	3,607.27	1/4	3,967.22	1/4	4,327.17	1/4	4,687.12	1/4	5,047.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,614.76	1/2	3,974.72	1/2	4,334.67	1/2	4,694.62	1/2	5,054.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,622.26	3/4	3,982.22	3/4	4,342.17	3/4	4,702.12	3/4	5,062.10	3/4		3/4		3/4		3/4		3/4	
1	3,629.76	1	3,989.72	1	4,349.67	1	4,709.62	1	5,069.57	1		1		1		1		1	
1/4	3,637.26	1/4	3,997.22	1/4	4,357.17	1/4	4,717.12	1/4	5,076.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,644.76	1/2	4,004.71	1/2	4,364.67	1/2	4,724.62	1/2	5,083.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.26	3/4	4,012.21	3/4	4,372.16	3/4	4,732.12	3/4	5,090.18	3/4		3/4		3/4		3/4		3/4	
2	3,659.76	2	4,019.71	2	4,379.66	2	4,739.62	2	5,097.05	2		2		2		2		2	
1/4	3,667.26	1/4	4,027.21	1/4	4,387.16	1/4	4,747.12	1/4	5,102.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,674.76	1/2	4,034.71	1/2	4,394.66	1/2	4,754.62	1/2	5,108.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,682.26	3/4	4,042.21	3/4	4,402.16	3/4	4,762.11	3/4	5,113.92	3/4		3/4		3/4		3/4		3/4	
3	3,689.76	3	4,049.71	3	4,409.66	3	4,769.61	3	5,119.54	3		3		3		3		3	
1/4	3,697.26	1/4	4,057.21	1/4	4,417.16	1/4	4,777.11	1/4	5,123.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,704.75	1/2	4,064.70	1/2	4,424.66	1/2	4,784.61	1/2	5,128.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,712.25	3/4	4,072.20	3/4	4,432.16	3/4	4,792.11	3/4	5,132.65	3/4		3/4		3/4		3/4		3/4	
4	3,719.75	4	4,079.70	4	4,439.66	4	4,799.61	4	5,137.02	4		4		4		4		4	
1/4	3,727.25	1/4	4,087.20	1/4	4,447.16	1/4	4,807.11	1/4	5,140.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,734.75	1/2	4,094.70	1/2	4,454.66	1/2	4,814.61	1/2	5,143.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,742.25	3/4	4,102.20	3/4	4,462.15	3/4	4,822.10	3/4	5,146.40	3/4		3/4		3/4		3/4		3/4	
5	3,749.75	5	4,109.70	5	4,469.65	5	4,829.60	5	5,149.52	5		5		5		5		5	
1/4	3,757.25	1/4	4,117.20	1/4	4,477.15	1/4	4,837.10	1/4	5,151.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,764.74	1/2	4,124.70	1/2	4,484.65	1/2	4,844.60	1/2	5,153.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,772.24	3/4	4,132.20	3/4	4,492.15	3/4	4,852.10	3/4	5,155.14	3/4		3/4		3/4		3/4		3/4	
6	3,779.74	6	4,139.70	6	4,499.65	6	4,859.60	6	5,157.01	6		6		6		6		6	
1/4	3,787.24	1/4	4,147.20	1/4	4,507.15	1/4	4,867.10	1/4	5,157.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,794.74	1/2	4,154.69	1/2	4,514.65	1/2	4,874.60	1/2	5,158.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,802.24	3/4	4,162.19	3/4	4,522.14	3/4	4,882.10	3/4	5,158.89	3/4		3/4		3/4		3/4		3/4	
7	3,809.74	7	4,169.69	7	4,529.64	7	4,889.60	7	5,159.51	7		7		7		7		7	
1/4	3,817.24	1/4	4,177.19	1/4	4,537.14	1/4	4,897.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,824.74	1/2	4,184.69	1/2	4,544.64	1/2	4,904.60	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,832.24	3/4	4,192.19	3/4	4,552.14	3/4	4,912.09	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,839.74	8	4,199.69	8	4,559.64	8	4,919.59	8		8		8		8		8		8	
1/4	3,847.24	1/4	4,207.19	1/4	4,567.14	1/4	4,927.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,854.73	1/2	4,214.68	1/2	4,574.64	1/2	4,934.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,862.23	3/4	4,222.18	3/4	4,582.14	3/4	4,942.09	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,869.73	9	4,229.68	9	4,589.64	9	4,949.59	9		9		9		9		9		9	
1/4	3,877.23	1/4	4,237.18	1/4	4,597.14	1/4	4,957.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,884.73	1/2	4,244.68	1/2	4,604.64	1/2	4,964.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,892.23	3/4	4,252.18	3/4	4,612.13	3/4	4,972.08	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,899.73	10	4,259.68	10	4,619.63	10	4,979.58	10		10		10		10		10		10	
1/4	3,907.23	1/4	4,267.18	1/4	4,627.13	1/4	4,987.08	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,914.72	1/2	4,274.68	1/2	4,634.63	1/2	4,994.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,922.22	3/4	4,282.18	3/4	4,642.13	3/4	5,002.08	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,929.72	11	4,289.68	11	4,649.63	11	5,009.58	11		11		11		11		11		11	
1/4	3,937.22	1/4	4,297.18	1/4	4,657.13	1/4	5,017.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,944.72	1/2	4,304.67	1/2	4,664.63	1/2	5,024.63	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,952.22	3/4	4,312.17	3/4	4,672.12	3/4	5,032.16	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/15/2008 INS.  
CALCULATED: 12/15/2008 INS  
RENAMED: 02/04/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 29139"

## 3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: " SMI 30007"

GAUGE HEIGHT 16'-04 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,552.41	0	3,827.86	0	4,098.48	0	4,368.67	0	4,638.86	0		0		0		0		0	
1/4	3,558.16	1/4	3,833.60	1/4	4,104.11	1/4	4,374.30	1/4	4,644.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,563.92	1/2	3,839.33	1/2	4,109.74	1/2	4,379.93	1/2	4,650.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,569.67	3/4	3,845.07	3/4	4,115.37	3/4	4,385.56	3/4	4,655.75	3/4		3/4		3/4		3/4		3/4	
1	3,575.43	1	3,850.80	1	4,121.00	1	4,391.19	1	4,661.38	1		1		1		1		1	
1/4	3,581.17	1/4	3,856.43	1/4	4,126.63	1/4	4,396.82	1/4	4,666.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,586.91	1/2	3,862.06	1/2	4,132.26	1/2	4,402.45	1/2	4,671.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,592.64	3/4	3,867.69	3/4	4,137.88	3/4	4,408.07	3/4	4,676.83	3/4		3/4		3/4		3/4		3/4	
2	3,598.38	2	3,873.32	2	4,143.51	2	4,413.70	2	4,681.98	2		2		2		2		2	
1/4	3,604.12	1/4	3,878.95	1/4	4,149.14	1/4	4,419.33	1/4	4,686.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,609.85	1/2	3,884.58	1/2	4,154.77	1/2	4,424.96	1/2	4,690.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,615.59	3/4	3,890.21	3/4	4,160.40	3/4	4,430.59	3/4	4,694.57	3/4		3/4		3/4		3/4		3/4	
3	3,621.32	3	3,895.84	3	4,166.03	3	4,436.22	3	4,698.76	3		3		3		3		3	
1/4	3,627.06	1/4	3,901.47	1/4	4,171.66	1/4	4,441.85	1/4	4,702.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,632.80	1/2	3,907.10	1/2	4,177.29	1/2	4,447.48	1/2	4,705.24	1/2		1/2		1/2		1/2		1/2	
3/4	3,638.53	3/4	3,912.72	3/4	4,182.91	3/4	4,453.11	3/4	4,708.48	3/4		3/4		3/4		3/4		3/4	
4	3,644.27	4	3,918.35	4	4,188.54	4	4,458.74	4	4,711.72	4		4		4		4		4	
1/4	3,650.01	1/4	3,923.98	1/4	4,194.17	1/4	4,464.37	1/4	4,714.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,655.75	1/2	3,929.61	1/2	4,199.80	1/2	4,470.00	1/2	4,716.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,661.48	3/4	3,935.24	3/4	4,205.43	3/4	4,475.62	3/4	4,718.56	3/4		3/4		3/4		3/4		3/4	
5	3,667.22	5	3,940.87	5	4,211.06	5	4,481.25	5	4,720.84	5		5		5		5		5	
1/4	3,672.96	1/4	3,946.50	1/4	4,216.69	1/4	4,486.88	1/4	4,722.17	1/4		1/4		1/4		1/4		1/4	
1/2	3,678.70	1/2	3,952.13	1/2	4,222.32	1/2	4,492.51	1/2	4,723.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,684.43	3/4	3,957.75	3/4	4,227.95	3/4	4,498.14	3/4	4,724.82	3/4		3/4		3/4		3/4		3/4	
6	3,690.17	6	3,963.38	6	4,233.58	6	4,503.77	6	4,726.15	6		6		6		6		6	
1/4	3,695.91	1/4	3,969.01	1/4	4,239.21	1/4	4,509.40	1/4	4,726.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,701.65	1/2	3,974.64	1/2	4,244.84	1/2	4,515.03	1/2	4,726.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,707.38	3/4	3,980.27	3/4	4,250.46	3/4	4,520.65	3/4	4,727.26	3/4		3/4		3/4		3/4		3/4	
7	3,713.12	7	3,985.90	7	4,256.09	7	4,526.28	7	4,727.63	7		7		7		7		7	
1/4	3,718.86	1/4	3,991.53	1/4	4,261.72	1/4	4,531.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,724.59	1/2	3,997.16	1/2	4,267.35	1/2	4,537.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,730.33	3/4	4,002.79	3/4	4,272.98	3/4	4,543.17	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,736.06	8	4,008.42	8	4,278.61	8	4,548.80	8		8		8		8		8		8	
1/4	3,741.80	1/4	4,014.05	1/4	4,284.24	1/4	4,554.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,747.54	1/2	4,019.68	1/2	4,289.87	1/2	4,560.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,753.27	3/4	4,025.30	3/4	4,295.49	3/4	4,565.69	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,759.01	9	4,030.93	9	4,301.12	9	4,571.32	9		9		9		9		9		9	
1/4	3,764.75	1/4	4,036.56	1/4	4,306.75	1/4	4,576.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,770.49	1/2	4,042.19	1/2	4,312.38	1/2	4,582.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,776.22	3/4	4,047.82	3/4	4,318.01	3/4	4,588.20	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,781.96	10	4,053.45	10	4,323.64	10	4,593.83	10		10		10		10		10		10	
1/4	3,787.70	1/4	4,059.08	1/4	4,329.27	1/4	4,599.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,793.44	1/2	4,064.71	1/2	4,334.90	1/2	4,605.09	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,799.17	3/4	4,070.33	3/4	4,340.53	3/4	4,610.72	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,804.91	11	4,075.96	11	4,346.16	11	4,616.35	11		11		11		11		11		11	
1/4	3,810.65	1/4	4,081.59	1/4	4,351.79	1/4	4,621.98	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,816.39	1/2	4,087.22	1/2	4,357.42	1/2	4,627.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,822.12	3/4	4,092.85	3/4	4,363.04	3/4	4,633.23	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 12/15/2008 INS.  
CALCULATED: 12/15/2008 INS  
RENAMED: 02/04/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 29139"

## 3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY:" SMI 30007"

GAUGE HEIGHT 16'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,552.41	0	3,827.86	0	4,098.48	0	4,368.67	0	4,638.86	0		0		0		0		0	
1/4	3,558.16	1/4	3,833.60	1/4	4,104.11	1/4	4,374.30	1/4	4,644.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,563.92	1/2	3,839.33	1/2	4,109.74	1/2	4,379.93	1/2	4,650.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,569.67	3/4	3,845.07	3/4	4,115.37	3/4	4,385.56	3/4	4,655.75	3/4		3/4		3/4		3/4		3/4	
1	3,575.43	1	3,850.80	1	4,121.00	1	4,391.19	1	4,661.38	1		1		1		1		1	
1/4	3,581.17	1/4	3,856.43	1/4	4,126.63	1/4	4,396.82	1/4	4,666.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,586.91	1/2	3,862.06	1/2	4,132.26	1/2	4,402.45	1/2	4,671.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,592.64	3/4	3,867.69	3/4	4,137.88	3/4	4,408.07	3/4	4,676.83	3/4		3/4		3/4		3/4		3/4	
2	3,598.38	2	3,873.32	2	4,143.51	2	4,413.70	2	4,681.98	2		2		2		2		2	
1/4	3,604.12	1/4	3,878.95	1/4	4,149.14	1/4	4,419.33	1/4	4,686.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,609.85	1/2	3,884.58	1/2	4,154.77	1/2	4,424.96	1/2	4,690.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,615.59	3/4	3,890.21	3/4	4,160.40	3/4	4,430.59	3/4	4,694.57	3/4		3/4		3/4		3/4		3/4	
3	3,621.32	3	3,895.84	3	4,166.03	3	4,436.22	3	4,698.76	3		3		3		3		3	
1/4	3,627.06	1/4	3,901.47	1/4	4,171.66	1/4	4,441.85	1/4	4,702.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,632.80	1/2	3,907.10	1/2	4,177.29	1/2	4,447.48	1/2	4,705.24	1/2		1/2		1/2		1/2		1/2	
3/4	3,638.53	3/4	3,912.72	3/4	4,182.91	3/4	4,453.11	3/4	4,708.48	3/4		3/4		3/4		3/4		3/4	
4	3,644.27	4	3,918.35	4	4,188.54	4	4,458.74	4	4,711.72	4		4		4		4		4	
1/4	3,650.01	1/4	3,923.98	1/4	4,194.17	1/4	4,464.37	1/4	4,714.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,655.75	1/2	3,929.61	1/2	4,199.80	1/2	4,470.00	1/2	4,716.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,661.48	3/4	3,935.24	3/4	4,205.43	3/4	4,475.62	3/4	4,718.56	3/4		3/4		3/4		3/4		3/4	
5	3,667.22	5	3,940.87	5	4,211.06	5	4,481.25	5	4,720.84	5		5		5		5		5	
1/4	3,672.96	1/4	3,946.50	1/4	4,216.69	1/4	4,486.88	1/4	4,722.17	1/4		1/4		1/4		1/4		1/4	
1/2	3,678.70	1/2	3,952.13	1/2	4,222.32	1/2	4,492.51	1/2	4,723.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,684.43	3/4	3,957.75	3/4	4,227.95	3/4	4,498.14	3/4	4,724.82	3/4		3/4		3/4		3/4		3/4	
6	3,690.17	6	3,963.38	6	4,233.58	6	4,503.77	6	4,726.15	6		6		6		6		6	
1/4	3,695.91	1/4	3,969.01	1/4	4,239.21	1/4	4,509.40	1/4	4,726.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,701.65	1/2	3,974.64	1/2	4,244.84	1/2	4,515.03	1/2	4,726.89	1/2		1/2		1/2		1/2		1/2	
3/4	3,707.38	3/4	3,980.27	3/4	4,250.46	3/4	4,520.65	3/4	4,727.26	3/4		3/4		3/4		3/4		3/4	
7	3,713.12	7	3,985.90	7	4,256.09	7	4,526.28	7	4,727.63	7		7		7		7		7	
1/4	3,718.86	1/4	3,991.53	1/4	4,261.72	1/4	4,531.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,724.59	1/2	3,997.16	1/2	4,267.35	1/2	4,537.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,730.33	3/4	4,002.79	3/4	4,272.98	3/4	4,543.17	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,736.06	8	4,008.42	8	4,278.61	8	4,548.80	8		8		8		8		8		8	
1/4	3,741.80	1/4	4,014.05	1/4	4,284.24	1/4	4,554.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,747.54	1/2	4,019.68	1/2	4,289.87	1/2	4,560.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,753.27	3/4	4,025.30	3/4	4,295.49	3/4	4,565.69	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,759.01	9	4,030.93	9	4,301.12	9	4,571.32	9		9		9		9		9		9	
1/4	3,764.75	1/4	4,036.56	1/4	4,306.75	1/4	4,576.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,770.49	1/2	4,042.19	1/2	4,312.38	1/2	4,582.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,776.22	3/4	4,047.82	3/4	4,318.01	3/4	4,588.20	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,781.96	10	4,053.45	10	4,323.64	10	4,593.83	10		10		10		10		10		10	
1/4	3,787.70	1/4	4,059.08	1/4	4,329.27	1/4	4,599.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,793.44	1/2	4,064.71	1/2	4,334.90	1/2	4,605.09	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,799.17	3/4	4,070.33	3/4	4,340.53	3/4	4,610.72	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,804.91	11	4,075.96	11	4,346.16	11	4,616.35	11		11		11		11		11		11	
1/4	3,810.65	1/4	4,081.59	1/4	4,351.79	1/4	4,621.98	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,816.39	1/2	4,087.22	1/2	4,357.42	1/2	4,627.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,822.12	3/4	4,092.85	3/4	4,363.04	3/4	4,633.23	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 12/15/2008 INS.  
CALCULATED: 12/15/2008 INS  
RENAMED: 02/04/2024 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "KIRBY 29139"

# SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FORMERLY: "SMI 30007"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	207	0	487	0	780	0	1,045	0		0		0		0		0	
1/4	3	1/4	213	1/4	493	1/4	786	1/4	1,050	1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	218	1/2	499	1/2	792	1/2	1,054	1/2		1/2		1/2		1/2		1/2	
3/4	8	3/4	224	3/4	505	3/4	798	3/4	1,059	3/4		3/4		3/4		3/4		3/4	
1	10	1	229	1	511	1	804	1	1,064	1		1		1		1		1	
1/4	14	1/4	235	1/4	518	1/4	810	1/4	1,068	1/4		1/4		1/4		1/4		1/4	
1/2	17	1/2	240	1/2	524	1/2	815	1/2	1,073	1/2		1/2		1/2		1/2		1/2	
3/4	20	3/4	246	3/4	530	3/4	821	3/4	1,078	3/4		3/4		3/4		3/4		3/4	
2	23	2	251	2	536	2	827	2	1,082	2		2		2		2		2	
1/4	27	1/4	257	1/4	542	1/4	833	1/4	1,087	1/4		1/4		1/4		1/4		1/4	
1/2	31	1/2	263	1/2	548	1/2	839	1/2	1,091	1/2		1/2		1/2		1/2		1/2	
3/4	34	3/4	268	3/4	554	3/4	845	3/4	1,095	3/4		3/4		3/4		3/4		3/4	
3	38	3	274	3	560	3	851	3	1,100	3		3		3		3		3	
1/4	42	1/4	279	1/4	567	1/4	856	1/4	1,104	1/4		1/4		1/4		1/4		1/4	
1/2	46	1/2	285	1/2	573	1/2	862	1/2	1,108	1/2		1/2		1/2		1/2		1/2	
3/4	50	3/4	291	3/4	579	3/4	868	3/4	1,112	3/4		3/4		3/4		3/4		3/4	
4	54	4	297	4	585	4	874	4	1,117	4		4		4		4		4	
1/4	58	1/4	302	1/4	591	1/4	879	1/4	1,121	1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	308	1/2	597	1/2	885	1/2	1,124	1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	314	3/4	603	3/4	891	3/4	1,128	3/4		3/4		3/4		3/4		3/4	
5	70	5	320	5	610	5	896	5	1,132	5		5		5		5		5	
1/4	75	1/4	325	1/4	616	1/4	902	1/4	1,136	1/4		1/4		1/4		1/4		1/4	
1/2	79	1/2	331	1/2	622	1/2	908	1/2	1,140	1/2		1/2		1/2		1/2		1/2	
3/4	83	3/4	337	3/4	628	3/4	913	3/4	1,143	3/4		3/4		3/4		3/4		3/4	
6	88	6	343	6	634	6	919	6	1,147	6		6		6		6		6	
1/4	92	1/4	349	1/4	640	1/4	924	1/4	1,150	1/4		1/4		1/4		1/4		1/4	
1/2	97	1/2	355	1/2	646	1/2	930	1/2	1,153	1/2		1/2		1/2		1/2		1/2	
3/4	102	3/4	361	3/4	653	3/4	935	3/4	1,156	3/4		3/4		3/4		3/4		3/4	
7	106	7	366	7	659	7	941	7	1,160	7		7		7		7		7	
1/4	111	1/4	372	1/4	665	1/4	946	1/4	1,162	1/4		1/4		1/4		1/4		1/4	
1/2	116	1/2	378	1/2	671	1/2	952	1/2	1,165	1/2		1/2		1/2		1/2		1/2	
3/4	121	3/4	384	3/4	677	3/4	957	3/4	1,168	3/4		3/4		3/4		3/4		3/4	
8	125	8	390	8	683	8	963	8	1,170	8		8		8		8		8	
1/4	130	1/4	396	1/4	689	1/4	968	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	135	1/2	402	1/2	695	1/2	973	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	140	3/4	408	3/4	701	3/4	979	3/4		3/4		3/4		3/4		3/4		3/4	
9	145	9	414	9	708	9	984	9		9		9		9		9		9	
1/4	150	1/4	420	1/4	714	1/4	989	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155	1/2	426	1/2	720	1/2	994	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160	3/4	432	3/4	726	3/4	1,000	3/4		3/4		3/4		3/4		3/4		3/4	
10	165	10	438	10	732	10	1,005	10		10		10		10		10		10	
1/4	171	1/4	444	1/4	738	1/4	1,010	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	176	1/2	450	1/2	744	1/2	1,015	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	181	3/4	457	3/4	750	3/4	1,020	3/4		3/4		3/4		3/4		3/4		3/4	
11	186	11	463	11	756	11	1,025	11		11		11		11		11		11	
1/4	192	1/4	469	1/4	762	1/4	1,030	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	197	1/2	475	1/2	768	1/2	1,035	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	202	3/4	481	3/4	774	3/4	1,040	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES

STRAPPED: 01/31/2024 CL  
 CALCULATED: 01/31/2024 CL  
 PRINTED: 01/31/2024 CL

CANCELS AND SUPERCEDES  
 ALL PRIOR TO 01/2024

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.

P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>