

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Oct 2021 Expiration Date: 22 Oct 2022

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name

Official Number

IMO Number

Call Sign

Service

KIRBY 29146

1234345

Tank Barge

Hailing Port

Hull Material

Horsepower

Propulsion

GIBSON, LA

Steel

UNITED STATES

Place Built

Delivery Date

Keel Laid Date

Gross Tons

Net Ton

DWT

Length

ASHLAND CITY, TN

30Aug2011 27Jul2011

R-1619

UNITED STATES

R-1619

R-297.5

J- I-0

UNITED STATES

Owner

KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES Operator

KIRBY INLAND MARINE LP 18350 MARKET STREET CHANNELVIEW, TX 77530

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

0 Licensed Mates

0 Chief Engineers

0 Oilers

0 Chief Mates

0 First Class Pilots

0 First Assistant Engineers

0 Second Mates

0 Radio Officers 0 Able Seamen 0 Second Assistant Engineers0 Third Assistant Engineers

0 Third Mates
0 Master First Class Pilot

0 Ordinary Seamen

0 Licensed Engineers

0 Mate First Class Pilots

Deckhands

Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

--- Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

This certificate issued by

B. T. INAGAKI, GS-13 USCG, By direc

Officer in Charge, Marine Inspection

Marine Safety Unit Port Arthur

Inspection Zone



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 22 Oct 2021 22 Oct 2022 **Expiration Date:**

Temporary Certificate of Inspection

Vessel Name: KIRBY 29146

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Oct2031

22Oct2021

27Jul2016

Internal Structure

31Oct2026

22Oct2021

27Jul2016

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE / COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29200

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	849	13.58
2 P/S	861	13.58
3 P/S	752	13.58

Loading Constraints - Stability

	Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
l	II	3819	10ft 0in	13.58	R, LBS, LC 0-12
	101	4690	11ft 9in	13.58	R, LBS, LC 0-12

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial SERIAL #C1-1100869, DATED 30 MAR 2011, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

VAPOR CONTROL AUTHORIZATION

Per 46 CFR, 39, excluding Part 39,4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Carter serial #C1-1100869, DATED 30 MAR 2011, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR Part 39:1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

*STABILITY AND TRIM?



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Oct 2021 Expiration Date: 22 Oct 2022

Temporary Certificate of Inspection

Vessel Name: KIRBY 29146

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 10.00 lbs/gal. Cargoes with higher densities, up to 13.57 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Fuel Tanks

Internal	Examinations
II ILCI I IQI	

Tank IDPreviousLastNextMachinery deck-30Aug2011-Machinery deck (Slop)-30Aug2011-

Cargo Tanks .

	Internal Exam			External Exam	ernal Exam					
Tank Id	Previous	Last	Next	Previous	Last	Next				
1 P/S	27Jul2016	22Oct2021	31Oct2031	27Jul2016	22Oct2021	31Oct2026				
2 P/S	27Jul2016	22Oct2021	31Oct2031	20Jul2016	22Oct2021	31Oct2026				
3 P/S	27Jul2016	22Oct2021	31Oct2031	27Jul2016	22Oct2021	31Oct2026				
			Hydro Test							
Tank Id	Safety Valves		Previous	Last	Next					
1 P/S	-		-	30Aug2011	-					
2 P/S	-		-	30Aug2011	_					
3 P/S	-		-	30Aug2011	-					

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable


Quantity

Class Type

2

40-B

END





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30023 Official #: 1234345

Shipyard: Trinity Ashland City

30-Mar-11

Hull #: 4791

Tank Gro	oup Infor	nation	Cargo Id	dentificati	on		0	1	Tanks		Carg Tran		Environ Control		Fire	Special Require	ments		
Tnk Grp Tanl	ks in Gro	μp	Density	Press.	Temp.	Hull	Cargo Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks		Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1P/S	S, #2P/S,	#3P/S	13.6	Atmos.	Amb.	Ш	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(b), (c), (e), (f), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

	Cargo Identification									Conditions of Carriage						
				-					Vapor Re							
	Name		Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Perio				
Authorized	Subchapter O Cargoes											G				
Acetonitrile			ATN	37	0	С	- 111	A	Yes	3	No 50 70(-) 55 4(-)	G				
Acrylonitrile			ACN	15 ²	0	С	11	Α	Yes	4	.50-70(a), .55-1(e)	G				
Adiponitrile			ADN	37	0	E	11	Α	Yes	11	No So of FR FR	G				
Alkyl(C7-C9) r	nitrates		AKN	34 2	0	NA		A	No	N/A						
Aminoethyleth	anolamine		AEE	8	0	E	III	A	Yes	1	.55-1(b)					
Ammonium bi	sulfite solution (70% or less)		ABX	43 2	0	NA	Ш	A	No	N/A		G				
Ammonium hy	droxide (28% or less NH3)		AMH	6	0	NA	III	A	No	N/A	.56-1(a), (b), (c), (f), (g)	G				
Anthracene oi	(Coal tar fraction)		AHO	33	0	NA	II	Α	No	N/A		G				
Benzene			BNZ	32	0	С	Ш	Α	Yes	- 1	.50-60	G				
Benzene or hy	drocarbon mixtures (having 10% B	enzene or more)	внв	32 ²	0	С	Ш	Α	Yes	1	.50-60	G				
	drocarbon mixtures (containing Ac		ВНА	32 ²	0	С	Ш	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G				
Benzene, Toli	iene, Xylene mixtures (10% Benzer	ne or more)	BTX	32	0	B/C	Ш	Α	Yes	1	,50-60	G				
Butyl acrylate			BAR	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G				
Butyl methacn			вмн	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G				
Butyraldehyde	(all isomers)		BAE	19	0	С	Ш	Α	Yes	1	,55-1(h)	G				
Camphor oil (I	· · · · · · · · · · · · · · · · · · ·		CPO	18	0	D	11	Α	No	N/A	No .	G				
Carbon tetrach	<u>v /</u>		CBT	36	0	NA	111	Α	No	N/A	No	G				
Caustic potast			CPS	5 ²	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G				
Caustic soda			CSS	5 ²	0	NA	III	A	No	N/A	.50-73, .55-1(j)	G				
	refined, containing phenolics)		COD	21	0	E	11	Α	No	N/A	.50-73	G				
Chlorobenzen			CRB	36	0	D	111	Α	Yes	1	No	G				
Chloroform			CRF	36	0	NA	111	Α	Yes	3	No	G				
Coal tar napht	ha solvent		NCT	33	0	D	III	Α	Yes	1	.50-73	G				
Creosote	ia solven		CCW	-	0	E	III	A	Yes	1	No	G				
Cresols (all isc	mers)		CRS	21	0		III	Α	Yes	1	No	G				
Cresylate sper			CSC	5	0	NA.	III	A	No	N/A	.50-73, .55-1(b)	G				
Cresylic acid to			CRX		0	E	III	Α	Yes	1	.55-1(f)	G				
Crotonaldehyd			CTA	19 ²	0			. A	Yes	4	.55-1(h)	G				
	rbon feedstock (containing Butyrak	dehydes and	CHG		0	c	III	A	No	N/A	No	G				
Cyclohexanon			ССН	18	0	D	Ш	Α	Yes	1	.56-1(a), (b)	G				
	e, Cyclohexanol mixture		CYX	18 ²	0	E	III	Α	Yes	1	.56-1 (b)	G				
Cyclohexylami			CHA	7	0		III	Α	Yes	1	.56-1(a), (b), (c), (g)	G				

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30023 Official #: 1234345

Page 2 of 8

Shipyard: Trinity Ashland City

30-Mar-11

	Cargo	Identification		****					(Condi	tions of Carriage	
	09							-	Vapor R	ecovery		
	Name		Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Cyclopentadie	ne, Styrene, Benzene mixture		CSB	30	0	D	III	Α	Yes	11	.50-60, .56-1(b)	G
iso-Decyl acry			IAI	14	0	E	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G
	ne (all isomers)		DBX	36	0	E	III	Α	Yes	3	.56-1(a), (b)	G
1,1-Dichloroet	thane		DCH	36	0	С	III	Α	Yes	1	No	G
2,2'-Dichloroe	thyl ether		DEE	41	0	D	II	Α	Yes	1	.55-1(f)	G
Dichlorometha			DCM	36	0	NA	III	Α	Yes	5	No	G
2,4-Dichloropi	nenoxyacetic acid, diethanolamine	salt solution	DDE	43	0	E	Ш	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichloroph	henoxyacetic acid, dimethylamine s	alt solution	DAD	0 1,2	0	Α	III_	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichloroph	nenoxyacetic acid, triisopropanolam	ine salt solution	DTI	43 ²	0	Е	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropr			DPB	36	0	С	III	A	Yes	3	No	G
1,2-Dichloropr			DPP	36	0	С	Ш	Α	Yes	3	No	G
1,3-Dichloropr	opane		DPC	36	0	С	III	A	Yes	3	No	G
1,3-Dichloropr	·		DPU	15	0	D	11 .	Α	Yes	4	No	G
	ne, Dichloropropane mixtures		DMX	15	0	С	П	Α	Yes	. 1	No	G
Diethanolamir	ie .		DEA	8	0	E	111	Α	Yes	1	.55-1(c)	G
Diethylamine			DEN	7	0	С	III	Α	Yes	3	.55-1(c)	G
Diethylenetria	mine		DET	7 2	0	E	III	A	Yes	1	.55-1(c)	G
Diisobutylamir	е		DBU	7_	0	D	III	Α	Yes	3	.55-1(c)	G
Diisopropanol	amine		DIP	8	0	E	Ш	A	Yes	1	.55-1(c)	G
Diisopropylam	ine		DIA	7	0	С	11	Α	Yes	3	.55-1(c)	G
N,N-Dimethyla	acetamide		DAC	10	0	E	111	Α	Yes	3	.56-1(b)	G
Dimethylethar	olamine		DMB	8	0	D	111	Α	Yes	1	.56-1(b), (c)	G
Dimethylforma	mide		DMF	10	0	D		Α	Yes	11	.55-1(e)	- G
Di-n-propylam	ine		DNA	7	0	С	- 11	Α	Yes	3	.55-1(c)	G
Dodecyldimet	nylamine, Tetradecyldimethylamine	mixture	DOT	7 ·	0	E	Ш	Α	No	N/A	.56-1(b)	G
Dodecyl diphe	nyl ether disulfonate solution		DOS	43	0	#		Α	No	N/A	No	G .
EE Glycol Eth	er Mixture		EEG	40	0	D	III	Α	No	N/A	No	G
Ethanolamine			MEA	8	0	Е	#1	Α	Yes	11	.55-1(c)	G
Ethyl acrylate			EAC	14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylamine so	lution (72% or less)		EAN	7	0	Α	11	Α	Yes	6	.55-1(b)	G
N-Ethylbutylar	nine		EBA	7	0	D	111	Α	Yes	3	.55-1(b)	G
N-Ethylcyclohe	exylamine		ECC	7	0	D	101	Α	Yes	1	.55-1(b)	G
Ethylene cyan	ohydrin		ETC	20	0	E	111	Α	Yes	1	No	G
Ethylenediami	ne		EDA	7 ²	0	D	111	Α	Yes	1	.55-1(c)	G
Ethylene dichl	oride		EDC	36 ²	0	С	Ш	Α	Yes	1	No	G
Ethylene glyco	l hexyl ether		EGH	40	0	E	Ш	Α	No	N/A	No	G
	l monoalkyl ethers		EGC	40	0	D/E	III	Α	Yes	1	No	G
Ethylene glyco	l propyl ether		EGP	40	0	Ę	Ш	Α	Yes	1	No	G
2-Ethylhexyl a	crylate		EAI	14	0	E	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethyl methacry	ylate		ETM	14	0	D/E	111	Ą	Yes	2	.50-70(a)	G
2-Ethyl-3-prop	ylacrolein		EPA	19 ²	0	E	lli	Α	Yes	1	No	G
Formaldehyde	solution (37% to 50%)		FMS	19 ²	0	D/E	Ш	Α	Yes	1	.55-1(h)	G
Furfural			FFA	19	0	D	Ш	Α	Yes	1	.55-1(h)	G
Glutaraldehyd	e solution (50% or less)	,	GTA	19	0	NA	Ш	Α	No	N/A	No	G
Hexamethylen	ediamine solution		НМС	7	0	E	III	Α	Yes	1	.55-1(c)	G
Hexamethylen			НМІ	7	0	С	П	Α	Yes	1	.56-1(b), (c)	G
Hydrocarbon 5	5-9		HFN		0	С	Ш	A	Yes	1	.50-70(a), .50-81(a), (b)	G
			IPR	30	0	Α	III	Α	Yes	7	.50-70(a), .50-81(a), (b)	G



Department of Homeland Security

30-Mar-11

Certificate of Inspection Cargo Authority Attachment

Vessel Name: \$MI 30023 Official #: 1234345

Page 3 of 8

Shipyard: Trinity Ashland City

	Cargo	Identification	Conditions of Carriage									
	,			T	· · · · · ·			1	Vapor F	Recovery		
	Name		Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Isoprene, Pen	tadiene mixture		IPN		0	В	111	Α	No	N/A	.50-70(a), .55-1(c)	G
Kraft pulping li Green, or Whi	quors (free alkali content 3% or mo te liquor)	re)(including: Black,	KPL	5	0	NA	lil	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G
Mesityl oxide			MSO	18 ²	0	D	Ш	Α	Yes	1	No	G
Methyl acrylate			MAM	14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclope	ntadiene dimer		MCK	30	0	С	III,	Α	Yes	1	No	G
Methyl diethan	olamine	•	MDE	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G
2-Methyl-5-eth	ylpyridine		MEP	9	, 0	E	111	Α	Yes	1	.55-1(e)	G
Methyl methad	rylate		MMM	14	0	С	111	Α	Yes	2	.50-70(a), .60-81(a), (b)	G
2-Methylpyridir	ne		MPR	9	0	D	111	Α	Yes	3	.55-1(c)	G
alpha-Methylst	yrene		MSR	30	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Morpholine			MPL.	7 ²	0	D	111	Α	Yes	1	.55-1(c)	G
Nitroethane			NTE	42	0	D	11	Α	No	N/A	.50-81, .56-1(b)	G
1- or 2-Nitropro	ppane		NPM	42	0	D	111	Α	Yes	1	,50-81	G
1,3-Pentadiene	>		PDE	30	0	Α	Ш	Α	Yes	7	.50-70(a), .50-81	G ·
Perchloroethyl	ene		PER	36	0	NA	III	Α	No	N/A	No	G
Polyethylene p	olyamines		PEB	7 ²	0	Е	Iti	Α	Yes	1	.55-1(e)	G
iso-Propanolar	nine		MPA	8	0	E	111	A	Yes	1	.55-1(c)	G
Propanolamine	(iso-, n-)		PAX	8	0	E	III	A	Yes	1	.56-1(b), (c)	G
iso-Propylamin	e		IPP	7	0	Α	11	A	Yes	5	.55-1(c)	G
Pyridine			PRD	9	0	С	III	Α	Yes	1	.55-1(e)	G
Sodium acetate	e, Glycol, Water mixture (3% or mo	e Sodium Hydroxide)	SAP		0		III	Α	No	N/A	.50-73, .55-1(j)	G
Sodium alumin	ate solution (45% or less)		SAU	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Sodium chlorat	e solution (50% or less)		SDD	0 1,2	0	NA	Ш	Α	No	N/A	.50-73	G
Sodium hypoch	lorite solution (20% or less)		SHQ	5	0	NA	. 111	Α	No	N/A	.50-73, .56-1(a), (b)	G
Sodium sulfide	hydrosulfide solution (H2S 15 ppm	or less)	SSH	0 1,2	0	NA	111	Α	Yes	1	.50-73, .55-1(b)	G
Sodium sulfide less than 200 p	hydrosulfide solution (H2S greater pm)	than 15 ppm but	SSI	0 1,2	0	· NA	III	Α	No	N/A	.50-73, .55-1(b)	G
Sodium sulfide	hydrosulfide solution (H2S greater	than 200 ppm)	SSJ	0 1,2	0	NA	11	A	No	N/A	.50-73, .55-1(b)	G
Styrene (crude)			STX		0	D		Α	Yes	2	No	G
Styrene monon	ner		STY	30	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
1,1,2,2-Tetrach	oroethane		TEC	36	0	NA	!!!	Α	No	N/A	No	G
Tetraethylenepe	entamine		TTP	7	0	E	111	Α	Yes	1	.55-1(c)	G
Tetrahydrofurar)		THF	41	0	С	Ш	Α	Yes	1	.50-70(b)	G
Toluenediamine			TDA	9	0	E	11	Α	No	N/A	.50-73, .56-1(a), (b), (c), (g)	G
1,2,4-Trichlorob	enzene		ТСВ	36	0	E	111	Α	Yes	1	No	G
1,1,2-Trichloroe	thane		TCM	36	0	NA	Ш	Α	Yes	1	.50-73, .56-1(a)	G
Trichloroethyler	e		TCL	36 ²	0	NA	Ш	Α	Yes	1	No	G
1,2,3-Trichlorop	ropane		TCN	36	0	E	11	Α	Yes	3	.50-73, .56-1(a)	G
Triethanolamine			TEA	8 ²	0	E	111	Α	Yes	1	.55-1(b)	G
Triethylamine			TEN	7	0	С	11	Α	Yes	3	.55-1(e)	G
Triethylenetetra			TET	7 2	0	E	Ш	Α	Yes	1	.55-1(b)	G
	(10% or less), caustic soda solutio	n	TPB	5	0	NA	Ш	Α	No	N/A	.56-1(a), (b), (c)	G
Trisodium phos			TSP	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (c).	G
Urea, Ammoniu	m nitrate solution (containing more	than 2% NH3)	UAS	6	0	NA	111	Α	No	N/A	.56-1(b)	G
Vanillin black lic	uor (free alkali content, 3% or more).	VBL	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G
Vinyl acetate			VAM	13	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Vinyl neodecana	ate		VND	13	0.	E	Ш	Α	No	N/A	.50-70(a), .50-81(a), (b)	G
Vinyltoluene			VNT.	13	0	D	Ш	Α	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (G



C1-1100869

30-Mar-11



Certificate of Inspection Cargo Authority Attachment

Vessel Name: \$MI 30023 234345 Official #:

Page 4 of 8

Shipyard: Trinity Ashland City

Cargo Identifi	cation					Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Huil Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period	
Subchapter D Cargoes Authorized for Vapor	Control										
Acetone	ACT	18 ²	D	С		Α	Yes	1			
Acetophenone	ACP	18	D	Е		Α	Yes	1			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1			
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1			
Benzyl alcohol	BAL	21	D	E		Α	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers their borate esters)		20	D	E		A	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1			
Butyl alcohol (iso-)	IAL	20 ²	D	D		A	Yes	1			
Butyl alcohol (n-)	BAN	20 2	·D	D		Α	Yes	11			
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1			
Butyl alcohol (tert-)	BAT		D	С		Α	Yes	1			
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	11			
Butyl toluene	BUE	32	D	D		Α	Yes	1			
Caprolactam solutions	CLS	22	D	E		Α	Yes	11			
Cyclohexane	CHX	31	D	С		A	Yes	1			
Cyclohexanol	CHN	20	D	E		Α	Yes	11			
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2			
p-Cymene .	CMP	32	D	D		Α	Yes	1			
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1			
n-Decaldehyde	DAL	19	D	E		Α	Yes	11		<u> </u>	
Decene	DCE	30	D	D		Α	Yes	1			
Decyl alcohol (all isomers)	DAX	20 ²	D	E		Α	Yes	1			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1			
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1			
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1			
Diethylbenzene	DEB	32		D		Α	Yes	1			
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	1			
Diisobutylene	DBL	30	D	С		A	Yes	1			
Diisobutyl ketone	DIK	18	D	D		A	Yes	1			
Diisopropylbenzene (all isomers)	DIX	32	D	E		Α	Yes	1			
Dimethyl phthalate	DTL	34	D	E		Α	Yes	11			
Dioctyl phthalate	DOP	34	D	E		Α	Yes	1			
Dipentene	DPN	30	D	D		Α	Yes	1			
Diphenyl	DIL	32	D	D/E		Α	Yes	1			
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		Α	Yes	1			
Diphenyl ether	DPE	41	D	{E}		Α	Yes	11			
Dipropylene glycol	DPG	40	D	E		Α	Yes	1			
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1			
Distillates: Straight run	DSR	33	D.	E		Α	Yes	1			
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1			
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1			
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1			
Ethoxy triglycol (crude)	ETG	40	D	E		A	Yes	1			



Department of Homeland Security

C1-1100869 Dated:

30-Mar-11



Vessel Name: SMI 30023 Official #: 1234345

Page 5 of 8

Shipyard: Trinity Ashland City

	Cargo	Identificatio	Conditions of Carriage											
-	carge			1	· · · · ·			Vapor Recovery						
	Name		Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Ethyl acetate			ETA	34	D	С		Α	Yes	1				
Ethyl acetoace	etate		EAA	34	D	E		Α	Yes	1				
Ethyl alcohol			EAL	20 ²	D	С		Α	Yes	1				
Ethylbenzene			ETB	32	D	С		Α	Yes	1				
Ethyl butanol			EBT	20	D	D		Α	Yes	1				
Ethyl tert-butyl	ether		EBE	41	D	С		Α	Yes	1				
Ethyl butyrate			EBR	34	D	D		Α	Yes	1				
Ethyl cyclohex	ane		ECY	31	D	D		Α	Yes	1				
Ethylene glyco	l .		EGL	20 ²	D	E		Α	Yes	1				
Ethylene glyco	l butyl ether acetate		EMA	34	D	E		Α	Yes	1				
Ethylene glyco	l diacetate		EGY	34	D	E		Α	Yes	1				
Ethylene glyco	l phenyl ether		EPE	40	D	Е		Α	Yes	1				
Ethyl-3-ethoxy	propionate		EEP	34	D	D		Α	Yes	1	•			
2-Ethylhexano			EHX	20	D	E		Α	Yes	1				
Ethyl propiona	te		EPR	34	D	С		Α	Yes	1				
Ethyl toluene			ETE	32	D	D		Α	Yes	1				
Formamide			FAM	10	D	E		Α	Yes	1				
Furfuryl alcoho	l .		FAL	20 ²	D	E		Α	Yes	1				
Gasoline blend	ing stocks: Alkylates		GAK	33	D	A/C		Α	Yes	1				
Gasoline blend	ing stocks: Reformates		GRF	33	D	A/C		Α	Yes	1				
Gasolines: Aut gallon)	omotive (containing not over 4.23 g	rams lead per	GAT	33	D	С		Α	Yes	1				
Gasolines: Avi gallon)	ation (containing not over 4.86 grar	ns of lead per	GAV	33	D	С		Α	Yes	1				
Gasolines: Cas	inghead (natural)		GCS	33	D	A/C		A	Yes	1				
Gasolines: Pol	<u> </u>		GPL	33	D	A/C		Α	Yes	1				
Gasolines: Stra	ight run		GSR	33	D	A/C		Α	Yes	1				
Glycerine			GCR	20 ²	D	E		Α	Yes	1				
Heptane (all is	mers), see Alkanes (C6-C9) (all is	omers)	HMX	31	D	С		Α	Yes	1				
Heptanoic acid			HEP	4	D	E		Α	Yes	1				
Heptanol (all is	omers)		HTX	20	D	D/E		Α	Yes	1				
Heptene (all iso	mers)		HPX	30	D	Ç		Α	Yes	2				
Heptyl acetate			HPE	34	D	Ε		Α	Yes	1	,			
Hexane (all isor	ners), see Alkanes (C6-C9)		HXS	31 ²	D	B/C		Α	Yes	1				
Hexanoic acid			HXO	4	D	E		Α	Yes	1				
Hexanol			HXN	20	D	D		Α	Yes	1				
Hexene (all isor	ners)		HEX	30	D	С		Α	Yes	2				
Hexylene glycol			HXG	20	D	E		Α	Yes	1				
Isophorone			IPH	18 ²	D	E		Α	Yes	1				
Jet fuel: JP-4			JPF	33	D	E		Α	Yes	1				
Jet fuel: JP-5 (k	erosene, heavy)		JPV	33	D	D		A	Yes	1				
Kerosene			KRS	33	D	D		Α	Yes	1				
Methyl acetate	-		MTT	34	D	D		Α	Yes	1	:			
Methyl alcohol			MAL	20 ²	D	С		A	Yes	1				
Methylamyl ace	tate		MAC	34	D	D	~ `	Α	Yes	1				
Methylamyl alco	hol		MAA	20	D	D		Α	Yes	1				
Methyl amyl ket	one		MAK	18	D	D		A	Yes	· 1				
Methyl, tert-butyl	ether		MBE	41 2	D	c		Α	Yes	1				
Methyl butyl ket	one		MBK	18		C		Α	Yes	1				
		ĺ						-						





30-Mar-11

Certificate of Inspection Cargo Authority Attachment

Vessel Name: \$MI 30023 Official #: 1234345

Page 6 of 8

Shipyard: Trinity Ashland City

	Cargo	Identification	Conditions of Carriage									
									Vapor F	Recovery		
	Name			ompat oup No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Methyl butyrat	te	ME	3U	34	D	С		Α	Yes	1		
Methyl ethyl k	etone	ME	ΞK	18 ²	D	С		Α	Yes	1		
Methyl heptyl	ketone	MI	-IK	18	D	D		Α	Yes	11		
Methyl isobuty	l ketone	MI	K	18 ²	D	С		Α	Yes	1		
Methyl naphth	alene (molten)	M	NA	32	D	E		Α	Yes	1		
Mineral spirits		· M	VS	33	D	D		Α	Yes	1		
Myrcene		MF	RE	30	D	D		Α	Yes	1		
Naphtha: Hea	vy	NA	\G	33	D	#		Α	Yes	. 1		
Naphtha: Petr	oleum	PT	N	33	D	#		Α	Yes	11		
Naphtha: Solv	ent	NS	SV	33	D	D		Α	Yes	1		
Naphtha: Sto	dard solvent	NS	SS	33	D	D		Α	Yes	1	· · · · · · · · · · · · · · · · · · ·	
	ish makers and painters (75%)	N\		33	D	С		A	Yes	11		
Nonane (all is	omers), see Alkanes (C6-C9)	NA		31	D	D		Α	Yes	1		
Nonene (all is	omers)	NC		30	D	D		Α	Yes	2		
Nonyl alcohol	(all isomers)	NN		20 ²	D .	Ë		Α	Yes	11		
Nonyl phenol		NN		21	D	E		Α	Yes	1		
	poly(4+)ethoxylates	NF		40.	D	E		A	Yes			
	mers), see Alkanes (C6-C9)	O.F		31	D	С		Α	Yes	1		
Octanoic acid	·	O.A		4	D	E		Α	Yes	1		
Octanol (all is		00		20 ²	D	E		Α	Yes	11		
Octene (all iso		TO [*]		30	D	C		Α	Yes	2		
Oil, fuel: No. 2		OT		33	D	D/E		A	Yes	1		
Oil, fuel: No. 2	-D	ОТ		33	<u>D</u>	D		A	Yes	1		
Oil, fuel: No. 4		OF		33	D	D/E		Α .	Yes	1		
Oil, fuel: No. 5		OF		33	D	D/E		A	Yes	1		
Oil, fuel: No. 6		OS		33	D	E		<u> </u>	Yes	11		
Oil, misc: Crud		Oil		33	D	C/D		A	Yes			
Oil, misc: Dies		00		33	D	D/E		A	Yes	1		
Oil, misc: Gas		00		33	D	<u> </u>		Α .	Yes	1		
Oil, misc: Lubr		OL		33		<u>E</u>		Α	Yes	1		
Oil, misc: Res		OR		33	D	E		Α	Yes	1		
Oil, misc: Turb		. OT		33		E		A	Yes	1		
Pentene (all is		PT		30		<u>A</u>			Yes	5 1		
n-Pentyl propid	pnate	PP		34	D	D D		A	Yes			
alpha-Pinene		PIC		30	D D	D		A	Yes	1		
beta-Pinene		PIF		30 40	D	E		A A	Yes Yes	1		
	ne glycol monoalkyl(C1-C6) ether									·····		
	ne glycol monoalkyl(C1-C6) ether			34		E E		A	Yes	1		
Polybutene	glypol	PLI PG		30 40		E		Α	Yes	1		
Polypropylene		IAC		34		C		A	Yes Yes	1		
iso-Propyl ace		PA		34 34		C		A	Yes	1		
n-Propyl aceta		IPA		20 ²		<u>c</u>		Α Α	Yes	1		
		PA		20 2		c		A	Yes	1		
n-Propyl alcoh Propylbenzene		PB		32		D D		A	Yes	1		
		IPX		31		D		- A	Yes	1		
iso-Propylcyclo		PP		20 ²		<u>Б</u>			Yes	1		-
	ol methyl ether acetate	PG		34		D D		A	Yes	1		
i Topyretie gryc	or metryr curer acetate		14 6	J-T	<u> </u>				150	- '		



Department of Homeland Security **United States Coast Guard**

C1-1100869 Serial #:

30-Mar-11



Certificate of Inspection Cargo Authority Attachment

Vessel Name: SMI 30023 Official #: 1234345

Page 7 of 8

Shipyard: Trinity Ashland City

Cargo Identification						Conditions of Carriage				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		Α	Yes	1		
Triethylbenzene	TEB	32	D	Ė		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Department of Homeland Security **United States Coast Guard**

Serial #:

C1-1100869

Dated: 30-Mar-11

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: \$MI 30023

Official #: 1234345

Page 8 of 8

Shipyard: Trinity Ashland

Hull #: 4791

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 1 Note 2

Subchapter Subchapter D Subchapter O

Note 3 Grade

> A, B, C Note 4

NA

Hull Type

NA

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

The three letter designalion assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for

carriage of that grade of cargo.
Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/cpmbustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3)

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to bardes certificated under Subchapter D.

Conditions of Carriage

Vapor Recover Approved (Yor N)

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VQS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VC\$ has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VC\$ has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could Head to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air. mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.