



BARGE "KIRBY 29148"

ULLAGE TRIM TABLE

FORMERLY "SMS 30027"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
3 STBD	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 8'-00"
 DIFF. = 6'-00" (DOWN BY STERN)

THE CORRECTION FOR 6'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

October 11, 2021

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "KIRBY 29148"

1 PORT ULLAGE TABLE MMC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "SMS 30027"

GAUGE HEIGHT 16'-05 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,271.06	0	1,912.55	0	1,554.03	0	1,195.52	0	837.01	0	478.69	0	140.46	0		0		0	
1/4	2,263.59	1/4	1,905.08	1/4	1,546.56	1/4	1,188.05	1/4	829.54	1/4	471.29	1/4	133.80	1/4		1/4		1/4	
1/2	2,256.12	1/2	1,897.61	1/2	1,539.09	1/2	1,180.58	1/2	822.07	1/2	463.89	1/2	127.14	1/2		1/2		1/2	
3/4	2,248.65	3/4	1,890.14	3/4	1,531.63	3/4	1,173.12	3/4	814.60	3/4	456.48	3/4	120.49	3/4		3/4		3/4	
1	2,241.18	1	1,882.67	1	1,524.16	1	1,165.65	1	807.13	1	449.08	1	113.83	1		1		1	
1/4	2,233.71	1/4	1,875.20	1/4	1,516.69	1/4	1,158.18	1/4	799.66	1/4	441.67	1/4	107.17	1/4		1/4		1/4	
1/2	2,226.24	1/2	1,867.73	1/2	1,509.22	1/2	1,150.71	1/2	792.19	1/2	434.39	1/2	100.64	1/2		1/2		1/2	
3/4	2,218.78	3/4	1,860.26	3/4	1,501.75	3/4	1,143.24	3/4	784.73	3/4	427.11	3/4	94.11	3/4		3/4		3/4	
2	2,211.31	2	1,852.79	2	1,494.28	2	1,135.77	2	777.26	2	419.83	2	87.57	2		2		2	
1/4	2,203.84	1/4	1,845.32	1/4	1,486.81	1/4	1,128.30	1/4	769.79	1/4	412.55	1/4	81.04	1/4		1/4		1/4	
1/2	2,196.37	1/2	1,837.85	1/2	1,479.34	1/2	1,120.83	1/2	762.32	1/2	405.27	1/2	74.51	1/2		1/2		1/2	
3/4	2,188.90	3/4	1,830.39	3/4	1,471.88	3/4	1,113.36	3/4	754.85	3/4	397.99	3/4	67.97	3/4		3/4		3/4	
3	2,181.43	3	1,822.92	3	1,464.41	3	1,105.89	3	747.38	3	390.71	3	61.44	3		3		3	
1/4	2,173.96	1/4	1,815.45	1/4	1,456.94	1/4	1,098.42	1/4	739.91	1/4	383.43	1/4	54.90	1/4		1/4		1/4	
1/2	2,166.49	1/2	1,807.98	1/2	1,449.47	1/2	1,090.95	1/2	732.44	1/2	376.28	1/2	49.23	1/2		1/2		1/2	
3/4	2,159.02	3/4	1,800.51	3/4	1,442.00	3/4	1,083.49	3/4	724.98	3/4	369.12	3/4	43.55	3/4		3/4		3/4	
4	2,151.55	4	1,793.04	4	1,434.53	4	1,076.02	4	717.51	4	361.97	4	37.88	4		4		4	
1/4	2,144.08	1/4	1,785.57	1/4	1,427.06	1/4	1,068.55	1/4	710.04	1/4	354.81	1/4	32.20	1/4		1/4		1/4	
1/2	2,136.61	1/2	1,778.10	1/2	1,419.59	1/2	1,061.08	1/2	702.57	1/2	347.66	1/2	27.99	1/2		1/2		1/2	
3/4	2,129.15	3/4	1,770.64	3/4	1,412.12	3/4	1,053.61	3/4	695.10	3/4	340.50	3/4	23.78	3/4		3/4		3/4	
5	2,121.68	5	1,763.17	5	1,404.65	5	1,046.14	5	687.63	5	333.35	5	19.57	5		5		5	
1/4	2,114.21	1/4	1,755.70	1/4	1,397.18	1/4	1,038.67	1/4	680.16	1/4	326.19	1/4	15.36	1/4		1/4		1/4	
1/2	2,106.74	1/2	1,748.23	1/2	1,389.71	1/2	1,031.20	1/2	672.69	1/2	319.16	1/2		1/2		1/2		1/2	
3/4	2,099.27	3/4	1,740.76	3/4	1,382.25	3/4	1,023.74	3/4	665.22	3/4	312.13	3/4		3/4		3/4		3/4	
6	2,091.80	6	1,733.29	6	1,374.78	6	1,016.27	6	657.75	6	305.10	6		6		6		6	
1/4	2,084.33	1/4	1,725.82	1/4	1,367.31	1/4	1,008.80	1/4	650.28	1/4	298.07	1/4		1/4		1/4		1/4	
1/2	2,076.86	1/2	1,718.35	1/2	1,359.84	1/2	1,001.33	1/2	642.81	1/2	291.04	1/2		1/2		1/2		1/2	
3/4	2,069.40	3/4	1,710.88	3/4	1,352.37	3/4	993.86	3/4	635.35	3/4	284.01	3/4		3/4		3/4		3/4	
7	2,061.93	7	1,703.41	7	1,344.90	7	986.39	7	627.88	7	276.97	7		7		7		7	
1/4	2,054.46	1/4	1,695.94	1/4	1,337.43	1/4	978.92	1/4	620.41	1/4	269.94	1/4		1/4		1/4		1/4	
1/2	2,046.99	1/2	1,688.47	1/2	1,329.96	1/2	971.45	1/2	612.94	1/2	263.04	1/2		1/2		1/2		1/2	
3/4	2,039.52	3/4	1,681.01	3/4	1,322.50	3/4	963.98	3/4	605.47	3/4	256.13	3/4		3/4		3/4		3/4	
8	2,032.05	8	1,673.54	8	1,315.03	8	956.51	8	598.00	8	249.23	8		8		8		8	
1/4	2,024.58	1/4	1,666.07	1/4	1,307.56	1/4	949.04	1/4	590.53	1/4	242.32	1/4		1/4		1/4		1/4	
1/2	2,017.11	1/2	1,658.60	1/2	1,300.09	1/2	941.57	1/2	583.06	1/2	235.41	1/2		1/2		1/2		1/2	
3/4	2,009.64	3/4	1,651.13	3/4	1,292.62	3/4	934.11	3/4	575.60	3/4	228.51	3/4		3/4		3/4		3/4	
9	2,002.17	9	1,643.66	9	1,285.15	9	926.64	9	568.13	9	221.60	9		9		9		9	
1/4	1,994.70	1/4	1,636.19	1/4	1,277.68	1/4	919.17	1/4	560.66	1/4	214.69	1/4		1/4		1/4		1/4	
1/2	1,987.23	1/2	1,628.72	1/2	1,270.21	1/2	911.70	1/2	553.19	1/2	207.91	1/2		1/2		1/2		1/2	
3/4	1,979.77	3/4	1,621.26	3/4	1,262.74	3/4	904.23	3/4	545.72	3/4	201.13	3/4		3/4		3/4		3/4	
10	1,972.30	10	1,613.79	10	1,255.27	10	896.76	10	538.25	10	194.34	10		10		10		10	
1/4	1,964.83	1/4	1,606.32	1/4	1,247.80	1/4	889.29	1/4	530.78	1/4	187.56	1/4		1/4		1/4		1/4	
1/2	1,957.36	1/2	1,598.85	1/2	1,240.33	1/2	881.82	1/2	523.31	1/2	180.78	1/2		1/2		1/2		1/2	
3/4	1,949.89	3/4	1,591.38	3/4	1,232.87	3/4	874.36	3/4	515.84	3/4	174.00	3/4		3/4		3/4		3/4	
11	1,942.42	11	1,583.91	11	1,225.40	11	866.89	11	508.37	11	167.21	11		11		11		11	
1/4	1,934.95	1/4	1,576.44	1/4	1,217.93	1/4	859.42	1/4	500.90	1/4	160.43	1/4		1/4		1/4		1/4	
1/2	1,927.48	1/2	1,568.97	1/2	1,210.46	1/2	851.95	1/2	493.50	1/2	153.77	1/2		1/2		1/2		1/2	
3/4	1,920.02	3/4	1,561.50	3/4	1,202.99	3/4	844.48	3/4	486.10	3/4	147.12	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/08/2011 INSP
RECALCULATED: 10/11/2021 PMA
NAME CHANGE: 10/12/2021 PMA

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2021

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 29148"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 4'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	101	0	258	0	414	0	515	0		0		0		0		0	
1/4	1	1/4	104	1/4	261	1/4	417	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	107	1/2	264	1/2	420	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	110	3/4	268	3/4	423	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	113	1	271	1	426	1	1	1	1	1	1	1	1	1	1	1	1
1/4	4	1/4	116	1/4	275	1/4	429	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	119	1/2	278	1/2	432	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6	3/4	122	3/4	281	3/4	434	3/4		3/4		3/4		3/4		3/4		3/4	
2	7	2	125	2	285	2	437	2	2	2	2	2	2	2	2	2	2	2	2
1/4	9	1/4	128	1/4	288	1/4	440	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	131	1/2	292	1/2	443	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	12	3/4	134	3/4	295	3/4	445	3/4		3/4		3/4		3/4		3/4		3/4	
3	13	3	138	3	298	3	448	3	3	3	3	3	3	3	3	3	3	3	3
1/4	15	1/4	141	1/4	302	1/4	451	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	17	1/2	144	1/2	305	1/2	453	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19	3/4	147	3/4	309	3/4	456	3/4		3/4		3/4		3/4		3/4		3/4	
4	21	4	150	4	312	4	459	4	4	4	4	4	4	4	4	4	4	4	4
1/4	22	1/4	154	1/4	315	1/4	461	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	24	1/2	157	1/2	319	1/2	464	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	160	3/4	322	3/4	466	3/4		3/4		3/4		3/4		3/4		3/4	
5	28	5	163	5	325	5	469	5	5	5	5	5	5	5	5	5	5	5	5
1/4	31	1/4	167	1/4	329	1/4	471	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	33	1/2	170	1/2	332	1/2	473	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	35	3/4	173	3/4	335	3/4	476	3/4		3/4		3/4		3/4		3/4		3/4	
6	37	6	176	6	339	6	478	6	6	6	6	6	6	6	6	6	6	6	6
1/4	39	1/4	180	1/4	342	1/4	480	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	183	1/2	345	1/2	482	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	186	3/4	349	3/4	484	3/4		3/4		3/4		3/4		3/4		3/4	
7	47	7	190	7	352	7	487	7	7	7	7	7	7	7	7	7	7	7	7
1/4	49	1/4	193	1/4	355	1/4	489	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	51	1/2	196	1/2	358	1/2	491	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	200	3/4	362	3/4	493	3/4		3/4		3/4		3/4		3/4		3/4	
8	56	8	203	8	365	8	495	8	8	8	8	8	8	8	8	8	8	8	8
1/4	59	1/4	207	1/4	368	1/4	496	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	210	1/2	371	1/2	498	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	213	3/4	374	3/4	500	3/4		3/4		3/4		3/4		3/4		3/4	
9	67	9	217	9	378	9	502	9	9	9	9	9	9	9	9	9	9	9	9
1/4	70	1/4	220	1/4	381	1/4	503	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	72	1/2	223	1/2	384	1/2	505	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	75	3/4	227	3/4	387	3/4	506	3/4		3/4		3/4		3/4		3/4		3/4	
10	78	10	230	10	390	10	508	10	10	10	10	10	10	10	10	10	10	10	10
1/4	81	1/4	234	1/4	393	1/4	509	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	83	1/2	237	1/2	396	1/2	510	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	86	3/4	240	3/4	399	3/4	511	3/4		3/4		3/4		3/4		3/4		3/4	
11	89	11	244	11	402	11	512	11	11	11	11	11	11	11	11	11	11	11	11
1/4	92	1/4	247	1/4	405	1/4	513	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	251	1/2	408	1/2	514	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	98	3/4	254	3/4	411	3/4	514	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES

STRAPPED: 10/11/2021 CL
 COMPUTED: 10/11/2021 CL
 PRINTED: 10/11/2021 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 10/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "KIRBY 29148"

SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 5'-10"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	415	0	983	0	1,583	0	2,129	0		0		0		0		0	
1/4	5	1/4	426	1/4	996	1/4	1,595	1/4	2,139	1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	437	1/2	1,008	1/2	1,608	1/2	2,149	1/2		1/2		1/2		1/2		1/2	
3/4	15	3/4	448	3/4	1,021	3/4	1,620	3/4	2,159	3/4		3/4		3/4		3/4		3/4	
1	20	1	459	1	1,033	1	1,632	1	2,169	1		1		1		1		1	
1/4	26	1/4	470	1/4	1,046	1/4	1,644	1/4	2,179	1/4		1/4		1/4		1/4		1/4	
1/2	33	1/2	481	1/2	1,058	1/2	1,656	1/2	2,188	1/2		1/2		1/2		1/2		1/2	
3/4	39	3/4	492	3/4	1,071	3/4	1,668	3/4	2,198	3/4		3/4		3/4		3/4		3/4	
2	45	2	503	2	1,083	2	1,680	2	2,207	2		2		2		2		2	
1/4	52	1/4	515	1/4	1,096	1/4	1,692	1/4	2,217	1/4		1/4		1/4		1/4		1/4	
1/2	60	1/2	526	1/2	1,108	1/2	1,704	1/2	2,226	1/2		1/2		1/2		1/2		1/2	
3/4	67	3/4	538	3/4	1,121	3/4	1,716	3/4	2,235	3/4		3/4		3/4		3/4		3/4	
3	74	3	549	3	1,134	3	1,728	3	2,244	3		3		3		3		3	
1/4	82	1/4	561	1/4	1,146	1/4	1,740	1/4	2,253	1/4		1/4		1/4		1/4		1/4	
1/2	89	1/2	572	1/2	1,159	1/2	1,752	1/2	2,262	1/2		1/2		1/2		1/2		1/2	
3/4	97	3/4	584	3/4	1,171	3/4	1,764	3/4	2,271	3/4		3/4		3/4		3/4		3/4	
4	105	4	595	4	1,184	4	1,776	4	2,280	4		4		4		4		4	
1/4	113	1/4	607	1/4	1,196	1/4	1,788	1/4	2,288	1/4		1/4		1/4		1/4		1/4	
1/2	122	1/2	619	1/2	1,209	1/2	1,799	1/2	2,296	1/2		1/2		1/2		1/2		1/2	
3/4	130	3/4	630	3/4	1,222	3/4	1,811	3/4	2,305	3/4		3/4		3/4		3/4		3/4	
5	138	5	642	5	1,234	5	1,823	5	2,313	5		5		5		5		5	
1/4	147	1/4	654	1/4	1,247	1/4	1,834	1/4	2,321	1/4		1/4		1/4		1/4		1/4	
1/2	156	1/2	666	1/2	1,259	1/2	1,846	1/2	2,329	1/2		1/2		1/2		1/2		1/2	
3/4	165	3/4	678	3/4	1,272	3/4	1,857	3/4	2,336	3/4		3/4		3/4		3/4		3/4	
6	174	6	690	6	1,284	6	1,869	6	2,344	6		6		6		6		6	
1/4	183	1/4	702	1/4	1,297	1/4	1,880	1/4	2,351	1/4		1/4		1/4		1/4		1/4	
1/2	192	1/2	714	1/2	1,310	1/2	1,892	1/2	2,358	1/2		1/2		1/2		1/2		1/2	
3/4	201	3/4	726	3/4	1,322	3/4	1,903	3/4	2,366	3/4		3/4		3/4		3/4		3/4	
7	211	7	738	7	1,335	7	1,915	7	2,373	7		7		7		7		7	
1/4	220	1/4	750	1/4	1,347	1/4	1,926	1/4	2,379	1/4		1/4		1/4		1/4		1/4	
1/2	230	1/2	762	1/2	1,360	1/2	1,937	1/2	2,385	1/2		1/2		1/2		1/2		1/2	
3/4	239	3/4	774	3/4	1,372	3/4	1,948	3/4	2,392	3/4		3/4		3/4		3/4		3/4	
8	249	8	786	8	1,385	8	1,959	8	2,398	8		8		8		8		8	
1/4	259	1/4	798	1/4	1,397	1/4	1,970	1/4	2,403	1/4		1/4		1/4		1/4		1/4	
1/2	269	1/2	810	1/2	1,410	1/2	1,981	1/2	2,408	1/2		1/2		1/2		1/2		1/2	
3/4	279	3/4	823	3/4	1,422	3/4	1,992	3/4	2,413	3/4		3/4		3/4		3/4		3/4	
9	289	9	835	9	1,435	9	2,003	9	2,418	9		9		9		9		9	
1/4	299	1/4	847	1/4	1,447	1/4	2,014	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	309	1/2	859	1/2	1,460	1/2	2,025	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	319	3/4	872	3/4	1,472	3/4	2,036	3/4		3/4		3/4		3/4		3/4		3/4	
10	330	10	884	10	1,484	10	2,046	10		10		10		10		10		10	
1/4	340	1/4	896	1/4	1,497	1/4	2,057	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	351	1/2	909	1/2	1,509	1/2	2,067	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	361	3/4	921	3/4	1,522	3/4	2,078	3/4		3/4		3/4		3/4		3/4		3/4	
11	372	11	934	11	1,534	11	2,088	11		11		11		11		11		11	
1/4	382	1/4	946	1/4	1,546	1/4	2,099	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	393	1/2	958	1/2	1,559	1/2	2,109	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	404	3/4	971	3/4	1,571	3/4	2,119	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT "MMC" VALVE

STRAPPED: 10/11/2021 CL
 COMPUTED: 10/11/2021 CL
 PRINTED: 10/11/2021 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 10/2021

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>