

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 May 2024 Expiration Date: 13 May 2029

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name		Official Number	IMC) Number	Call Sign	Service	
KIRBY 29152		1252009				Tank Ba	arge
Mallia B			in the production of the second				
Hailing Port		Hull Ma	aterial	Horsepower	Propulsion		
GIBSON, LA		Stee					
LINITED STA	TEC						
UNITED STA	IES						
Chawe mains		he more and the					
Place Built	TV Thi	Delivery D	ate Keel Laid Dat	e Gross Tons	Net Tons	DWT	Length
ASHLAND C	IIY, IN	08Apr2	2014 04Mar20	14 R-1619	R-1619		R-297.5
UNITED STA	TES		Water Barrier	le .	l-		10
3111122 3171	VSV (Learning						
0				Name to a			
Owner KIRBY INLAN	ID MARINE LP			Operator KIRBY INLAND	MARINE LP		
55 WAUGH D	OR STE 1000			18350 MARKE	T ST.		
HOUSTON, T				CHANNELVIEV			
UNITED STA	IES			JNITED STATE	ES		
This vessel m	uet he manned with	th the following lice	anced and unline	need Personne	al Included in a	which there m	ist he
		fied Tankermen, 0					uot be
0 Masters	0 Lic	censed Mates (Chief Engineers	0.0	Oilers		747422
0 Chief Mates	O Fir	st Class Pilots (First Assistant En	gineers			
0 Second Mai	tes 0 Ra	edio Officers (Second Assistant	Engineers			
0 Third Mates	0 At	ole Seamen (Third Assistant E	ngineers			
0 Master Firs	t Class Pilot 0 Or	dinary Seamen (O Licensed Enginee	ers			
0 Mate First 0	Class Pilots 0 De	eckhands (Qualified Member	Engineer			(4,225,231)
In addition, the Persons allow		y 0 Passengers, 0	Other Persons	in crew, 0 Pers	ons in addition	to crew, and r	no Others. Total
Route Perm	itted And Conditi	ons Of Operation	1:		Maria di N		
		unds plus Lin		wise			
	Charles (Allen)	William Total			hotuses Ch	Marka and C	urrahalla
Also, in fai Florida.	r weather only,	not more than t	MetAe (15) wil	les from shore	e between St.	marks and Ca	illabelle,
This vessel	has been granted	d a fresh water	service examin	nation interva	al per 46 CFR	31.10-21(a)	(2). If this
vessel is op	erated in salt	water more than	6 months in ar	y 12 month pe	eriod, the ves	ssel must be	inspected using
	atus occurs.	CFR 31.10-21(a)	(1) and the co	ognizant OCMI	notified in v	writing as so	on as this
This tank ba	rge is particip	ating in the Eig	hth Coast Guar	d District's	Tank Barge St	treamlined Ir	nspection Program
***SEE NEX	CT PAGE FOR A	DDITIONAL CER	RTIFICATE INF	ORMATION**	t st		orA&T @
							in Charge, Marine
Inspection. M	arine Safety Unit F	Port Arthur certified	d the vessel, in a	all respects, is in	n conformity wit	th the applicat	ole vessel inspection
		ns prescribed ther			To the state of th	1 21 2	de Trans
	Annual/Period	ic/Re-Inspection	Lon Level Villa	This certifica	ate issued by: `	Fa d	Woodnas
Date	Zone	A/P/R Si	gnature		WOODMAN,		By direction
U				Officer in Charge,		1/8)	CANAL SAL
				10 may 1	Marine Safe	ety Unit Port A	rthur Ka

Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 May 2024 **Expiration Date:** 13 May 2029

Certificate of Inspection

Vessel Name: KIRBY 29152

(TBSIP). Inspection activities aboard this barge shall be conducted per its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Jan2032

25Jan2022

08Apr2014

Internal Structure

31May2029

13May2024

23Apr2019

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated

Part154 Regulated

29192

Barrels

Α

Yes

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	848	13.6
2 P/S	860	13.6
3 P/S	751	13.6

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
l1	3814	10ft Oin	13.6	
Ш	4684	11ft 9in	13.6	

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial No. C1-1400860, dated 14-Mar-14, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

Per 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial No. C1-1400860, dated March 14, 2014, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Per 46 CFR 151.10-15(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft

^{*}Vapor Control Authorization*

^{*}Stability and Trim.*



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 May 2024 Expiration Date: 13 May 2029

Certificate of Inspection

Vessel Name: KIRBY 29152

allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Fuel Tanks

Internal Examinations

Tank ID	Previous	Last	Nex
Machinery Deck	Jan 14	08Apr2014	-
Slop		08Apr2014	-

Cargo Tanks

	Internal Exam	1		External Exa	m	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	08Apr2014	13May2024	31May2034			12
2 P/S	08Apr2014	13May2024	31May2034			
3 P/S	08Apr2014	13May2024	31May2034			102
			Hydro Test			
Tank Id	Safety Valves	5	Previous	Last	Next	
1 P/S	-			08Apr2014	-	
2 P/S	-			08Apr2014		
3 P/S	•			08Apr2014	-	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 2 40-B

END



Serial #: C1-1400860 14-Mar-14

Cargo Authority Attachment

Shipyard: Trinity Ashland City

Hull #: 5027

Official #: 1252009

-	CFR 151 Tank (k Group Information		Charac dentificati	1 1 1 1 1 1 1 1	tics	Cargo		Tanks		Carg		Environ		Fire	Special Require	ments		
Tni	Tanks in Group	Density	Press.	Temp.	Hull Typ	Seq	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec	Temp Cont
A	#1P/S, #2P/S, #3P/S	13.6	Atmos.	Amb.	И	1ii 2ii	Integral Gravity	PV	Closed	li	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(b), (c), (e), (f), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	n					Conditions of Carriage						
						1	Vapor Re	ecovery		S Land		
Name	Chem Code	Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat1s of	Insp. Period		
Authorized Subchapter O Cargoes				10.79				W.		THE S		
Acetonitrile	ATN	37	0	С	10	Α	Yes	3	No	6		
Acrylonitrile	ACN	15 ²	0	С	H	Α	Yes	4	.50-70(a), .55-1(e)	0		
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	o.		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA		Α	No	N/A	.50-81, .50-86	G		
Aminoethylethanolamine	AEE	8	0	E	181	Α	Yes	1	.55-1(b)	G		
Ammonium bisulfite solution (70% or less)	ABX	43 ²	0	NA	01	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G		
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	111	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	II	Α	No	N/A	No	G		
Benzene	BNZ	32	0	С	IH	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 ²	0	С	- 00	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	m	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	втх	32	0	B/C	101	Α	Yes	1	.50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	- 01	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	BMH	1 14	0	D	91	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	10	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	CPC	18	0	D	IL	Α	No	N//	No No	G		
Carbon tetrachloride	CBT	36	0	NA	III	Α	No	N//	A No	G		
Caustic potash solution	CPS	5 2	0	NA	III	Α	No	N//	.50-73, .55-1(j)	G		
Caustic soda solution	CSS	5 ²	0	NA	10	Α	No	N//	A .50-73, .55-1(j)	G		
Chemical Oil (refined, containing phenolics)	COL	21	0	E	В	A	No	N//	Ą .50-73	G		
Chlorobenzene	CRE	3 36	0	D	111	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	111	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	10	A	Yes	1	.50-73	G		
Creosote	CCV	V 21 ²	0	Ε	111	A	Yes	1	No	G		
Cresols (all isomers)	CRS	3 21	0	E	111	Α	Yes	3 1	No	G		
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/	A .50-73, .55-1(b)	G		
Cresylic acid tar	CRX	(0	E	10	Α	Yes	1	.55-1(f)	G		
Crotonaldehyde	CTA			С	It	Α	Yes	3 4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHO		0	С	01	Α	No	N/	A No	G		
Cyclohexanone	CCI	1 18	0	D	III	Α	Yes	s 1	.56-1(a), (b)	G		
Cyclohexanone, Cyclohexanol mixture	CYX	(18 ²	0	E	10	Α	Yes	3 1	.58-1 (b)	G		
Cyclohexylamine	CH	A 7	0	D	161	Α	Yes	s 1	.56-1(a), (b), (c), (g)	G		





Certificate of Inspection

Cargo Authority Attachment

Official #: 1252009

Page 2 of 8

Shipyard: Trinity Ashland City

14-Mar-14

Cargo Identificatio	n					Conditions of Carriage						
				9	23	F	Vapor R	ecovery		1		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mal1s of	Insp. Period		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	- 11	Α	Yes	1	.50-60, .56-1(b)	G		
iso-Decyl acrylate	IAI	14	0	E	311	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G		
Dichlorobenzene (all isomers)	DBX	36	0	E)H	A	Yes	3	.56-1(a), (b)	G		
1.1-Dichloroethane	DCH	36	0	С	10	Α	Yes	1	No	G		
2,2'-Dichloroethyl ether	DEE	41	0	D	- 15	Α	Yes	1	.55-1(f)	G		
Dichloromethane	DCM	36	0	NA	BL	Α	Yes	5	No	G		
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	UU	Α	No	N/A	.56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 12	0	Α	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, trilsopropanolamine salt solution	DTI	43 ²	0	E	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G		
1,1-Dichloropropane	DPB	36	0	С	101	Α	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	С	- 111	A	Yes	3	No	G		
1,3-Dichloropropane	DPC	36	0	С	101	Α	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	11	Α	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	- 0	Α	Yes	1	No	G		
Diethanolamine	DEA	8	0	E	UI	Α	Yes	1_	.55-1(c)	G		
Diethylamine	DEN	7	0	С	- 01	Α	Yes	3	.55-1(c)	G		
Diethylenetriamine	DET	7 2	0	Е	III	Α	Yes	1	.55-1(c)	G		
Diisobutylamine	DBU	7	0	D	111	A	Yes	3	.55-1(c)	G		
Diisopropanolamine	DIP	8	0	E	111	Α	Yes	1	.55-1(c)	G		
Diisopropylamine	DIA	7	0	С	11	A	Yes	3	.55-1(c)	G		
N,N-Dimethylacetamide	DAC	10	0	E	10	A	Yes	3	.56-1(b)	G		
Dimethylethanolamine	DMB	8	0	D	111	Α	Yes	1	.56-1(b), (c)	G		
Dimethylformamide	DMF		0	D	111	A	Yes	1	.55-1(a)	G		
Di-n-propylamine	DNA	7	0	С	IL	A	Yes	3	.55-1(c)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT		0	E	In	A	No	N/A		G		
Dodecyl diphenyl ether disulfonate solution	DOS	_	0	#	- 0	A	No	N/A		G		
EE Glycol Ether Mixture	EEG		0	Ď	III	A	No	N/A		G		
Ethanolamine	MEA		0	E	- 111	A	Yes	1	55-1(c)	G		
Ethyl acrylate	EAC		0	c		A	Yes	2	50-70(a), 50-81(a), (b)	6		
Ethylamine solution (72% or less)	EAN		0	A	- 11	A	Yes	6	.55-1(b)	G		
N-Ethylbutylamine	EBA		0	D		A	Yes	3	56-1(b)	G		
N-Ethylcyclohexylamine	ECC		0	D	111	A	Yes	1	.55-1(b)	G		
Ethylene cyanohydrin	ETC		0	E	101	A	Yes	1	No	G		
Ethylenediamine	EDA		0	D	18	A	Yes		.55-1(c)	G		
Ethylene dichloride	EDC		0	c	101	A	Yes	1	No	G		
Ethylene glycol hexyl ether	EGH		0	Ε	10	A	No	N/A		G		
Ethylene glycol monoalkyl ethers	EGC		-	D/E	101		Yes	4	No			
Ethylene glycol propyl ether	EGP		0	E	10	A		4	No	G		
2-Ethylhexyl acrylate	EAI	14	0	E	111		Yes		.50-70(a), .50-81(a), (b)	G		
Ethyl methacrylate	ETM		0	D/E		Α Α	Yes		.50-70(a) .50-81(a), (b)	G		
2-Ethyl-3-propylacrolein	EPA		0	E	- 111	A	Yes	-	No No	G		
Formaldehyde solution (37% to 50%)	FMS		-		- 81	A .	Yes					
Furfural	FFA		-0	D/E	- 01	A	Yes		.55-1(h)	G		
Glutaraldehyde solution (50% or less)	GTA		-	D	01	A	Yes		.55-1(h)	G		
Hexamethylenediamine solution	HMC	-	0	NA C	- 01	A	No	N/A		G		
Hexamethyleneimine		_	0	E	- 311	A	Yes		.55-1(c)	G		
Hydrocarbon 5-9	HMI		0	_ C	II.	A	Yes		.56-1(b), (c)	G		
Isoprene	IPR	30	0	C A	111	A	Yes	1	.50-70(s), .50-81(e), (b)	G		

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Official #: 1252009

Certificate of Inspection

Cargo Authority Attachment

Page 3 of 8

Shipyard: Trinity Ashland City

C1-1400860

14-Mar-14

Cargo Identification	,		arole -			Conditions of Carriage					
		Page 1						Recovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS Category	Special Requirements in 46 CFR 151 General and Mat's of	Insp. Period	
Isoprene, Pentadiene mixture	IPN		0	В	101	Α	No	N/A	.50-70(a), .55-1(c)	G	
Kraft pulping liquors (free alkall content 3% or more)(including: Black Green, or White liquor)	, KPL	5	0	NA	311	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G	
Mesityl oxide	MSO	18 2	0	D	Ш	Α	Yes	1	No	G	
Methyl acrylate	MAN	1 14	0	С	10	Α	Yes	2	50-70(a), 50-81(a), (b)	G	
Methylcyclopentadiene dimer	MCK	30	0	С	- 61	Α	Yes	1	No	G	
Methyl diethanolamine	MDE	8	0	E	- 01	Α	Yes	1	56-1(b), (c)	G	
2-Methyl-5-ethylpyridine	MEP	9	0	E	111	Α	Yes	1	.55-1(e)	G	
Methyl methacrylate	MMN	A 14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
2-Methylpyridine	MPR	9	0	D	10	Α	Yes	3	.55-1(c)	G	
alpha-Methylstyrene	MSR	30	0	D	191	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
Morpholine	MPL	72	0	D	III	Α	Yes	1	55-1(c)	G	
Nitroethane	NTE	42	0	D	II	Α	No	N/A	.50-81, 56-1(b)	G	
1- or 2-Nitropropane	NPM	1 42	0	D	10	Α	Yes	1	50-81	G	
1,3-Pentadiene	PDE	30	0	Α	H)	Α	Yes	7	50-70(a), 50-81	G	
Perchloroethylene	PER	36	0	NA	- OI	Α	No	N/A	No	G	
Polyethylene polyamines	PEB	72	0	Ε	III	Α	Yes	1	.55-1(a)	G	
Iso-Propanolamine	MPA	8	0	E	Ш	Α	Yes	1	55-1(c)	G	
Propanolamine (iso-, n-)	PAX	. 8	0	E	III	Α	Yes	1	.56-1(b), (c)	G	
iso-Propylamine	IPP	7	0	Α	Ш	Α	Yes	5	.55-1(c)	G	
Pyridine	PRD	9	0	С	UI	Α	Yes	1	.55-1(e)	G	
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0		III	Α	No	N/A	.50-73, .55-1(j)	G	
Sodium aluminate solution (45% or less)	SAU	5	0	NA	10	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G	
Sodium chlorate solution (50% or less)	SDD	0.4	5 0	NA	- III	Α	No	N/A	.50-73	G	
Sodium hypochlorite solution (20% or less)	SHC	5	0	NA	- 01	Α	No	N/A	.50-73, .56-1(a), (b)	G	
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 %	2 0	NA	Ш	Α	Yes	1	.50-73, .55-1(b)	G	
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1	2 0	NA	III	Α	No	N/A	.50-73, .55-1(b)	в	
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1.	2 0	NA	Ш	Α	No	N/A	.50-73, .55-1(b)	G	
Styrene (crude)	STX		0	D	- 01	Α	Yes	2	No	G	
Styrene monomer	STY	30	0	D	HI	A	Yes	2	.50-70(a), .50-81(a), (b)	G	
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	Ш	Α	No	N//	No	G	
Tetraethylenepentamine	TTP	7	0	Е	10	Α	Yes	3 1	.55-1(c)	G	
Tetrahydrofuran	THE	41	0	С	- 10	Α	Yes	3 1	.50-70(b)	G	
Toluenediamine	TDA	9	0	Ε		Α	No	N//	.50-73, .56-1(a), (b), (c), (g)	G	
1,2,4-Trichlorobenzene	TCE	36	0	E	- 111	A	Yes	3 1	No	G	
1,1,2-Trichloroethane	TCN	A 36	0	NA	115	Α	Yes	1	.50-73, .56-1(a)	G	
Trichloroethylene	TCL	. 36 ²	0	NA	10	Α	Yes	s 1	No	G	
1,2,3-Trichloropropane	TCN	J 36	0	Е	- 0	Α	Yes	3	.50-73, .56-1(a)	G	
Triethanolamine	TEA	8 2	0	Е))(Α	Yes	3 1	.55-1(b)	G	
Triethylamine	TEN	1 7	0	С	II	Α	Yes	s 3	.55-1(e)	G	
Triethylenetetramine	TET	7 2	0	Е	10	Α	Yes	s 1	.55-1(b)	G	
Triphenylborane (10% or less), caustic soda solution	TPE	5	0	NA	19	Α	No	N/A	A Control of the Cont	G	
Trisodium phosphate solution	TSF	5	0	NA	UI	Α	No	N/a	Д .50-73, .56-1(a), (c).	G	
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	01	Α	No	N/a	A .56-1(b)	G	
Vanillin black liquor (free alkali content, 3% or more).	VBL	. 5	0	NA	310	Α	No	N/		G	
Vinyl acetate	VAN	A 13	0	C	111	A	Yes	s 2	.50-70(a), .50-81(a), (b)	G	
Villy doctate	0,741	, ,,	-	~	711		10.			G	



Department of Homeland Security United States Coast Guard

Serial #: C1-1400860 Dated: 14-Mar-14

Certificate of Inspection

Cargo Authority Attachment

Official #: 1252009

Page 4 of 8

Shipyard: Trinity Ashland City

Cargo Identificatio	n						(Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Pecovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
/inyttoluene	VNT	13	0	D	Ш	Α	Yes	2	50-70(a), 50-81, 58-1(a), (b), (c), (G
ubchapter D Cargoes Authorized for Vapor Contr	ol	-							-277	
Acetone	ACT	18 ²	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	E		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	ε		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		A	Yes	1		-
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1		
Arnyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D	30	A	Yes	1		
Benzyl atcohol	BAL	21	D	Ε	100	A	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and heir borate esters)	BFX	20	D	E		Α	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		A	Yes	1		
Butyl alcohot (iso-)	IAL	20 ²	D	D		A	Yes	1		
Butyl alcohol (n-)	BAN	20 2	D	D		A	Yes	1		
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT		D	С		A	Yes	1		-
Butyl benzyl phthalate	ВРН	34	D	E		A	Yes	1		
Bulyl toluene	BUE	32	D	D		A	Yes	1		-
Caprolactam solutions	CLS	22	D	E		A	Yes	1		
Cyclohexane	CHX	31	D	С		A	Yes	1		
Cyclohexanol	CHN	20	D	E		A	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		A	Yes	2		
p-Cymene	CMP	32	D	D	-	A	Yes	1		
iso-Decaldehyde	IDA	19	D	E		A	Yes	1		
n-Decaldehyde	DAL	19	D	E		A	Yes	1		
Decene	DCE	30	D	D		A	Yes	1		
Decyl alcohol (all isomers)	DAX	20 2	D	E		A	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1		-
Diacetone alcohol	DAA	20 ²	D	٥		A	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		A	Yes	1		
Diethylbenzene	DEB	32	D	0		A	Yes	1		
Diethylene glycol	DEG	40 2	D	E	-	Ā	Yes	1		
Diisobutylene	DBL	30	D	c	_	A	Yes	1		-
Diisobutyl ketone	DIK	18	D	D		A	Yes	1		-
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	_		
Dimethyl phthalate	DTL	34	D	E		Ā	Yes	1		
Dioctyl phthalate	DOP	34	D	E		Ā	-			
Dipentene	DPN	30	D	D		A	Yes	1		
Diphenyl	OIL	32	D	D/E	_		Yes	1		
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		A	Yes	1		
Diphenyl ether	DPE	41	D	(E)		A	Yes	1 1		
Dipropylene glycol	DPG	40		(E)			Yes	1		
Distillates: Flashed feed stocks	DFF	33	D D	Ē		A .	Yes	11		
	DSR	33	_ D	E	_	A	Yes	1		-
Distillates: Straight run		- La		=		A	Yes	1		
Distillates: Straight run Dodecene (all isomers)				170				_		-
Distillates: Straight run Dodecene (all isomers) Dodecylbenzene, see Alkyl(C9+)benzenes	DOZ	30	D D	D E		A	Yes	1		

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Serial #: C1-1400860 Dated: 14-Mar-14

Certificate of Inspection

Cargo Authority Attachment

Shipyard: Trinity Ashland City

Hull #: 5027

Official #: 1252009

Page 5 of 8

Cargo Identificatio	Cargo Identification									Conditions of Carriage						
				I I			Vapor	Recovery								
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period						
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1								
Ethyl acetate	ETA	34	D	С		Α	Yes	1								
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1								
Ethyl alcohol	EAL	20 ²	D	С		Α	Yes	1								
Ethylbenzene	ЕТВ	32	D	С		Α	Yes	1								
Ethyl butanol	EBT	20	D	D		Α	Yes	1	N. 1/45	1,500						
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1	0.00							
Ethyl butyrate	EBR	34	D	D	-	Α	Yes	1								
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1								
Ethylene glycol	EGL	20 ²	D	Ε		Α	Yes	1								
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1								
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	1								
Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1								
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1	The second second							
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1_		1000						
Ethyl proplonate	EPR	34	D	С		Α	Yes	1								
Ethyl toluene	ETE	32	D	D		Α	Yes	1								
Formamide	FAM	10	D	E		Α	Yes	1	ALC: LINES AVE.							
Furfuryl alcohol	FAL	20 2	D	E		Α	Yes	1								
Gasoline blending stocks: Alkylates	GAK	33	D	A/C	1000	Α	Yes	1								
Gasoline blending stocks: Reformates	GRF	33	D	A/C	- 31	Α	Yes	1								
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1								
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1								
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1								
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1								
Gasolines: Straight run	GSR	33	D	A/C	- 11	Α	Yes	1								
Glycerine	GCR	20 2	D	E		Α	Yes	1								
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ	31	D	С		Α	Yes	1								
Heptanoic acid	HEP	4	D	E		Α	Yes	1								
Heptanol (all isomers)	HTX	20	D	D/E	777	Α	Yes	1								
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2								
Heptyl acetate	HPE	34	D	Е	ere i	Α	Yes	1	w to the second	- In.						
Hexane (all Isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		Α	Yes	1		THE P						
Hexanoic acid	нхо	4	D	Ε		Α	Yes	. 1		LIME						
Hexanol	HXN	20	D	D		Α	Yes	. 1								
Hexene (all isomers)	HEX	30	D	С		Α	Yes	. 2								
Hexylene glycol	HXG	20	D	E		Α	Yes	1		Total I						
Isophorone	IPH	18 ²	D	E		Α	Yes	1								
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1		e III						
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1	Salara Salara	Alle India						
Kerosene	KRS		D	D		Α	Yes	1	The Landson Co.							
Methyl acetate	MTT		D	D	-	Α	Yes									
Methyl alcohol	MAL		D	С		Α	Yes									
Methylamyl acetate	MAC		D	D		Α	Yes									
Methylamyl alcohol	MAA		D	D		Α	Yes									
Methyl amyl ketone	MAK		D	D		A	Yes		TELEVAL STATE OF							
			D	С			Yes									

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Serial #: C1-1400860 Dated: 14-Mar-14

Certificate of Inspection

Cargo Authority Attachment

Official #: 1252009

Page 6 of 8

Shipyard: Trinity Ashland City

Cargo Identifica	Conditions of Carriage									
				Ī				Recovery		16
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and MatTs of	Insp. Period
Methyl butyl ketone	MBK	18	D	С	385	A	Yes	1	2	12
Methyl butyrate	MBU	34	D	С		A	Yes	. 1		
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	1		
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1		
Methyl isobutyl ketone	MIK	18 ²	D	С		Α	Yes	1		
Methyl naphthalene (molten)	MNA	32	D	E	-	Α	Yes	1		
Mineral spirits	MNS	33	D	D		Α	Yes	1		-
Myrcene	MRE	30	D	D		Α	Yes	1		_
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		A	Yes	1		
Naphtha: Solvent	NSV	33	D	D		A	Yes	1		SULUIT
Naphtha: Stoddard solvent	NSS	33	D	D		A	Yes	1		100,0
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		A	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D	_	A	Yes	1		
Nonene (all isomers)	NON	30	D	D	-	A	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		A	Yes	1		
Nonyl phenol	NNP	21	D	E		A	Yes	1		_
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Ā	Yes	1		_
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	c		A	Yes	1		_
Octanoic acid (all isomers)	OAY	4	D	E		Â	Yes	1		
Octanol (all isomers)	OCX	20 2	D	E						
Octene (all isomers)	OTX	30	D	C		A	Yes	1 1		
Oil, fuel: No. 2	OTW	33	D	D/E			Yes	2		-
Oil, fuel: No. 2-D	OTD	33	D	D	_	_ <u>A</u>	Yes	1		
Oil, fuel: No. 4	OFR	33	D			A .	Yes	1		
Oil, fuel: No. 5	OFV	-		D/E	-	A	Yes	1		
Oil, fuel: No. 6		33	D	D/E		Α .	Yes	1		
Oil, misc: Crude	OSX	33	D	E	-	A	Yes	1		
Oil, misc: Clude Oil, misc: Diesel	OIL	33	D	C/D	_	A	Yes	1		
	ODS	33	D	D/E	_	A	Yes	1		
Oil, misc: Gas, high pour	OGP	33	D	E	_	Α	Yes	1		
Oil, misc: Lubricating	OLB	33	0	E		A	Yes	_1_		
Oil, misc: Residual	ORL	33	0	E	_	A	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	Ę	_	A	Yes	1		
Pentane (all Isomers)	PTY	31	D	Α		Α	Yes	5		-
Pentene (all isomers)	PTX	30	D	A		Α	Yes	5		_
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1		
alpha-Pinene	PIO	30	D	D		Α	Yes	1_	3	
beta-Pinene	PIP	30	D	D		Α	Yes	_1		- 0:
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		Α	Yes	1		-
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1		
Polybutene	PLB	30	D	E		Α	Yes	1		3
Polypropylene glycol	PGC	40	D	E		Α	Yes	1	187	
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1		
iso-Propyl alcohol	IPA	20 ²	D	С		Α	Yes	1		
n-Propyl alcohol	PAL	20 2	D	С	17.00	Α	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D		A	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1		- 0





Official #: 1252009

Serial #: C1-1400860 Dated: 14-Mar-14

Certificate of Inspection

Cargo Authority Attachment

Page 7 of 8

Shipyard: Trinity Ashland City

Cargo Identification						Conditions of Carriage				
							Vapor Recovery			The state of
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Propylene glycol	PPG	20 ²	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D	70-1	Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E	1000	Α	Yes	1		
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1.00	per la	
Tetrahydronaphthalene	THN	32	D	Е		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1	e de amountaine de la company	
Triethylbenzene	TEB	32	D	E		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	È	Am	Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1	SESSONAL TOTAL	
1-Undecyl alcohol	UND	20	D	E	15	Α	Yes	1	The second secon	
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Department of Homeland Security United States Coast Guard

Serial #: C1-1400860

14-Mar-14

Certificate of Inspection

Cargo Authority Attachment

Official #: 1252009

Page 8 of 8

Shipyard: Trinity Ashland

Hull #: 5027

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables t and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

Note 1

Note 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchaoter Subchapter D Subchapter O Note 3

Note 4

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

B, C

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person in Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of lammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchanter D.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N)

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" Isled on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category:

Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vesser's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

Category 7

The cargo has not been evaluated/classified for use in vapor control systems