


NO	DESCRIPTION
7V	8" HEADER VALVE
8V	8" VENT STACK VALVE
9V	DRAIN VALVE
10V	HIGH LEVEL/OVERFILL ALARM
11V	1-METER GAUGE STICK
16V	VAPOR VENT STACK
19V	EMERGENCY ENGINE SHUT DOWN
28V	DOCK CONNECTION ALARM

NO	DESCRIPTION
38V	8" VAPOR PENETRATION
39V	PRESSURE/VACUUM VALVE
50V	8" VAPOR HEADER
51V	8" VAPOR PIPELINE
59V	PRESS/VAC GAUGE
73V	MMC GAUGE POINT
—	ABOVE DECK PIPING

NOTE 2: TYPICAL RIGGING IN EACH TANK  
NOTE 1: CONTAINMENT P/S

EX: SMS 30065

						KIRBY INLAND MARINE			
						VAPOR			
						PIPING FLOW DIAGRAM			
0	06/29/24	MRV	DDA	REM	ISSUED FOR APPROVAL	SCALE: NONE		KIRBY 29158	REV. 0
REV.	DATE	BY	CHK	APP	REVISION DESCRIPTION	PAGE: 2 OF 3			

SCALE:	NONE
PAGE:	3 OF 3