



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 01 Apr 2016
Expiration Date: 01 Apr 2021

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

| | | | | | | |
|---|--|----------------|------------|------------|-----|---------|
| Vessel Name | Official Number | IMO Number | Call Sign | Service | | |
| KIRBY 30012 | 1037821 | | | Tank Barge | | |
| Hailing Port | Hull Material | Horsepower | Propulsion | | | |
| WILMINGTON, DE | Steel | | | | | |
| UNITED STATES | | | | | | |
| Place Built | Delivery Date | Keel Laid Date | Gross Tons | Net Tons | DWT | Length |
| GULFPORT, Mississippi | 16Jan1996 | | R-1619 | R-1619 | | R-297.5 |
| UNITED STATES | | | I- | I- | | I-0 |
| Owner | Operator | | | | | |
| KIRBY INLAND MARINE INC OF TEXAS 55 Waugh Drive Suite 1000 Houston, TX 77007 UNITED STATES | KIRBY INLAND MARINE INC OF MISS 16402 1/2 DE ZAVALA CHANNELVIEW, TX 77530 UNITED STATES | | | | | |

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

| | | | |
|-----------------------------|----------------------|-------------------------------|-----------------------------------|
| 0 Masters | 0 Licensed Mates | 0 Chief Engineers | 0 Qualified Member Engineer Depts |
| 0 Chief Mates | 0 First Class Pilots | 0 First Assistant Engineers | 0 Oilers |
| 0 Second Mates | 0 Radio Officers | 0 Second Assistant Engineers | 0 Crew Members |
| 0 Third Mates | 0 Able Seamen | 0 Third Assistant Engineers | |
| 0 Master First Class Pilots | 0 Ordinary Seamen | 0 Licensed Engineers | |
| 0 Mate First Class Pilots | 0 Deckhands | 0 Non Licensed Engineer Depts | |

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Houston Texas UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

| Annual/Periodic/Re-Inspection | | | | Signature | This certificate issued by: ERIC M. CARRERO, CDR, USCG, BY DIRECTION |
|-------------------------------|------------|-------|--|-----------|---|
| Date | Zone | A/P/R | | | |
| 1-27-17 | BRIA | A | | | |
| 10 APR 18 | HOUMS | P | | | |
| 4-23-18 | HOU | A | | | |
| 6-30-20 | BRIA TBSIP | A | | | |

Officer in Charge, Marine Inspection
Sector Houston-Galveston
Inspection Zone



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 01 Apr 2016
Expiration Date: 01 Apr 2021

Certificate of Inspection

Vessel Name: KIRBY 30012

shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCM Houston-Galveston.

---Hull Exams---

| Exam Type | Next Exam | Last Exam | Prior Exam |
|--------------------|-----------|-----------|------------|
| DryDock | 21Mar2021 | 21Mar2011 | 16Jan2001 |
| Internal Structure | 01Apr2021 | 01Apr2016 | 06Feb2006 |

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

| Total Capacity | Units | Highest Grade Type | Part151 Regulated | Part153 Regulated | Part154 Regulated |
|----------------|---------|--------------------|-------------------|-------------------|-------------------|
| 30800 | Barrels | A | Yes | No | No |

Hazardous Bulk Solids Authority

Loading Constraints - Structural

| Tank Location Description | Maximum Load (short tons) | Maximum Density (lbs/gal) |
|---------------------------|---------------------------|---------------------------|
| 1 P/S | 91 | 15.000 |
| SLOP TK | 1 | 15.000 |
| 3 P/S | 77 | 15.000 |
| 2 P/S | 83 | 15.000 |

Loading Constraints - Stability

| Hull Type | Max Cargo Weight/Tank (short tons) | Maximum Draft (Ft/In) | Max Density (lbs/gal) | Route Description |
|-----------|------------------------------------|-----------------------|-----------------------|--------------------------------|
| II | 3923 | 10ft 0in | 15.0 | RIVERS; LAKES, BAYS AND SOUNDS |
| III | 4796 | 11ft 9in | 15.0 | RIVERS; LAKES, BAYS AND SOUNDS |

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN95015282, dated 16-JAN-01, and Grade "A" and lower cargoes may be carried.

Vapor Control Authorization

This vessel's vapor control system has been inspected to the plans approved by the Marine Safety Center letter serial #C2-9502602 dated 28JUN95, and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in that letter, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. An overfill alarm is required by 46 CFR 39.20-7.

In accordance with 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Stability and Trim



Certificate of Inspection

Vessel Name: KIRBY 30012

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

--- Inspection Status ---

Cargo Tanks

| Tank Id | Internal Exam | | | External Exam | | |
|---------|---------------|-----------|-----------|---------------|------|------|
| | Previous | Last | Next | Previous | Last | Next |
| 1 P/S | 16Jan2001 | 21Mar2011 | 21Mar2021 | - | - | - |
| SLOP TK | - | - | - | - | - | - |
| 3 P/S | 16Jan2001 | 21Mar2011 | 21Mar2021 | - | - | - |
| 2 P/S | 16Jan2001 | 21Mar2011 | 21Mar2021 | - | - | - |

Hydro Test

| Tank Id | Safety Valves | Previous | Last | Next |
|---------|---------------|----------|------|------|
| 1 P/S | - | - | - | - |
| SLOP TK | - | - | - | - |
| 3 P/S | - | - | - | - |
| 2 P/S | - | - | - | - |

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Number of Fireman Outfits -

Number of Fire Pumps - 0

Fire Extinguishers - Hand portable and semi-portable

| Quantity | Class Type |
|----------|------------|
| 2 | B-II |

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30012 (ex. DXE3054T)

Official #: D1037821

Page 1 of 3

Shipyard: TRINITY GULFPORT

Hull #: E327

List of Authorized Cargoes

| Cargo Identification | | | | | | Conditions of Carriage | |
|----------------------|-----------|-----------------|-----|-------|-----------|------------------------|--|
| Name | Chem Code | Compat Group No | Exc | Grade | Hull Type | Note | Special Requirements in 46 CFR 151 General and Mat'l's of Construction |

Authorized Subchapter O Cargoes

| | | | | | | | |
|--|-----|----|---|-----|-----|---|---------------------------------|
| Acetic acid | AAC | 4 | Y | D | III | | .50-73, .55-1(g) |
| Ammonium bisulfite solution (70% or less) | ABX | 43 | Y | | III | | .50-73, .55-1(a), (b), (c) |
| Acetic anhydride | ACA | 11 | N | D | III | | .50-73, .55-1(g) |
| Acrylonitrile | ACN | 15 | Y | C | II | T | .50-70(a), .55-1(e) |
| Adiponitrile | ADN | 37 | N | E | II | V | No |
| Aminoethylethanolamine | AEE | 8 | N | E | III | V | .55-1(b) |
| Anthracene oil (Coal tar fraction) | AHO | 33 | N | | II | | No |
| Alkyl(C7-C9) nitrates | AKN | 34 | Y | | III | V | .50-81, .50-86 |
| Ammonium hydroxide (28% or less NH3) | AMH | 6 | N | | III | | .56-1(a), (b), (c), (f), (g) |
| Acetonitrile | ATN | 37 | N | C | III | T | No |
| Butyraldehyde (all isomers) | BAE | 19 | N | C | III | V | .55-1(h) |
| Butyl acrylate (all isomers) | BAR | 14 | N | D | III | V | .50-70(a), .50-81(a), (b) |
| Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more) | BHA | 32 | Y | | III | V | .50-60, .55-1(b), (d), (f), (g) |
| Benzene hydrocarbon mixtures (having 10% Benzene or more) | BHB | 32 | N | | III | V | .50-60 |
| Butyl methacrylate | BMH | 14 | N | D | III | V | .50-70(a), .50-81(a), (b) |
| Benzene | BNZ | 32 | N | C | III | V | .50-60 |
| Benzene, Toluene, Xylene mixtures (having 10% Benzene or more) | BTX | 32 | N | B/C | III | V | .50-60 |
| Carbon tetrachloride | CBT | 36 | N | | III | | No |
| Cyclohexanone | CCH | 18 | N | D | III | V | .56-1(a), (b) |
| Creosote (all isomers) | CCW | 21 | Y | E | III | V | No |
| Cyclohexylamine | CHA | 7 | N | D | III | V | .56-1(a), (b), (c), (g) |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | CHG | 0 | N | C | III | V | No |
| Camphor oil (light) | CPO | 18 | N | D | II | | No |
| Caustic potash solution | CPS | 5 | Y | | III | | .50-73, .55-1(j) |
| Chlorobenzene | CRB | 36 | N | D | III | V | No |
| Chloroform | CRF | 36 | N | E | III | | No |
| Cresols (all isomers) | CRS | 21 | N | E | III | V | No |
| Cresylic acid tar | CRX | 21 | N | | III | V | .55-1(f) |
| Cyclopentadiene, Styrene, Benzene mixture | CSB | 30 | N | D | III | V | .50-60, .55-1(b) |
| Cresylate spent caustic | CSC | 5 | N | | III | | .50-73, .55-1(b) |
| Caustic soda solution | CSS | 5 | Y | | III | | .50-73, .55-1(j) |
| Crotonaldehyde | CTA | 19 | Y | C | II | T | .55-1(h) |
| N,N-Dimethylacetamide | DAC | 10 | N | E | III | T | .56-1(b) |
| 2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution | DAD | 0 | Y | | III | | .56-1(a), (b), (c), (g) |
| Diisobutylamine | DBU | 7 | N | D | III | V | .55-1(c) |
| Dichlorobenzenes (all isomers) | DBX | 36 | N | E | III | T | .56-1(a), (b) |
| 1,1-Dichloroethane | DCH | 36 | N | C | III | V | No |
| Dichloromethane | DCM | 36 | N | NF | III | | No |
| 2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less) | DDA | 0 | Y | NF | III | | .55-1(b) |
| 2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution | DDE | 43 | N | | III | | .56-1(a), (b), (c), (g) |
| Diethanolamine | DEA | 8 | N | E | III | V | .55-1(c) |
| 2,2'-Dichloroethyl ether | DEE | 41 | N | D | II | V | .55-1(f) |
| Diethylamine | DEN | 7 | N | C | III | T | .55-1(c) |
| Diethylenetriamine | DET | 7 | Y | E | III | V | .55-1(c) |
| Diisopropylamine | DIA | 7 | N | C | II | T | .55-1(c) |
| Diisopropanolamine | DIP | 8 | N | E | III | V | .55-1(c) |
| Dimethylethanolamine | DMB | 8 | N | D | III | V | .56-1(b), (c) |
| Dimethylformamide | DMF | 10 | N | D | III | V | .55-1(e) |

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30012 (ex. DXE3054)

Official #: D1037821

Page 2 of 3

Shipyard: TRINITY GULF

Hull #: E327

| Cargo Identification | | | | | | Conditions of Carriage | |
|--|-----------|----------|-----|-------|-----------|------------------------|---|
| Name | Chem Code | Compat | | Grade | Hull Type | Note | Special Requirements in 46 CFR 151 General and Mat'ls of Construction |
| | | Group No | Exc | | | | |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | N | | II | V | No |
| Di-n-propylamine | DNA | 7 | N | C | II | T | .55-1(c) |
| Dodecyldimethylamine, Tetradecyldimethylamine mixture | DOT | 7 | N | E | III | | .56-1(b) |
| 1,1-Dichloropropane | DPB | 36 | N | C | III | T | No |
| 1,3-Dichloropropane | DPC | 36 | N | C | III | T | No |
| 1,2-Dichloropropane | DPP | 36 | N | C | III | T | No |
| 1,3-Dichloropropene | DPU | 15 | N | D | II | T | No |
| 2,4-Dichlorophenoxyacetic acid, triisopropanolaminesalt solution | DTI | 43 | Y | | III | | .56-1(a), (b), (c), (g) |
| Ethyl acrylate | EAC | 14 | N | C | III | V | .50-70(a), .50-81(a), (b) |
| 2-Ethylhexyl acrylate | EAI | 14 | N | E | III | V | .50-70(a), .50-81(a), (b) |
| Ethylamine solution (72% or less) | EAN | 7 | N | A | II | T | .55-1(b) |
| N-Ethylbutylamine | EBA | 7 | N | C | III | T | .55-1(b) |
| N-Ethylcyclohexylamine | ECC | 7 | N | D | III | V | .55-1(b) |
| Ethylenediamine | EDA | 7 | Y | D | III | V | .55-1(c) |
| Ethylene dichloride | EDC | 36 | Y | C | III | V | No |
| Ethylene glycol monoalkyl ethers | EGC | 40 | N | D/E | III | V | No |
| Ethylene glycol propyl ether | EGP | 40 | N | E | III | V | No |
| 2-Ethyl-3-propylacrolein | EPA | 19 | Y | E | III | V | No |
| Ethylene cyanohydrin | ETC | 20 | N | E | III | V | No |
| Ethyl methacrylate | ETM | 14 | N | C | III | V | .50-70(a) |
| Furfural | FFA | 19 | N | E | III | V | .55-1(h) |
| Formic acid | FMA | 4 | Y | E | III | | .50-73, .55-1(i) |
| Formaldehyde solution (37% to 50%) | FMS | 19 | Y | D/E | III | V | .55-1(h) |
| Glutaraldehyde solution (50% or less) | GTA | 19 | N | NF | III | | No |
| Hydrocarbon 5-9 | HFN | 30 | N | A | III | | .50-70(a), .50-81(a), (b) |
| Hexamethylenediamine solution | HMC | 7 | N | E | III | V | .55-1(c) |
| Hexamethylenimine | HMI | 7 | N | C | II | V | .56-1(b), (c) |
| Isodecyl acrylate | IAI | 14 | N | E | III | | .50-70(a), .50-81(a), (b), .55-1(c) |
| Isoprene, Pentadiene mixture | IPN | 30 | N | A | III | | .50-70(a), .55-1(c) |
| iso-Propylamine | IPP | 7 | N | A | II | | .55-1(c) |
| Isoprene | IPR | 30 | N | A | III | | .50-70(a), .50-81(a), (b) |
| Kraft pulping liquors (free alkali content 3% or more) | KPL | 5 | N | | III | | .50-73, .56-1(a), (c), (g) |
| Methyl acrylate | MAM | 14 | N | C | III | V | .50-70(a), .50-81(a), (b) |
| Methylcyclopentadiene dimer | MCK | 30 | N | C | III | V | No |
| Methyl diethanolamine | MDE | 8 | N | E | III | V | .56-1(b), (c) |
| Ethanolamine | MEA | 8 | N | E | III | V | .55-1(c) |
| 2-Methyl-5-ethylpyridine | MEP | 9 | N | E | III | V | .55-1(e) |
| Methyl methacrylate | MMM | 14 | N | C | III | V | .50-70(a), .50-81(a), (b) |
| iso-Propanolamine | MPA | 8 | N | E | III | V | .55-1(c) |
| Morpholine | MPL | 7 | Y | D | III | V | .55-1(c) |
| 2-Methylpyridine | MPR | 9 | N | D | III | T | .55-1(c) |
| Mesityl oxide | MSO | 18 | Y | D | III | V | No |
| alpha-Methylstyrene | MSR | 30 | N | D | III | V | .50-70(a), .50-81(a), (b) |
| Coal tar naphtha solvent | NCT | 33 | N | D | III | V | .50-73 |
| 1- or 2-Nitropropane | NPM | 42 | N | D | III | V | .50-81 |
| Propanolamine (iso-, n-) | PAX | 8 | N | E | III | V | .56-1(b), (c) |
| Pentachloroethane | PCE | 36 | N | | III | | No |
| 1,3-Pentadiene | PDE | 30 | N | A | III | V | .50-70(a), .50-81 |
| Polyethylene polyamines | PEB | 7 | Y | E | III | V | .55-1(e) |
| Perchloroethylene | PER | 36 | N | NF | III | | No |

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial #: VN95015282
COI Ref: 16-Jan-01

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30012 (ex. DXE3054)

Official #: D1037821

Page 3 of 3

Shipyard: TRINITY GULF

Hull #: E327

| Cargo Identification | | | | | | Conditions of Carriage | |
|--|-----------|----------|-----|-------|-----------|------------------------|---|
| Name | Chem Code | Compat | | Grade | Hull Type | Note | Special Requirements in 46 CFR 151 General and Mat'ls of Construction |
| | | Group No | Exc | | | | |
| Propionic acid | PNA | 4 | N | D | III | | .50-73, .55-1(g) |
| Pyridine | PRD | 9 | N | C | III | V | .55-1(e) |
| Sodium aluminate solution (45% or less) | SAU | 5 | N | | III | | .50-73, .56-1(a), (b), (c) |
| Sodium chlorate solution (50% or less) | SDD | 0 | Y | NF | III | | .50-73 |
| Sodium hypochlorite solution (20% or less) | SHQ | 5 | N | NF | III | | .50-73, .58-1(a), (b) |
| Sodium sulfide, hydrosulfide solution (H ₂ S 15 ppm or less) | SSH | 0 | Y | | III | | .50-73, .55-1(b) |
| Sodium sulfide, hydrosulfide solution (H ₂ S greater than 15 ppm but less than 200 ppm) | SSI | 0 | Y | | III | | .50-73, .55-1(b) |
| Sodium sulfide, hydrosulfide solution (H ₂ S greater than 200 ppm) | SSJ | 0 | Y | | II | | .50-73, .55-1(b) |
| Styrene (crude) | STX | 30 | N | C | III | V | No |
| Styrene monomer | STY | 30 | N | D | III | V | .50-70(a), .50-81(a), (b) |
| Trichloroethylene | TCL | 36 | Y | | III | V | No |
| 1,1,2-Trichloroethane | TCM | 36 | N | | III | V | .50-73, .56-1(a) |
| 1,2,3-Trichloropropane | TCN | 36 | N | E | II | T | .50-73, .56-1(a) |
| Triethanolamine | TEA | 8 | Y | E | III | V | .55-1(b) |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | N | NF | III | | No |
| Triethylamine | TEN | 7 | N | C | II | T | .55-1(e) |
| Triethylenetetramine | TET | 7 | Y | E | III | V | .55-1(b) |
| Tetrahydrofuran | THF | 41 | N | C | III | V | .50-70(b) |
| Triphenylborane (10% or less), caustic soda solution | TPB | 5 | N | | III | | .55-1(a), (b), (c) |
| Tetraethylenepentamine | TTP | 7 | N | E | III | V | .55-1(c) |
| Urea, Ammonium nitrate solution (containing more than 2% Ammonia) | UAS | 6 | N | | III | | .56-1(b) |
| Vinyl acetate | VAM | 13 | N | C | III | V | .50-70(a), .50-81(a), (b) |
| Vanillin black liquor (free alkali content 3% or more) | VBL | 5 | N | | III | | .50-73, .56-1(a), (c), (g) |
| Vinyltoluene | VNT | 13 | N | D | III | V | .50-70(a), .50-81, .56-1(a), (b), (c), (g) |

Explanation of terms & symbols used in the Table:

Cargo Identification

| | |
|-------------------------|---|
| Name | The proper shipping name as listed in 46 CFR Table 151.05. |
| Chem Code | The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. |
| Compatibility Group No. | The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number. |
| Exceptions (Exc) | Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150. |
| Grade | The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{}" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. A, B, C D, E NA, NF # Flammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15. Those subchapter O cargoes which are not classified as a flammable or combustible liquid. No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available. |
| Hull Type | The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1. I II III Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). |

Conditions of Carriage

| | |
|------|---|
| Note | See Certificate of Inspection for explanation of symbols used in this column. |
|------|---|

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***