

### United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Apr 2019 Expiration Date: 22 Apr 2020

#### Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Call Sign Vessel Name IMO Number Tank Barge 1139041 **KIRBY 30024B** Hailing Port Propulsion Hull Material Horsepower WILMINGTON, DE Steel **UNITED STATES** Place Built DWT Keel Laid Date Gross Tons Net Tons Length Delivery Date GALVESTON, TX R-1619 R-297.5 R-1619 19Jun2003 31Oct2003 I-0 UNITED STATES

KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES Operator
KIRBY INLAND MARINE, LP
18350 Market St.

CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters 0 Licensed Mates 0 Chief Engineers 0 Oilers 0 Chief Mates 0 First Class Pilots 0 First Assistant Engineers 0 Second Mates 0 Radio Officers 0 Second Assistant Engineers 0 Third Mates 0 Able Seamen 0 Third Assistant Engineers 0 Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers 0 Qualified Member Engineer 0 Mate First Class Pilots 0 Deckhands

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

#### ---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination per 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth & Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

#### \*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\*

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspe	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	T.O. PHILLIPS COMNANDER by direction
				Officer in Charge, Marille Inspection Sector New Orleans
				Inspection Zone



#### **United States of America Department of Homeland Security United States Coast Guard**

Certification Date: 22 Apr 2019 **Expiration Date:** 22 Apr 2020

#### Temporary Certificate of Inspection

Vessel Name: KIRBY 30024B

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

18Feb2024

18Feb2014

31Oct2003

Internal Structure

29Feb2024

11Apr2019

18Feb2014

#### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Flammable/Combustible liquids and specified hazardous cargoes

**Total Capacity** 

Units

Highest Grade Type

Part151 Regulated Part153 Regulated Part154 Regulated

31267

Barrel

Yes

No

No

#### \*Hazardous Bulk Solids Authority\*

Not Authorized

#### \*Loading Constraints - Structural\*

Tank Location Description

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 P/S

977

13.6

2 P/S

977

13.6

3 P/S

955

13.6

#### \*Loading Constraints - Stability\*

Hull Type

Maximum Load

(short tons)

Maximum Draft

Max Density (lbs/gal)

Route Description

 $\parallel$ 

3406

(ft/in) 10ft 3in

13.6

R, LBS

Ш

5540

11ft 0in

13.6

R. LBS

#### \*Conditions Of Carriage\*

Only Grade "A" and lower cargoes and specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-0202102 dated 24-JUN-02, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from "Comp Group No" column listed in vessel's CAA.

#### \*Vapor Control Authorization\*

Per 46 CFR 39, excluding part 39.40, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial # C2-0001667 dated 24-Jun-02 and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the VCS column of the vessel's CAA, Serial #C1-0202102 dated 24-Jun-02.

In accordance with 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multibreasted tandem loading with other vessels specifically approved to tandem load with this vessel.

#### \*Stability and Trim\*

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

\*Deck Slop Tank\*



### United States of America Department of Homeland Security United States Coast Guard

Certification Date: 22 Apr 2019 Expiration Date: 22 Apr 2020

#### Temporary Certificate of Inspection

Vessel Name: KIRBY 30024B

Deck slop tank is authorized for Grade "A" and lower and specified hazardous cargoes.

#### --- Inspection Status ---

#### \*Cargo Tanks\*

		Internal Exam			External Exam	1	
	Tank ld	Previous	Last	Next	Previous	Last	Next
	1 P/S	31Oct2003	18Feb2014	18Feb2024	72	No.	(m)
	2 P/S	31Oct2003	18Feb2014	18Feb2024	( <del>6</del> )	( <del>-</del> 2	·
	3 P/S	31Oct2003	18Feb2014	18Feb2024	*	-	(#)
				Hydro Test			
	Tank Id	Safety Valves		Previous	Last	Next	
1	1 P/S	=		*	31Oct2003	a=a	
	2 P/S	¥1		Ä	31Oct2003	120	
	3 P/S	·- 1		-	31Oct2003	: <del>*</del> :	

#### --- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

#### --- Fire Fighting Equipment ---

Number of Fireman Outfits - 0

\*Fire Extinguishers - Hand portable and semi-portable\*

Quantity

Class Type

2

B-II

\*\*\*END\*\*\*



Serial #: C1-0202102

# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30024B Official #: 1139041

Shipyard: West Gulf Marine

CFR 151 Tank ( Group Information		dentificati			T		Tester		I Com		-				#: 136		
Tanks in Group	-		-	Hull	Carg		Tanks		Carg Trans		Enviror Control	nmental I	Fire	Special Require	ements		_
	Density			Тур	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of	Elec	Tem
	13.6	Atmos.	Amb.	11	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	.50-60, .50-70(a),	Construction	Haz	Con
														.50-70(b), .50-73,	55-1(b), (c), (e), (f),	NR	No

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment

#### List of Authorized Cargoes

Cargo Identification						1	Co	onditi	ons of Carriage
Name	Chem	Compat	Sub				Vapor F	Recovery	
	Code	Group No		Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Categor	Special Requirements in 46 CFR 15 General and Mat'ls of Construction
Authorized Subchapter O Cargoes Acetonitrile						e <sub>g</sub> to			The constitution
	ATN	37	<u> </u>	- (1)					
Acrylonitrile	ACN			_ C	111	A	Yes	3	No
Adiponitrile	ADN			С	- 11	A	Yes	4	50-70(a), 55-1(e)
Alkyl(C7-C9) nitrates	AKN		0	E	- 11	A	Yes	1	No
Aminoethylethanolamine	AEE	34 2	0	NA	111	A	No	N/A	.50-81, 50-86
Ammonium bisulfite solution (70% or less)		8	0	E	111	Α	Yes	1	55-1(b)
Ammonium hydroxide (28% or less NH3)	ABX	43 2		NA	111	A	No	N/A	50-73, .56-1(a), (b), (c)
Anthracene oil (Coal tar fraction)	AMH	6	0	NA	111	Α	No ·	N/A	56-1(a), (b), (c), (f), (g)
Benzene	OHA	33	0	NA	11	Α	No	N/A	No No
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	BNZ	32	0	С	. 111	Α	Yes	1	.50-60
The street of mydrocarbon mixtures (containing a	BHB	32 2	0	NA	111	Α .	Yes	1	.50-60
	BHA	32.2	0	NA	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	DTD		- 13					·	
outyr acrylate (all isomers)	BTX	-32	0	B/C	111	Α	Yes	1	50-60
Butyl methacrylate	BAR	14	0	.D	411	Α	Yes	2	.50-70(a), .50-81(a), (b)
utyraldehyde (all isomers)	BMH	14	0	D ,	111 1	A	Yes	2	.50-70(a), 50-81(a), (b)
amphor oil (light)	BAE	19	0	С	111 -	Α	Yes	1	.55-1(h)
arbon tetrachloride	CPO	18	0	D	11	Α	No	N/A	No
hemical Oil (refined, containing phenolics)	CBT	36	0	NA	111	Α	No	N/A	No
hlorobenzene	COD	21	0	Ε	11	A	No	N/A	.50-73
hloroform	CRB	36	0.	D	111	A	Yes	1 1	No
pal tar naphtha solvent	CRF	36	0	E	111	A	Yes		No
eosote	NCT	33	0	D	111	A	Yes	3	50-73
esols (all isomers)	CCW	21 2	0	Ę	141	A	Yes	.1	
esylate spent caustic	CRS	21	0	E	111	A		1	No .
esylic acid tar	CSC	5	0		111 -		Yes		No
otonaldehyde	CRX		0	11/7 .	111	A	No .	N/A	50-73, 55-1(b)
Ide budrocest a f	CTA	19 <sup>2</sup>		C	11	Α	Yes		.55-1(f)
ude hydrocarbon feedstock (containing Butyraldehydes and hylpropyl acrolein)	CHG	415	0 2	0,1	<u> </u>	Α	Yes	4	.55-1(h)
clohexanone			J	9 7		Α .	No	N/A	No
clohexanone, Cyclohexanol mixture	CCH	18	0	D	m				- 2)
clohexylamine	CYX	18 <sup>2</sup>			111	Α	Yes		56-1(a), (b)
	CHA	7			111	A			56-1 (b)
lopentadiene, Styrene, Benzene mixture Decyl acrylate	CSB	30				Α.			56-1(a), (b), (c), (g)
/, colylate	IAI	14			111	A A	Yes		50-60, 56-1(b) 50-70(a), 50-81(a), (b), 55-1(c)

This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*



Serial #: C1-0202102 Generated: 24-Jun-02

### Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30024B Official #: 1139041

Page 2 of 8

Shipyard: West Gulf Marine

Hull #: 136

Cargo Identification		Conditions of Carriage							
3			Г						ns of Carriage
Name §	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor R App'd (Y or N)	ecovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Dichlorobenzene [all isomers)	DBX	36	0	E	111	Α	Yes	3	56-1(a), (b)
1.1-Dichloroethane	DCH	36		c	111	A	Yes	1	No No
2.2'-Dichloroethyl ether	DEE	41	0	D	11	A	Yes	1	55-1(f)
Dichloromethane	DCN		0	NA	111	A	No	N/A	No
2.4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	-	NA	111	A	No	N/A	56-1(a), (b), (c), (g)
2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1.2		NA	Ш	A	No	N/A	56-1(a), (b), (c), (g)
2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less)	DDA	<del></del>	0		III	A	No	N/A	55-1(b)
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 <sup>2</sup>	0	NA	111	A	No	N/A	56-1(a), (b), (c), (g)
1,1-Dichloropropane	DPB	36	-	C	111		Yes		No. (2), (5), (6), (9)
1,2-Dichloropropane	DPP	36	<del>-</del>	<del></del> c	111			3	
1,3-Dichloropropane	DPC	36	0	<del>-c</del> -	111	A	Yes	3	No No
1,3-Dichloropropene	DPU	15	<del>-</del>	<u> </u>	111	A	Yes	3	
Dichloropropene, Dichloropropane mixtures	DMX	15		NA	11	A	Yes	4	No -
Diethanolamine	DEA	8	0	E	- '''	<u>A</u>	Yes	1	
Diethylamine	DEN	7	-	ċ	111			1	55-1(c) 55-1(c)
Diethylenetriamine	DET	7 2	<del>-</del>	E	111	A	Yes	3	55-1(c)
Diisobutylamine	DBU	7	-		111	A	Yes	1	55-1(c)
Disopropanolamine	DIP	8		E	IIi			3	
Diisopropylamine	DIA	7	-	c		A	Yes		55-1(c)
N.N-Dimethylacetamide	DAC	10	-	E	11	A	Yes	3	-55-1(c) -56-1(b)
Dimethylethanolamine	DMB	8	<del>-</del>		111	A	Yes	3	
Dimethylformamide	DMF	10	0		III	A	Yes	1	.56-1(b), (c)
Di-n-propylamine	DNA	7	<del>-</del>	- C	 	_	Yes	1	55-1(c)
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	<del>-</del>	Ē	-111	A		3	.56-1(b)
Ethanolamine	MEA	8	-	Ē	111		No	N/A	55-1(c)
Ethyl acrylate	EAC	14	-	C	111	A	Yes	1	
Ethylamine solution (72% or less)	EAN	7	<del>-</del>		11	A	Yes	2	50-70(a), 50-81(a), (b) 55-1(b)
N-Ethylbutylamine	EBA	7	-	D	111	A	No Yes	N/A	55-1(b)
N-Ethylcyclohexylamine	ECC	7	<del>-</del>	D	111	- A			.55-1(b)
Ethylene cyanohydrin	ETC	20	-	E	111.		Yes	1	No No
Ethylenediamine	EDA	7 2	-			A	Yes	1	.53-1(c)
Ethylene dichloride	EDC	36 2	0	- <del>C</del>	111	_A	Yes	1	No No
Ethylene glycol hexyl ether	EGH				111	Α	Yes	1	
Ethylene glycoi monoalkyl ethers		40	0	E D/F	III	Α	No	N/A	No -
thylene glycol propyl ether	. EGC EGP	40	0.	D/E E	111	Α	Yes	1	No
2-Ethylhexyl acrylate	EAI	14			111	Α	Yes	1	No
Ethyl methacrylate			0	E	111	A	Yes	2	.50-70(a), 50-81(a), (b)
2-Ethyl-3-propylacrolein	ETM	14 19 <sup>2</sup>		D/E	111	_ A	Yes	2	50-70(a)
ormaldehyde solution (37% to 50%)	FMS		0	E	111	Α	Yes	1	No
urfural		19 <sup>2</sup>	0	D/E	111	A	Yes	1	.55-1(h)
Glutaraldehyde solution (50% or less)	FFA	19	0	E	111	A	Yes	1	.55-1(h)
Hexamethylenediamine solution	GTA	19	0	NA	111	Α	No	N/A	No la
lexamethyleneimine	HMC	7	0	E	111	A	Yes	1	55-1(c)
lydrocarbon 5-9	HMI	7	0	С	11	A	Yes	1	.56-1(b), (c)
Roprene	HFN		0		111	Α	Yes	1	50-70(a), 50-81(a), (b)
oprene, Pentadiene mixture	IPR	30	0	Α	111	A	No	N/A	.50-70(a), 50-81(a), (b)
	IPN		0		111	Α	No	N/A	- 50-70(a), 55-1(c)



C1-0202102



# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30024B

Official #: 1139041

Page 3 of 8

Shipyard: West Gulf Marine

Huil #: 136

	7000								Hull #: 136
Cargo Identification							Co	onditio	ons of Carriage
Name *	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd	Recovery VCS Category	Special Requirements in 45 CED 454
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	111	А	No	N/A	.50-73, .56-1(a), (c), (g)
Mesityl oxide	MSO	18 <sup>2</sup>	0	D	111	Α	Yes	-	No
Methyl acrylate	MAM	14	0		111	A	Yes	1	
Methylcyclopentadiene dimer	MCK	30		<del>_</del>	171	- A		2	50-70(a), 50-81(a), (b)
Methyl diethanoiamine	MDE	8	-	E	111	- A	Yes	1	No
2-Methyl-5-ethylpyridine	MEP	9	0	<u>_</u>	- 111		Yes	1	56-1(b), (c)
Methyl methacrylate	MMM	14	-	c	111	A	Yes	1	55-1(e)
2-Methylpyridine	MPR	9	- 0		- 111	A	Yes	2	50-70(a), 50-81(a), (b)
alpha-Methylstyrene	MSR	30	0		111		Yes	3	55-1(c)
Morpholine	MPL	7 2	-		111	A	Yes	2	.50-70(a), .50-81(a), (b)
1- or 2-Nitropropane	NPM	42	-	D		A	Yes	1	55-1(c)
1,3-Pentadiene	PDE	30	<del>-</del>		111	A	Yes	1	.50-81
Perchloroethylene	PER	36	- 0	A	111	A	No	N/A	50-70(a): 50-81
Polyethylene polyamines	PEB	72		NA_	- 111	A	No	N/A	No
iso-Propanolamine				E	111	A	Yes	1	55-1(e)
Propanciamine (isc-, n-)	MPA	8	0	E	Hi	A	Yes	1	55-1(c)
iso-Propylamine	PAX	8	0	E	111	Α	Yes	1	56-1(b), (c)
Pyridine	IPP	. 7		A	11	A	No	N/A	55-1(c)
Sodium aluminate solution (45% or less)	PRD	9	0	_C	111	Α	Yes	1	55-1(e)
Sodium chiorate solution (50% or less)	SAU	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)
Sodium hypochlorite solution (20% or less)	SDD	0 1.2	0	NA	111	A	No	N/A	50-73
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SHQ	5	0	NA	Ш	Α	No	N/A	50-73, .56-1(a), (b)
Sodium sulfide, hydrosulfide celetics (125 15 ppm or less)	SSH	0 1.2	0	NA	111	Α	Yes	1	50-73, 55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1.2	0	NA	Ш	Α	No	N/A	50-73, 55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	00:	- 12							
Styrene (crude)	SSJ	0 1,2	0	NA	11	A	No	N/A	50-73, 55-1(b)
Styrene monomer	STX		0	D	111	Α	Yes	2	No
1,1,2,2-Tetrachloroethane	STY	30	0	D	111	Α	Yes	2	50-70(a), 50-81(a), (b)
Tetraethylenepentamine	TEC	36	0	NA	m	Α	No	N/A	No
Tetrahydrofuran	TTP	7	0	E	111	Α	Yes	1	55-1(c)
Toluenediamine	THF	41	0	С	111	Α	Yes	1	50-70(b)
1.2,4-Trichlorobenzene	TDA	9	0	Е	11	Α	No	N/A	50-73, 56-1(a), (b), (c), (g)
1.1,2-Trichloroethane	TCB	36	0	E	111	Α	Yes	1	No
Trichloroethylene	TCM	36	0	NA	111	A	Yes	1	50-73, 56-1(a)
1.2,3-Trichloropropane	TCL	36 <sup>2</sup>	.0	NA	111	A	Yes	1	No
Triethanolamine	TCN	36	0	E	11	Α	Yes	3	50-73, 56-1(a)
riethylamine	TEA	8 2	0	E	Ш	Α	Yes	1	55-1(b)
	TEN	- 7	0	С	11	A	Yes		55-1(e)
riethylenetetramine	TET	7 2	0	E.	III	A	Yes		55-1(b)
nphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	111	A	No		56-1(a), (b), (c)
risodium phosphate solution	TSP	5		NA	111	A	No		50-73, 56-1(a), (c)
Jrea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6		NA	III	A			56-1(b)
anillin black liquor (free alkali content, 3% or more).	VBL	5			111	A	No	,	
	-	-	_	. ** 1		^	No	N/A	50-73, 56-1(a), (c), (g)
inyl acetate	VAM	13	0	С	Ш	A	Yes	2	50-70(a), .50-81(a), (b)



C1-0202102



## Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30024B
Official #: 1139041

Page 4 of 8

Shipyard: West Gulf Marine

Huil #: 136

Cargo Identification						Conditions of Carriage					
							Vapor Recovery				
Name è	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS	Special Requirements in 46 CFR 151 General and Mat'is of Construction		
Subchapter D Cargoes Authorized for Vapor Control							-	M			
Acetone	ACT	18 <sup>2</sup>	D	С		A	Yes	1			
Acetophenone	ACP	18	D	E		A	Yes	1			
Aicohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	Ε		A	Yes	1			
Aicohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		A	Yes	<del>_</del>			
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1	<u> </u>		
Benzyl alcohol	BAL	21	D	Ε		A	Yes	1			
Brake fluid base mixtures (containing Poly(2-8)aikylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		A	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D			V				
Butyl alcohol (iso-)	IAL	20 2		D		A	Yes	1			
Butyl alcohol (n-)	BAN		<del>_</del>	D		A	Yes				
Butyl alcohol (sec-)	BAS		D	c			Yes	1			
Butyl alcohol (tert-)	BAT		D	<del>-</del>		Α	Yes	_1			
Rutyl benzyl phthalate	BPH	34	D	Ē		A	Yes	1			
outyl toluene	BUE	32		<u> </u>			Yes	1			
Caprolactam solutions	CLS	22	D	E		A	Yes	1			
Cyclohexane	CHX	31	- D	c		A	Yes	1			
Cyclohexanol	CHN	20		Ē		A	Yes Yes	1			
.3-Cyclopentadiene dimer (molten)	CPD	30		D/E		- A		1			
-Cymene	CMP	32	_ <u>_</u> _	D, C			Yes	2			
so-Decaldehyde	IDA	19		E			Yes	1			
n-Decaldehyde	DAL	19	D	E		-A	Yes	1"			
Decene	DCE	30	D			${A}$	Yes	1			
Decyl alcohol (all isomers)	DAX	20 <sup>2</sup>		E		$\frac{1}{A}$	Yes	1			
-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E				1			
iacetone alcohol	DAA	20 2		E		A	Yes	1			
rtho-Dibutyl phthalate	DPA	34	D	Ē	<del> </del>	A	Yes	1			
iethylbenzene	DEB	32	D	D		A	Yes	1			
iethylene glycol	DEG	40 <sup>2</sup>	D	E		A	Yes	_1			
iisobutylene	DBL	30	D			Α	Yes	1			
iisobutyl ketone	DIK			С		Α	Yes	1			
iisopropylbenzene (ali isomers)	DIX	18 32	D	D E	- 17	A	Yes	_1			
imethyl phthalate	DTL	34	D	E		Α	Yes	1			
ioctyl phthalate	DOP	34	D	Ē		A	Yes	1			
pentene	DPN	30	D	D		A	Yes	1	24		
iphenyl	DIL	32				A .	Yes	1			
phenyl, Diphenyl ether mixtures	DDO	33	D D	D/E		A	Yes	1	)		
phenyl ether	DPE			E		Α	Yes	1			
propylene glycol	DPG	41	D	<u>⟨E</u> }		Α	Yes	1	8		
stillates: Flashed feed stocks	DFF		D	E		Α.	Yes	1			
stillates: Straight run		33	D	E		A	Yes	1			
odecene (all isomers)	DSR	33	D	Ε		Α	Yes	1			
odecylbenzene, see Alkyl(C9+)benzenes	DOZ	30	Ď	D		A	Yes	1			
Ethoxyethyl acetate	DDB	32	D	E		Α	Yes	1			
	EEA	34	D	D		Α	Yes	1			
hoxy triglycol (crude)	ETG	40	D	E		Α					

<sup>\*\*\*</sup> This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*



24-Jun-02





# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30024B Official #: 1139041

Page 5 of 8

Shipyard: West Gulf Marine

Hull #: 136

Ethyl scelater			ray	9 3 01 0					.	<del>                                      </del>
Name	Cargo Identification	.15						Co	nditio	ns of Carriage
Ethyl acclosectated  Ethyl acclosed					Grade			Vapor R App'd	ecovery VCS	Special Requirements in 46 CEP 151
Ethy acctaccetate	Ethyl acetate	FΤΔ	3/		(6)					
Ethy denotes	Ethyl acetoacetate								1	
Eltry butance	Ethyl alcohol								1	
Ethyl butanci	Ethylbenzene								1	
Ethyl butyrate	Ethyl butano!								1	
Elthyl cyclohexane	Ethyl tert-butyl ether								1	
Ethyleroptox   ECV   31	Ethyl butyrate									
Ethylene glycol buyl ether acetate	Ethyl cyclohexane									
Ethylene glycol buryl ether acetate	Ethylene giycol									
Ethylene glycol diacestate	Ethylene glycol butyl ether acetate									
Ethyla-schookypropionate										
Ethyly-schioxypropionate         EEP         34         D         E         A         Yes         1           Ethyl propionate         EPR         34         D         C         A         Yes         1           Ethyl totuene         ETE         32         D         E         A         Yes         1           Formanice         FAM         10         D         E         A         Yes         1           Furturyl alcohol         FAL         20 2°         D         E         A         Yes         1           Gasolines Jocks: Alkylates         GAK         33         D         A/C         A         Yes         1           Gasolines Jonations: Aviation (containing not over 4.23 grams lead per gallon)         GAF         33         D         A/C         A         Yes         1           Gasolines: Casinghead (natural)         GCS         33         D         A/C         A         Yes         1           Gasolines: Casinghead (natural)         GCS         33         D         A/C         A         Yes         1           Gasolines: Casinghead (natural)         GCS         33         D         A/C         A         Yes         1 <t< td=""><td>Ethylene glycol phenyl ether</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	Ethylene glycol phenyl ether									
Ethyl propionate						_			1	
Ethyl toluene	Ethyl propionate									. 8
Formarride	Ethyl toluene									
Furtury alcohol   Casoline blanding stocks: Alkylates	Formamide									
Gasoline blending stocks: Alkylates	Furfuryl alcohol									
Gasoline blending stocks: Reformates	Gasoline blending stocks: Alkylates								1	
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)									_1	
Gasolines: Avaition (containing not over 4.86 grams of lead per gallon)   GAV   33   D   C   A   Yes   1	Gasolines: Automotive (containing not over 4.23 grams lead per collect)								1	
Gasolines: Casinghead (natural)   GCS   33   D   A/C   A   Yes   1	Gasolines: Aviation (containing not over 4.86 grams of lead not selled)						Α	Yes	1	
Gasolines: Polymer	Gasolines: Casinghead (natural)								1	
Gasonines. Straight run   GSR   33   D   A/C   A   Yes   1					_				1	
Sign	Gasolines. Straight run								1	
Heptanol (all isomers)   See Alkanes (C6-C9) (all isomers)   HIMX   31   D   C   A   Yes   1	Glycerine .								1	
Heptanoic acid	Heptane (all isomers), see Alkanes (C6-C9) (all isomers)								11	
Heptanol (all isomers)									1 ·	
Hepten (all isomers)	Heptanol (all isomers)								_1	
Heptyl acetate	Heptene (all isomers)								1	
Hexanoic (all isomers), see Alkanes (C6-C9)									2	
Hexanoic acid	Hexane (all isomers), see Alkanes (C6-C9)								1	
HXN   20   D   D   D   A   Yes   1									1	
HEX   30   D   C   A   Yes   2	Hexanol								1	
HEX   SU   D   C   A   Yes   2	Hexene (all isomers)							Yes	1	
Sophorone	evulene alucal								2	
Interface   Section   Se									1	
Seriosene   Seri	et fuel: JP-4								1	
Serosene	et fuel: JP-5 (kerosene, heavy)						A	Yes	1	
Methyl acetate								Yes	1	
MAL   20 2 D C	fethyl acetate								1	
Iethylamyl acetate							_			
Iethylamyi alcohol								Yes	1	
Iethyl tert-butyl ether								Yes	1	
Sethyl butyl ketone		·					Α	Yes	1	
ethyl butyrate							Α	Yes	1	
ethyl ethyl ketone MEK 18 2 D C A Yes 1 ethyl heptyl ketone MEK 18 2 D C A Yes 1							Α	Yes	1	
ethyl heptyl ketone MHK 18 D C A Yes 1							Α	Yes	1	
MHK 18 D D A Yes 1							Α	Yes	1	
*** This document is only well-day.		MHK	18	D	D		A	Yes	1	

This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*



Generated

24-Jun-02

### Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30024B Official #: 1139041

041 Page 6 of 8

Shipyard: West Gulf Marine

Huli #: 136

Cargo Identification						Conditions of Carriage					
\$							Vapor R	ecovery			
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction		
Methyl isobutyl ketone	MIK	18 <sup>2</sup>	D	С		А	Yes	1			
Methyl naphthalene (molten)	MNA	32	D	Е		A	Yes	1			
Mineral spirits	MNS	33	D	D		A	Yes	1			
Myrcene	MRE	30	D	D		A	Yes	1			
Naphtha: Petroleum	PTN	33	D	#		A	Yes	1			
Naphtha: Solvent	NSV	33	D	D		A	Yes	1			
Naphtha: Stoddard solvent	NSS	33	D	D		A	Yes	1			
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		A	Yes	1			
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		A	Yes	1			
Nonene (all isomers)	NON	30	D	D		A	Yes	2			
Nonyl alcohol (ail isomers)	NNS	20 2	D	Е		Α	Yes	1			
Nonyl phenol	NNP	21	D	E		A	Yes	1			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Ē		A	Yes	1			
Octane (all isomers), see Alkanes (C6-C9)	OAX	31		ċ		A	Yes	1			
Octanoic acid (all isomers)	OAY	4		E			Yes				
Octanol (all isomers)	OCX	20 2	_ <u>_</u>	E		A		1			
Octene (all isomers)	OTX	30	D			A	Yes	1			
Oil, fuel: No. 2	OTW		D	D/E		A	Yes	2			
Oil, fuel: No. 4	OFR	33				A	Yes	1			
Oil, fuel: No. 5	OFV		D	D/E		A	Yes	1			
Oil, fuel; No. 6	OSX	33	D	D/E		A	Yes	1			
Oil, misc. Crude		33	D	E		A	Yes	1			
Oil, misc: Diesel	OIL	33	D	C/D		Α	Yes	1			
Oil, misc: Lubricating	ODS	33	D	D/E		A	Yes	1			
Oil, misc: Turbine	OLB	33	D	Ė		Α	Yes	1			
alpha-Pinene	ОТВ	33	D	E		A	Yes	1			
beta-Pinene	PiO	30	D	D		A	Yes	11	•		
Poly(2-8)aikylene glycol monoalkyi(C1-C6) ether	PIP	30	D	D		A	Yes	1			
	PAG	40	D	E		Α	Yes	1			
Poly(2-8)alkylene giycol monoalkyl(C1-C6) ether acetate	PAF	34	D	Ε		A	Yes	1			
Polybutene	PLB	30	D	E	10	Α	Yes	1			
Polypropylene glycol	PGC	40	D	E		_ A	Yes	1			
iso-Propyl acetate	IAC	34	D	С		A	Yes	1			
n-Propyl acetate	PAT	34	D	С		Α	Yes	1			
iso-Propyl alcohol	IPA	20 <sup>2</sup>	D	С		A	Yes	1			
n-Propyl alcohoi	PAL	20 <sup>2</sup>	D	С		Α	Yes	1			
Propylbenzene (ali isomers)	PBY	32	D	D		Α	Yes	1			
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1			
Propylene glycol	PPG	20 <sup>2</sup>	D	Ε		Α	Yes	1			
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1			
Propylene tetramer	PTT	30	D	D		A	Yes	1			
Sulfolane	SFL	39	D	E		Ā	Yes	1			
Tetraethylene glycol	TTG	40	D	Е		A	Yes	1			
Tetrahydronaphthalene	THN	32	D	E		A	Yes	1			
Toluene	TOL	32	D	С		A	Yes	1			
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Ε		A	Yes	1			
riethylbenzene ·	TEB	32	D	Ē		A	Yes	1			
Triethylene glycol	TEG	40	D	Ε		A	Yes	1			
Triethyl phosphate	TPS	34	D	E		A	Yes	1			

Department of Homeland Security United States Coast Guard



# Certificate of Inspection Cargo Authority Attachment

Vessel Name: KIRBY 30024B Official #: 1139041

Shipyard: West Gulf Marine

Cargo Identification  Chem Compat Com			7 69	01010		 Hull #: 136						
Name  Chem Compat Code Group No Chepter Code Group No Chapter Code Group No Chapter Code Group No Chapter Grade Type Grade Tank Group Tank Grou	Cargo Ide	entification				Conditions of Corrier						
Trimethylbenzene (all isomers)         TRE         32         D         {D}         A         Yes         1           Trixylenyl phosphate         TRP         34         D         E         A         Yes         1           Undecene         UDC         30         D         D/E         A         Yes         1           1-Undecyl alcohol         UND         20         D         E         A         Yes         1           Xylenes (ortho-, meta-, para-)         XIX         33         D         D         D         D         E         A         Yes         1	Name				Grade		Vapor R App'd	Pecovery VCS	Special Requirements in 45 CER 154			
Undecene         IRP         34         D         E         A         Yes         1           1-Undecyl aicohol         UND         20         D         E         A         Yes         1           Xylenes (ortho-, meta-, para-)         XIX         32         D         D         E         A         Yes         1		TRE	32	D	{D}	 Α		1				
1-Undecyl alcohol UDC 30 D D/E A Yes 1  UND 20 D E A Yes 1  Xylenes (orthor-, meta-, para-)				D	Ε	A		1				
Xyienes (ortho-, meta-, para-)  XI X 33 D D				D	D/E	А	Yes	1				
				D	Ε	А	Yes	1				
		XLX	32	D	D	Α	Yes	1				



Department of Homeland Security United States Coast Guard

C1-0202102

Generated

24-Jun-02

### Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30024B

Official #: 1139041

Page 8 of 8

Shipyard: West Gulf Mari

Hull #: 136

#### Explanation of terms & symbols used in the Table:

Cargo Identificatio

Name Chem Code none

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151,05, and 46 CFR Part 153 Table 2.

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1

Because of the very high reactivity or unusual conditions of camage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (G-M6O-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 257-121 See Appendix i to 46 CFR Part 150 - exceptions to the comparability chart.

Note 2

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30 25-1

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Subchaoter D Subchapter O Note 3

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

Subchapter

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carnage of that grade of cargo. Flammable liquid cargoes, as defined in 46 CFR 30-10.22.

A.B.C D. E

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

Note 4

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid. NA

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available

Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151,10-1.

Designed to carry products which require the maximum preventive measures to predude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

NA Not applicable to barges certificated under Subchapter D.

#### Conditions of Carriag

Tank Group

The vessels tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Vapor Recovery Approved (Y or N)

Yes, The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No. The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

#### Conditions of Carriag

Tank Group

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Vapor Recovery

Approved (Y or N)

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo.

No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39 20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction

factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymenzation and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in defonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This

requirement is in addition to the requirements of Category 1.

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems