United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 23 Mar 2022 Expiration Date: 23 Mar 2027

Certificate of Inspection

in international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name

Official Number

IMO Number

Call Sign

Service

KIRBY 30036

1239888

Tank Barge

Hailing Port

GIBSON, LA

Hull Material

Steel

Horsepower

Propulsion

UNITED STATES

Place Built

Madisonville, LA

Delivery Date

Keel Laid Date

Gross Tons

Net Tons

DWT

Length

20Sep2012 08Aug2012

R-1619

R-1619

R-297.5

1-0

UNITED STATES

Owner

KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES Operator

Kirby Inland Marine, LP 18350 MARKET ST CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

0 Licensed Mates

0 Chief Engineers

0 Oilers

0 Chief Mates

0 First Class Pilots

O First Assistant Engineers

0 Second Mates

0 Radio Officers

0 Second Assistant Engineers

0 Third Mates
0 Master First Class Pilot

Ordinary Seamen

0 Deckhands

Third Assistant Engineers
 Licensed Engineers

0 Mate First Class Pilots

Qualified Member Engineer

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

--- Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the eighth coast guard district's tank barge streamlined inspection program

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection

Date Zone A/P/R Signature

3-21-23 Corpuschuisti A Daniel Edwin

4/11/24 BTR, LA P Day an Lacoste

This certificate issued by:

K. A. Hantal, CDR, USCG, By direction

Officer in Charge, Marine Inspection

Marine Safety Unit Port Arthur

Inspection Zone



United States of America **Department of Homeland Security United States Coast Guard**

Certification Date: 23 Mar 2022 **Expiration Date:** 23 Mar 2027

Certificate of Inspection

Vessel Name: KIRBY 30036

(TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its tank barge action plan (TAP). Inspection issues concerning this barge should be directed to the OCMI Houston-Galveston.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Mar2032

23Mar2022

20Sep2012

Internal Structure

31Mar2027

23Mar2022

22May2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated

Part154 Regulated

30100

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

| Tank Number | Max Cargo Weight per Tank (short tons) | Maximum Density (lbs/gal) |
|-------------|--|---------------------------|
| 1 P/S | 1007 | 13.6 |
| 2 P/S | 873 | 13.6 |
| 3 P/S | 699 | 13.6 |

Loading Constraints - Stability

| Hull Type | Maximum Load (short tons) | Maximum Draft (ft/in) | Max Density (lbs/gal) | Route Description |
|-----------|---------------------------|-----------------------|--------------------------|-------------------|
| II | 4034 | 10ft 0in | 13.6 | |
| 101 | 4913 | 11ft 9in | 13.6 | |

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial # C1-1202871 dated 06 Jun 12, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

VAPOR CONTROL AUTHORIZATION

In accordance with 46 CFR 39, excluding 46 CFR 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter Serial# C1-1202871 dated 06 Jun 12 and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR 39.1017 and 39.5000(e). this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

STABILITY AND TRIM

Per 46 CFR 151.10(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 23 Mar 2022 Expiration Date: 23 Mar 2027

Certificate of Inspection

Vessel Name: KIRBY 30036

allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Cargo Tanks

| | Internal Exam | ľ | | External Exar | kternal Exam | | | | |
|---------|---------------|-----------|------------|---------------|--------------|------|--|--|--|
| Tank Id | Previous | Last | Next | Previous | Last | Next | | | |
| 1 P/S | 20Sep2012 | 23Mar2022 | 31Mar2032 | - | - | - | | | |
| 2 P/S | 20Sep2012 | 23Mar2022 | 31Mar2032 | - | - | - | | | |
| 3 P/S | 20Sep2012 | 23Mar2022 | 31Mar2032 | = | - | - " | | | |
| | | | Hydro Test | | | | | | |
| Tank Id | Safety Valves | 3 | Previous | Last | Next | | | | |
| 1 P/S | - | | | * | | | | | |
| 2 P/S | - | | - | - | - | | | | |
| 3 P/S | - | | _ | - | - | | | | |

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type

40-B

END

2



Serial #: Dated: C1-1202871 06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Shipyard: TRINITY

MADISONVILLE

Hull #: 2204-2

Official #: 1239888

| Tank Group Information | Cargo I | Cargo Identification | | | Cargo | Tanks | | Cargo Transfer | | Environmental Control | | Fire | Special Requirements | | | | |
|---------------------------|---------|----------------------|-------|---------|------------|---------------------|------|-------------------|---------------|--------------------------|-------|-------------------|------------------------|---|--|-------------|------|
| Tnk Grp Tanks in Group | Density | Press. | Temp. | Hull Se | Seq | Туре | Vent | Gauge | Pipe Class | Cont | Tanks | Handling Space | Protection Provided | General | Materials of Construction | Elec Haz | Temp |
| A #1P/S, #2P/S, #3P/S | 13.6 | Atmos. | Amb. | 11 | 1ii 2ii | Integral Gravity | PV | Closed | Ш | G-1 | NR | NA | Portable | .50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b), | 55-1(h), (j), 56-1(a), (c), (d), (e), (f), (g), | NR | No |

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

| Cargo Identificatio | n | | | | | Conditions of Carriage | | | | | | |
|---|--------------|--------------------|----------------|-------|--------------|------------------------|----------|-----------------|---|-----------------|--|--|
| | T | | | | | | Vapor Re | | | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | |
| Authorized Subchapter O Cargoes | | | | | | | _ | | | | | |
| Acetonitrile | ATN | 37 | 0 | С | Ш | Α | Yes | 3 | No | G | | |
| Adiponitrile | ADN | 37 | 0 | E | Ш | Α | Yes | 1 | No | G | | |
| Alkyl(C7-C9) nitrates | AKN | 34 ² | 0 | NA | Ш | Α | No | N/A | .50-81, .50-86 | G | | |
| Anthracene oil (Coal tar fraction) | AHO | 33 | 0 | NA | П | Α | No | N/A | No | G | | |
| Benzene | BNZ | 32 | 0 | С | III | Α | Yes | 1 | .50-60 | G | | |
| Benzene or hydrocarbon mixtures (having 10% Benzene or more) | внв | 32 ² | 0 | С | Ш | Α | Yes | 1 | .50-60 | G | | |
| Benzene, Toluene, Xylene mixtures (10% Benzene or more) | BTX | 32 | 0 | B/C | Ш | Α | Yes | 1 | .50-60 | G | | |
| Butyl acrylate (all isomers) | BAR | 14 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Butyl methacrylate | ВМН | 14 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |
| Butyraldehyde (all isomers) | BAE | 19 | 0 | С | Ш | Α | Yes | 1 | .55-1(h) | G | | |
| Camphor oil (light) | CPO | 18 | 0 | D | 11 | Α | No | N/A | No | G | | |
| Carbon tetrachloride | CBT | 36 | 0 | NA | III | Α | No | N/A | No | G | | |
| Caustic potash solution | CPS | 5 ² | 0 | NA | Ш | Α | No | N/A | .50-73, .55-1(j) | G | | |
| Caustic soda solution | CSS | 5 ² | 0 | NA | III | Α | No | N/A | .50-73, .55-1(j) | G | | |
| Chemical Oil (refined, containing phenolics) | COD | 21 | 0 | E | II | Α | No | N/A | .50-73 | G | | |
| Chlorobenzene | CRB | 36 | 0 | D | Ш | Α | Yes | 1 | No | G | | |
| Chloroform | CRF | 36 | 0 | NA | Ш | Α | Yes | 3 | No | G | | |
| Coal tar naphtha solvent | NCT | 33 | 0 | D | Ш | Α - | Yes | 1 | .50-73 | G | | |
| Creosote | CCW | 21 2 | 0 | E | Ш | Α | Yes | 1 | No | G | | |
| Cresols (all isomers) | CRS | 21 | 0 | Е | Ш | Α | Yes | 1 | No | G | | |
| Crotonaldehyde | СТА | 19 ² | 0 | С | 11 | Α | Yes | 4 | .55-1(h) | G | | |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | CHG | | 0 | С | III | Α | No | N/A | No | G | | |
| 1,1-Dichloroethane | DCH | 36 | 0 | С | III | Α | Yes | 1 | No | G | | |
| Dichloromethane | DCM | 36 | 0 | NA | Ш | Α | Yes | 5 | No | G | | |
| 1,1-Dichloropropane | DPB | 36 | 0 | С | Ш | Α | Yes | 3 | No | G | | |
| 1,2-Dichloropropane | DPP | 36 | 0 | С | Ш | Α | Yes | 3 | No | G | | |
| 1,3-Dichloropropane | DPC | 36 | 0 | С | 111 | Α | Yes | 3 | No | G | | |
| 1,3-Dichloropropene | DPU | 15 | 0 | D | II | Α | Yes | 4 | No | G | | |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | 0 | С | П | Α | Yes | 1 | No | G | | |
| Dodecyl diphenyl ether disulfonate solution | DOS | 43 | 0 | # | II | Α | No | N/A | No | G | | |
| EE Glycol Ether Mixture | EEG | 40 | 0 | D | Ш | Α | No | N/A | No | G | | |
| Ethyl acrylate | EAC | 14 | 0 | С | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | | |



Serial #: C1-1202871 Dated:

06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Shipyard: TRINITY

MADISONVILLE Hull #: 2204-2

Official #: 1239888

Page 2 of 7

| Cargo Identification | 1 | | | | | Conditions of Carriage | | | | | |
|---|---------------------|-----------------|---------------------|-------|---------------------|------------------------|--------------------------|----------------------|---|----------------------|--|
| | | | | | | | Vapor R | - | | | |
| Name Ethylene cyanohydrin | Chem Code ETC | Group No 20 | Sub Chapter O | Grade | Hull Type III | Tank Group A | App'd (Y or N) Yes | VCS Category 1 | Special Requirements in 46 CFR 151 General and Mat'ls of No | Insp. Period G | |
| Ethylene dichloride | EDC | 36 ² | 0 | С | Ш | Α | Yes | 1 | No | G | |
| Ethylene glycol hexyl ether | EGH | 40 | 0 | E | 111 | Α | No | N/A | No | G | |
| Ethylene glycol monoalkyl ethers | EGC | 40 | 0 | D/E | III | Α | Yes | 1 | No | G | |
| Ethylene glycol propyl ether | EGP | 40 | 0 | E | III | Α | Yes | 1 | No | G | |
| 2-Ethylhexyl acrylate | EAI | 14 | 0 | E | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | |
| Ethyl methacrylate | ETM | 14 | 0 | D/E | 111 | Α | Yes | 2 | .50-70(a) | G | |
| 2-Ethyl-3-propylacrolein | EPA | 19 ² | 0 | E | III | Α | Yes | 1 | No | G | |
| Formaldehyde solution (37% to 50%) | FMS | 19 ² | 0 | D/E | 111 | Α | Yes | 1 | .55-1(h) | G | |
| Furfural | FFA | 19 | 0 | D | Ш | Α | Yes | 1 | .55-1(h) | G | |
| Glutaraldehyde solution (50% or less) | GTA | 19 | 0 | NA | 111 | Α | No | N/A | No | G | |
| Hydrocarbon 5-9 | HFN | | 0 | С | 111 | Α | Yes | 1 | .50-70(a), .50-81(a), (b) | G | |
| Isoprene | IPR | 30 | 0 | Α | 111 | Α | Yes | 7 | .50-70(a), .50-81(a), (b) | G | |
| Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor) | KPL | 5 | 0 | NA | Ш | Α | No | N/A | .50-73, .56-1(a), (c), (g) | G | |
| Mesityl oxide | MSO | 18 ² | 0 | D | Ш | Α | Yes | 1 | No | G | |
| Methyl acrylate | MAM | 14 | 0 | С | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | |
| Methylcyclopentadiene dimer | MCK | 30 | 0 | С | 111 | Α | Yes | 1 | No | G | |
| Methyl methacrylate | MMM | 14 | 0 | С | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | |
| alpha-Methylstyrene | MSR | 30 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | |
| 1- or 2-Nitropropane | NPM | 42 | 0 | D | Ш | Α | Yes | 1 | .50-81 | G | |
| 1,3-Pentadiene | PDE | 30 | 0 | Α | 111 | Α | Yes | 7 | .50-70(a), .50-81 | G | |
| Perchloroethylene | PER | 36 | 0 | NA | Ш | Α | No | N/A | No | G | |
| Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxid | ie) SAP | | 0 | | III | Α | No | N/A | .50-73, .55-1(j) | G | |
| Sodium chlorate solution (50% or less) | SDD | 0 1,2 | 0 | NA | 111 | Α | No | N/A | .50-73 | G | |
| Styrene (crude) | STX | | 0 | D | Ш | Α | Yes | 2 | No | G | |
| Styrene monomer | STY | 30 | 0 | D | Ш | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | 0 | NA | Ш | Α | No | N/A | No | G | |
| Tetrahydrofuran | THF | 41 | 0 | С | III | Α | Yes | 1 | .50-70(b) | G | |
| 1,2,4-Trichlorobenzene | TCB | 36 | 0 | E | 111 | Α | Yes | 1 | No | G | |
| 1,1,2-Trichloroethane | TCM | 36 | 0 | NA | Ш | Α | Yes | 1 | .50-73, .56-1(a) | G | |
| Trichloroethylene | TCL | 36 ² | 0 | NA | Ш | Α | Yes | 1 | No | G | |
| 1,2,3-Trichloropropane | TCN | 36 | 0 | E | 11 | Α | Yes | 3 | .50-73, .56-1(a) | G | |
| Trisodium phosphate solution | TSP | 5 | 0 | NA | Ш | Α | No | N/A | .50-73, .56-1(a), (c). | G | |
| Vanillin black liquor (free alkali content, 3% or more). | VBL | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (c), (g) | G | |
| Vinyl acetate | VAM | 13 | 0 | С | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G | |
| Vinyl neodecanate | VND | 13 | 0 | E | III | Α | No | N/A | .50-70(a), .50-81(a), (b) | G | |
| Subchapter D Cargoes Authorized for Vapor Contro | | 40.2 | | | | | | | | | |
| Acetone | ACT | 18 ² | D | С | | A | Yes | 1 | | | |
| Acetophenone | ACP | 18 | D | E | | A . | Yes | 1 | | | |
| Alcohol(C12-C16) poly(1-6)ethoxylates | APU | 20 | D | E | | A | Yes | 1 | | | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates | AEB | 20 | D | E | | A | Yes | 1 | | | |
| Amyl acetate (all isomers) | AEC | 34 | D | D | - | A | Yes | 1 | | | |
| Amyl alcohol (iso-, n-, sec-, primary) | AAI | 20 | D | D | | A | Yes | 1 | | | |
| Benzyl alcohol Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters) | BAL | 20 | D | E | | A | Yes | 1 | | | |



Serial #: C1-1202871 Dated:

06-Jun-12

Certificate of Inspection

Cargo Identification

Cargo Authority Attachment

Shipvard: TRINITY

Conditions of Carriage

MADISONVILLE Hull #: 2204-2

Official #: 1239888

Ethyl cyclohexane

Ethylene glycol butyl ether acetate

Ethylene glycol diacetate

Ethylene glycol

Page 3 of 7

Vapor Recovery App'd VCS Special Requirements in 46 CFR Category 151 General and Mat'ls of Insp Name Group No 34 Group Y or N) Yes Butyl acetate (all isomers) BAX D Butyl alcohol (iso-) IAL 20 2 D Yes Butyl alcohol (n-) BAN 20² D D Yes A 20² Butyl alcohol (sec-) BAS C Yes 1 D A BAT C Butyl alcohol (tert-) D A Yes **BPH** Butyl benzyl phthalate D F Α BUE 32 D D **Butyl** toluene Caprolactam solutions CLS 22 D E Yes Cyclohexane CHX 31 D C Yes Cyclohexanol CHN 20 D E Α Yes 1 1,3-Cyclopentadiene dimer (molten) CPD 30 D D/E 2 Α Yes CMP 32 p-Cymene D D Α Yes iso-Decaldehyde IDA 19 D E Α Yes n-Decaldehyde DAL 19 D Е Yes DCE 30 D D Decene Α Yes Decyl alcohol (all isomers) DAX 20 2 D E Α Yes 1 DBZ 32 D E A Yes 1 n-Decylbenzene, see Alkyl(C9+)benzenes 20 2 D 1 DAA D A Yes Diacetone alcohol ortho-Dibutyl phthalate DPA 34 D E A Yes 1 Diethylbenzene DEB 32 D D DEG 40² D E Diethylene glycol Diisobutylene DBL Yes DIK 18 D D Diisobutyl ketone A Yes DIX 32 D E Diisopropylbenzene (all isomers) A Yes DTL 34 D E A 1 Dimethyl phthalate Yes Dioctyl phthalate DOP 34 D E A Yes Dipentene DPN 30 D D Α Yes D D/E A Yes Diphenyl, Diphenyl ether mixtures DDO 33 D E A Yes 1 D Yes Diphenyl ether DPE 41 {E} A 1 Yes 1 Dipropylene glycol DPG D E A Distillates: Flashed feed stocks DFF 33 D E A Yes DSR 33 D Е Α Yes Distillates: Straight run D D Dodecene (all isomers) Yes Dodecylbenzene, see Alkyl(C9+)benzenes DDB 32 D E A Yes EEA 34 D D Yes A 2-Ethoxyethyl acetate 40 D E ETG A Yes Ethoxy triglycol (crude) FTA 34 D С A Yes Ethyl acetate D E Yes Ethyl acetoacetate EAA 34 Α EAL 20 2 D C A Yes Ethyl alcohol Ethylbenzene **ETB** 32 D C A Yes **EBT** 20 D D A Yes Ethyl butanol Ethyl tert-butyl ether 41 D C A 34 D D Α Yes Ethyl butyrate

D

D

D

D

E

E

Е

A

A

A

A

Yes

Yes

Yes

Yes

1

ECY

EGL

EMA

EGY

31

34

34

20²



Official #: 1239888

Dated:

Serial #: C1-1202871 06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Page 4 of 7

Shipyard: TRINITY **MADISONVILLE**

Hull #: 2204-2

| Cargo Identification | Cargo Identification | | | | | | | | | Conditions of Carriage | | | | | | |
|---|----------------------|-----------------|---------------------|------------|--------------|------------|--------------------------|----------------------|---|------------------------|--|--|--|--|--|--|
| | Char | Comme | C | | 14. " | T. 1 | | Recovery | | | | | | | | |
| Name Ethylene glycol phenyl ether | Code EPE | Group No 40 | Sub Chapter D | Grade E | Hull Type | Group A | App'd (Y or N) Yes | VCS Category 1 | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period | | | | | | |
| Ethyl-3-ethoxypropionate | EEP | 34 | D | D | | Α | Yes | 1 | | | | | | | | |
| 2-Ethylhexanol | EHX | 20 | D | E | | Α | Yes | 1 | | | | | | | | |
| Ethyl propionate | EPR | 34 | D | С | | Α | Yes | 1 | | | | | | | | |
| Ethyl toluene | ETE | 32 | D | D | | Α | Yes | 1 | , , , , , , , , , , , , , , , , , , , | | | | | | | |
| Formamide | FAM | 10 | D | E | | Α | Yes | 1 | | | | | | | | |
| Furfuryl alcohol | FAL | 20 ² | D | E | | Α | Yes | 1 | | | | | | | | |
| Gasoline blending stocks: Alkylates | GAK | 33 | D | A/C | - | Α | Yes | 1 | | | | | | | | |
| Gasoline blending stocks: Reformates | GRF | 33 | D | A/C | | Α | Yes | 1 | | | | | | | | |
| Gasolines: Automotive (containing not over 4.23 grams lead per gallon) | GAT | 33 | D | С | | Α | Yes | 1 | | | | | | | | |
| Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) | GAV | 33 | D | С | | Α | Yes | 1 | | | | | | | | |
| Gasolines: Casinghead (natural) | GCS | 33 | D | A/C | | Α | Yes | 1 | · · · · · · · · · · · · · · · · · · · | | | | | | | |
| Gasolines: Polymer | GPL | 33 | D | A/C | 7 | Α | Yes | 1 | | | | | | | | |
| Gasolines: Straight run | GSR | 33 | D | A/C | | Α | Yes | 1 | | | | | | | | |
| Glycerine | GCR | 20 ² | D | E | | Α | Yes | 1 | | | | | | | | |
| Heptane (all isomers), see Alkanes (C6-C9) (all isomers) | HMX | 31 | D | С | | Α | Yes | 1 | | | | | | | | |
| Heptanoic acid | HEP | 4 | D | E | | Α | Yes | 1 | | | | | | | | |
| Heptanol (all isomers) | HTX | 20 | D | D/E | | Α | Yes | 1 | | | | | | | | |
| Heptene (all isomers) | HPX | 30 | D | С | | Α | Yes | 2 | | | | | | | | |
| Heptyl acetate | HPE | 34 | D | E | | Α | Yes | 1 | | | | | | | | |
| Hexane (all isomers), see Alkanes (C6-C9) | HXS | 31 ² | D | B/C | | Α | Yes | 1 | | | | | | | | |
| Hexanoic acid | нхо | 4 | D | E | | Α | Yes | 1 | | | | | | | | |
| Hexanol | HXN | 20 | D | D | | A | Yes | 1 | | | | | | | | |
| Hexene (all isomers) | HEX | 30 | D | C | | A | Yes | 2 | | - | | | | | | |
| Hexylene glycol | HXG | 20 | | E | | A | Yes | 1 | | | | | | | | |
| Isophorone | IPH | 18 ² | D | E | | Α | Yes | 1 | | | | | | | | |
| Jet fuel: JP-4 | JPF | 33 | D | E | | Α | Yes | 1 | | | | | | | | |
| Jet fuel: JP-5 (kerosene, heavy) | JPV | 33 | D | D | | A | Yes | 1 | | | | | | | | |
| Kerosene | KRS | -33 | | D | | A | Yes | 1 | | | | | | | | |
| Methyl acetate | MTT | 34 | D | D | | A | Yes | 1 | | | | | | | | |
| Methyl alcohol | MAL | 20 ² | D | С | | A | Yes | 1 | | | | | | | | |
| Methylamyl acetate | MAC | 34 | D | D | | A | Yes | 1 | | | | | | | | |
| Methylamyl alcohol | MAA | 20 | | D | | A | Yes | 1 | | | | | | | | |
| Methyl amyl ketone | MAK | 18 | D | D | | A | Yes | 1 | | | | | | | | |
| | MBE | 41 2 | D | С | - | A | Yes | 1 | | | | | | | | |
| Methyl tert-butyl ether | MBK | 18 | D | c | | A | Yes | 1 | | | | | | | | |
| Methyl butyl ketone | MBU | 34 | | c | | A | Yes | 1 | | | | | | | | |
| Methyl butyrate | MEK | 18 2 | | С | | A | Yes | 1 | | | | | | | | |
| Methyl ethyl ketone | MHK | 18 | D | D | | | Yes | 1 | | | | | | | | |
| Methyl heptyl ketone | MIK | 18 ² | D | С | | | 100000000 | | 7 T. M | | | | | | | |
| Methyl raphthalana (moltan) | MNA | 32 | D | E | | Α | Yes | 1 | | | | | | | | |
| Methyl naphthalene (molten) | 100000000 | 33 | D | D | | Α | Yes | | | | | | | | | |
| Mineral spirits | MNS | | | | | Α | Yes | 11 | • | | | | | | | |
| Myrcene | MRE | 30 | D | D # | | Α | Yes | 1 | | | | | | | | |
| Naphtha: Heavy | NAG | 33 | D | # | | A | Yes | 1 | | | | | | | | |
| Naphtha: Petroleum | PTN | 33 | D | # | | A | Yes | 1 | | | | | | | | |
| Naphtha: Solvent | NSV | 33 | | D | 10 | Α . | Yes | 1 | | | | | | | | |
| Naphtha: Stoddard solvent | NSS | 33 | D | D | | Α | Yes | 1 | | | | | | | | |



Serial #: C1-1202871 06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Page 5 of 7 Official #: 1239888

Shipyard: TRINITY **MADISONVILLE**

Hull #: 2204-2

| Cargo Identifica | | Conditions of Carriage | | | | | | | | |
|---|---------------------|------------------------|---------------------|------------|--------------------|--------------------|--------------------------|----------------------|---|-------|
| | Cham | C1 | Cub | | | T1 | | Recovery | 0 | |
| Name Naphtha: Vamish makers and painters (75%) | Chem Code NVM | Group No 33 | Sub Chapter D | Grade C | Hull Type | Tank Group A | App'd (Y or N) Yes | VCS Category 1 | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. |
| Nonane (all isomers), see Alkanes (C6-C9) | NAX | 31 | D | D | | Α | Yes | 1 | | |
| Nonene (all isomers) | NON | 30 | D | D | | Α | Yes | 2 | | |
| Nonyl alcohol (all isomers) | NNS | 20 ² | D | E | | Α | Yes | 1 | | |
| Nonyl phenol | NNP | 21 | D | E | | Α | Yes | 1 | | |
| Nonyl phenol poly(4+)ethoxylates | NPE | 40 | D | E | tur a tra-describe | Α | Yes | 1 | | |
| Octane (all isomers), see Alkanes (C6-C9) | OAX | 31 | D | С | | Α | Yes | 1 | | |
| Octanoic acid (all isomers) | OAY | 4 | D | E | | Α | Yes | 1 | | |
| Octanol (all isomers) | ocx | 20 ² | D | Е | | Α | Yes | 1 | | |
| Octene (all isomers) | OTX | 30 | D | С | | A | Yes | 2 | | |
| Oil, fuel: No. 2 | OTW | 33 | D | D/E | | A | Yes | 1 | | |
| Oil, fuel: No. 2-D | OTD | 33 | D | D | 1100-2 | Α | Yes | 1 | | |
| Oil, fuel: No. 4 | OFR | 33 | D | D/E | | A | Yes | 1 | | |
| Oil, fuel: No. 5 | OFV | 33 | D | D/E | | A | Yes | 1 | | |
| Oil, fuel: No. 6 | OSX | 33 | D | E | | A | Yes | 1 | | |
| Oil, misc: Crude | OIL | 33 | D | C/D | | A | Yes | 1 | | |
| Oil, misc: Diesel | ODS | 33 | D | D/E | | A | Yes | 1 | | |
| | OGP | 33 | | E | | A | Yes | 1 | | - |
| Oil, misc: Gas, high pour | OLB | 33 | D | E | | A | Yes | 1 | 11 | |
| Oil, misc: Lubricating | ORL | 33 | D | E | | A | Yes | 1 | | |
| Oil, misc: Residual | | 76000000 | 1770 | | | 100000 | | | | |
| Oil, misc: Turbine | OTB | 33 | D | E | | A | Yes | 1 | | |
| Pentane (all isomers) | PTY | 31 | D | Α | | Α | Yes | 5 | | |
| Pentene (all isomers) | PTX | 30 | D | A | | Α. | Yes | 5 | | |
| n-Pentyl propionate | PPE | 34 | D | D | | Α . | Yes | 1 | | |
| alpha-Pinene | PIO | 30 | D | D | | A | Yes | 1 | | |
| beta-Pinene | PIP | 30 | D | D | | Α | Yes | 1 | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether | PAG | 40 | D | E | | Α | Yes | 1 | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate | PAF | 34 | D | E | | Α | Yes | 1 | | |
| Polybutene | PLB | 30 | D | E | | Α | Yes | 1 | | |
| Polypropylene glycol | PGC | 40 | D | E | | Α | Yes | 1_ | | |
| iso-Propyl acetate | IAC | 34 | D | C | | Α | Yes | 1 | | |
| n-Propyl acetate | PAT | 34 | D | С | | Α | Yes | 1 | | |
| iso-Propyl alcohol | IPA | 20 2 | D | С | | Α | Yes | 1 | | |
| n-Propyl alcohol | PAL | 20 ² | D | С | | Α | Yes | 1 | | |
| Propylbenzene (all isomers) | PBY | 32 | D | D | | Α | Yes | 1 | | |
| iso-Propylcyclohexane | IPX | 31 | D | D | | Α | Yes | 1 | | |
| Propylene glycol | PPG | 20 ² | D | E | | Α | Yes | 1 | | |
| Propylene glycol methyl ether acetate | PGN | 34 | D | D | | Α | Yes | 1 | | |
| Propylene tetramer | PTT | 30 | D | D | | Α | Yes | 1 | | |
| Sulfolane | SFL | 39 | D | E | | Α | Yes | 1 | | |
| Tetraethylene glycol | TTG | 40 | D | E | | Α | Yes | 1 | • | |
| Tetrahydronaphthalene | THN | 32 | D | E | | Α | Yes | 1 | | |
| Toluene | TOL | 32 | D | С | | Α | Yes | 1 | | |
| Tricresyl phosphate (less than 1% of the ortho isomer) | TCP | 34 | D | E | | Α | Yes | 1 | | |
| Triethylbenzene | TEB | 32 | D | E | | Α | Yes | 1 | | |
| Triethylene glycol | TEG | 40 | D | E | | Α | Yes | | | |
| Triethyl phosphate | TPS | 34 | D | E | | Α | Yes | | | |
| Trimethylbenzene (all isomers) | TRE | 32 | D | {D} | | Α | Yes | | | |





Official #: 1239888

Serial #: C1-1202871 Dated: 06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Shipyard: TRINITY

MADISONVILLE

Hull #: 2204-2

Page 6 of 7

| Cargo Identification | | | | | | | | Conditions of Carriage | | | | |
|--------------------------------|-------------|----------------|--------------|-------|------|------------|-----------------|------------------------|--------------------------------|--------|--|--|
| | Chem | Compat | Sub | | Hull | Tank | Vapor F | Recovery | Special Requirements in 46 CFR | Insp. | | |
| Trixylenyl phosphate | Code TRP | Group No 34 | Chapter D | Grade | Type | Group A | (Y or N) Yes | Category 1 | 151 General and Mat'ls of | Perion | | |
| Undecene | UDC | 30 | D | D/E | | Α | Yes | 1 | | | | |
| 1-Undecyl alcohol | UND | 20 | D | E | | Α | Yes | 1 | | | | |
| Xylenes (ortho-, meta-, para-) | XLX | 32 | D | D | | Α | Yes | 1 | | | | |



Department of Homeland Security **United States Coast Guard**

Dated:

C1-1202871

06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Official #: 1239888

Page 7 of 7

Shipyard: TRINITY MADI

Hull #: 2204-2

Explanation of terms & symbols used in the Table:

Cargo Identification

Note 1

Note 2

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-

0001. Telephone (202) 372-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchanter O The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified. Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A. B. C Note 4

Flammable liquid cargoes, as defined in 46 CFR 30-10.22.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

NA Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category:

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polym causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge

Category 3

Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation (Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9.

Category 4

This requirement is in addition to the requirements of Category 1. (Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.