

United States of America Department of Homeland Security **United States Coast Guard**

23 Mar 2022 Certification Date: 23 Mar 2023 **Expiration Date:**

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

| Vessel Name KIRBY 30036 | Official Number | IMO Numb | er | Call Sign | Tank I | 3arge | |
|---|-------------------------|---|--|--|------------|--------------------------|--|
| Hailing Port GIBSON, LA UNITED STATES | Hull Material Steel | Horse | power | Propulsion | | | |
| Place Built Madisonville, LA UNITED STATES | Delivery Date 20Sep2012 | Keel Laid Date 08Aug2012 | Gross Tons R-1619 I- | Net Tons R-1619 I- | DWT | Length R-297.5 I-0 | |
| Owner KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES | | 1835 CHA UNIT | Inland Mar 0 MARKET NNELVIEW ED STATE | ST /, TX 77530 S | | | |
| This vessel must be manned with the 0 Certified Lifeboatmen, 0 Certified T | ankermen, 0 HSC | and unlicensed Type Rating, a Engineers | and U GIVID | Included in w SS Operators. Dilers | hich there | must be | |

0 First Assistant Engineers 0 First Class Pilots 0 Chief Mates 0 Second Assistant Engineers 0 Radio Officers 0 Second Mates 0 Third Assistant Engineers 0 Able Seamen 0 Third Mates 0 Licensed Engineers 0 Ordinary Seamen 0 Master First Class Pilot 0 Qualified Member Engineer 0 Deckhands 0 Mate First Class Pilots

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

--- Lakes, Bays, and Sounds plus Limited Coastwise---

Limited Coastwise

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

THIS VESSEL HAS BEEN GRANTED A FRESH WATER SERVICE EXAMINATION INTERVAL IN ACCORDANCE WITH 46 CFR 31.10-21(a) (2); IF THIS VESSEL IS OPERATED IN SALT WATER MORE THAN SIX (6) MONTHS IN ANY TWELVE (12) MONTH PERIOD, THE VESSEL MUST BE INSPECTED USING SALT WATER INTERVALS PER 46 CFR 31.10-21(a)(1) AND THE COGNIZANT OCMI MUST BE NOTIFIED IN WRITING AS SOON AS THIS CHANGE IN STATUS OCCURS.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

| | Annual/Peri | odic/Re-Inspe | ction | This certificate issued by: |
|------|-------------|---------------|-----------|---------------------------------------|
| Date | Zone | A/P/R | Signature | K. A. Hantal, CDR, USCG, By direction |
| | | | | Officer in Charge, Marine Inspection |
| | | | | Marine Safety Unit Port Arthur |
| | | | | Inspection Zone |



United States of America Department of Homeland Security **United States Coast Guard**

23 Mar 2022 Certification Date: 23 Mar 2023 **Expiration Date:**

Temporary Certificate of Inspection

Vessel Name: KIRBY 30036

THIS TANK BARGE IS PARTICIPATING IN THE EIGHTH COAST GUARD DISTRICT'S TANK BARGE STREAMLINED INSPECTION PROGRAM (TBSIP). INSPECTION ACTIVITIES ABOARD THIS BARGE SHALL BE CONDUCTED IN ACCORDANCE WITH ITS TANK BARGE ACTION PLAN (TAP). INSPECTION ISSUES CONCERNING THIS BARGE SHOULD BE DIRECTED TO THE OCMI MORGAN CITY, LOUISIANA.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Mar2032

23Mar2022

20Sep2012

Internal Structure

31Mar2027

23Mar2022

22May2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Grade "A" and Lower and Specified Hazardous Cargoes.

Total Capacity

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

30100

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Number

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1 P/S

1007

13.6

2 P/S

873

13.6

3 P/S

699

13.6

Loading Constraints - Stability

Hull Type

Maximum Load

(short tons)

Maximum Draft

Max Density

Route Description

(ft/in)

(lbs/gal)

11

4034

10ft 0in

13.6

III

4913

11ft 9in

13.6

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial# C1-1202871 dated 06JUN12, may be carried, and then only in tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

VAPOR CONTROL AUTHORIZATION

In accordance with 46 CFR 39, excluding 46 CFR 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial# C1-1202871 dated 06JUN12 and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

Per 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

STABILITY AND TRIM

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 23 Mar 2022 Expiration Date: 23 Mar 2023

Temporary Certificate of Inspection

Vessel Name: KIRBY 30036

The maximum density of cargo which may be filled to the tank top is 8.745 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Cargo Tanks

| ١ | | Internal Exam | | | External Exam | | |
|---|---------|---------------|-----------|--------------|---------------|----------|------|
| ١ | Tank Id | Previous | Last | Next | Previous | Last | Next |
| ١ | 1 P/S | 20Sep2012 | 23Mar2022 | 31Mar2032 | - | | - |
| | 2 P/S | 20Sep2012 | 23Mar2022 | 31Mar2032 | ₩° | - | # · |
| | 3 P/S | 20Sep2012 | 23Mar2022 | 31Mar2032 | # % | =: | = |
| | | | | Hydro Test | | | |
| | Tank Id | Safety Valves | | Previous | Last | Next | |
| | 1 P/S | (F) | | | - | * | |
| | 2 P/S | - | | - | - | - | |
| | 3 P/S | = | | : - : | - | ≅ | |

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---


Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

40-B

END



C1-1202871 Dated:

06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30037

Shipyard: TRINITY

MADISONVILLE

· Hull #: 2204-2

Official #: 1239888

| Tank Group Information | Cargo i | dentificati | on | *************************************** | Cargo | | Tanks | | Carg Tran | | Enviror Control | mental | Fire | Special Require | ments | | |
|------------------------------|---------|-------------|-------|---|------------|---------------------|-------|--------|---------------|------|--------------------|-------------------|------------------------|---|--|----|-------------|
| Trik Grp Tanks in Group . | Density | Press. | Temp. | Hull Typ | Sea | Тура | Vent | Gauge | Pipe Class | Cont | Tanks | Handling Space | Protection Provided | General | Materials of Construction | | Tem Cont |
| A #1P/S, #2P/S, #3P/S | 13.6 | Atmos. | Amb. | \$ [| 11i 21i | Integral Gravity | PV | Closed | il | G-1 | NR | NA | Portable | .50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b), | 55-1(h), (j), 56-1(a), (c), (d), (e), (f), (g), | NR | No |

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

| Cargo Identificatio | n | | | | | | | Condi | tions of Carriage | |
|--|--------------|--------------------|----------------|-------|--------------|---------------|-------------------|-----------------|---|-----------------|
| Marine Transfer of the Control of th | | T | | | | | Vapor Re | | | |
| Name | Chem Code | Compat Group No | Sub Chapter | Grade | Hull Type | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Authorized Subchapter O Cargoes | | | | | | | | | | |
| Acetonitrile | ATN | 37 | 0 | С | III | Α | Yes | 3 | No | G |
| Adiponitrile | ADN | 37 | 0 | Ε | 11 | Α | Yes | 1 | No | G |
| Alkyl(C7-C9) nitrates | AKN | 34 2 | 0 | NA | III | Α | No | N/A | | G |
| Anthracene oil (Coal tar fraction) | AHO | 33 | 0 | NA | [] | Α | No | N/A | | G |
| Benzene | BNZ | 32 | 0 | С | III | Α | Yes | 1 | .50-60 | G |
| Benzene or hydrocarbon mixtures (having 10% Benzene or more) | внв | 32 ² | 0 | С | III | A | Yes | 1 | ,50-60 | G |
| Benzene, Toluene, Xylene mixtures (10% Benzene or more) | BTX | 32 | 0 | B/C | Ш | Α | Yes | 1 | .50-60 | G |
| Butyl acrylate (all isomers) | BAR | 14 | 0 | D | [1] | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Butyl methacrylate | BMH | 14 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Butyraldehyde (all isomers) | BAE | 19. | 0 | С | 111 | A | Yes | 1 | .55-1(h) | G |
| Camphor oil (light) | CPO | 18 | 0 | ם | IJ | Α | No | N/A | No | G |
| Carbon tetrachloride | CBT | 36 | 0 | NA | 111 | Α | No | N/A | No | G |
| Caustic potash solution | CPS | 5 ² | 0 | NA | Ш | Α | No | N/A | .50-73, .55-1(j) | G |
| Caustic soda solution | css | 5 ² | 0 | NA | 11 | Α | No | N/A | .50-73, .55-1(j) | G |
| Chemical Oil (refined, containing phenolics) | COD | 21 | 0 | Ę | 1 | Α | No | N/A | .50-73 | G |
| Chlorobenzene | CRB | 36 | 0 | D | 111 | Α | Yes | 1 | No | G |
| Chloroform | CRF | 36 | 0 | NA | 111 | А | Yes | 3 | No | G |
| Coal tar naphtha solvent | NCT | 33 | 0 | Ð | } | Α | Yes | 1 | ,50-73 | . G |
| Creosote | CCM | 21 2 | 0 | E | } | Α | Yes | 1 | No | G |
| Cresols (all isomers) | CRS | 21 | 0 | E | | Α | Yes | 1 | No | G |
| Crotonaldehyde | CTA | 19 ² | 0 | С | 11 | Α | Yes | 4 | .65-1(h) | G |
| Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein) | CHG | | 0 | С | 111 | Α | No | N/A | No | G |
| 1,1-Dichloroethane | DCH | 36 | 0 | С | III | Α | Yes | 1 | No | G |
| Dichloromethane | DCM | 36 | 0 | NA | fil | Α | Yes | 5 | No | G |
| 1,1-Dichloropropane | DPB | 36 | 0 | С | III | A | Yes | 3 | No | G |
| 1,2-Dichloropropane | DPP | 36 | 0 | С | []] | Α | Yes | 3 | No | G |
| 1,3-Dichloropropane | DPC | 36 | 0 | С | 111 | Α | Yes | 3 | No | G |
| 1,3-Dichloropropene | DPU | 15 | 0 | D | l i | Α | Yes | 4 | No | G |
| Dichloropropene, Dichloropropane mixtures | DMX | 15 | 0 | С | II. | Α | Yes | 1 | No | G |
| Dodecyl diphenyl ether disulfonate solution | DOS | 43 | 0 | # | II. | Α | No | N/A | No | G |
| • • • | EEG | 40 | 0 | D | 111 | Α | No | N/A | No | G |
| | EAC | 14 | 0 | С | 113 | Α | Yes | 2 | ,50-70(a), .50-81(a), (b) | G |
| EE Glycol Ether Mixture Ethyl acrylate | | | | | | | | | | |

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical



C1-1202871 06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30037 Official #: 1239888

Page 2 of 7

Shipyard: TRINITY MADISONVILLE

| Cargo Identification | 1 | | | | | | (| Jondi | tions of Carriage | |
|---|---------|--------------------|----------------|-------|------------|---------------|----------------|-----------------|---|-----------------|
| | | | | | | | 1 | ecovery | | |
| Name | Chem | Compat Group No | Sub Chapter | Grade | Huli | Tank Group | App'd (Y or N) | VCS Category | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Ethylene cyanohydrin | ETC | 20 | 0 | E | 111 | Α | Yes | 1 | No | G |
| Ethylene dichloride | EDC | 36 ² | 0 | С | 111 | Α | Yes | 1 | No | G |
| Ethylene glycol hexyl ether | EGH | 40 | 0 | ᇤ | 111 | Α | No | N/A | No | G |
| Ethylene glycol monoalkyl ethers | EGC | 40 | 0 | D/E | 111 | Α | Yes | 1 | No | G |
| Ethylene glycol propyl ether | EGP | 40 | 0 | E | 111 | Α | Yes | 1 | No | G |
| 2-Ethylhexyl acrylate | EAI | 14 | 0 | E | | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Ethyl methacrylate | ETM | 14 | 0 | D/E | [1] | Α | Yes | 2 | .50-70(e) | G |
| 2-Ethyl-3-propylacrolein | EPA | 19 ² | 0 | E | 111 | Α | Yes | 1 | No | G |
| Formaldehyde solution (37% to 50%) | FMS | 19 ² | 0 | D/E | 111 | Α | Yes | 1 | .55-1(h) | G |
| Furfural | FFA | 19 | 0 | D | 111 | Α | Yes | 1 | .55-1(h) | G |
| Glutaraldehyde solution (50% or less) | GTA | 19 | 0 | NA | 111 | Α | No | N/A | No | G |
| Hydrocarbon 5-9 | HFN | | 0 | С | \$ | Α | Yes | 1 | .50-70(a), .50-81(a), (b) | G |
| Isoprene | IPR | 30 | 0 | Α | # | Α | Yes | 7 | .50-70(a), .50-81(a), (b) | G |
| Kraft pulping liquors (free alkali content 3% or more)(including: Black | | 5 | 0 | NA | III | Α | No | N/A | .50-73, .56-1(a), (c), (g) | G |
| Green, or White liquor) | • | | | | | | | | | |
| Mesityl oxide | MSO | 18 ² | 0 | D | 111 | Α | Yes | 1 | No | G |
| Methyl acrylate | MAM | 14 | 0 | C | 101 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Methylcyclopentadiene dimer | MCK | 30 | 0 | С | Ш | Α | Yes | 1 | No | G |
| Methyl methacrylate | MMM | 14 | 0 | С | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| alpha-Methylstyrene | MSR | 30 | 0 | D | III | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| 1- or 2-Nitropropane | NPM | 42 | 0 | D | Ш | Α | Yes | 1 | .60-81 | G |
| 1,3-Pentadiene | PDE | 30 | 0 | Α | 111 | Α | Yes | 7 | .50-70(a), .50-81 | G |
| Perchloroethylene | PER | 36 | 0 | NA | 133 | Α | No | N/A | No | G |
| Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxi | de) SAP | | 0 | | 131 | Α | No | N/A | .50-73, .55-1(j) | G |
| Sodium chlorate solution (50% or less) | SDD | 0 1,2 | 0 | NA | lii | Α | No | N/A | .50-73 | G |
| Styrene (crude) | STX | | 0 | D | Ш | A | Yes | 2 | No | G |
| Styrene monomer | STY | 30 | 0 | D | 111 | Α | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| 1,1,2,2-Tetrachloroethane | TEC | 36 | 0 | NA | []] | Α | No | N/A | No | G |
| Tetrahydrofuran | THF | 41 | 0 | C | | A | Yes | 1 | ,50-70(b) | G |
| 1,2,4-Trichlorobenzene | TCB | 36 | 0 | E | 111 | Α | Yes | 1 | No | G |
| 1,1,2-Trichloroethane | TCM | 36 | 0 - | NA | 111 | Α | Yes | 1 | .50-73, .56-1(a) | G |
| | TCL | 36 ² | - | NA | 111 | Α | Yes | 1 | No | G |
| Trichloroethylene | TCN | 36 | 0 | E | <u></u> | Α | Yes | 3 | .50-73, .56-1(a) | G |
| 1,2,3-Trichloropropane | TSP | 5 | 0 | NA. | 111 | A | No | N/A | .50-73, .56-1(a), (c). | G |
| Trisodium phosphate solution | VBL | 5 | o | NA | JII | A | No | N/A | | G |
| Vanillin black liquor (free alkali content, 3% or more). | VAM | 13 | 0 | C | | A | Yes | 2 | .50-70(a), .50-81(a), (b) | G |
| Vinyl acetate | VND | 13 | 0 | E | | A | No | N/A | .50-70(a), .60-81(a), (b) | G |
| Vinyl neodecanate | | 10 | | | (11 | | 117 | 1467 | | |
| Subchapter D Cargoes Authorized for Vapor Contr | ol | | | | | | | | | |
| Acetone | ACT | 18 ² | D | С | | A | Yes | 1 | | |
| Acetophenone | ACP | 18 | D | E | | Α. | Yes | 1 | | |
| Alcohol(C12-C16) poly(1-6)ethoxylates | APU | 20 | D | E | | Α | Yes | 11 | | |
| Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates | AEB | 20 | D | E | | Α | Yes | 1 | | |
| Amyl acetate (all isomers) | AEC | 34 | D | D | | Α | Yes | 1 | | |
| Amyl alcohol (iso-, n-, sec-, primary) | AAI | 20 | D | D | | Α | Yes | 1 | | |
| Benzyl alcohol | BAL | 21 | D | E | | Α | Yes | 1 | | |
| | BFX | 20 | D | Е | | A | Yes | 1 | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30037

Official #: 1239888

Page 3 of 7

Shipyard: TRINITY MADISONVILLE

| . Cargo Iden | tification | | | | { | <u></u> | | Condi | tions of Carriage | |
|--|--------------|--------------------------|---------------------|------------|--------------|--------------------|--------------------|----------------------------------|---|-----------------|
| Nama | Chem Code | Compat Group No 34 | Sub Chapter D | Grade D | Hull Tvoe | Tank Group A | App'd (Y or N) Yes | Recovery VCS Category 1 | Special Requirements in 46 CFR 151 General and Mat'ls of | Insp. Period |
| Butyl acetate (all isomers) | BAX | | | | | | Yes | 1 | | |
| Butyl alcohol (iso-) | IAL | 20 2 | D | D | | A | | 1 | | |
| Butyl alcohol (n-) | BAN | 20 ² | D | D | | Α | Yes | | | |
| Butyl alcohol (sec-) | BAS | 20 ² | <u>D</u> | C | | Α . | Yes | 1 | | |
| Butyl alcohol (tert-) | BAT | | D | C | | <u>A</u> | Yes | 1 | | |
| Butyl benzyl phthalate | BPH | 34 | | E | | <u>A</u> | Yes | 1 | ., | |
| Butyl toluene | BUE | 32 | D | D | | Α | Yes | 1 | | |
| Caprolactam solutions | CLS | 22 | D | E | | A | Yes | 1 | | |
| Cyclohexane | CHX | 31 | D | С | | <u> </u> | Yes | 1 | | |
| Cyclohexanol | CHN | 20 | D | E | | Α | Yes | 11 | | |
| 1,3-Cyclopentadiene dimer (moiteл) | CPD | 30 | D | D/E | | Α | Yes | 2 | | |
| p-Cymene | CMP | 32 | D | D | | Α | Yes | 1 | | |
| iso-Decaldehyde | IDA | 19 | Ð | E | | Α | Yes | 1 | | |
| n-Decaldehyde | DAL | 19 | D | E | | Α | Yes | 1 | | |
| Decene | DCE | 30 | D | D | | Α | Yes | 1 | | |
| Decyl alcohol (all isomers) | DAX | 20 ² | D | E | | Α | Yes | 1 | | |
| n-Decylbenzene, see Alkyl(C9+)benzenes | DBZ | 32 | D | E | | Α | Yes | . 1 | | |
| Diacetone alcohol | DAA | 20 ² | D | ם | ····· | Α | Yes | 1 | | |
| ortho-Dibutyl phthalate | DPA | 34 | D | E | | Α | Yes | 1 | | |
| Diethylbenzene | DEB | 32 | D | D | | Α | Yes | 1 | | |
| Diethylene glycol | DEG | 40 ² | D | E | | Α | Yes | 1 | | |
| Djisobutylene | DBL | 30 | D | С | | Α | Yes | 1 | | |
| Diisobutyl ketone | DIK | 18 | D | D | | Α | Yes | 1 | | |
| Diisopropylbenzene (all isomers) | DIX | 32 | D | Е | | Α | Yes | 1 | | |
| Dimethyl phthalate | DTL | 34 | D | E | | Α | Yes | 1 | | |
| Dioctyl phthalate | DOP | 34 | D | E | | Α | Yes | 1 | | |
| Dipentene | DPN | 30 | D | D | | Α | Yes | 1 | | |
| Diphenyl | DIL | 32 | ' D | D/E | | Α | Yes | 1 | | |
| Diphenyl, Diphenyl ether mixtures | ODQ | 33 | D | E | | Α | Yes | 1 | | |
| Diphenyl ether | DPE | 41 | D | {E} | | Α | Yes | 1 | | ····· |
| Dipropylene glycol | DPG | 40 | D | Ē | | A | Yes | 1 | | |
| Distillates: Flashed feed stocks | DFF | 33 | D | Ε | | A | Yes | 1 | | |
| Distillates: Straight run | DSR | 33 | D | E | | Α | Yes | 1 | | |
| | DOZ | 30 | D | D | | Α | Yes | 1 | | |
| Dodecene (all isomers) | DDB | 32 | | E | • • • | Α | Yes | 1 | | |
| Dodecylbenzene, see Alkyl(C9+)benzenes | EEA | 34 | D | D | | A | Yes | 1 | | |
| 2-Ethoxyethyl acetate | ETG | 40 | D | E | | | Yes | <u>·</u> 1 | - | |
| Ethoxy triglycol (crude) | ETA | 34 | D | C | | A | Yes | 1 | | |
| Ethyl acetate | EAA | 34 | D | E | | A | Yes | 1 | | |
| Ethyl acetoacetate | EAL | 20 ² | D | C | | | Yes | <u>'</u> 1 | | |
| Ethyl alcohol | | | D D | C | | A | Yes | 1 | | |
| Ethylbenzene | ETB | 32 | | D | | | Yes | 1 | | |
| Ethyl butanol | EBT | 20 | D | | | Α | | | | |
| Ethyl tert-butyl ether | EBE | 41 | D | C | | Α | Yes | 1 | | |
| Ethyl butyrate | EBR | 34 | D | D | | A | Yes | 1 | | |
| Ethyl cyclohexane | ECY | 31 | D | D | | A | Yes | 1 | | |
| Ethylene glycol | EGL | 20 ² | D | E | | <u> </u> | Yes | 1 | | |
| Ethylene glycol butyl ether acetate | EMA | 34 | D | E | | Α | Yes | 1 | | |
| Ethylene glycol diacetate | EGY | 34 | D . | Ε | | Α | Yes | 1 | | |



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30037

Official #: 1239888

Page 4 of 7

Shipyard: TRINITY MADISONVILLE

Dated:

06-Jun-12

| Cargo Identificatio | n | | | <u> </u> | | | | Condi | tions of Carriage | |
|---|---------------|-----------------|----------------|------------|------|------------|-------|---------------|--------------------------------|--|
| | | T | 1 | 1 | | | Vapor | Recovery | | |
| | Chem | Compat | Sub | Q4- | Hull | Tank | App'd | VCS | Special Requirements in 46 CFR | insp. |
| Name Ethylene glycol phenyl ether | l Code EPE | IGroup No 40 | I Chapter D | Grade E | Type | Group A | Yes | Category 1 | 151 General and Mat'ls of | Period |
| Ethyl-3-ethoxypropionate | EEP | 34 | D. | D | | Α | Yes | 1 | | |
| 2-Ethylhexanol | EHX | 20 | D | E | | Α | Yes | 1 | | LANCAL MARKET WITH THE PARTY OF |
| Ethyl propionate | EPR | 34 | D | c | | Α | Yes | 1 | | |
| | ETE | 32 | | D | | Α | Yes | 1 | | - |
| Ethyl toluene Formamide | FAM | 10 | | E | | A | Yes | <u>.</u> 1 | | |
| | FAL | 20 ² | | E | | A | Yes | i | | |
| Furfuryl alcohol Gasoline blending stocks; Alkylates | GAK | 33 | <u>_</u> | A/C | | Α | Yes | 1 | | |
| Ţ, | GRF | 33 | D | A/C | | A | Yes | 1 | | |
| Gasoline blending stocks: Reformates | GAT | 33 | D | C | | | Yes | 1 | | |
| Gasolines: Automotive (containing not over 4.23 grams lead per gallon) | | | | | | | | | | |
| Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) | GAV | 33 | D | C | | Α | Yes | 1 | | |
| Gasolines: Casinghead (natural) | GCS | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasolines: Polymer | GPL | 33 | D | A/C | | Α | Yes | 1 | | |
| Gasolines: Straight run | GSR | 33 | D | A/C | | Α | Yes | 11 | | |
| Glycerine | GCR | 20 ² | D | E | | Α | Yes | 1 | | |
| Heptane (all isomers), see Alkanes (C6-C9) (all isomers) | HMX | 31 | D | С | | Α | Yes | 1 | | |
| Heptanoic acid | HEP | 4 | Þ | E | | Α | Yes | 1 | | |
| Heptanol (all isomers) | HTX | 20 | D | D/E | | Α | Yes | 1 | | |
| Heptene (all isomers) | HPX | 30 | D | С | | Α | Yes | 2 | | |
| Heptyl acetate | HPE | 34 | D | Е | | Α | Yes | 1 | | |
| Hexane (all isomers), see Alkanes (C6-C9) | HXS | 31 ² | D | B/C | | Α | Yes | 1 | | |
| Hexanoic acid | HXO | 4 · | D | E | | Α | Yes | 1 | | |
| Hexanol | HXN | 20 | D | D | | Α | Yes | 1 | | |
| Hexene (all isomers) | HEX | 30 | D | С | | Α | Yes | 2 | • | |
| Hexylene glycol | HXG | 20 | D | Ε | | Α | Yes | 1 | | |
| Isophorone | íPH | 18 ² | D | Ε | | Α | Yes | 1 | | |
| Jet fuel: JP-4 | JPF | 33 | D | Ε | | Α | Yes | 1 | | |
| Jet fuel: JP-5 (kerosene, heavy) | JPV | 33 | D | D | | Α | Yes | 1 | | |
| Kerosene | KRS | 33 | D | D | | Α | Yes | 1 | | |
| Methyl acetate | мтт | 34 | D | D | | Α | Yes | 1 | | |
| Methyl alcohol | MAL | 20 ² | D | С | | Α | Yes | 1 | | |
| Methylamyl acetate | MAC | 34 | D | D | | Α | Yes | 1 | | |
| Methylamyl alcohol | MAA | 20 | D | D | | Α | Yes | 1 | | |
| Methyl amyl ketone | MAK | 18 | D | D | | Α. | Yes | 1 | | |
| Methyl tert-butyl ether | MBE | 41 ² | D | С | | Α | Yes | 1 | | |
| | MBK | 18 | D | C | | Α | Yes | 1 | | |
| Methyl butyl ketone Methyl butyrate | MBU | 34 | D | C | | Α | Yes | 1 | | |
| Methyl ethyl ketone | MEK | 18 ² | D | c | | Α | Yes | 1 | | |
| | MHK | 18 | D | D | | A | Yes | <u>.</u> 1 | | |
| Methyl lecture | MIK | 18 ² | D | С | | A | Yes | 1 | | |
| Methyl pophthaloga (malter) | MNA | 32 | | E | | A | Yes | 1 | | |
| Methyl naphthalene (molten) | MNS | 33 | D | D | | A | Yes | 1 | | |
| Mineral spirits | MRE | 30 | | D | | A | Yes | 1 | | |
| Myrcene | NAG | | D | # | | | Yes | 1 | | |
| Naphtha: Heavy | | 33 | | # | | A | Yes | 1 | | |
| Naphtha: Petroleum | PTN | 33 | D D | | | A | Yes | 1 | | |
| Naphtha: Solvent | NSV | 33 | D | D | | | Yes | 1 | | |
| Naphtha: Stoddard solvent | NSS | 33 | D | D | | Α | 168 | ' | C Y | |



4.

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **SMI 30037**Official #: 1239888


Page 5 of 7

Shipyard: TRINITY MADISONVILLE

C1-1202871

06-Jun-12

| Cargo Identifica | ation | | | | | <u></u> | | Condi | tions of Carriage | |
|---|-------|-----------------|----------|-----|------|----------|------------------|-----------------|---|-----------------|
| | Cham | Compat | Sub | | Hull | Tank | Vapor I App'd | Recovery VCS | Special Requirements in 46 CFR | inen |
| Name | Chem | | Chapter | | Type | Group | L(Y or N) | Category | | insp. Perinc |
| Naphtha: Varnish makers and painters (75%) | NVM | 33 | D | C | | A | Yes | 1 | | |
| Nonane (all isomers), see Alkanes (C6-C9) | NAX | 31 | D | D | | Α | Yes | 11 | | |
| Nonene (all isomers) | NON | 30 | D | D | | Α | Yes | 2 | | |
| Nonyi alcohol (all isomers) | NNS | 20 ² | D | E | | Α | Yes | 11 | | |
| Nonyl phenol | NNP | 21 | D | E | | A | Yes | 1 | | |
| Nonyi phenol poly(4+)ethoxylates | NPE | 40 | D | E | | A | Yes | 1 | | |
| Octane (all isomers), see Alkanes (C6-C9) | OAX | 31 | D | С | | Α | Yes | 1 | | |
| Octanoic acid (all isomers) | OAY | 4 | D | Е | | Α | Yes | 1 | | |
| Octanol (all isomers) | OCX | 20 2 | D | E | | Α | Yes | 1 | | |
| Octene (all isomers) | OTX | 30 | D | С | | Α | Yes | 2 | | |
| Oil, fuel: No. 2 | · OTW | 33 | D | D/E | | Α | ,Yes | 1 | | |
| Oil, fuel: No. 2-D | OTD | 33 | D | D | | Α | Yes | 1 | | |
| Oil, fuel: No. 4 | OFR | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 5 | OFV | 33 | Ð | D/E | | Α | Yes | 1 | | |
| Oil, fuel: No. 6 | OSX | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc; Crude | OIL | 33 | D | C/D | | Α | Yes | 1 | | |
| Oll, misc: Diesel | ODS | 33 | D | D/E | | Α | Yes | 1 | | |
| Oil, misc: Gas, high pour | OGP | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Lubricating | OLB | 33 | D | E | | Α | Yes | 1 | | |
| Oil, misc: Residual | ORL | 33 | D | Ε | | A | Yes | 1 | | |
| Oil, misc: Turbine | ОТВ | 33 | D | E | | A | Yes | 1 | | |
| Pentane (all isomers) | PTY | 31 | D | A | | Α | Yes | 5 | | |
| Pentene (all isomers) | PTX | 30 | D | Α | | Α | Yes | 5 | | |
| n-Pentyl propionate | PPE | 34 | D | D | | Α | Yes | 1 | · | |
| alpha-Pinene | PIO | 30 | D | D | | A | Yes | 1 | | |
| beta-Pinene | PIP | 30 | | D | | A | Yes | 1 | | |
| | PAG | 40 | D | E | ••• | A | Yes | <u>·</u> | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether | PAF | 34 | D | E | | A | Yes | 1 | | |
| Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate | PLB | 30 | D | E | | A | Yes | 1 | | |
| Polybutene | PGC | 40 | D | E | | | Yes | 1 | | |
| Polypropylene glycol | | | D | C | | | Yes | ` | | |
| iso-Propyl acetate | IAC | 34 | | | | A | Yes | | | |
| n-Propyl acetate | PAT | 34 | D | C | | | Yes | 1 | | |
| iso-Propyl alcohol | IPA | 20 2 | D | С | | . A | | 1 | _ | |
| n-Propyl alcohol | PAL | 20 2 | <u>D</u> | C | | · A | Yes | 1 | | |
| Propylbenzene (all isomers) | PBY | 32 | | D | | A | Yes | 1 | | |
| iso-Propylcyclohexane | IPX | 31 | D | D | | A | Yes | 1 | | |
| Propylene glycol | PPG | 20 ² | D | Е | | <u> </u> | Yes | 1 | | |
| Propylene glycol methyl ether acetate | PGN | 34 | D | D | | <u> </u> | Yes | 1 | | |
| Propylene tetramer | PTT | 30 | D | D | | Α | Yes | 1 | | |
| Sulfolane | SFL | 39 | D | E | | A | Yes | 1 | | |
| Tetraethylene glycol | TTG | 40 | D | E | | Α | Yes | 1 | TOTAL | |
| Tetrahydronaphthalene | THN | 32 | D | E | | A | Yes | 1 | | |
| Toluene | TOL | 32 | D | С | | Α | Yes | 1 | | |
| Tricresyl phosphate (less than 1% of the ortho isomer) | TCP | 34 | D | E | | Α | Yes | 11 | | |
| Triethylbenzene | TEB | 32 | D | E | | Α | Yes | 1 | | |
| Triethylene glycol | TEG | 40 | D | Ε | | Α | Yes | 1 | | |
| Triethyl phosphate | TPS | 34 | D | E | | A | Yes | 1 | | |
| Trimethylbenzene (all isomers) | TRE | 32 | D | {D} | | Α | Yes | 1 | | |



Serial #: C1-1202871

06-Jun-12

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30037 Official #: 1239888

Shipyard: TRINITY

MADISONVILLE

Hull #: 2204-2

Page 6 of 7

| Cargo Id | entification | | | | | | | Cond | itions of Carriage | in 46 CFR Insp. | | | | | |
|--------------------------------|---------------------|------------------------|---------------------|------------|--------------|--------------------|-------|------|---|-----------------|--|--|--|--|--|
| Name Trixylenyl phosphate | Chem Code TRP | Compa Group N 34 | Sub Chapter D | Grade E | Hull Tvoe | Tank Grouo A | App'd | | Special Requirements in 46 CFR 151 General and Mat'ls of | | | | | | |
| Undecene | UDC | 30 | D | D/E | | Α | Yes | 1 | | | | | | | |
| 1-Undecyl alcohol | UND | 20 | · D | E | | Α | Yes | 1 | | | | | | | |
| Xylenes (ortho-, meta-, para-) | XLX | 32 | D | Ð | | Α | Yes | 1 | | | | | | | |



Serial #: C1-1202871

Dated:

06-Jun-12



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: SMI 30037 Page 7 of 7 Official #: 1239888

Shipyard: TRINITY MADI

Hull #: 2204-2

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as tisted in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-

0001 Telephone (202) 372-1425

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchapter O Note 3

Note 1

Note 2

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for

A. B. C Note 4 Flammable liquid cargoes, as defined in 46 CFR 30-10,22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

NA Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4). Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.760, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

none

The cargo has not been evaluated/classified for use in vapor control systems.