BARGE "KIRBY 30047T"

ULLAGE TRIM TABLE

FORMERLY "FMT 3288"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	BOW	**STERN**	**BOW**	**STERN**	**BOW**	**STERN**	**BOW**	**STERN**	**BOW**	**STERN**	**BOW**	**STERN**
1 PORT	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-1/8	01-1/8	- 01-3/8	01-3/8
1 STBD	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-1/8	01-1/8	- 01-3/8	01-3/8
2 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8
2 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8
3 PORT	00-1/2	- 00-1/2	00-7/8	- 00-7/8	01-3/8	- 01-3/8	01-3/4	- 01-3/4	02-1/4	- 02-1/4	02-3/4	- 02-3/4
3 STBD	00-1/2	- 00-1/2	00-7/8	- 00-7/8	01-3/8	- 01-3/8	01-3/4	- 01-3/4	02-1/4	- 02-1/4	02-3/4	- 02-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
AFT DRAFT = 4'-00"
DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/2"
FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/2"

LENGTH BETWEEN DRAFT MARKS: 264'-00"

October 27, 2025

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588

http://www.pmacorp.net

BARGE "KIRBY 30047T"

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	4,734.05	0	4,404.71	0	4,074.25	0	3,743.36	0	3,412.48	0	3,081.60	0	2,750.72
1/4		1/4		1/4		1/4	4,727.19	1/4	4,397.85	1/4	4,067.35	1/4	3,736.47	1/4	3,405.59	1/4	3,074.71	1/4	2,743.83
1/2		1/2		1/2		1/2	4,720.33	1/2	4,390.98	1/2	4,060.46	1/2	3,729.57	1/2	3,398.69	1/2	3,067.81	1/2	2,736.93
3/4		3/4		3/4		3/4	4,713.47	3/4	4,384.12	3/4	4,053.56	3/4	3,722.68	3/4	3,391.80	3/4	3,060.92	3/4	2,730.04
1		1		1		1	4,706.61	1	4,377.26	1	4,046.67	1	3,715.79	1	3,384.91	1	3,054.03	1	2,723.15
1/4		1/4		1/4		1/4	4,699.75	1/4	4,370.40	1/4	4,039.78	1/4	3,708.90	1/4	3,378.02	1/4	3,047.14	1/4	2,716.26
1/2		1/2		1/2		1/2	4,692.88	1/2	4,363.54	1/2	4,032.88	1/2	3,702.00	1/2	3,371.12	1/2	3,040.24	1/2	2,709.36
3/4		3/4		3/4		3/4	4,686.02	3/4	4,356.68	3/4	4,025.99	3/4	3,695.11	3/4	3,364.23	3/4	3,033.35	3/4	2,702.47
2		2		2		2	4,679.16	2	4,349.82	2	4,019.10	2	3,688.22	2	3,357.34	2	3,026.46	2	2,695.58
1/4		1/4		1/4		1/4	4,672.30	1/4	4,342.96	1/4	4,012.20	1/4	3,681.32	1/4	3,350.44	1/4	3,019.56	1/4	2,688.68
1/2		1/2		1/2		1/2	4,665.44	1/2	4,336.09	1/2	4,005.31	1/2	3,674.43	1/2	3,343.55	1/2	3,012.67	1/2	2,681.79
3/4		3/4		3/4		3/4	4,658.58	3/4	4,329.23	3/4	3,998.41	3/4	3,667.53	3/4	3,336.65	3/4	3,005.77	3/4	2,674.89
3		3		3		3	4,651.72	3	4,322.35	3	3,991.52	3	3,660.64	3	3,329.76	3	2,998.88	3	2,668.00
1/4		1/4		1/4	4,896.00	1/4	4,644.86	1/4	4,315.48	1/4	3,984.63	1/4	3,653.75	1/4	3,322.87	1/4	2,991.99	1/4	2,661.11
1/2		1/2		1/2	4,895.58	1/2	4,637.99	1/2	4,308.60	1/2	3,977.73	1/2	3,646.85	1/2	3,315.97	1/2	2,985.09	1/2	2,654.21
3/4		3/4		3/4	4,895.16	3/4	4,631.13	3/4	4,301.72	3/4	3,970.84	3/4	3,639.96	3/4	3,309.08	3/4	2,978.20	3/4	2,647.32
4		4		4	4,893.96	4	4,624.27	4	4,294.83	4	3,963.95	4	3,633.07	4	3,302.19	4	2,971.31	4	2,640.43
1/4		1/4		1/4	4,892.76	1/4	4,617.41	1/4	4,287.94	1/4	3,957.06	1/4	3,626.18	1/4	3,295.30	1/4	2,964.42	1/4	2,633.53
1/2		1/2		1/2	4,891.55	1/2	4,610.55	1/2	4,281.04	1/2	3,950.16	1/2	3,619.28	1/2	3,288.40	1/2	2,957.52	1/2	2,626.64
3/4		3/4		3/4	4,890.35	3/4	4,603.69	3/4	4,274.15	3/4	3,943.27	3/4	3,612.39	3/4	3,281.51	3/4	2,950.63	3/4	2,619.74
5		5		5	4,887.98	5	4,596.83	5	4,267.26	5	3,936.38	5	3,605.50	5	3,274.62	5	2,943.74	5	2,612.85
1/4		1/4		1/4	4,885.62	1/4	4,589.97	1/4	4,260.37	1/4	3,929.48	1/4	3,598.60	1/4	3,267.72	1/4	2,936.84	1/4	2,605.96
1/2		1/2		1/2	4,883.25	1/2	4,583.10	1/2	4,253.47	1/2	3,922.59	1/2	3,591.71	1/2	3,260.83	1/2	2,929.95	1/2	2,599.06
3/4		3/4		3/4	4,880.88	3/4	4,576.24	3/4	4,246.58	3/4	3,915.69	3/4	3,584.81	3/4	3,253.93	3/4	2,923.05	3/4	2,592.17
6		6		6	4,877.12	6	4,569.38	6	4,239.69	6	3,908.80	6	3,577.92	6	3,247.04	6	2,916.16	6	2,585.28
1/4		1/4		1/4	4,873.35	1/4	4,562.52	1/4	4,232.79	1/4	3,901.91	1/4	3,571.03	1/4	3,240.15	1/4	2,909.27	1/4	2,578.39
1/2		1/2		1/2	4,869.59	1/2	4,555.65	1/2	4,225.90	1/2	3,895.01	1/2	3,564.13	1/2	3,233.25	1/2	2,902.37	1/2	2,571.49
3/4		3/4		3/4	4,865.82	3/4	4,548.79	3/4	4,219.00	3/4	3,888.12	3/4	3,557.24	3/4	3,226.36	3/4	2,895.48	3/4	2,564.60
7		7		7	4,860.99	7	4,541.93	7	4,212.11	7	3,881.23	7	3,550.35	7	3,219.47	7	2,888.59	7	2,557.71
1/4		1/4		1/4	4,856.16	1/4	4,535.07	1/4	4,205.22	1/4	3,874.34	1/4	3,543.46	1/4	3,212.58	1/4	2,881.70	1/4	2,550.81
1/2		1/2		1/2	4,851.33	1/2	4,528.21	1/2	4,198.32	1/2	3,867.44	1/2	3,536.56	1/2	3,205.68	1/2	2,874.80	1/2	2,543.92
3/4		3/4		3/4	4,846.50	3/4	4,521.35	3/4	4,191.43	3/4	3,860.55	3/4	3,529.67	3/4	3,198.79	3/4	2,867.91	3/4	2,537.02
8		8		8	4,840.54	8	4,514.49	8	4,184.54	8	3,853.66	8	3,522.78	8	3,191.90	8	2,861.02	8	2,530.13
1/4		1/4		1/4	4,834.58	1/4	4,507.63	1/4	4,177.65	1/4	3,846.76	1/4	3,515.88	1/4	3,185.00	1/4	2,854.12	1/4	2,523.24
1/2		1/2		1/2	4,828.61	1/2	4,500.76	1/2	4,170.75	1/2	3,839.87	1/2	3,508.99	1/2	3,178.11	1/2	2,847.23	1/2	2,516.34
3/4		3/4		3/4	4,822.65	3/4	4,493.90	3/4	4,163.86	3/4	3,832.97	3/4	3,502.09	3/4	3,171.21	3/4	2,840.33	3/4	2,509.45
9		9		9	4,815.94	9	4,487.04	9	4,156.97	9	3,826.08	9	3,495.20	9	3,164.32	9	2,833.44	9	2,502.56
1/4		1/4		1/4	4,809.23	1/4	4,480.18	1/4	4,150.07	1/4	3,819.19	1/4	3,488.31	1/4	3,157.43	1/4	2,826.55	1/4	2,495.67
1/2		1/2		1/2	4,802.51	1/2	4,473.32	1/2	4,143.18	1/2	3,812.29	1/2	3,481.41	1/2	3,150.53	1/2	2,819.65	1/2	2,488.77
3/4		3/4		3/4	4,795.80	3/4	4,466.46	3/4	4,136.28	3/4	3,805.40	3/4	3,474.52	3/4	3,143.64	3/4	2,812.76	3/4	2,481.88
10		10		10	4,788.94	10	4,459.60	10	4,129.39	10	3,798.51	10	3,467.63	10	3,136.75	10	2,805.87	10	2,474.99
1/4		1/4		1/4	4,782.08	1/4	4,452.74	1/4	4,122.50	1/4	3,791.62	1/4	3,460.74	1/4	3,129.86	1/4	2,798.98	1/4	2,468.09
1/2		1/2		1/2	4,775.22	1/2	4,445.87	1/2	4,115.60	1/2	3,784.72	1/2	3,453.84	1/2	3,122.96	1/2	2,792.08	1/2	2,461.20
3/4		3/4		3/4	4,768.36	3/4	4,439.01	3/4	4,108.71	3/4	3,777.83	3/4	3,446.95	3/4	3,116.07	3/4	2,785.19	3/4	2,454.30
11		11		11	4,761.50	11	4,432.15	11	4,101.82	11	3,770.94	11	3,440.06	11	3,109.18	11	2,778.30	11	2,447.41
1/4		1/4		1/4	4,754.64	1/4	4,425.29	1/4	4,094.93	1/4	3,764.04	1/4	3,433.16	1/4	3,102.28	1/4	2,771.40	1/4	2,440.52
1/2		1/2		1/2	4,747.77	1/2	4,418.43	1/2	4,088.03	1/2	3,757.15	1/2	3,426.27	1/2	3,095.39	1/2	2,764.51	1/2	2,433.62
3/4		3/4		3/4	4,740.91	3/4	4,411.57	3/4	4,081.14	3/4	3,750.25	3/4	3,419.37	3/4	3,088.49	3/4	2,757.61	3/4	2,426.73

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" GAUGING DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 11'-09" OFF CENTERLINE AND 36'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,419.84	0	2,088.96	0	1,758.08	0	1,427.20	0	1,096.39	0	765.51	0	434.62	0	103.74	0		0	
1/4	2,412.95	1/4	2,082.07	1/4	1,751.19	1/4	1,420.31	1/4	1,089.49	1/4	758.61	1/4	427.73	1/4	96.85	1/4		1/4	
1/2	2,406.05	1/2	2,075.17	1/2	1,744.29	1/2	1,413.41	1/2	1,082.60	1/2	751.72	1/2	420.83	1/2	89.95	1/2		1/2	
3/4	2,399.16	3/4	2,068.28	3/4	1,737.40	3/4	1,406.52	3/4	1,075.70	3/4	744.82	3/4	413.94	3/4	83.06	3/4		3/4	
1	2,392.27	1	2,061.39	1	1,730.51	1	1,399.63	1	1,068.81	1	737.93	1	407.05	1	76.17	1		1	
1/4	2,385.37	1/4	2,054.49	1/4	1,723.61	1/4	1,392.73	1/4	1,061.92	1/4	731.04	1/4	400.16	1/4	69.28	1/4		1/4	
1/2	2,378.48	1/2	2,047.60	1/2	1,716.72	1/2	1,385.84	1/2	1,055.02	1/2	724.14	1/2	393.26	1/2	62.38	1/2		1/2	
3/4	2,371.58	3/4	2,040.70	3/4	1,709.82	3/4	1,378.94	3/4	1,048.13	3/4	717.25	3/4	386.37	3/4	55.49	3/4		3/4	
2	2,364.69	2	2,033.81	2	1,702.93	2	1,372.05	2	1,041.24	2	710.36	2	379.48	2	49.46	2		2	
1/4	2,357.80	1/4	2,026.92	1/4	1,696.04	1/4	1,365.16	1/4	1,034.35	1/4	703.46	1/4	372.58	1/4	43.43	1/4		1/4	
1/2	2,350.90	1/2	2,020.02	1/2	1,689.14	1/2	1,358.27	1/2	1,027.45	1/2	696.57	1/2	365.69	1/2	37.39	1/2		1/2	
3/4	2,344.01	3/4	2,013.13	3/4	1,682.25	3/4	1,351.38	3/4	1,020.56	3/4	689.67	3/4	358.79	3/4	31.36	3/4		3/4	
3	2,337.12	3	2,006.24	3	1,675.36	3	1,344.49	3	1,013.67	3	682.78	3	351.90	3	27.05	3		3	
1/4	2,330.23	1/4	1,999.35	1/4	1,668.47	1/4	1,337.60	1/4	1,006.77	1/4	675.89	1/4	345.01	1/4	22.75	1/4		1/4	
1/2	2,323.33	1/2	1,992.45	1/2	1,661.57	1/2	1,330.70	1/2	999.88	1/2	668.99	1/2	338.11	1/2	18.44	1/2		1/2	
3/4	2,316.44	3/4	1,985.56	3/4	1,654.68	3/4	1,323.81	3/4	992.98	3/4	662.10	3/4	331.22	3/4	14.13	3/4		3/4	
4	2,309.55	4	1,978.67	4	1,647.79	4	1,316.92	4	986.09	4	655.21	4	324.33	4		4		4	
1/4	2,302.65	1/4	1,971.77	1/4	1,640.89	1/4	1,310.03	1/4	979.20	1/4	648.32	1/4	317.44	1/4		1/4		1/4	
1/2	2,295.76	1/2	1,964.88	1/2	1,634.00	1/2	1,303.13	1/2	972.30	1/2	641.42	1/2	310.54	1/2		1/2		1/2	
3/4	2,288.86	3/4	1,957.98	3/4	1,627.10	3/4	1,296.24	3/4	965.41	3/4	634.53	3/4	303.65	3/4		3/4		3/4	
5	2,281.97	5	1,951.09	5	1,620.21	5	1,289.35	5	958.52	5	627.64	5	296.76	5		5		5	
1/4	2,275.08	1/4	1,944.20	1/4	1,613.32	1/4	1,282.46	1/4	951.63	1/4	620.74	1/4	289.86	1/4		1/4		1/4	
1/2	2,268.18	1/2	1,937.30	1/2	1,606.42	1/2	1,275.57	1/2	944.73	1/2	613.85	1/2	282.97	1/2		1/2		1/2	
3/4	2,261.29	3/4	1,930.41	3/4	1,599.53	3/4	1,268.68	3/4	937.84	3/4	606.95	3/4	276.07	3/4		3/4		3/4	
6	2,254.40	6	1,923.52	6	1,592.64	6	1,261.79	6	930.95	6	600.06	6	269.18	6		6		6	
1/4	2,247.51	1/4	1,916.63	1/4	1,585.75	1/4	1,254.90	1/4	924.05	1/4	593.17	1/4	262.29	1/4		1/4		1/4	
1/2	2,240.61	1/2	1,909.73	1/2	1,578.85	1/2	1,248.00	1/2	917.16	1/2	586.27	1/2	255.39	1/2		1/2		1/2	
3/4	2,233.72	3/4	1,902.84	3/4	1,571.96	3/4	1,241.11	3/4	910.26	3/4	579.38	3/4	248.50	3/4		3/4		3/4	
7	2,226.83	7	1,895.95	7	1,565.07	7	1,234.22	7	903.37	7	572.49	7	241.61	7		7		7	
1/4	2,219.93	1/4	1,889.05	1/4	1,558.17	1/4	1,227.33	1/4	896.48	1/4	565.60	1/4	234.72	1/4		1/4		1/4	
1/2	2,213.04	1/2	1,882.16	1/2	1,551.28	1/2	1,220.43	1/2	889.58	1/2	558.70	1/2	227.82	1/2		1/2		1/2	
3/4	2,206.14	3/4	1,875.26	3/4	1,544.38	3/4	1,213.54	3/4	882.69	3/4	551.81	3/4	220.93	3/4		3/4		3/4	
8	2,199.25	8	1,868.37	8	1,537.49	8	1,206.65	8	875.80	8	544.92	8	214.04	8		8		8	
1/4	2,192.36	1/4	1,861.48	1/4	1,530.60	1/4	1,199.76	1/4	868.91	1/4	538.02	1/4	207.14	1/4		1/4		1/4	
1/2	2,185.46	1/2	1,854.58	1/2	1,523.70	1/2	1,192.87	1/2	862.01	1/2	531.13	1/2	200.25	1/2		1/2		1/2	
3/4	2,178.57	3/4	1,847.69	3/4	1,516.81	3/4	1,185.98	3/4	855.12	3/4	524.23	3/4	193.35	3/4		3/4		3/4	
9	2,171.68	9	1,840.80	9	1,509.92	9	1,179.09	9	848.23	9	517.34	9	186.46	9		9		9	
1/4	2,164.79	1/4	1,833.91	1/4	1,503.03	1/4	1,172.20	1/4	841.33	1/4	510.45	1/4	179.57	1/4		1/4		1/4	
1/2	2,157.89	1/2	1,827.01	1/2	1,496.13	1/2	1,165.30	1/2	834.44	1/2	503.55	1/2	172.68	1/2		1/2		1/2	
3/4	2,151.00	3/4	1,820.12	3/4	1,489.24	3/4	1,158.41	3/4	827.54	3/4	496.66	3/4	165.79	3/4		3/4		3/4	
10	2,144.11	10	1,813.23	10	1,482.35	10	1,151.52	10	820.65	10	489.77	10	158.90	10		10		10	
1/4	2,137.21	1/4	1,806.33	1/4	1,475.45	1/4	1,144.63	1/4	813.76	1/4	482.88	1/4	152.00	1/4		1/4		1/4	
1/2	2,130.32	1/2	1,799.44	1/2	1,468.56	1/2	1,137.73	1/2	806.86	1/2	475.98	1/2	145.11	1/2		1/2		1/2	
3/4	2,123.42	3/4	1,792.54	3/4	1,461.66	3/4	1,130.84	3/4	799.97	3/4	469.09	3/4	138.21	3/4		3/4		3/4	
11	2,116.53	11	1,785.65	11	1,454.77	11	1,123.95	11	793.08	11	462.20	11	131.32	11		11		11	
1/4	2,109.64	1/4	1,778.76	1/4	1,447.88	1/4	1,117.06	1/4	786.19	1/4	455.30	1/4	124.42	1/4		1/4		1/4	
1/2	2,102.74	1/2	1,771.86	1/2	1,440.98	1/2	1,110.17	1/2	779.29	1/2	448.41	1/2	117.53	1/2		1/2		1/2	
3/4	2,095.85	3/4	1,764.97	3/4	1,434.09	3/4	1,103.28	3/4	772.40	3/4	441.51	3/4	110.63	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/18/2015 INSP.
RECALCULATED: 10/17/2025 JS
NAME CHANGE: 10/17/2025 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2025

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

1 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	4,734.05	0	4,404.71	0	4,074.25	0	3,743.36	0	3,412.48	0	3,081.60	0	2,750.72
1/4		1/4		1/4		1/4	4,727.19	1/4	4,397.85	1/4	4,067.35	1/4	3,736.47	1/4	3,405.59	1/4	3,074.71	1/4	2,743.83
1/2		1/2		1/2		1/2	4,720.33	1/2	4,390.98	1/2	4,060.46	1/2	3,729.57	1/2	3,398.69	1/2	3,067.81	1/2	2,736.93
3/4		3/4		3/4		3/4	4,713.47	3/4	4,384.12	3/4	4,053.56	3/4	3,722.68	3/4	3,391.80	3/4	3,060.92	3/4	2,730.04
1		1		1		1	4,706.61	1	4,377.26	1	4,046.67	1	3,715.79	1	3,384.91	1	3,054.03	1	2,723.15
1/4		1/4		1/4		1/4	4,699.75	1/4	4,370.40	1/4	4,039.78	1/4	3,708.90	1/4	3,378.02	1/4	3,047.14	1/4	2,716.26
1/2		1/2		1/2		1/2	4,692.88	1/2	4,363.54	1/2	4,032.88	1/2	3,702.00	1/2	3,371.12	1/2	3,040.24	1/2	2,709.36
3/4		3/4		3/4		3/4	4,686.02	3/4	4,356.68	3/4	4,025.99	3/4	3,695.11	3/4	3,364.23	3/4	3,033.35	3/4	2,702.47
2		2		2		2	4,679.16	2	4,349.82	2	4,019.10	2	3,688.22	2	3,357.34	2	3,026.46	2	2,695.58
1/4		1/4		1/4		1/4	4,672.30	1/4	4,342.96	1/4	4,012.20	1/4	3,681.32	1/4	3,350.44	1/4	3,019.56	1/4	2,688.68
1/2		1/2		1/2		1/2	4,665.44	1/2	4,336.09	1/2	4,005.31	1/2	3,674.43	1/2	3,343.55	1/2	3,012.67	1/2	2,681.79
3/4		3/4		3/4		3/4	4,658.58	3/4	4,329.23	3/4	3,998.41	3/4	3,667.53	3/4	3,336.65	3/4	3,005.77	3/4	2,674.89
3		3		3		3	4,651.72	3	4,322.35	3	3,991.52	3	3,660.64	3	3,329.76	3	2,998.88	3	2,668.00
1/4		1/4		1/4	4,896.00	1/4	4,644.86	1/4	4,315.48	1/4	3,984.63	1/4	3,653.75	1/4	3,322.87	1/4	2,991.99	1/4	2,661.11
1/2		1/2		1/2	4,895.58	1/2	4,637.99	1/2	4,308.60	1/2	3,977.73	1/2	3,646.85	1/2	3,315.97	1/2	2,985.09	1/2	2,654.21
3/4		3/4		3/4	4,895.16	3/4	4,631.13	3/4	4,301.72	3/4	3,970.84	3/4	3,639.96	3/4	3,309.08	3/4	2,978.20	3/4	2,647.32
4		4		4	4,893.96	4	4,624.27	4	4,294.83	4	3,963.95	4	3,633.07	4	3,302.19	4	2,971.31	4	2,640.43
1/4		1/4		1/4	4,892.76	1/4	4,617.41	1/4	4,287.94	1/4	3,957.06	1/4	3,626.18	1/4	3,295.30	1/4	2,964.42	1/4	2,633.53
1/2		1/2		1/2	4,891.55	1/2	4,610.55	1/2	4,281.04	1/2	3,950.16	1/2	3,619.28	1/2	3,288.40	1/2	2,957.52	1/2	2,626.64
3/4		3/4		3/4	4,890.35	3/4	4,603.69	3/4	4,274.15	3/4	3,943.27	3/4	3,612.39	3/4	3,281.51	3/4	2,950.63	3/4	2,619.74
5		5		5	4,887.98	5	4,596.83	5	4,267.26	5	3,936.38	5	3,605.50	5	3,274.62	5	2,943.74	5	2,612.85
1/4		1/4		1/4	4,885.62	1/4	4,589.97	1/4	4,260.37	1/4	3,929.48	1/4	3,598.60	1/4	3,267.72	1/4	2,936.84	1/4	2,605.96
1/2		1/2		1/2	4,883.25	1/2	4,583.10	1/2	4,253.47	1/2	3,922.59	1/2	3,591.71	1/2	3,260.83	1/2	2,929.95	1/2	2,599.06
3/4		3/4		3/4	4,880.88	3/4	4,576.24	3/4	4,246.58	3/4	3,915.69	3/4	3,584.81	3/4	3,253.93	3/4	2,923.05	3/4	2,592.17
6		6		6	4,877.12	6	4,569.38	6	4,239.69	6	3,908.80	6	3,577.92	6	3,247.04	6	2,916.16	6	2,585.28
1/4		1/4		1/4	4,873.35	1/4	4,562.52	1/4	4,232.79	1/4	3,901.91	1/4	3,571.03	1/4	3,240.15	1/4	2,909.27	1/4	2,578.39
1/2		1/2		1/2	4,869.59	1/2	4,555.65	1/2	4,225.90	1/2	3,895.01	1/2	3,564.13	1/2	3,233.25	1/2	2,902.37	1/2	2,571.49
3/4		3/4		3/4	4,865.82	3/4	4,548.79	3/4	4,219.00	3/4	3,888.12	3/4	3,557.24	3/4	3,226.36	3/4	2,895.48	3/4	2,564.60
7		7		7	4,860.99	7	4,541.93	7	4,212.11	7	3,881.23	7	3,550.35	7	3,219.47	7	2,888.59	7	2,557.71
1/4		1/4		1/4	4,856.16	1/4	4,535.07	1/4	4,205.22	1/4	3,874.34	1/4	3,543.46	1/4	3,212.58	1/4	2,881.70	1/4	2,550.81
1/2		1/2		1/2	4,851.33	1/2	4,528.21	1/2	4,198.32	1/2	3,867.44	1/2	3,536.56	1/2	3,205.68	1/2	2,874.80	1/2	2,543.92
3/4		3/4		3/4	4,846.50	3/4	4,521.35	3/4	4,191.43	3/4	3,860.55	3/4	3,529.67	3/4	3,198.79	3/4	2,867.91	3/4	2,537.02
8		8		8	4,840.54	8	4,514.49	8	4,184.54	8	3,853.66	8	3,522.78	8	3,191.90	8	2,861.02	8	2,530.13
1/4		1/4		1/4	4,834.58	1/4	4,507.63	1/4	4,177.65	1/4	3,846.76	1/4	3,515.88	1/4	3,185.00	1/4	2,854.12	1/4	2,523.24
1/2		1/2		1/2	4,828.61	1/2	4,500.76	1/2	4,170.75	1/2	3,839.87	1/2	3,508.99	1/2	3,178.11	1/2	2,847.23	1/2	2,516.34
3/4		3/4		3/4	4,822.65	3/4	4,493.90	3/4	4,163.86	3/4	3,832.97	3/4	3,502.09	3/4	3,171.21	3/4	2,840.33	3/4	2,509.45
9		9		9	4,815.94	9	4,487.04	9	4,156.97	9	3,826.08	9	3,495.20	9	3,164.32	9	2,833.44	9	2,502.56
1/4		1/4		1/4	4,809.23	1/4	4,480.18	1/4	4,150.07	1/4	3,819.19	1/4	3,488.31	1/4	3,157.43	1/4	2,826.55	1/4	2,495.67
1/2		1/2		1/2	4,802.51	1/2	4,473.32	1/2	4,143.18	1/2	3,812.29	1/2	3,481.41	1/2	3,150.53	1/2	2,819.65	1/2	2,488.77
3/4		3/4		3/4	4,795.80	3/4	4,466.46	3/4	4,136.28	3/4	3,805.40	3/4	3,474.52	3/4	3,143.64	3/4	2,812.76	3/4	2,481.88
10		10		10	4,788.94	10	4,459.60	10	4,129.39	10	3,798.51	10	3,467.63	10	3,136.75	10	2,805.87	10	2,474.99
1/4		1/4		1/4	4,782.08	1/4	4,452.74	1/4	4,122.50	1/4	3,791.62	1/4	3,460.74	1/4	3,129.86	1/4	2,798.98	1/4	2,468.09
1/2		1/2		1/2	4,775.22	1/2	4,445.87	1/2	4,115.60	1/2	3,784.72	1/2	3,453.84	1/2	3,122.96	1/2	2,792.08	1/2	2,461.20
3/4		3/4		3/4	4,768.36	3/4	4,439.01	3/4	4,108.71	3/4	3,777.83	3/4	3,446.95	3/4	3,116.07	3/4	2,785.19	3/4	2,454.30
11		11		11	4,761.50	11	4,432.15	11	4,101.82	11	3,770.94	11	3,440.06	11	3,109.18	11	2,778.30	11	2,447.41
1/4		1/4		1/4	4,754.64	1/4	4,425.29	1/4	4,094.93	1/4	3,764.04	1/4	3,433.16	1/4	3,102.28	1/4	2,771.40	1/4	2,440.52
1/2		1/2		1/2	4,747.77	1/2	4,418.43	1/2	4,088.03	1/2	3,757.15	1/2	3,426.27	1/2	3,095.39	1/2	2,764.51	1/2	2,433.62
3/4		3/4		3/4	4,740.91	3/4	4,411.57	3/4	4,081.14	3/4	3,750.25	3/4	3,419.37	3/4	3,088.49	3/4	2,757.61	3/4	2,426.73

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" GAUGING DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 11'-09" OFF CENTERLINE AND 36'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

1 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,419.84	0	2,088.96	0	1,758.08	0	1,427.20	0	1,096.39	0	765.51	0	434.62	0	103.74	0		0	
1/4	2,412.95	1/4	2,082.07	1/4	1,751.19	1/4	1,420.31	1/4	1,089.49	1/4	758.61	1/4	427.73	1/4	96.85	1/4		1/4	
1/2	2,406.05	1/2	2,075.17	1/2	1,744.29	1/2	1,413.41	1/2	1,082.60	1/2	751.72	1/2	420.83	1/2	89.95	1/2		1/2	
3/4	2,399.16	3/4	2,068.28	3/4	1,737.40	3/4	1,406.52	3/4	1,075.70	3/4	744.82	3/4	413.94	3/4	83.06	3/4		3/4	
1	2,392.27	1	2,061.39	1	1,730.51	1	1,399.63	1	1,068.81	1	737.93	1	407.05	1	76.17	1		1	
1/4	2,385.37	1/4	2,054.49	1/4	1,723.61	1/4	1,392.73	1/4	1,061.92	1/4	731.04	1/4	400.16	1/4	69.28	1/4		1/4	
1/2	2,378.48	1/2	2,047.60	1/2	1,716.72	1/2	1,385.84	1/2	1,055.02	1/2	724.14	1/2	393.26	1/2	62.38	1/2		1/2	
3/4	2,371.58	3/4	2,040.70	3/4	1,709.82	3/4	1,378.94	3/4	1,048.13	3/4	717.25	3/4	386.37	3/4	55.49	3/4		3/4	
2	2,364.69	2	2,033.81	2	1,702.93	2	1,372.05	2	1,041.24	2	710.36	2	379.48	2	49.46	2		2	
1/4	2,357.80	1/4	2,026.92	1/4	1,696.04	1/4	1,365.16	1/4	1,034.35	1/4	703.46	1/4	372.58	1/4	43.43	1/4		1/4	
1/2	2,350.90	1/2	2,020.02	1/2	1,689.14	1/2	1,358.27	1/2	1,027.45	1/2	696.57	1/2	365.69	1/2	37.39	1/2		1/2	
3/4	2,344.01	3/4	2,013.13	3/4	1,682.25	3/4	1,351.38	3/4	1,020.56	3/4	689.67	3/4	358.79	3/4	31.36	3/4		3/4	
3	2,337.12	3	2,006.24	3	1,675.36	3	1,344.49	3	1,013.67	3	682.78	3	351.90	3	27.05	3		3	
1/4	2,330.23	1/4	1,999.35	1/4	1,668.47	1/4	1,337.60	1/4	1,006.77	1/4	675.89	1/4	345.01	1/4	22.75	1/4		1/4	
1/2	2,323.33	1/2	1,992.45	1/2	1,661.57	1/2	1,330.70	1/2	999.88	1/2	668.99	1/2	338.11	1/2	18.44	1/2		1/2	
3/4	2,316.44	3/4	1,985.56	3/4	1,654.68	3/4	1,323.81	3/4	992.98	3/4	662.10	3/4	331.22	3/4	14.13	3/4		3/4	
4	2,309.55	4	1,978.67	4	1,647.79	4	1,316.92	4	986.09	4	655.21	4	324.33	4		4		4	
1/4	2,302.65	1/4	1,971.77	1/4	1,640.89	1/4	1,310.03	1/4	979.20	1/4	648.32	1/4	317.44	1/4		1/4		1/4	
1/2	2,295.76	1/2	1,964.88	1/2	1,634.00	1/2	1,303.13	1/2	972.30	1/2	641.42	1/2	310.54	1/2		1/2		1/2	
3/4	2,288.86	3/4	1,957.98	3/4	1,627.10	3/4	1,296.24	3/4	965.41	3/4	634.53	3/4	303.65	3/4		3/4		3/4	
5	2,281.97	5	1,951.09	5	1,620.21	5	1,289.35	5	958.52	5	627.64	5	296.76	5		5		5	
1/4	2,275.08	1/4	1,944.20	1/4	1,613.32	1/4	1,282.46	1/4	951.63	1/4	620.74	1/4	289.86	1/4		1/4		1/4	
1/2	2,268.18	1/2	1,937.30	1/2	1,606.42	1/2	1,275.57	1/2	944.73	1/2	613.85	1/2	282.97	1/2		1/2		1/2	
3/4	2,261.29	3/4	1,930.41	3/4	1,599.53	3/4	1,268.68	3/4	937.84	3/4	606.95	3/4	276.07	3/4		3/4		3/4	
6	2,254.40	6	1,923.52	6	1,592.64	6	1,261.79	6	930.95	6	600.06	6	269.18	6		6		6	
1/4	2,247.51	1/4	1,916.63	1/4	1,585.75	1/4	1,254.90	1/4	924.05	1/4	593.17	1/4	262.29	1/4		1/4		1/4	
1/2	2,240.61	1/2	1,909.73	1/2	1,578.85	1/2	1,248.00	1/2	917.16	1/2	586.27	1/2	255.39	1/2		1/2		1/2	
3/4	2,233.72	3/4	1,902.84	3/4	1,571.96	3/4	1,241.11	3/4	910.26	3/4	579.38	3/4	248.50	3/4		3/4		3/4	
7	2,226.83	7	1,895.95	7	1,565.07	7	1,234.22	7	903.37	7	572.49	7	241.61	7		7		7	
1/4	2,219.93	1/4	1,889.05	1/4	1,558.17	1/4	1,227.33	1/4	896.48	1/4	565.60	1/4	234.72	1/4		1/4		1/4	
1/2	2,213.04	1/2	1,882.16	1/2	1,551.28	1/2	1,220.43	1/2	889.58	1/2	558.70	1/2	227.82	1/2		1/2		1/2	
3/4	2,206.14	3/4	1,875.26	3/4	1,544.38	3/4	1,213.54	3/4	882.69	3/4	551.81	3/4	220.93	3/4		3/4		3/4	
8	2,199.25	8	1,868.37	8	1,537.49	8	1,206.65	8	875.80	8	544.92	8	214.04	8		8		8	
1/4	2,192.36	1/4	1,861.48	1/4	1,530.60	1/4	1,199.76	1/4	868.91	1/4	538.02	1/4	207.14	1/4		1/4		1/4	
1/2	2,185.46	1/2	1,854.58	1/2	1,523.70	1/2	1,192.87	1/2	862.01	1/2	531.13	1/2	200.25	1/2		1/2		1/2	
3/4	2,178.57	3/4	1,847.69	3/4	1,516.81	3/4	1,185.98	3/4	855.12	3/4	524.23	3/4	193.35	3/4		3/4		3/4	
9	2,171.68	9	1,840.80	9	1,509.92	9	1,179.09	9	848.23	9	517.34	9	186.46	9		9		9	
1/4	2,164.79	1/4	1,833.91	1/4	1,503.03	1/4	1,172.20	1/4	841.33	1/4	510.45	1/4	179.57	1/4		1/4		1/4	
1/2	2,157.89	1/2	1,827.01	1/2	1,496.13	1/2	1,165.30	1/2	834.44	1/2	503.55	1/2	172.68	1/2		1/2		1/2	
3/4	2,151.00	3/4	1,820.12	3/4	1,489.24	3/4	1,158.41	3/4	827.54	3/4	496.66	3/4	165.79	3/4		3/4		3/4	
10	2,144.11	10	1,813.23	10	1,482.35	10	1,151.52	10	820.65	10	489.77	10	158.90	10		10		10	
1/4	2,137.21	1/4	1,806.33	1/4	1,475.45	1/4	1,144.63	1/4	813.76	1/4	482.88	1/4	152.00	1/4		1/4		1/4	
1/2	2,130.32	1/2	1,799.44	1/2	1,468.56	1/2	1,137.73	1/2	806.86	1/2	475.98	1/2	145.11	1/2		1/2		1/2	
3/4	2,123.42	3/4	1,792.54	3/4	1,461.66	3/4	1,130.84	3/4	799.97	3/4	469.09	3/4	138.21	3/4		3/4		3/4	
11	2,116.53	11	1,785.65	11	1,454.77	11	1,123.95	11	793.08	11	462.20	11	131.32	11		11		11	
1/4	2,109.64	1/4	1,778.76	1/4	1,447.88	1/4	1,117.06	1/4	786.19	1/4	455.30	1/4	124.42	1/4		1/4		1/4	
1/2	2,102.74	1/2	1,771.86	1/2	1,440.98	1/2	1,110.17	1/2	779.29	1/2	448.41	1/2	117.53	1/2		1/2		1/2	
3/4	2,095.85	3/4	1,764.97	3/4	1,434.09	3/4	1,103.28	3/4	772.40	3/4	441.51	3/4	110.63	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/18/2015 INSP.
RECALCULATED: 10/17/2025 JS
NAME CHANGE: 10/17/2025 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2025

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	5,286.28	0	4,917.82	0	4,548.20	0	4,178.19	0	3,808.19	0	3,438.19	0	3,068.19
1/4		1/4		1/4		1/4	5,278.61	1/4	4,910.14	1/4	4,540.49	1/4	4,170.49	1/4	3,800.49	1/4	3,430.49	1/4	3,060.49
1/2		1/2		1/2		1/2	5,270.93	1/2	4,902.46	1/2	4,532.78	1/2	4,162.78	1/2	3,792.78	1/2	3,422.78	1/2	3,052.78
3/4		3/4		3/4		3/4	5,263.25	3/4	4,894.79	3/4	4,525.07	3/4	4,155.07	3/4	3,785.07	3/4	3,415.07	3/4	3,045.07
1		1		1		1	5,255.58	1	4,887.11	1	4,517.36	1	4,147.36	1	3,777.36	1	3,407.36	1	3,037.36
1/4		1/4		1/4		1/4	5,247.90	1/4	4,879.44	1/4	4,509.66	1/4	4,139.66	1/4	3,769.66	1/4	3,399.66	1/4	3,029.66
1/2		1/2		1/2		1/2	5,240.22	1/2	4,871.76	1/2	4,501.95	1/2	4,131.95	1/2	3,761.95	1/2	3,391.95	1/2	3,021.95
3/4		3/4		3/4		3/4	5,232.55	3/4	4,864.08	3/4	4,494.24	3/4	4,124.24	3/4	3,754.24	3/4	3,384.24	3/4	3,014.24
2		2		2		2	5,224.87	2	4,856.41	2	4,486.53	2	4,116.53	2	3,746.53	2	3,376.53	2	3,006.53
1/4		1/4		1/4		1/4	5,217.20	1/4	4,848.73	1/4	4,478.83	1/4	4,108.82	1/4	3,738.82	1/4	3,368.82	1/4	2,998.82
1/2		1/2		1/2		1/2	5,209.52	1/2	4,841.05	1/2	4,471.12	1/2	4,101.11	1/2	3,731.11	1/2	3,361.11	1/2	2,991.11
3/4		3/4		3/4		3/4	5,201.84	3/4	4,833.36	3/4	4,463.41	3/4	4,093.40	3/4	3,723.40	3/4	3,353.40	3/4	2,983.40
3		3		3	5,473.98	3	5,194.17	3	4,825.67	3	4,455.70	3	4,085.69	3	3,715.69	3	3,345.69	3	2,975.69
1/4		1/4		1/4	5,473.51	1/4	5,186.49	1/4	4,817.97	1/4	4,447.99	1/4	4,077.99	1/4	3,707.99	1/4	3,337.99	1/4	2,967.99
1/2		1/2		1/2	5,473.04	1/2	5,178.81	1/2	4,810.28	1/2	4,440.28	1/2	4,070.28	1/2	3,700.28	1/2	3,330.28	1/2	2,960.28
3/4		3/4		3/4	5,471.69	3/4	5,171.14	3/4	4,802.57	3/4	4,432.57	3/4	4,062.57	3/4	3,692.57	3/4	3,322.57	3/4	2,952.57
4		4		4	5,470.34	4	5,163.46	4	4,794.87	4	4,424.86	4	4,054.86	4	3,684.86	4	3,314.86	4	2,944.86
1/4		1/4		1/4	5,468.99	1/4	5,155.79	1/4	4,787.16	1/4	4,417.16	1/4	4,047.16	1/4	3,677.16	1/4	3,307.16	1/4	2,937.16
1/2		1/2		1/2	5,467.64	1/2	5,148.11	1/2	4,779.45	1/2	4,409.45	1/2	4,039.45	1/2	3,669.45	1/2	3,299.45	1/2	2,929.45
3/4		3/4		3/4	5,464.99	3/4	5,140.43	3/4	4,771.74	3/4	4,401.74	3/4	4,031.74	3/4	3,661.74	3/4	3,291.74	3/4	2,921.74
5		5		5	5,462.34	5	5,132.76	5	4,764.04	5	4,394.03	5	4,024.03	5	3,654.03	5	3,284.03	5	2,914.03
1/4		1/4		1/4	5,459.69	1/4	5,125.08	1/4	4,756.33	1/4	4,386.32	1/4	4,016.32	1/4	3,646.32	1/4	3,276.32	1/4	2,906.32
1/2		1/2		1/2	5,457.04	1/2	5,117.40	1/2	4,748.62	1/2	4,378.61	1/2	4,008.61	1/2	3,638.61	1/2	3,268.61	1/2	2,898.61
3/4		3/4		3/4	5,453.05	3/4	5,109.73	3/4	4,740.91	3/4	4,370.90	3/4	4,000.90	3/4	3,630.90	3/4	3,260.90	3/4	2,890.90
6		6		6	5,449.06	6	5,102.05	6	4,733.20	6	4,363.19	6	3,993.19	6	3,623.19	6	3,253.19	6	2,883.19
1/4		1/4		1/4	5,445.07	1/4	5,094.38	1/4	4,725.49	1/4	4,355.49	1/4	3,985.49	1/4	3,615.49	1/4	3,245.49	1/4	2,875.49
1/2		1/2		1/2	5,441.08	1/2	5,086.70	1/2	4,717.78	1/2	4,347.78	1/2	3,977.78	1/2	3,607.78	1/2	3,237.78	1/2	2,867.78
3/4		3/4		3/4	5,435.75	3/4	5,079.02	3/4	4,710.07	3/4	4,340.07	3/4	3,970.07	3/4	3,600.07	3/4	3,230.07	3/4	2,860.07
7		7		7	5,430.42	7	5,071.35	7	4,702.37	7	4,332.36	7	3,962.36	7	3,592.36	7	3,222.36	7	2,852.36
1/4		1/4		1/4	5,425.09	1/4	5,063.67	1/4	4,694.66	1/4	4,324.66	1/4	3,954.66	1/4	3,584.66	1/4	3,214.66	1/4	2,844.65
1/2		1/2		1/2	5,419.76	1/2	5,055.99	1/2	4,686.95	1/2	4,316.95	1/2	3,946.95	1/2	3,576.95	1/2	3,206.95	1/2	2,836.94
3/4		3/4		3/4	5,413.09	3/4	5,048.31	3/4	4,679.24	3/4	4,309.24	3/4	3,939.24	3/4	3,569.24	3/4	3,199.24	3/4	2,829.23
8		8		8	5,406.42	8	5,040.64	8	4,671.53	8	4,301.53	8	3,931.53	8	3,561.53	8	3,191.53	8	2,821.52
1/4		1/4		1/4	5,399.75	1/4	5,032.96	1/4	4,663.83	1/4	4,293.82	1/4	3,923.82	1/4	3,553.82	1/4	3,183.82	1/4	2,813.82
1/2		1/2		1/2	5,393.08	1/2	5,025.28	1/2	4,656.12	1/2	4,286.11	1/2	3,916.11	1/2	3,546.11	1/2	3,176.11	1/2	2,806.11
3/4		3/4		3/4	5,385.57	3/4	5,017.61	3/4	4,648.41	3/4	4,278.40	3/4	3,908.40	3/4	3,538.40	3/4	3,168.40	3/4	2,798.40
9		9		9	5,378.06	9	5,009.93	9	4,640.70	9	4,270.69	9	3,900.69	9	3,530.69	9	3,160.69	9	2,790.69
1/4		1/4		1/4	5,370.55	1/4	5,002.26	1/4	4,632.99	1/4	4,262.99	1/4	3,892.99	1/4	3,522.99	1/4	3,152.99	1/4	2,782.99
1/2		1/2		1/2	5,363.04	1/2	4,994.58	1/2	4,625.28	1/2	4,255.28	1/2	3,885.28	1/2	3,515.28	1/2	3,145.28	1/2	2,775.28
3/4		3/4		3/4	5,355.37	3/4	4,986.90	3/4	4,617.57	3/4	4,247.57	3/4	3,877.57	3/4	3,507.57	3/4	3,137.57	3/4	2,767.57
10		10		10	5,347.69	10	4,979.23	10	4,609.86	10	4,239.86	10	3,869.86	10	3,499.86	10	3,129.86	10	2,759.86
1/4		1/4		1/4	5,340.02	1/4	4,971.55	1/4	4,602.16	1/4	4,232.16	1/4	3,862.16	1/4	3,492.16	1/4	3,122.16	1/4	2,752.15
1/2		1/2		1/2	5,332.34	1/2	4,963.87	1/2	4,594.45	1/2	4,224.45	1/2	3,854.45	1/2	3,484.45	1/2	3,114.45	1/2	2,744.44
3/4		3/4		3/4	5,324.66	3/4	4,956.20	3/4	4,586.74	3/4	4,216.74	3/4	3,846.74	3/4	3,476.74	3/4	3,106.74	3/4	2,736.73
11		11		11	5,316.99	11	4,948.52	11	4,579.03	11	4,209.03	11	3,839.03	11	3,469.03	11	3,099.03	11	2,729.02
1/4		1/4		1/4	5,309.31	1/4	4,940.85	1/4	4,571.33	1/4	4,201.32	1/4	3,831.32	1/4	3,461.32	1/4	3,091.32	1/4	2,721.32
1/2		1/2		1/2	5,301.63	1/2	4,933.17	1/2	4,563.62	1/2	4,193.61	1/2	3,823.61	1/2	3,453.61	1/2	3,083.61	1/2	2,713.61
3/4		3/4		3/4	5,293.96	3/4	4,925.49	3/4	4,555.91	3/4	4,185.90	3/4	3,815.90	3/4	3,445.90	3/4	3,075.90	3/4	2,705.90

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" GAUGING DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 11'-09" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,698.19	0	2,328.19	0	1,958.19	0	1,588.19	0	1,218.26	0	848.21	0	478.25	0	108.25	0		0	
1/4	2,690.49	1/4	2,320.49	1/4	1,950.49	1/4	1,580.49	1/4	1,210.55	1/4	840.52	1/4	470.55	1/4	100.55	1/4		1/4	
1/2	2,682.78	1/2	2,312.78	1/2	1,942.78	1/2	1,572.78	1/2	1,202.84	1/2	832.84	1/2	462.84	1/2	92.84	1/2		1/2	
3/4	2,675.07	3/4	2,305.07	3/4	1,935.07	3/4	1,565.07	3/4	1,195.13	3/4	825.13	3/4	455.13	3/4	85.13	3/4		3/4	
1	2,667.36	1	2,297.36	1	1,927.36	1	1,557.36	1	1,187.42	1	817.42	1	447.42	1	77.42	1		1	
1/4	2,659.65	1/4	2,289.65	1/4	1,919.65	1/4	1,549.65	1/4	1,179.72	1/4	809.72	1/4	439.72	1/4	69.72	1/4		1/4	
1/2	2,651.94	1/2	2,281.94	1/2	1,911.94	1/2	1,541.94	1/2	1,172.01	1/2	802.01	1/2	432.01	1/2	62.01	1/2		1/2	
3/4	2,644.23	3/4	2,274.23	3/4	1,904.23	3/4	1,534.23	3/4	1,164.30	3/4	794.30	3/4	424.30	3/4	55.26	3/4		3/4	
2	2,636.52	2	2,266.52	2	1,896.52	2	1,526.53	2	1,156.59	2	786.59	2	416.59	2	48.52	2		2	
1/4	2,628.82	1/4	2,258.82	1/4	1,888.82	1/4	1,518.82	1/4	1,148.89	1/4	778.89	1/4	408.88	1/4	41.77	1/4		1/4	
1/2	2,621.11	1/2	2,251.11	1/2	1,881.11	1/2	1,511.12	1/2	1,141.18	1/2	771.18	1/2	401.17	1/2	35.03	1/2		1/2	
3/4	2,613.40	3/4	2,243.40	3/4	1,873.40	3/4	1,503.41	3/4	1,133.47	3/4	763.47	3/4	393.46	3/4	30.21	3/4		3/4	
3	2,605.69	3	2,235.69	3	1,865.69	3	1,495.70	3	1,125.76	3	755.76	3	385.75	3	25.39	3		3	
1/4	2,597.99	1/4	2,227.99	1/4	1,857.99	1/4	1,488.00	1/4	1,118.05	1/4	748.05	1/4	378.05	1/4	20.58	1/4		1/4	
1/2	2,590.28	1/2	2,220.28	1/2	1,850.28	1/2	1,480.29	1/2	1,110.34	1/2	740.34	1/2	370.34	1/2	15.76	1/2		1/2	
3/4	2,582.57	3/4	2,212.57	3/4	1,842.57	3/4	1,472.58	3/4	1,102.63	3/4	732.63	3/4	362.63	3/4		3/4		3/4	
4	2,574.86	4	2,204.86	4	1,834.86	4	1,464.87	4	1,094.92	4	724.92	4	354.92	4		4		4	
1/4	2,567.15	1/4	2,197.15	1/4	1,827.15	1/4	1,457.17	1/4	1,087.22	1/4	717.22	1/4	347.22	1/4		1/4		1/4	
1/2	2,559.44	1/2	2,189.44	1/2	1,819.44	1/2	1,449.46	1/2	1,079.51	1/2	709.51	1/2	339.51	1/2		1/2		1/2	
3/4	2,551.73	3/4	2,181.73	3/4	1,811.73	3/4	1,441.75	3/4	1,071.80	3/4	701.80	3/4	331.80	3/4		3/4		3/4	
5	2,544.02	5	2,174.02	5	1,804.02	5	1,434.05	5	1,064.09	5	694.09	5	324.09	5		5		5	
1/4	2,536.32	1/4	2,166.32	1/4	1,796.32	1/4	1,426.34	1/4	1,056.39	1/4	686.38	1/4	316.38	1/4		1/4		1/4	
1/2	2,528.61	1/2	2,158.61	1/2	1,788.61	1/2	1,418.64	1/2	1,048.68	1/2	678.67	1/2	308.67	1/2		1/2		1/2	
3/4	2,520.90	3/4	2,150.90	3/4	1,780.90	3/4	1,410.93	3/4	1,040.97	3/4	670.96	3/4	300.96	3/4		3/4		3/4	
6	2,513.19	6	2,143.19	6	1,773.19	6	1,403.22	6	1,033.26	6	663.25	6	293.25	6		6		6	
1/4	2,505.49	1/4	2,135.49	1/4	1,765.49	1/4	1,395.52	1/4	1,025.55	1/4	655.55	1/4	285.55	1/4		1/4		1/4	
1/2	2,497.78	1/2	2,127.78	1/2	1,757.78	1/2	1,387.81	1/2	1,017.84	1/2	647.84	1/2	277.84	1/2		1/2		1/2	
3/4	2,490.07	3/4	2,120.07	3/4	1,750.07	3/4	1,380.10	3/4	1,010.13	3/4	640.13	3/4	270.13	3/4		3/4		3/4	
7	2,482.36	7	2,112.36	7	1,742.36	7	1,372.39	7	1,002.42	7	632.42	7	262.42	7		7		7	
1/4	2,474.65	1/4	2,104.65	1/4	1,734.65	1/4	1,364.69	1/4	994.72	1/4	624.72	1/4	254.72	1/4		1/4		1/4	
1/2	2,466.94	1/2	2,096.94	1/2	1,726.94	1/2	1,356.98	1/2	987.01	1/2	617.01	1/2	247.01	1/2		1/2		1/2	
3/4	2,459.23	3/4	2,089.23	3/4	1,719.23	3/4	1,349.27	3/4	979.30	3/4	609.30	3/4	239.30	3/4		3/4		3/4	
8	2,451.52	8	2,081.52	8	1,711.52	8	1,341.57	8	971.59	8	601.59	8	231.59	8		8		8	
1/4	2,443.82	1/4	2,073.82	1/4	1,703.82	1/4	1,333.86	1/4	963.89	1/4	593.88	1/4	223.88	1/4		1/4		1/4	
1/2	2,436.11	1/2	2,066.11	1/2	1,696.11	1/2	1,326.16	1/2	956.18	1/2	586.17	1/2	216.17	1/2		1/2		1/2	
3/4	2,428.40	3/4	2,058.40	3/4	1,688.40	3/4	1,318.45	3/4	948.47	3/4	578.46	3/4	208.46	3/4		3/4		3/4	
9	2,420.69	9	2,050.69	9	1,680.69	9	1,310.74	9	940.76	9	570.75	9	200.75	9		9		9	
1/4	2,412.99	1/4	2,042.99	1/4	1,672.99	1/4	1,303.04	1/4	933.05	1/4	563.05	1/4	193.05	1/4		1/4		1/4	
1/2	2,405.28	1/2	2,035.28	1/2	1,665.28	1/2	1,295.33	1/2	925.34	1/2	555.34	1/2	185.34	1/2		1/2		1/2	
3/4	2,397.57	3/4	2,027.57	3/4	1,657.57	3/4	1,287.62	3/4	917.63	3/4	547.63	3/4	177.63	3/4		3/4		3/4	
10	2,389.86	10	2,019.86	10	1,649.86	10	1,279.91	10	909.92	10	539.92	10	169.92	10		10		10	
1/4	2,382.15	1/4	2,012.15	1/4	1,642.15	1/4	1,272.21	1/4	902.22	1/4	532.22	1/4	162.22	1/4		1/4		1/4	
1/2	2,374.44	1/2	2,004.44	1/2	1,634.44	1/2	1,264.50	1/2	894.51	1/2	524.51	1/2	154.51	1/2		1/2		1/2	
3/4	2,366.73	3/4	1,996.73	3/4	1,626.73	3/4	1,256.79	3/4	886.78	3/4	516.80	3/4	146.80	3/4		3/4		3/4	
11	2,359.02	11	1,989.02	11	1,619.02	11	1,249.09	11	879.04	11	509.09	11	139.09	11		11		11	
1/4	2,351.32	1/4	1,981.32	1/4	1,611.32	1/4	1,241.38	1/4	871.31	1/4	501.38	1/4	131.38	1/4		1/4		1/4	
1/2	2,343.61	1/2	1,973.61	1/2	1,603.61	1/2	1,233.68	1/2	863.58	1/2	493.67	1/2	123.67	1/2		1/2		1/2	
3/4	2,335.90	3/4	1,965.90	3/4	1,595.90	3/4	1,225.97	3/4	855.89	3/4	485.96	3/4	115.96	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/18/2015 INSP.
RECALCULATED: 10/17/2025 JS
NAME CHANGE: 10/17/2025 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2025

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

2 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	5,293.96	0	4,925.49	0	4,555.91	0	4,185.90	0	3,815.90	0	3,445.90	0	3,075.90
1/4		1/4		1/4		1/4	5,286.28	1/4	4,917.82	1/4	4,548.20	1/4	4,178.19	1/4	3,808.19	1/4	3,438.19	1/4	3,068.19
1/2		1/2		1/2		1/2	5,278.61	1/2	4,910.14	1/2	4,540.49	1/2	4,170.49	1/2	3,800.49	1/2	3,430.49	1/2	3,060.49
3/4		3/4		3/4		3/4	5,270.93	3/4	4,902.46	3/4	4,532.78	3/4	4,162.78	3/4	3,792.78	3/4	3,422.78	3/4	3,052.78
1		1		1		1	5,263.25	1	4,894.79	1	4,525.07	1	4,155.07	1	3,785.07	1	3,415.07	1	3,045.07
1/4		1/4		1/4		1/4	5,255.58	1/4	4,887.11	1/4	4,517.36	1/4	4,147.36	1/4	3,777.36	1/4	3,407.36	1/4	3,037.36
1/2		1/2		1/2		1/2	5,247.90	1/2	4,879.44	1/2	4,509.66	1/2	4,139.66	1/2	3,769.66	1/2	3,399.66	1/2	3,029.66
3/4		3/4		3/4		3/4	5,240.22	3/4	4,871.76	3/4	4,501.95	3/4	4,131.95	3/4	3,761.95	3/4	3,391.95	3/4	3,021.95
2		2		2		2	5,232.55	2	4,864.08	2	4,494.24	2	4,124.24	2	3,754.24	2	3,384.24	2	3,014.24
1/4		1/4		1/4		1/4	5,224.87	1/4	4,856.41	1/4	4,486.53	1/4	4,116.53	1/4	3,746.53	1/4	3,376.53	1/4	3,006.53
1/2		1/2		1/2		1/2	5,217.20	1/2	4,848.73	1/2	4,478.83	1/2	4,108.82	1/2	3,738.82	1/2	3,368.82	1/2	2,998.82
3/4		3/4		3/4		3/4	5,209.52	3/4	4,841.05	3/4	4,471.12	3/4	4,101.11	3/4	3,731.11	3/4	3,361.11	3/4	2,991.11
3		3		3		3	5,201.84	3	4,833.36	3	4,463.41	3	4,093.40	3	3,723.40	3	3,353.40	3	2,983.40
1/4		1/4		1/4	5,473.98	1/4	5,194.17	1/4	4,825.67	1/4	4,455.70	1/4	4,085.69	1/4	3,715.69	1/4	3,345.69	1/4	2,975.69
1/2		1/2		1/2	5,473.51	1/2	5,186.49	1/2	4,817.97	1/2	4,447.99	1/2	4,077.99	1/2	3,707.99	1/2	3,337.99	1/2	2,967.99
3/4		3/4		3/4	5,473.04	3/4	5,178.81	3/4	4,810.28	3/4	4,440.28	3/4	4,070.28	3/4	3,700.28	3/4	3,330.28	3/4	2,960.28
4		4		4	5,471.69	4	5,171.14	4	4,802.57	4	4,432.57	4	4,062.57	4	3,692.57	4	3,322.57	4	2,952.57
1/4		1/4		1/4	5,470.34	1/4	5,163.46	1/4	4,794.87	1/4	4,424.86	1/4	4,054.86	1/4	3,684.86	1/4	3,314.86	1/4	2,944.86
1/2		1/2		1/2	5,468.99	1/2	5,155.79	1/2	4,787.16	1/2	4,417.16	1/2	4,047.16	1/2	3,677.16	1/2	3,307.16	1/2	2,937.16
3/4		3/4		3/4	5,467.64	3/4	5,148.11	3/4	4,779.45	3/4	4,409.45	3/4	4,039.45	3/4	3,669.45	3/4	3,299.45	3/4	2,929.45
5		5		5	5,464.99	5	5,140.43	5	4,771.74	5	4,401.74	5	4,031.74	5	3,661.74	5	3,291.74	5	2,921.74
1/4		1/4		1/4	5,462.34	1/4	5,132.76	1/4	4,764.04	1/4	4,394.03	1/4	4,024.03	1/4	3,654.03	1/4	3,284.03	1/4	2,914.03
1/2		1/2		1/2	5,459.69	1/2	5,125.08	1/2	4,756.33	1/2	4,386.32	1/2	4,016.32	1/2	3,646.32	1/2	3,276.32	1/2	2,906.32
3/4		3/4		3/4	5,457.04	3/4	5,117.40	3/4	4,748.62	3/4	4,378.61	3/4	4,008.61	3/4	3,638.61	3/4	3,268.61	3/4	2,898.61
6		6		6	5,453.05	6	5,109.73	6	4,740.91	6	4,370.90	6	4,000.90	6	3,630.90	6	3,260.90	6	2,890.90
1/4		1/4		1/4	5,449.06	1/4	5,102.05	1/4	4,733.20	1/4	4,363.19	1/4	3,993.19	1/4	3,623.19	1/4	3,253.19	1/4	2,883.19
1/2		1/2		1/2	5,445.07	1/2	5,094.38	1/2	4,725.49	1/2	4,355.49	1/2	3,985.49	1/2	3,615.49	1/2	3,245.49	1/2	2,875.49
3/4		3/4		3/4	5,441.08	3/4	5,086.70	3/4	4,717.78	3/4	4,347.78	3/4	3,977.78	3/4	3,607.78	3/4	3,237.78	3/4	2,867.78
7		7		7	5,435.75	7	5,079.02	7	4,710.07	7	4,340.07	7	3,970.07	7	3,600.07	7	3,230.07	7	2,860.07
1/4		1/4		1/4	5,430.42	1/4	5,071.35	1/4	4,702.37	1/4	4,332.36	1/4	3,962.36	1/4	3,592.36	1/4	3,222.36	1/4	2,852.36
1/2		1/2		1/2	5,425.09	1/2	5,063.67	1/2	4,694.66	1/2	4,324.66	1/2	3,954.66	1/2	3,584.66	1/2	3,214.66	1/2	2,844.65
3/4		3/4		3/4	5,419.76	3/4	5,055.99	3/4	4,686.95	3/4	4,316.95	3/4	3,946.95	3/4	3,576.95	3/4	3,206.95	3/4	2,836.94
8		8		8	5,413.09	8	5,048.31	8	4,679.24	8	4,309.24	8	3,939.24	8	3,569.24	8	3,199.24	8	2,829.23
1/4		1/4		1/4	5,406.42	1/4	5,040.64	1/4	4,671.53	1/4	4,301.53	1/4	3,931.53	1/4	3,561.53	1/4	3,191.53	1/4	2,821.52
1/2		1/2		1/2	5,399.75	1/2	5,032.96	1/2	4,663.83	1/2	4,293.82	1/2	3,923.82	1/2	3,553.82	1/2	3,183.82	1/2	2,813.82
3/4		3/4		3/4	5,393.08	3/4	5,025.28	3/4	4,656.12	3/4	4,286.11	3/4	3,916.11	3/4	3,546.11	3/4	3,176.11	3/4	2,806.11
9		9		9	5,385.57	9	5,017.61	9	4,648.41	9	4,278.40	9	3,908.40	9	3,538.40	9	3,168.40	9	2,798.40
1/4		1/4		1/4	5,378.06	1/4	5,009.93	1/4	4,640.70	1/4	4,270.69	1/4	3,900.69	1/4	3,530.69	1/4	3,160.69	1/4	2,790.69
1/2		1/2		1/2	5,370.55	1/2	5,002.26	1/2	4,632.99	1/2	4,262.99	1/2	3,892.99	1/2	3,522.99	1/2	3,152.99	1/2	2,782.99
3/4		3/4		3/4	5,363.04	3/4	4,994.58	3/4	4,625.28	3/4	4,255.28	3/4	3,885.28	3/4	3,515.28	3/4	3,145.28	3/4	2,775.28
10		10		10	5,355.37	10	4,986.90	10	4,617.57	10	4,247.57	10	3,877.57	10	3,507.57	10	3,137.57	10	2,767.57
1/4		1/4		1/4	5,347.69	1/4	4,979.23	1/4	4,609.86	1/4	4,239.86	1/4	3,869.86	1/4	3,499.86	1/4	3,129.86	1/4	2,759.86
1/2		1/2		1/2	5,340.02	1/2	4,971.55	1/2	4,602.16	1/2	4,232.16	1/2	3,862.16	1/2	3,492.16	1/2	3,122.16	1/2	2,752.15
3/4		3/4		3/4	5,332.34	3/4	4,963.87	3/4	4,594.45	3/4	4,224.45	3/4	3,854.45	3/4	3,484.45	3/4	3,114.45	3/4	2,744.44
11		11		11	5,324.66	11	4,956.20	11	4,586.74	11	4,216.74	11	3,846.74	11	3,476.74	11	3,106.74	11	2,736.73
1/4		1/4		1/4	5,316.99	1/4	4,948.52	1/4	4,579.03	1/4	4,209.03	1/4	3,839.03	1/4	3,469.03	1/4	3,099.03	1/4	2,729.02
1/2		1/2		1/2	5,309.31	1/2	4,940.85	1/2	4,571.33	1/2	4,201.32	1/2	3,831.32	1/2	3,461.32	1/2	3,091.32	1/2	2,721.32
3/4		3/4		3/4	5,301.63	3/4	4,933.17	3/4	4,563.62	3/4	4,193.61	3/4	3,823.61	3/4	3,453.61	3/4	3,083.61	3/4	2,713.61

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" GAUGING DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 11'-09" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

2 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,705.90	0	2,335.90	0	1,965.90	0	1,595.90	0	1,225.97	0	855.89	0	485.96	0	115.96	0		0	
1/4	2,698.19	1/4	2,328.19	1/4	1,958.19	1/4	1,588.19	1/4	1,218.26	1/4	848.21	1/4	478.25	1/4	108.25	1/4		1/4	
1/2	2,690.49	1/2	2,320.49	1/2	1,950.49	1/2	1,580.49	1/2	1,210.55	1/2	840.52	1/2	470.55	1/2	100.55	1/2		1/2	
3/4	2,682.78	3/4	2,312.78	3/4	1,942.78	3/4	1,572.78	3/4	1,202.84	3/4	832.84	3/4	462.84	3/4	92.84	3/4		3/4	
1	2,675.07	1	2,305.07	1	1,935.07	1	1,565.07	1	1,195.13	1	825.13	1	455.13	1	85.13	1		1	
1/4	2,667.36	1/4	2,297.36	1/4	1,927.36	1/4	1,557.36	1/4	1,187.42	1/4	817.42	1/4	447.42	1/4	77.42	1/4		1/4	
1/2	2,659.65	1/2	2,289.65	1/2	1,919.65	1/2	1,549.65	1/2	1,179.72	1/2	809.72	1/2	439.72	1/2	69.72	1/2		1/2	
3/4	2,651.94	3/4	2,281.94	3/4	1,911.94	3/4	1,541.94	3/4	1,172.01	3/4	802.01	3/4	432.01	3/4	62.01	3/4		3/4	
2	2,644.23	2	2,274.23	2	1,904.23	2	1,534.23	2	1,164.30	2	794.30	2	424.30	2	55.26	2		2	
1/4	2,636.52	1/4	2,266.52	1/4	1,896.52	1/4	1,526.53	1/4	1,156.59	1/4	786.59	1/4	416.59	1/4	48.52	1/4		1/4	
1/2	2,628.82	1/2	2,258.82	1/2	1,888.82	1/2	1,518.82	1/2	1,148.89	1/2	778.89	1/2	408.88	1/2	41.77	1/2		1/2	
3/4	2,621.11	3/4	2,251.11	3/4	1,881.11	3/4	1,511.12	3/4	1,141.18	3/4	771.18	3/4	401.17	3/4	35.03	3/4		3/4	
3	2,613.40	3	2,243.40	3	1,873.40	3	1,503.41	3	1,133.47	3	763.47	3	393.46	3	30.21	3		3	
1/4	2,605.69	1/4	2,235.69	1/4	1,865.69	1/4	1,495.70	1/4	1,125.76	1/4	755.76	1/4	385.75	1/4	25.39	1/4		1/4	
1/2	2,597.99	1/2	2,227.99	1/2	1,857.99	1/2	1,488.00	1/2	1,118.05	1/2	748.05	1/2	378.05	1/2	20.58	1/2		1/2	
3/4	2,590.28	3/4	2,220.28	3/4	1,850.28	3/4	1,480.29	3/4	1,110.34	3/4	740.34	3/4	370.34	3/4	15.76	3/4		3/4	
4	2,582.57	4	2,212.57	4	1,842.57	4	1,472.58	4	1,102.63	4	732.63	4	362.63	4		4		4	
1/4	2,574.86	1/4	2,204.86	1/4	1,834.86	1/4	1,464.87	1/4	1,094.92	1/4	724.92	1/4	354.92	1/4		1/4		1/4	
1/2	2,567.15	1/2	2,197.15	1/2	1,827.15	1/2	1,457.17	1/2	1,087.22	1/2	717.22	1/2	347.22	1/2		1/2		1/2	
3/4	2,559.44	3/4	2,189.44	3/4	1,819.44	3/4	1,449.46	3/4	1,079.51	3/4	709.51	3/4	339.51	3/4		3/4		3/4	
5	2,551.73	5	2,181.73	5	1,811.73	5	1,441.75	5	1,071.80	5	701.80	5	331.80	5		5		5	
1/4	2,544.02	1/4	2,174.02	1/4	1,804.02	1/4	1,434.05	1/4	1,064.09	1/4	694.09	1/4	324.09	1/4		1/4		1/4	
1/2	2,536.32	1/2	2,166.32	1/2	1,796.32	1/2	1,426.34	1/2	1,056.39	1/2	686.38	1/2	316.38	1/2		1/2		1/2	
3/4	2,528.61	3/4	2,158.61	3/4	1,788.61	3/4	1,418.64	3/4	1,048.68	3/4	678.67	3/4	308.67	3/4		3/4		3/4	
6	2,520.90	6	2,150.90	6	1,780.90	6	1,410.93	6	1,040.97	6	670.96	6	300.96	6		6		6	
1/4	2,513.19	1/4	2,143.19	1/4	1,773.19	1/4	1,403.22	1/4	1,033.26	1/4	663.25	1/4	293.25	1/4		1/4		1/4	
1/2	2,505.49	1/2	2,135.49	1/2	1,765.49	1/2	1,395.52	1/2	1,025.55	1/2	655.55	1/2	285.55	1/2		1/2		1/2	
3/4	2,497.78	3/4	2,127.78	3/4	1,757.78	3/4	1,387.81	3/4	1,017.84	3/4	647.84	3/4	277.84	3/4		3/4		3/4	
7	2,490.07	7	2,120.07	7	1,750.07	7	1,380.10	7	1,010.13	7	640.13	7	270.13	7		7		7	
1/4	2,482.36	1/4	2,112.36	1/4	1,742.36	1/4	1,372.39	1/4	1,002.42	1/4	632.42	1/4	262.42	1/4		1/4		1/4	
1/2	2,474.65	1/2	2,104.65	1/2	1,734.65	1/2	1,364.69	1/2	994.72	1/2	624.72	1/2	254.72	1/2		1/2		1/2	
3/4	2,466.94	3/4	2,096.94	3/4	1,726.94	3/4	1,356.98	3/4	987.01	3/4	617.01	3/4	247.01	3/4		3/4		3/4	
8	2,459.23	8	2,089.23	8	1,719.23	8	1,349.27	8	979.30	8	609.30	8	239.30	8		8		8	
1/4	2,451.52	1/4	2,081.52	1/4	1,711.52	1/4	1,341.57	1/4	971.59	1/4	601.59	1/4	231.59	1/4		1/4		1/4	
1/2	2,443.82	1/2	2,073.82	1/2	1,703.82	1/2	1,333.86	1/2	963.89	1/2	593.88	1/2	223.88	1/2		1/2		1/2	
3/4	2,436.11	3/4	2,066.11	3/4	1,696.11	3/4	1,326.16	3/4	956.18	3/4	586.17	3/4	216.17	3/4		3/4		3/4	
9	2,428.40	9	2,058.40	9	1,688.40	9	1,318.45	9	948.47	9	578.46	9	208.46	9		9		9	
1/4	2,420.69	1/4	2,050.69	1/4	1,680.69	1/4	1,310.74	1/4	940.76	1/4	570.75	1/4	200.75	1/4		1/4		1/4	
1/2	2,412.99	1/2	2,042.99	1/2	1,672.99	1/2	1,303.04	1/2	933.05	1/2	563.05	1/2	193.05	1/2		1/2		1/2	
3/4	2,405.28	3/4	2,035.28	3/4	1,665.28	3/4	1,295.33	3/4	925.34	3/4	555.34	3/4	185.34	3/4		3/4		3/4	
10	2,397.57	10	2,027.57	10	1,657.57	10	1,287.62	10	917.63	10	547.63	10	177.63	10		10		10	
1/4	2,389.86	1/4	2,019.86	1/4	1,649.86	1/4	1,279.91	1/4	909.92	1/4	539.92	1/4	169.92	1/4		1/4		1/4	
1/2	2,382.15	1/2	2,012.15	1/2	1,642.15	1/2	1,272.21	1/2	902.22	1/2	532.22	1/2	162.22	1/2		1/2		1/2	
3/4	2,374.44	3/4	2,004.44	3/4	1,634.44	3/4	1,264.50	3/4	894.51	3/4	524.51	3/4	154.51	3/4		3/4		3/4	
11	2,366.73	11	1,996.73	11	1,626.73	11	1,256.79	11	886.78	11	516.80	11	146.80	11		11		11	
1/4	2,359.02	1/4	1,989.02	1/4	1,619.02	1/4	1,249.09	1/4	879.04	1/4	509.09	1/4	139.09	1/4		1/4		1/4	
1/2	2,351.32	1/2	1,981.32	1/2	1,611.32	1/2	1,241.38	1/2	871.31	1/2	501.38	1/2	131.38	1/2		1/2		1/2	
3/4	2,343.61	3/4	1,973.61	3/4	1,603.61	3/4	1,233.68	3/4	863.58	3/4	493.67	3/4	123.67	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/18/2015 INSP.
RECALCULATED: 10/17/2025 JS
NAME CHANGE: 10/17/2025 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2025

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	4,759.38	0	4,500.69	0	4,240.88	0	3,980.66	0	3,720.44	0	3,434.07	0	3,065.47
1/4		1/4		1/4		1/4	4,753.99	1/4	4,495.30	1/4	4,235.46	1/4	3,975.23	1/4	3,715.01	1/4	3,426.43	1/4	3,057.79
1/2		1/2		1/2		1/2	4,748.60	1/2	4,489.91	1/2	4,230.04	1/2	3,969.81	1/2	3,709.59	1/2	3,418.80	1/2	3,050.11
3/4		3/4		3/4		3/4	4,743.21	3/4	4,484.52	3/4	4,224.62	3/4	3,964.39	3/4	3,704.17	3/4	3,411.17	3/4	3,042.43
1		1		1		1	4,737.82	1	4,479.13	1	4,219.20	1	3,958.97	1	3,698.75	1	3,403.49	1	3,034.75
1/4		1/4		1/4		1/4	4,732.43	1/4	4,473.74	1/4	4,213.77	1/4	3,953.55	1/4	3,693.33	1/4	3,395.80	1/4	3,027.06
1/2		1/2		1/2		1/2	4,727.04	1/2	4,468.35	1/2	4,208.35	1/2	3,948.13	1/2	3,687.91	1/2	3,388.12	1/2	3,019.38
3/4		3/4		3/4		3/4	4,721.65	3/4	4,462.96	3/4	4,202.93	3/4	3,942.71	3/4	3,682.49	3/4	3,380.44	3/4	3,011.70
2		2		2		2	4,716.26	2	4,457.57	2	4,197.51	2	3,937.29	2	3,677.07	2	3,372.76	2	3,004.02
1/4		1/4		1/4		1/4	4,710.87	1/4	4,452.18	1/4	4,192.09	1/4	3,931.86	1/4	3,671.64	1/4	3,365.07	1/4	2,996.33
1/2		1/2		1/2		1/2	4,705.48	1/2	4,446.80	1/2	4,186.67	1/2	3,926.44	1/2	3,666.22	1/2	3,357.39	1/2	2,988.65
3/4		3/4		3/4		3/4	4,700.09	3/4	4,441.41	3/4	4,181.25	3/4	3,921.02	3/4	3,660.80	3/4	3,349.71	3/4	2,980.97
3		3		3		3	4,694.70	3	4,436.00	3	4,175.83	3	3,915.60	3	3,655.38	3	3,342.03	3	2,973.29
1/4		1/4		1/4	4,885.60	1/4	4,689.31	1/4	4,430.60	1/4	4,170.40	1/4	3,910.18	1/4	3,649.96	1/4	3,334.34	1/4	2,965.60
1/2		1/2		1/2	4,885.28	1/2	4,683.93	1/2	4,425.19	1/2	4,164.98	1/2	3,904.76	1/2	3,644.54	1/2	3,326.66	1/2	2,957.92
3/4		3/4		3/4	4,884.96	3/4	4,678.54	3/4	4,419.79	3/4	4,159.56	3/4	3,899.34	3/4	3,639.12	3/4	3,318.98	3/4	2,950.24
4		4		4	4,884.03	4	4,673.15	4	4,414.37	4	4,154.14	4	3,893.92	4	3,633.70	4	3,311.30	4	2,942.56
1/4		1/4		1/4	4,883.09	1/4	4,667.76	1/4	4,408.94	1/4	4,148.72	1/4	3,888.49	1/4	3,628.27	1/4	3,303.61	1/4	2,934.87
1/2		1/2		1/2	4,882.16	1/2	4,662.37	1/2	4,403.52	1/2	4,143.30	1/2	3,883.07	1/2	3,622.85	1/2	3,295.93	1/2	2,927.19
3/4		3/4		3/4	4,881.22	3/4	4,656.98	3/4	4,398.10	3/4	4,137.88	3/4	3,877.65	3/4	3,617.43	3/4	3,288.25	3/4	2,919.51
5		5		5	4,879.37	5	4,651.59	5	4,392.68	5	4,132.46	5	3,872.23	5	3,612.01	5	3,280.57	5	2,911.83
1/4		1/4		1/4	4,877.52	1/4	4,646.20	1/4	4,387.26	1/4	4,127.03	1/4	3,866.81	1/4	3,606.58	1/4	3,272.88	1/4	2,904.14
1/2		1/2		1/2	4,875.67	1/2	4,640.81	1/2	4,381.84	1/2	4,121.61	1/2	3,861.39	1/2	3,601.16	1/2	3,265.20	1/2	2,896.46
3/4		3/4		3/4	4,873.82	3/4	4,635.42	3/4	4,376.42	3/4	4,116.19	3/4	3,855.97	3/4	3,595.74	3/4	3,257.52	3/4	2,888.78
6		6		6	4,871.03	6	4,630.03	6	4,371.00	6	4,110.77	6	3,850.55	6	3,590.24	6	3,249.84	6	2,881.10
1/4		1/4		1/4	4,868.23	1/4	4,624.64	1/4	4,365.57	1/4	4,105.35	1/4	3,845.12	1/4	3,584.75	1/4	3,242.16	1/4	2,873.41
1/2		1/2		1/2	4,865.44	1/2	4,619.26	1/2	4,360.15	1/2	4,099.93	1/2	3,839.70	1/2	3,579.25	1/2	3,234.48	1/2	2,865.73
3/4		3/4		3/4	4,862.64	3/4	4,613.87	3/4	4,354.73	3/4	4,094.51	3/4	3,834.28	3/4	3,573.76	3/4	3,226.80	3/4	2,858.05
7		7		7	4,858.90	7	4,608.48	7	4,349.31	7	4,089.09	7	3,828.86	7	3,567.93	7	3,219.12	7	2,850.37
1/4		1/4		1/4	4,855.17	1/4	4,603.09	1/4	4,343.88	1/4	4,083.66	1/4	3,823.44	1/4	3,562.11	1/4	3,211.43	1/4	2,842.69
1/2		1/2		1/2	4,851.43	1/2	4,597.70	1/2	4,338.46	1/2	4,078.24	1/2	3,818.02	1/2	3,556.28	1/2	3,203.75	1/2	2,835.01
3/4		3/4		3/4	4,847.69	3/4	4,592.31	3/4	4,333.04	3/4	4,072.82	3/4	3,812.60	3/4	3,550.46	3/4	3,196.07	3/4	2,827.33
8		8		8	4,843.01	8	4,586.92	8	4,327.62	8	4,067.40	8	3,807.18	8	3,544.25	8	3,188.39	8	2,819.65
1/4		1/4		1/4	4,838.33	1/4	4,581.53	1/4	4,322.20	1/4	4,061.98	1/4	3,801.75	1/4	3,538.04	1/4	3,180.70	1/4	2,811.96
1/2		1/2		1/2	4,833.65	1/2	4,576.14	1/2	4,316.78	1/2	4,056.56	1/2	3,796.33	1/2	3,531.84	1/2	3,173.02	1/2	2,804.28
3/4		3/4		3/4	4,828.97	3/4	4,570.75	3/4	4,311.36	3/4	4,051.14	3/4	3,790.91	3/4	3,525.63	3/4	3,165.34	3/4	2,796.60
9		9		9	4,823.70	9	4,565.36	9	4,305.94	9	4,045.72	9	3,785.49	9	3,519.03	9	3,157.66	9	2,788.92
1/4		1/4		1/4	4,818.43	1/4	4,559.97	1/4	4,300.51	1/4	4,040.29	1/4	3,780.07	1/4	3,512.42	1/4	3,149.97	1/4	2,781.24
1/2		1/2		1/2	4,813.15	1/2	4,554.58	1/2	4,295.09	1/2	4,034.87	1/2	3,774.65	1/2	3,505.82	1/2	3,142.29	1/2	2,773.55
3/4		3/4		3/4	4,807.88	3/4	4,549.19	3/4	4,289.67	3/4	4,029.45	3/4	3,769.23	3/4	3,499.22	3/4	3,134.61	3/4	2,765.87
10		10		10	4,802.49	10	4,543.80	10	4,284.25	10	4,024.03	10	3,763.81	10	3,492.23	10	3,126.93	10	2,758.19
1/4		1/4		1/4	4,797.10	1/4	4,538.41	1/4	4,278.83	1/4	4,018.61	1/4	3,758.38	1/4	3,485.23	1/4	3,119.24	1/4	2,750.51
1/2		1/2		1/2	4,791.71	1/2	4,533.03	1/2	4,273.41	1/2	4,013.19	1/2	3,752.96	1/2	3,478.24	1/2	3,111.56	1/2	2,742.82
3/4		3/4		3/4	4,786.32	3/4	4,527.64	3/4	4,267.99	3/4	4,007.77	3/4	3,747.54	3/4	3,471.25	3/4	3,103.88	3/4	2,735.14
11		11		11	4,780.93	11	4,522.25	11	4,262.57	11	4,002.35	11	3,742.12	11	3,463.86	11	3,096.20	11	2,727.46
1/4		1/4		1/4	4,775.54	1/4	4,516.86	1/4	4,257.14	1/4	3,996.92	1/4	3,736.70	1/4	3,456.47	1/4	3,088.51	1/4	2,719.78
1/2		1/2		1/2	4,770.16	1/2	4,511.47	1/2	4,251.72	1/2	3,991.50	1/2	3,731.28	1/2	3,449.09	1/2	3,080.83	1/2	2,712.09
3/4		3/4		3/4	4,764.77	3/4	4,506.08	3/4	4,246.30	3/4	3,986.08	3/4	3,725.86	3/4	3,441.70	3/4	3,073.15	3/4	2,704.41

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" GAUGING DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 11'-09" OFF CENTERLINE AND 56'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,696.73	0	2,327.99	0	1,959.25	0	1,590.51	0	1,221.84	0	853.10	0	484.36	0	115.62	0		0	
1/4	2,689.05	1/4	2,320.31	1/4	1,951.57	1/4	1,582.83	1/4	1,214.16	1/4	845.42	1/4	476.68	1/4	107.94	1/4		1/4	
1/2	2,681.36	1/2	2,312.62	1/2	1,943.88	1/2	1,575.14	1/2	1,206.47	1/2	837.73	1/2	468.99	1/2	100.25	1/2		1/2	
3/4	2,673.68	3/4	2,304.94	3/4	1,936.20	3/4	1,567.46	3/4	1,198.79	3/4	830.05	3/4	461.31	3/4	92.57	3/4		3/4	
1	2,666.00	1	2,297.26	1	1,928.52	1	1,559.78	1	1,191.11	1	822.37	1	453.63	1	84.89	1		1	
1/4	2,658.32	1/4	2,289.58	1/4	1,920.84	1/4	1,552.10	1/4	1,183.43	1/4	814.69	1/4	445.95	1/4	77.21	1/4		1/4	
1/2	2,650.64	1/2	2,281.90	1/2	1,913.15	1/2	1,544.41	1/2	1,175.74	1/2	807.00	1/2	438.26	1/2	69.52	1/2		1/2	
3/4	2,642.96	3/4	2,274.22	3/4	1,905.47	3/4	1,536.73	3/4	1,168.06	3/4	799.32	3/4	430.58	3/4	61.84	3/4		3/4	
2	2,635.28	2	2,266.54	2	1,897.79	2	1,529.05	2	1,160.38	2	791.64	2	422.90	2	55.11	2		2	
1/4	2,627.60	1/4	2,258.86	1/4	1,890.11	1/4	1,521.37	1/4	1,152.70	1/4	783.96	1/4	415.22	1/4	48.39	1/4		1/4	
1/2	2,619.91	1/2	2,251.17	1/2	1,882.43	1/2	1,513.69	1/2	1,145.01	1/2	776.27	1/2	407.53	1/2	41.66	1/2		1/2	
3/4	2,612.23	3/4	2,243.49	3/4	1,874.75	3/4	1,506.01	3/4	1,137.33	3/4	768.59	3/4	399.85	3/4	34.93	3/4		3/4	
3	2,604.55	3	2,235.81	3	1,867.07	3	1,498.33	3	1,129.65	3	760.91	3	392.17	3	30.13	3		3	
1/4	2,596.87	1/4	2,228.13	1/4	1,859.39	1/4	1,490.65	1/4	1,121.97	1/4	753.23	1/4	384.49	1/4	25.32	1/4		1/4	
1/2	2,589.18	1/2	2,220.44	1/2	1,851.70	1/2	1,482.97	1/2	1,114.28	1/2	745.54	1/2	376.80	1/2	20.52	1/2		1/2	
3/4	2,581.50	3/4	2,212.76	3/4	1,844.02	3/4	1,475.29	3/4	1,106.60	3/4	737.86	3/4	369.12	3/4	15.71	3/4		3/4	
4	2,573.82	4	2,205.08	4	1,836.34	4	1,467.61	4	1,098.92	4	730.18	4	361.44	4		4		4	
1/4	2,566.14	1/4	2,197.40	1/4	1,828.66	1/4	1,459.93	1/4	1,091.24	1/4	722.50	1/4	353.76	1/4		1/4		1/4	
1/2	2,558.45	1/2	2,189.71	1/2	1,820.97	1/2	1,452.25	1/2	1,083.56	1/2	714.81	1/2	346.07	1/2		1/2		1/2	
3/4	2,550.77	3/4	2,182.03	3/4	1,813.29	3/4	1,444.57	3/4	1,075.88	3/4	707.13	3/4	338.39	3/4		3/4		3/4	
5	2,543.09	5	2,174.35	5	1,805.61	5	1,436.89	5	1,068.20	5	699.45	5	330.71	5		5		5	
1/4	2,535.41	1/4	2,166.67	1/4	1,797.93	1/4	1,429.21	1/4	1,060.52	1/4	691.77	1/4	323.03	1/4		1/4		1/4	
1/2	2,527.72	1/2	2,158.98	1/2	1,790.24	1/2	1,421.53	1/2	1,052.83	1/2	684.09	1/2	315.35	1/2		1/2		1/2	
3/4	2,520.04	3/4	2,151.30	3/4	1,782.56	3/4	1,413.85	3/4	1,045.15	3/4	676.41	3/4	307.67	3/4		3/4		3/4	
6	2,512.36	6	2,143.62	6	1,774.88	6	1,406.17	6	1,037.47	6	668.73	6	299.99	6		6		6	
1/4	2,504.68	1/4	2,135.94	1/4	1,767.20	1/4	1,398.49	1/4	1,029.79	1/4	661.05	1/4	292.31	1/4		1/4		1/4	
1/2	2,496.99	1/2	2,128.25	1/2	1,759.51	1/2	1,390.81	1/2	1,022.10	1/2	653.36	1/2	284.62	1/2		1/2		1/2	
3/4	2,489.31	3/4	2,120.57	3/4	1,751.83	3/4	1,383.13	3/4	1,014.42	3/4	645.68	3/4	276.94	3/4		3/4		3/4	
7	2,481.63	7	2,112.89	7	1,744.15	7	1,375.45	7	1,006.74	7	638.00	7	269.26	7		7		7	
1/4	2,473.95	1/4	2,105.21	1/4	1,736.47	1/4	1,367.77	1/4	999.06	1/4	630.32	1/4	261.58	1/4		1/4		1/4	
1/2	2,466.27	1/2	2,097.52	1/2	1,728.78	1/2	1,360.08	1/2	991.37	1/2	622.63	1/2	253.89	1/2		1/2		1/2	
3/4	2,458.59	3/4	2,089.84	3/4	1,721.10	3/4	1,352.40	3/4	983.69	3/4	614.95	3/4	246.21	3/4		3/4		3/4	
8	2,450.91	8	2,082.16	8	1,713.42	8	1,344.72	8	976.01	8	607.27	8	238.53	8		8		8	
1/4	2,443.23	1/4	2,074.48	1/4	1,705.74	1/4	1,337.04	1/4	968.33	1/4	599.59	1/4	230.85	1/4		1/4		1/4	
1/2	2,435.54	1/2	2,066.80	1/2	1,698.06	1/2	1,329.36	1/2	960.64	1/2	591.90	1/2	223.16	1/2		1/2		1/2	
3/4	2,427.86	3/4	2,059.12	3/4	1,690.38	3/4	1,321.68	3/4	952.96	3/4	584.22	3/4	215.48	3/4		3/4		3/4	
9	2,420.18	9	2,051.44	9	1,682.70	9	1,314.00	9	945.28	9	576.54	9	207.80	9		9		9	
1/4	2,412.50	1/4	2,043.76	1/4	1,675.02	1/4	1,306.32	1/4	937.60	1/4	568.86	1/4	200.12	1/4		1/4		1/4	
1/2	2,404.81	1/2	2,036.07	1/2	1,667.33	1/2	1,298.64	1/2	929.91	1/2	561.17	1/2	192.43	1/2		1/2		1/2	
3/4	2,397.13	3/4	2,028.39	3/4	1,659.65	3/4	1,290.96	3/4	922.23	3/4	553.49	3/4	184.75	3/4		3/4		3/4	
10	2,389.45	10	2,020.71	10	1,651.97	10	1,283.28	10	914.55	10	545.81	10	177.07	10		10		10	
1/4	2,381.77	1/4	2,013.03	1/4	1,644.29	1/4	1,275.60	1/4	906.87	1/4	538.13	1/4	169.39	1/4		1/4		1/4	
1/2	2,374.08	1/2	2,005.34	1/2	1,636.60	1/2	1,267.92	1/2	899.19	1/2	530.44	1/2	161.70	1/2		1/2		1/2	
3/4	2,366.40	3/4	1,997.66	3/4	1,628.92	3/4	1,260.24	3/4	891.51	3/4	522.76	3/4	154.02	3/4		3/4		3/4	
11	2,358.72	11	1,989.98	11	1,621.24	11	1,252.56	11	883.83	11	515.08	11	146.34	11		11		11	
1/4	2,351.04	1/4	1,982.30	1/4	1,613.56	1/4	1,244.88	1/4	876.15	1/4	507.40	1/4	138.66	1/4		1/4		1/4	
1/2	2,343.35	1/2	1,974.61	1/2	1,605.87	1/2	1,237.20	1/2	868.46	1/2	499.72	1/2	130.98	1/2		1/2		1/2	
3/4	2,335.67	3/4	1,966.93	3/4	1,598.19	3/4	1,229.52	3/4	860.78	3/4	492.04	3/4	123.30	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/18/2015 INSP.
RECALCULATED: 10/17/2025 JS
NAME CHANGE: 10/17/2025 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2025

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

3 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	4,759.38	0	4,500.69	0	4,240.88	0	3,980.66	0	3,720.44	0	3,434.07	0	3,065.47
1/4		1/4		1/4		1/4	4,753.99	1/4	4,495.30	1/4	4,235.46	1/4	3,975.23	1/4	3,715.01	1/4	3,426.43	1/4	3,057.79
1/2		1/2		1/2		1/2	4,748.60	1/2	4,489.91	1/2	4,230.04	1/2	3,969.81	1/2	3,709.59	1/2	3,418.80	1/2	3,050.11
3/4		3/4		3/4		3/4	4,743.21	3/4	4,484.52	3/4	4,224.62	3/4	3,964.39	3/4	3,704.17	3/4	3,411.17	3/4	3,042.43
1		1		1		1	4,737.82	1	4,479.13	1	4,219.20	1	3,958.97	1	3,698.75	1	3,403.49	1	3,034.75
1/4		1/4		1/4		1/4	4,732.43	1/4	4,473.74	1/4	4,213.77	1/4	3,953.55	1/4	3,693.33	1/4	3,395.80	1/4	3,027.06
1/2		1/2		1/2		1/2	4,727.04	1/2	4,468.35	1/2	4,208.35	1/2	3,948.13	1/2	3,687.91	1/2	3,388.12	1/2	3,019.38
3/4		3/4		3/4		3/4	4,721.65	3/4	4,462.96	3/4	4,202.93	3/4	3,942.71	3/4	3,682.49	3/4	3,380.44	3/4	3,011.70
2		2		2		2	4,716.26	2	4,457.57	2	4,197.51	2	3,937.29	2	3,677.07	2	3,372.76	2	3,004.02
1/4		1/4		1/4		1/4	4,710.87	1/4	4,452.18	1/4	4,192.09	1/4	3,931.86	1/4	3,671.64	1/4	3,365.07	1/4	2,996.33
1/2		1/2		1/2		1/2	4,705.48	1/2	4,446.80	1/2	4,186.67	1/2	3,926.44	1/2	3,666.22	1/2	3,357.39	1/2	2,988.65
3/4		3/4		3/4		3/4	4,700.09	3/4	4,441.41	3/4	4,181.25	3/4	3,921.02	3/4	3,660.80	3/4	3,349.71	3/4	2,980.97
3		3		3		3	4,694.70	3	4,436.00	3	4,175.83	3	3,915.60	3	3,655.38	3	3,342.03	3	2,973.29
1/4		1/4		1/4	4,885.60	1/4	4,689.31	1/4	4,430.60	1/4	4,170.40	1/4	3,910.18	1/4	3,649.96	1/4	3,334.34	1/4	2,965.60
1/2		1/2		1/2	4,885.28	1/2	4,683.93	1/2	4,425.19	1/2	4,164.98	1/2	3,904.76	1/2	3,644.54	1/2	3,326.66	1/2	2,957.92
3/4		3/4		3/4	4,884.96	3/4	4,678.54	3/4	4,419.79	3/4	4,159.56	3/4	3,899.34	3/4	3,639.12	3/4	3,318.98	3/4	2,950.24
4		4		4	4,884.03	4	4,673.15	4	4,414.37	4	4,154.14	4	3,893.92	4	3,633.70	4	3,311.30	4	2,942.56
1/4		1/4		1/4	4,883.09	1/4	4,667.76	1/4	4,408.94	1/4	4,148.72	1/4	3,888.49	1/4	3,628.27	1/4	3,303.61	1/4	2,934.87
1/2		1/2		1/2	4,882.16	1/2	4,662.37	1/2	4,403.52	1/2	4,143.30	1/2	3,883.07	1/2	3,622.85	1/2	3,295.93	1/2	2,927.19
3/4		3/4		3/4	4,881.22	3/4	4,656.98	3/4	4,398.10	3/4	4,137.88	3/4	3,877.65	3/4	3,617.43	3/4	3,288.25	3/4	2,919.51
5		5		5	4,879.37	5	4,651.59	5	4,392.68	5	4,132.46	5	3,872.23	5	3,612.01	5	3,280.57	5	2,911.83
1/4		1/4		1/4	4,877.52	1/4	4,646.20	1/4	4,387.26	1/4	4,127.03	1/4	3,866.81	1/4	3,606.58	1/4	3,272.88	1/4	2,904.14
1/2		1/2		1/2	4,875.67	1/2	4,640.81	1/2	4,381.84	1/2	4,121.61	1/2	3,861.39	1/2	3,601.16	1/2	3,265.20	1/2	2,896.46
3/4		3/4		3/4	4,873.82	3/4	4,635.42	3/4	4,376.42	3/4	4,116.19	3/4	3,855.97	3/4	3,595.74	3/4	3,257.52	3/4	2,888.78
6		6		6	4,871.03	6	4,630.03	6	4,371.00	6	4,110.77	6	3,850.55	6	3,590.24	6	3,249.84	6	2,881.10
1/4		1/4		1/4	4,868.23	1/4	4,624.64	1/4	4,365.57	1/4	4,105.35	1/4	3,845.12	1/4	3,584.75	1/4	3,242.16	1/4	2,873.41
1/2		1/2		1/2	4,865.44	1/2	4,619.26	1/2	4,360.15	1/2	4,099.93	1/2	3,839.70	1/2	3,579.25	1/2	3,234.48	1/2	2,865.73
3/4		3/4		3/4	4,862.64	3/4	4,613.87	3/4	4,354.73	3/4	4,094.51	3/4	3,834.28	3/4	3,573.76	3/4	3,226.80	3/4	2,858.05
7		7		7	4,858.90	7	4,608.48	7	4,349.31	7	4,089.09	7	3,828.86	7	3,567.93	7	3,219.12	7	2,850.37
1/4		1/4		1/4	4,855.17	1/4	4,603.09	1/4	4,343.88	1/4	4,083.66	1/4	3,823.44	1/4	3,562.11	1/4	3,211.43	1/4	2,842.69
1/2		1/2		1/2	4,851.43	1/2	4,597.70	1/2	4,338.46	1/2	4,078.24	1/2	3,818.02	1/2	3,556.28	1/2	3,203.75	1/2	2,835.01
3/4		3/4		3/4	4,847.69	3/4	4,592.31	3/4	4,333.04	3/4	4,072.82	3/4	3,812.60	3/4	3,550.46	3/4	3,196.07	3/4	2,827.33
8		8		8	4,843.01	8	4,586.92	8	4,327.62	8	4,067.40	8	3,807.18	8	3,544.25	8	3,188.39	8	2,819.65
1/4		1/4		1/4	4,838.33	1/4	4,581.53	1/4	4,322.20	1/4	4,061.98	1/4	3,801.75	1/4	3,538.04	1/4	3,180.70	1/4	2,811.96
1/2		1/2		1/2	4,833.65	1/2	4,576.14	1/2	4,316.78	1/2	4,056.56	1/2	3,796.33	1/2	3,531.84	1/2	3,173.02	1/2	2,804.28
3/4		3/4		3/4	4,828.97	3/4	4,570.75	3/4	4,311.36	3/4	4,051.14	3/4	3,790.91	3/4	3,525.63	3/4	3,165.34	3/4	2,796.60
9		9		9	4,823.70	9	4,565.36	9	4,305.94	9	4,045.72	9	3,785.49	9	3,519.03	9	3,157.66	9	2,788.92
1/4		1/4		1/4	4,818.43	1/4	4,559.97	1/4	4,300.51	1/4	4,040.29	1/4	3,780.07	1/4	3,512.42	1/4	3,149.97	1/4	2,781.24
1/2		1/2		1/2	4,813.15	1/2	4,554.58	1/2	4,295.09	1/2	4,034.87	1/2	3,774.65	1/2	3,505.82	1/2	3,142.29	1/2	2,773.55
3/4		3/4		3/4	4,807.88	3/4	4,549.19	3/4	4,289.67	3/4	4,029.45	3/4	3,769.23	3/4	3,499.22	3/4	3,134.61	3/4	2,765.87
10		10		10	4,802.49	10	4,543.80	10	4,284.25	10	4,024.03	10	3,763.81	10	3,492.23	10	3,126.93	10	2,758.19
1/4		1/4		1/4	4,797.10	1/4	4,538.41	1/4	4,278.83	1/4	4,018.61	1/4	3,758.38	1/4	3,485.23	1/4	3,119.24	1/4	2,750.51
1/2		1/2		1/2	4,791.71	1/2	4,533.03	1/2	4,273.41	1/2	4,013.19	1/2	3,752.96	1/2	3,478.24	1/2	3,111.56	1/2	2,742.82
3/4		3/4		3/4	4,786.32	3/4	4,527.64	3/4	4,267.99	3/4	4,007.77	3/4	3,747.54	3/4	3,471.25	3/4	3,103.88	3/4	2,735.14
11		11		11	4,780.93	11	4,522.25	11	4,262.57	11	4,002.35	11	3,742.12	11	3,463.86	11	3,096.20	11	2,727.46
1/4		1/4		1/4	4,775.54	1/4	4,516.86	1/4	4,257.14	1/4	3,996.92	1/4	3,736.70	1/4	3,456.47	1/4	3,088.51	1/4	2,719.78
1/2		1/2		1/2	4,770.16	1/2	4,511.47	1/2	4,251.72	1/2	3,991.50	1/2	3,731.28	1/2	3,449.09	1/2	3,080.83	1/2	2,712.09
3/4		3/4		3/4	4,764.77	3/4	4,506.08	3/4	4,246.30	3/4	3,986.08	3/4	3,725.86	3/4	3,441.70	3/4	3,073.15	3/4	2,704.41

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" GAUGING DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 11'-09" OFF CENTERLINE AND 56'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

BARGE "KIRBY 30047T"

3 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY: FMT 3288"

GAUGE HEIGHT 17'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,696.73	0	2,327.99	0	1,959.25	0	1,590.51	0	1,221.84	0	853.10	0	484.36	0	115.62	0		0	
1/4	2,689.05	1/4	2,320.31	1/4	1,951.57	1/4	1,582.83	1/4	1,214.16	1/4	845.42	1/4	476.68	1/4	107.94	1/4		1/4	
1/2	2,681.36	1/2	2,312.62	1/2	1,943.88	1/2	1,575.14	1/2	1,206.47	1/2	837.73	1/2	468.99	1/2	100.25	1/2		1/2	
3/4	2,673.68	3/4	2,304.94	3/4	1,936.20	3/4	1,567.46	3/4	1,198.79	3/4	830.05	3/4	461.31	3/4	92.57	3/4		3/4	
1	2,666.00	1	2,297.26	1	1,928.52	1	1,559.78	1	1,191.11	1	822.37	1	453.63	1	84.89	1		1	
1/4	2,658.32	1/4	2,289.58	1/4	1,920.84	1/4	1,552.10	1/4	1,183.43	1/4	814.69	1/4	445.95	1/4	77.21	1/4		1/4	
1/2	2,650.64	1/2	2,281.90	1/2	1,913.15	1/2	1,544.41	1/2	1,175.74	1/2	807.00	1/2	438.26	1/2	69.52	1/2		1/2	
3/4	2,642.96	3/4	2,274.22	3/4	1,905.47	3/4	1,536.73	3/4	1,168.06	3/4	799.32	3/4	430.58	3/4	61.84	3/4		3/4	
2	2,635.28	2	2,266.54	2	1,897.79	2	1,529.05	2	1,160.38	2	791.64	2	422.90	2	55.11	2		2	
1/4	2,627.60	1/4	2,258.86	1/4	1,890.11	1/4	1,521.37	1/4	1,152.70	1/4	783.96	1/4	415.22	1/4	48.39	1/4		1/4	
1/2	2,619.91	1/2	2,251.17	1/2	1,882.43	1/2	1,513.69	1/2	1,145.01	1/2	776.27	1/2	407.53	1/2	41.66	1/2		1/2	
3/4	2,612.23	3/4	2,243.49	3/4	1,874.75	3/4	1,506.01	3/4	1,137.33	3/4	768.59	3/4	399.85	3/4	34.93	3/4		3/4	
3	2,604.55	3	2,235.81	3	1,867.07	3	1,498.33	3	1,129.65	3	760.91	3	392.17	3	30.13	3		3	
1/4	2,596.87	1/4	2,228.13	1/4	1,859.39	1/4	1,490.65	1/4	1,121.97	1/4	753.23	1/4	384.49	1/4	25.32	1/4		1/4	
1/2	2,589.18	1/2	2,220.44	1/2	1,851.70	1/2	1,482.97	1/2	1,114.28	1/2	745.54	1/2	376.80	1/2	20.52	1/2		1/2	
3/4	2,581.50	3/4	2,212.76	3/4	1,844.02	3/4	1,475.29	3/4	1,106.60	3/4	737.86	3/4	369.12	3/4	15.71	3/4		3/4	
4	2,573.82	4	2,205.08	4	1,836.34	4	1,467.61	4	1,098.92	4	730.18	4	361.44	4		4		4	
1/4	2,566.14	1/4	2,197.40	1/4	1,828.66	1/4	1,459.93	1/4	1,091.24	1/4	722.50	1/4	353.76	1/4		1/4		1/4	
1/2	2,558.45	1/2	2,189.71	1/2	1,820.97	1/2	1,452.25	1/2	1,083.56	1/2	714.81	1/2	346.07	1/2		1/2		1/2	
3/4	2,550.77	3/4	2,182.03	3/4	1,813.29	3/4	1,444.57	3/4	1,075.88	3/4	707.13	3/4	338.39	3/4		3/4		3/4	
5	2,543.09	5	2,174.35	5	1,805.61	5	1,436.89	5	1,068.20	5	699.45	5	330.71	5		5		5	
1/4	2,535.41	1/4	2,166.67	1/4	1,797.93	1/4	1,429.21	1/4	1,060.52	1/4	691.77	1/4	323.03	1/4		1/4		1/4	
1/2	2,527.72	1/2	2,158.98	1/2	1,790.24	1/2	1,421.53	1/2	1,052.83	1/2	684.09	1/2	315.35	1/2		1/2		1/2	
3/4	2,520.04	3/4	2,151.30	3/4	1,782.56	3/4	1,413.85	3/4	1,045.15	3/4	676.41	3/4	307.67	3/4		3/4		3/4	
6	2,512.36	6	2,143.62	6	1,774.88	6	1,406.17	6	1,037.47	6	668.73	6	299.99	6		6		6	
1/4	2,504.68	1/4	2,135.94	1/4	1,767.20	1/4	1,398.49	1/4	1,029.79	1/4	661.05	1/4	292.31	1/4		1/4		1/4	
1/2	2,496.99	1/2	2,128.25	1/2	1,759.51	1/2	1,390.81	1/2	1,022.10	1/2	653.36	1/2	284.62	1/2		1/2		1/2	
3/4	2,489.31	3/4	2,120.57	3/4	1,751.83	3/4	1,383.13	3/4	1,014.42	3/4	645.68	3/4	276.94	3/4		3/4		3/4	
7	2,481.63	7	2,112.89	7	1,744.15	7	1,375.45	7	1,006.74	7	638.00	7	269.26	7		7		7	
1/4	2,473.95	1/4	2,105.21	1/4	1,736.47	1/4	1,367.77	1/4	999.06	1/4	630.32	1/4	261.58	1/4		1/4		1/4	
1/2	2,466.27	1/2	2,097.52	1/2	1,728.78	1/2	1,360.08	1/2	991.37	1/2	622.63	1/2	253.89	1/2		1/2		1/2	
3/4	2,458.59	3/4	2,089.84	3/4	1,721.10	3/4	1,352.40	3/4	983.69	3/4	614.95	3/4	246.21	3/4		3/4		3/4	
8	2,450.91	8	2,082.16	8	1,713.42	8	1,344.72	8	976.01	8	607.27	8	238.53	8		8		8	
1/4	2,443.23	1/4	2,074.48	1/4	1,705.74	1/4	1,337.04	1/4	968.33	1/4	599.59	1/4	230.85	1/4		1/4		1/4	
1/2	2,435.54	1/2	2,066.80	1/2	1,698.06	1/2	1,329.36	1/2	960.64	1/2	591.90	1/2	223.16	1/2		1/2		1/2	
3/4	2,427.86	3/4	2,059.12	3/4	1,690.38	3/4	1,321.68	3/4	952.96	3/4	584.22	3/4	215.48	3/4		3/4		3/4	
9	2,420.18	9	2,051.44	9	1,682.70	9	1,314.00	9	945.28	9	576.54	9	207.80	9		9		9	
1/4	2,412.50	1/4	2,043.76	1/4	1,675.02	1/4	1,306.32	1/4	937.60	1/4	568.86	1/4	200.12	1/4		1/4		1/4	
1/2	2,404.81	1/2	2,036.07	1/2	1,667.33	1/2	1,298.64	1/2	929.91	1/2	561.17	1/2	192.43	1/2		1/2		1/2	
3/4	2,397.13	3/4	2,028.39	3/4	1,659.65	3/4	1,290.96	3/4	922.23	3/4	553.49	3/4	184.75	3/4		3/4		3/4	
10	2,389.45	10	2,020.71	10	1,651.97	10	1,283.28	10	914.55	10	545.81	10	177.07	10		10		10	
1/4	2,381.77	1/4	2,013.03	1/4	1,644.29	1/4	1,275.60	1/4	906.87	1/4	538.13	1/4	169.39	1/4		1/4		1/4	
1/2	2,374.08	1/2	2,005.34	1/2	1,636.60	1/2	1,267.92	1/2	899.19	1/2	530.44	1/2	161.70	1/2		1/2		1/2	
3/4	2,366.40	3/4	1,997.66	3/4	1,628.92	3/4	1,260.24	3/4	891.51	3/4	522.76	3/4	154.02	3/4		3/4		3/4	
11	2,358.72	11	1,989.98	11	1,621.24	11	1,252.56	11	883.83	11	515.08	11	146.34	11		11		11	
1/4	2,351.04	1/4	1,982.30	1/4	1,613.56	1/4	1,244.88	1/4	876.15	1/4	507.40	1/4	138.66	1/4		1/4		1/4	
1/2	2,343.35	1/2	1,974.61	1/2	1,605.87	1/2	1,237.20	1/2	868.46	1/2	499.72	1/2	130.98	1/2		1/2		1/2	
3/4	2,335.67	3/4	1,966.93	3/4	1,598.19	3/4	1,229.52	3/4	860.78	3/4	492.04	3/4	123.30	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/18/2015 INSP.
RECALCULATED: 10/17/2025 JS
NAME CHANGE: 10/17/2025 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2025

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net