



# BARGE "KIRBY 30313"

ULLAGE TRIM TABLE  
FORMERLY "DBL 33"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
4 CENTER	00-1/2	- 00-1/2	00-7/8	- 00-7/8	01-3/8	- 01-3/8	01-3/4	- 01-3/4	02-1/4	- 02-1/4	02-5/8	- 02-5/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 4 CENTER IS - 00-7/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 4 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 1/8"

LENGTH BETWEEN DRAFT MARKS: 233'-09"

June 9, 2010

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "KIRBY 30313"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "DBL 33"

GAUGE HEIGHT 19'-00 3/4"

Table with columns for height (IN), 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT., 18 FT., 19 FT. and rows for various measurement points (0, 1/4, 1/2, 3/4).

STRAPPED: 06/08/2010 CL - SW
CALCULATED: 06/09/2010 CL
REPRINTED: 09/27/2016 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2016

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

Signature of Paul J. ...

























# BARGE "KIRBY 30313"

# PORT HOLDING TANK

## INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

FORMERLY "DBL 33"

GAUGE HEIGHT 3'-09"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,058	0	2,117	0		0		0		0		0		0		0	
1/4	22	1/4	1,081	1/4	2,139	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	44	1/2	1,103	1/2	2,161	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	1,125	3/4	2,183	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	88	1	1,147	1	2,205	1		1		1		1		1		1		1	
1/4	110	1/4	1,169	1/4	2,227	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	1,191	1/2	2,249	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154	3/4	1,213	3/4	2,271	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	176	2	1,235	2	2,293	2		2		2		2		2		2		2	
1/4	198	1/4	1,257	1/4	2,315	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	221	1/2	1,279	1/2	2,338	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	243	3/4	1,301	3/4	2,360	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	265	3	1,323	3	2,382	3		3		3		3		3		3		3	
1/4	287	1/4	1,345	1/4	2,404	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	309	1/2	1,367	1/2	2,426	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	331	3/4	1,389	3/4	2,448	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	353	4	1,411	4	2,470	4		4		4		4		4		4		4	
1/4	375	1/4	1,433	1/4	2,492	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	397	1/2	1,455	1/2	2,514	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	419	3/4	1,477	3/4	2,536	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	441	5	1,500	5	2,558	5		5		5		5		5		5		5	
1/4	463	1/4	1,522	1/4	2,580	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	485	1/2	1,544	1/2	2,602	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	507	3/4	1,566	3/4	2,624	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	529	6	1,588	6	2,646	6		6		6		6		6		6		6	
1/4	551	1/4	1,610	1/4	2,668	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	573	1/2	1,632	1/2	2,690	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	595	3/4	1,654	3/4	2,712	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	617	7	1,676	7	2,734	7		7		7		7		7		7		7	
1/4	640	1/4	1,698	1/4	2,756	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	662	1/2	1,720	1/2	2,779	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	684	3/4	1,742	3/4	2,801	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	706	8	1,764	8	2,823	8		8		8		8		8		8		8	
1/4	728	1/4	1,786	1/4	2,845	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	750	1/2	1,808	1/2	2,867	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	772	3/4	1,830	3/4	2,889	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	794	9	1,852	9	2,911	9		9		9		9		9		9		9	
1/4	816	1/4	1,874	1/4	2,933	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	838	1/2	1,896	1/2	2,955	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	860	3/4	1,919	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	882	10	1,941	10		10		10		10		10		10		10		10	
1/4	904	1/4	1,963	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	926	1/2	1,985	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	948	3/4	2,007	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	970	11	2,029	11		11		11		11		11		11		11		11	
1/4	992	1/4	2,051	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,014	1/2	2,073	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,036	3/4	2,095	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "KIRBY 30313"

# STBD HOLDING TANK

## INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

FORMERLY "DBL 33"

GAUGE HEIGHT 3'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,058	0	2,117	0		0		0		0		0		0		0	
1/4	22	1/4	1,081	1/4	2,139	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	44	1/2	1,103	1/2	2,161	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	66	3/4	1,125	3/4	2,183	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	88	1	1,147	1	2,205	1		1		1		1		1		1		1	
1/4	110	1/4	1,169	1/4	2,227	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	132	1/2	1,191	1/2	2,249	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154	3/4	1,213	3/4	2,271	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	176	2	1,235	2	2,293	2		2		2		2		2		2		2	
1/4	198	1/4	1,257	1/4	2,315	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	221	1/2	1,279	1/2	2,338	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	243	3/4	1,301	3/4	2,360	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	265	3	1,323	3	2,382	3		3		3		3		3		3		3	
1/4	287	1/4	1,345	1/4	2,404	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	309	1/2	1,367	1/2	2,426	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	331	3/4	1,389	3/4	2,448	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	353	4	1,411	4	2,470	4		4		4		4		4		4		4	
1/4	375	1/4	1,433	1/4	2,492	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	397	1/2	1,455	1/2	2,514	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	419	3/4	1,477	3/4	2,536	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	441	5	1,500	5	2,558	5		5		5		5		5		5		5	
1/4	463	1/4	1,522	1/4	2,580	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	485	1/2	1,544	1/2	2,602	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	507	3/4	1,566	3/4	2,624	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	529	6	1,588	6	2,646	6		6		6		6		6		6		6	
1/4	551	1/4	1,610	1/4	2,668	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	573	1/2	1,632	1/2	2,690	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	595	3/4	1,654	3/4	2,712	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	617	7	1,676	7	2,734	7		7		7		7		7		7		7	
1/4	640	1/4	1,698	1/4	2,756	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	662	1/2	1,720	1/2	2,779	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	684	3/4	1,742	3/4	2,801	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	706	8	1,764	8	2,823	8		8		8		8		8		8		8	
1/4	728	1/4	1,786	1/4	2,845	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	750	1/2	1,808	1/2	2,867	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	772	3/4	1,830	3/4	2,889	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	794	9	1,852	9	2,911	9		9		9		9		9		9		9	
1/4	816	1/4	1,874	1/4	2,933	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	838	1/2	1,896	1/2	2,955	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	860	3/4	1,919	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	882	10	1,941	10		10		10		10		10		10		10		10	
1/4	904	1/4	1,963	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	926	1/2	1,985	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	948	3/4	2,007	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	970	11	2,029	11		11		11		11		11		11		11		11	
1/4	992	1/4	2,051	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,014	1/2	2,073	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,036	3/4	2,095	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>