



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date:	19 Mar 2020
Expiration Date:	19 Mar 2025

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
KIRBY 30403	1031853			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
HOUSTON, TX	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
GULFPORT, MS	06Sep1995	06Sep1995	R-1619	R-1619		R-297.5
UNITED STATES						I-0

Owner	Operator
KIRBY INLAND MARINE LP 55 WAUGH DR STE 1000 HOUSTON, TX 77007 UNITED STATES	KIRBY INLAND MARINE, LP 18350 MARKET STREET CHANNELVIEW, TX 77530 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: Nicole D. Rodriguez CDR, USCG, By Direction
Date	Zone	A/P/R	Signature	
3-4-21	HOV/GAL	A	DANNY MURRAY	Officer in Charge, Marine Inspection Sector Houston-Galveston Inspection Zone
2-23-22	HOV	P	BEN MAYERLIX	
2/11/2023	HOV	A	Michael Arthur	
12/27/23	Bay Range	A	Richard Hebert	



Certificate of Inspection

Vessel Name: KIRBY 30403

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to OCMI Houston-Galveston.

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	10Feb2025	10Feb2015	11Nov2004
Internal Structure	31Mar2025	19Mar2020	30Dec2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
29779	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
3 P/S	738	13.60
1 AND 2 P/S	799	13.60

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	3705	9ft 6in	13.6	RIVERS, LAKES, BAYS AND SOUNDS
III	4451	11ft 0in	13.6	RIVERS, LAKES, BAYS AND SOUNDS
II	3705	9ft 6in	13.6	
III	4451	11ft 0in	13.6	

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN95005493, dated 09AUG00, and Grade "A" and lower cargoes may be carried.

Vapor Control Authorization

This vessel's vapor control system has been inspected to the plans approved by the Marine Safety Center letters serial #C2-9503229 dated 18AUG95, and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in that letter, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. A high level and overfill alarm is required by 46 CFR 39.20-7.

Stability and Trim

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.



Certificate of Inspection

Vessel Name: KIRBY 30403

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
3 P/S	11Nov2004	10Feb2015	10Feb2025	-	-	-
1 AND 2 P/S	11Nov2004	10Feb2015	10Feb2025	-	-	-

Hydro Test

Tank Id	Safety Valves	Previous	Last	Next
3 P/S	-	-	-	-
1 AND 2 P/S	-	-	-	-

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	B-II

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30403
Official #: D1031853

Page 1 of 2

Shipyard: TRINITY MARINE GRO
Hull #: 1473

List of Authorized Cargoes

Cargo Identification							Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	
		Group No	Exc					
Acrylonitrile	ACN	15	Y	C	II		.50-70(a), .55-1(e)	
Adiponitrile	ADN	37	N	E	II	V	No	
Anthracene oil (Coal tar fraction)	AHO	33	N		II		No	
Alkyl(C7-C9) nitrates	AKN	34	Y		III	V	.50-81, .50-86	
Acetonitrile	ATN	37	N	C	III	T	No	
Butyl acrylate (all isomers)	BAR	14	N	D	III	V	.50-70(a), .50-81(a), (b)	
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA	32	Y		III	V	.50-60, .56-1(b), (d), (f), (g)	
Benzene hydrocarbon mixtures (having 10% Benzene or more)	BHB	32	N		III	V	.50-60	
Butyl methacrylate	BMH	14	N	D	III	V	.50-70(a), .50-81(a), (b)	
Benzene	BNZ	32	N	C	III	V	.50-60	
Benzene, Toluene, Xylene mixtures (having 10% Benzene or more)	BTX	32	N	B/C	III	V	.50-60	
Carbon tetrachloride	CBT	36	N		III		No	
Cyclohexanone	CCH	18	N	D	III	V	.56-1(a), (b)	
Creosote (all isomers)	CCW	21	Y	E	III	V	No	
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	0	N	C	III		No	
Camphor oil (light)	CPO	18	N	D	II		No	
Chlorobenzene	CRB	36	N	D	III	V	No	
Chloroform	CRF	36	N	E	III		No	
Cresols (all isomers)	CRS	21	N	E	III	V	No	
Cresylic acid tar	CRX	21	N		III	V	.55-1(f)	
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N	D	III	V	.50-60, .56-1(b)	
N,N-Dimethylacetamide	DAC	10	N	E	III	T	.56-1(b)	
Dichlorobenzenes (all isomers)	DBX	36	N	E	III	T	.56-1(a), (b)	
1,1-Dichloroethane	DCH	36	N	C	III	V	No	
Dichloromethane	DCM	36	N	NF	III		No	
Dimethylformamide	DMF	10	N	D	III	V	.55-1(e)	
Dichloropropene, Dichloropropane mixtures	DMX	15	N		II		No	
Dodecyl dimethylamine, Tetradecyl dimethylamine mixture	DOT	7	N	E	III		.56-1(b)	
1,1-Dichloropropane	DPB	36	N	C	III	T	No	
1,3-Dichloropropane	DPC	36	N	C	III	T	No	
1,2-Dichloropropane	DPP	36	N	C	III	T	No	
1,3-Dichloropropane	DPU	15	N	D	II	T	No	
Ethyl acrylate	EAC	14	N	C	III	V	.50-70(a), .50-81(a), (b)	
2-Ethylhexyl acrylate	EAI	14	N	E	III	V	.50-70(a), .50-81(a), (b)	
Ethylene dichloride	EDC	36	Y	C	III	V	No	
Ethylene glycol propyl ether	EGP	40	N	E	III		No	
Ethylidene norbornene	ENB	30	Y	D	II		.50-5, .50-74	
Ethylene cyanohydrin	ETC	20	N	E	III	V	No	
Ethyl methacrylate	ETM	14	N	C	III	V	.50-70(a)	
Glutaraldehyde solution (50% or less)	GTA	19	N	NF	III		No	
Isoprene	IPR	30	N	A	III		.50-70(a), .50-81(a), (b)	
Methyl acrylate	MAM	14	N	C	III	V	.50-70(a), .50-81(a), (b)	
2-Methyl-5-ethylpyridine	MEP	9	N	E	III	V	.55-1(e)	
Methyl methacrylate	MMM	14	N	C	III	V	.50-70(a), .50-81(a), (b)	
Mesityl oxide	MSO	18	Y	D	III	V	No	
alpha-Methylstyrene	MSR	30	N	D	III		.50-70(a), .50-81(a), (b)	
Coal tar naphtha solvent	NCT	33	N	D	III	V	.50-73	
1,3-Pentadiene	PDE	30	N	A	III	V	.50-70(a), .50-81	

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 30403
Official #: D1031853

Page 2 of 2

Shipyard: TRINITY MARI
Hull #: 1473

Cargo Identification							Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'l's of Construction	
		Group No	Exc					
Polyethylene polyamines	PEB	7	Y	E	III	V	.55-1(e)	
Perchloroethylene	PER	36	N	NF	III		No	
Pyridine	PRD	9	N	C	III	V	.55-1(e)	
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	III		.50-73	
Sodium hypochlorite solution (20% or less)	SHQ	5	N	NF	III		.50-73, .56-1(a), (b)	
Styrene (crude)	STX	30	N	C	III	V	No	
Styrene monomer	STY	30	N	D	III	V	.50-70(b), .50-81(a), (b)	
Trichloroethylene	TCL	36	Y		III	V	No	
1,1,2-Trichloroethane	TCM	36	N		III	V	.50-73, .56-1(a)	
1,2,3-Trichloropropane	TCN	36	N	E	II	T	.50-73, .56-1(a)	
1,1,2,2-Tetrachloroethane	TEC	36	N	NF	III		No	
Urea, Ammonium nitrate solution (containing more than 2% Ammonia)	UAS	6	N		III		.56-1(b)	
Vinyl acetate	VAM	13	N	C	III	V	.50-70(a), .50-81(a), (b)	

Explanation of terms & symbols used in the Table:

Cargo Identificatio

- Name** The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code** The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibility Group No.** The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc)** Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade** The cargo classification assigned to each flammable or combustible liquid. Grades inside of "[]" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
- A, B, C** Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
- D, E** Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
- NA, NF** Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
- #** No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type** The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
- I** Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
- II** Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
- III** Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

Note See Certificate of Inspection for explanation of symbols used in this column.