



BARGE "MER 11"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/8	- 01-1/8	01-3/8	- 01-3/8
2 CENTER	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8	01-1/8	- 01-1/8	01-3/8	- 01-3/8
3 CENTER	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/2"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 1/2"

LENGTH BETWEEN DRAFT MARKS: 164'-08"

February 8, 2024

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "MER 11"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-06"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	2,857.75	0	2,606.02	0	2,354.30	0	2,102.57	0	1,850.85	0	1,599.22	0	1,347.83
1/4		1/4		1/4		1/4	2,852.51	1/4	2,600.78	1/4	2,349.05	1/4	2,097.33	1/4	1,845.60	1/4	1,593.99	1/4	1,342.59
1/2		1/2		1/2		1/2	2,847.26	1/2	2,595.54	1/2	2,343.81	1/2	2,092.08	1/2	1,840.36	1/2	1,588.76	1/2	1,337.35
3/4		3/4		3/4		3/4	2,842.02	3/4	2,590.29	3/4	2,338.57	3/4	2,086.84	3/4	1,835.11	3/4	1,583.52	3/4	1,332.11
1		1		1		1	2,836.77	1	2,585.05	1	2,333.32	1	2,081.59	1	1,829.87	1	1,578.29	1	1,326.86
1/4		1/4		1/4		1/4	2,831.53	1/4	2,579.80	1/4	2,328.08	1/4	2,076.35	1/4	1,824.62	1/4	1,573.06	1/4	1,321.62
1/2		1/2		1/2		1/2	2,826.29	1/2	2,574.56	1/2	2,322.83	1/2	2,071.11	1/2	1,819.38	1/2	1,567.83	1/2	1,316.38
3/4		3/4		3/4		3/4	2,821.04	3/4	2,569.31	3/4	2,317.59	3/4	2,065.86	3/4	1,814.14	3/4	1,562.60	3/4	1,311.14
2		2		2		2	2,815.80	2	2,564.07	2	2,312.34	2	2,060.62	2	1,808.89	2	1,557.37	2	1,305.89
1/4		1/4		1/4		1/4	2,810.55	1/4	2,558.83	1/4	2,307.10	1/4	2,055.37	1/4	1,803.65	1/4	1,552.13	1/4	1,300.65
1/2		1/2		1/2		1/2	2,805.31	1/2	2,553.58	1/2	2,301.86	1/2	2,050.13	1/2	1,798.40	1/2	1,546.90	1/2	1,295.41
3/4		3/4		3/4		3/4	2,800.06	3/4	2,548.34	3/4	2,296.61	3/4	2,044.88	3/4	1,793.16	3/4	1,541.67	3/4	1,290.16
3		3		3		3	2,794.82	3	2,543.09	3	2,291.37	3	2,039.64	3	1,787.91	3	1,536.44	3	1,284.92
1/4		1/4		1/4		1/4	2,789.58	1/4	2,537.85	1/4	2,286.12	1/4	2,034.40	1/4	1,782.67	1/4	1,531.21	1/4	1,279.68
1/2		1/2		1/2		1/2	2,784.33	1/2	2,532.60	1/2	2,280.88	1/2	2,029.15	1/2	1,777.43	1/2	1,525.98	1/2	1,274.44
3/4		3/4		3/4		3/4	2,779.09	3/4	2,527.36	3/4	2,275.63	3/4	2,023.91	3/4	1,772.18	3/4	1,520.74	3/4	1,269.19
4		4		4		4	2,773.84	4	2,522.12	4	2,270.39	4	2,018.66	4	1,766.94	4	1,515.51	4	1,263.95
1/4		1/4		1/4		1/4	2,768.60	1/4	2,516.87	1/4	2,265.15	1/4	2,013.42	1/4	1,761.69	1/4	1,510.28	1/4	1,258.71
1/2		1/2		1/2		1/2	2,763.35	1/2	2,511.63	1/2	2,259.90	1/2	2,008.17	1/2	1,756.45	1/2	1,505.05	1/2	1,253.47
3/4		3/4		3/4		3/4	2,758.11	3/4	2,506.38	3/4	2,254.66	3/4	2,002.93	3/4	1,751.20	3/4	1,499.82	3/4	1,248.22
5		5		5		5	2,752.87	5	2,501.14	5	2,249.41	5	1,997.69	5	1,745.96	5	1,494.59	5	1,242.98
1/4		1/4		1/4		1/4	2,747.62	1/4	2,495.89	1/4	2,244.17	1/4	1,992.44	1/4	1,740.72	1/4	1,489.35	1/4	1,237.74
1/2		1/2		1/2		1/2	2,742.38	1/2	2,490.65	1/2	2,238.92	1/2	1,987.20	1/2	1,735.47	1/2	1,484.12	1/2	1,232.50
3/4		3/4		3/4		3/4	2,737.13	3/4	2,485.41	3/4	2,233.68	3/4	1,981.95	3/4	1,730.23	3/4	1,478.89	3/4	1,227.25
6		6		6	2,920.57	6	2,731.89	6	2,480.16	6	2,228.44	6	1,976.71	6	1,724.98	6	1,473.66	6	1,222.01
1/4		1/4		1/4	2,920.14	1/4	2,726.64	1/4	2,474.92	1/4	2,223.19	1/4	1,971.46	1/4	1,719.74	1/4	1,468.42	1/4	1,216.77
1/2		1/2		1/2	2,919.71	1/2	2,721.40	1/2	2,469.67	1/2	2,217.95	1/2	1,966.22	1/2	1,714.49	1/2	1,463.17	1/2	1,211.52
3/4		3/4		3/4	2,919.29	3/4	2,716.16	3/4	2,464.43	3/4	2,212.70	3/4	1,960.98	3/4	1,709.25	3/4	1,457.93	3/4	1,206.28
7		7		7	2,918.86	7	2,710.91	7	2,459.18	7	2,207.46	7	1,955.73	7	1,704.01	7	1,452.69	7	1,201.04
1/4		1/4		1/4	2,917.55	1/4	2,705.67	1/4	2,453.94	1/4	2,202.21	1/4	1,950.49	1/4	1,698.76	1/4	1,447.45	1/4	1,195.80
1/2		1/2		1/2	2,916.25	1/2	2,700.42	1/2	2,448.70	1/2	2,196.97	1/2	1,945.24	1/2	1,693.52	1/2	1,442.20	1/2	1,190.55
3/4		3/4		3/4	2,914.94	3/4	2,695.18	3/4	2,443.45	3/4	2,191.73	3/4	1,940.00	3/4	1,688.27	3/4	1,436.96	3/4	1,185.31
8		8		8	2,913.64	8	2,689.93	8	2,438.21	8	2,186.48	8	1,934.75	8	1,683.03	8	1,431.72	8	1,180.07
1/4		1/4		1/4	2,911.46	1/4	2,684.69	1/4	2,432.96	1/4	2,181.24	1/4	1,929.51	1/4	1,677.78	1/4	1,426.47	1/4	1,174.83
1/2		1/2		1/2	2,909.28	1/2	2,679.45	1/2	2,427.72	1/2	2,175.99	1/2	1,924.27	1/2	1,672.54	1/2	1,421.23	1/2	1,169.58
3/4		3/4		3/4	2,907.10	3/4	2,674.20	3/4	2,422.47	3/4	2,170.75	3/4	1,919.02	3/4	1,667.30	3/4	1,415.99	3/4	1,164.34
9		9		9	2,904.92	9	2,668.96	9	2,417.23	9	2,165.50	9	1,913.78	9	1,662.05	9	1,410.75	9	1,159.10
1/4		1/4		1/4	2,901.86	1/4	2,663.71	1/4	2,411.99	1/4	2,160.26	1/4	1,908.53	1/4	1,656.81	1/4	1,405.50	1/4	1,153.85
1/2		1/2		1/2	2,898.81	1/2	2,658.47	1/2	2,406.74	1/2	2,155.02	1/2	1,903.29	1/2	1,651.56	1/2	1,400.26	1/2	1,148.61
3/4		3/4		3/4	2,895.75	3/4	2,653.22	3/4	2,401.50	3/4	2,149.77	3/4	1,898.04	3/4	1,646.32	3/4	1,395.02	3/4	1,143.37
10		10		10	2,892.70	10	2,647.98	10	2,396.25	10	2,144.53	10	1,892.80	10	1,641.07	10	1,389.78	10	1,138.13
1/4		1/4		1/4	2,888.77	1/4	2,642.73	1/4	2,391.01	1/4	2,139.28	1/4	1,887.56	1/4	1,635.84	1/4	1,384.53	1/4	1,132.88
1/2		1/2		1/2	2,884.84	1/2	2,637.49	1/2	2,385.76	1/2	2,134.04	1/2	1,882.31	1/2	1,630.61	1/2	1,379.29	1/2	1,127.64
3/4		3/4		3/4	2,880.91	3/4	2,632.25	3/4	2,380.52	3/4	2,128.79	3/4	1,877.07	3/4	1,625.38	3/4	1,374.05	3/4	1,122.40
11		11		11	2,876.97	11	2,627.00	11	2,375.28	11	2,123.55	11	1,871.82	11	1,620.15	11	1,368.81	11	1,117.16
1/4		1/4		1/4	2,872.17	1/4	2,621.76	1/4	2,370.03	1/4	2,118.30	1/4	1,866.58	1/4	1,614.92	1/4	1,363.56	1/4	1,111.91
1/2		1/2		1/2	2,867.36	1/2	2,616.51	1/2	2,364.79	1/2	2,113.06	1/2	1,861.33	1/2	1,609.68	1/2	1,358.32	1/2	1,106.67
3/4		3/4		3/4	2,862.56	3/4	2,611.27	3/4	2,359.54	3/4	2,107.82	3/4	1,856.09	3/4	1,604.45	3/4	1,353.08	3/4	1,101.43

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 30'-04" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MER 11"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-06"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,096.18	0	844.54	0	592.89	0	345.07	0	93.58	0		0		0		0		0	
1/4	1,090.94	1/4	839.29	1/4	587.64	1/4	339.83	1/4	88.39	1/4		1/4		1/4		1/4		1/4	
1/2	1,085.70	1/2	834.05	1/2	582.40	1/2	334.58	1/2	83.21	1/2		1/2		1/2		1/2		1/2	
3/4	1,080.46	3/4	828.81	3/4	577.16	3/4	329.34	3/4	78.03	3/4		3/4		3/4		3/4		3/4	
1	1,075.21	1	823.56	1	571.91	1	324.10	1	72.84	1		1		1		1		1	
1/4	1,069.97	1/4	818.32	1/4	566.67	1/4	318.85	1/4	67.70	1/4		1/4		1/4		1/4		1/4	
1/2	1,064.73	1/2	813.08	1/2	561.43	1/2	313.61	1/2	62.55	1/2		1/2		1/2		1/2		1/2	
3/4	1,059.49	3/4	807.84	3/4	556.19	3/4	308.37	3/4	57.41	3/4		3/4		3/4		3/4		3/4	
2	1,054.24	2	802.59	2	550.94	2	303.12	2	52.26	2		2		2		2		2	
1/4	1,049.00	1/4	797.35	1/4	545.70	1/4	297.88	1/4	47.17	1/4		1/4		1/4		1/4		1/4	
1/2	1,043.76	1/2	792.11	1/2	540.46	1/2	292.63	1/2	42.09	1/2		1/2		1/2		1/2		1/2	
3/4	1,038.52	3/4	786.87	3/4	535.22	3/4	287.39	3/4	37.00	3/4		3/4		3/4		3/4		3/4	
3	1,033.27	3	781.62	3	529.97	3	282.15	3	31.91	3		3		3		3		3	
1/4	1,028.03	1/4	776.38	1/4	524.73	1/4	276.90	1/4	27.55	1/4		1/4		1/4		1/4		1/4	
1/2	1,022.79	1/2	771.14	1/2	519.49	1/2	271.66	1/2	23.19	1/2		1/2		1/2		1/2		1/2	
3/4	1,017.54	3/4	765.89	3/4	514.25	3/4	266.42	3/4	18.83	3/4		3/4		3/4		3/4		3/4	
4	1,012.30	4	760.65	4	509.00	4	261.17	4	14.47	4		4		4		4		4	
1/4	1,007.06	1/4	755.41	1/4	503.88	1/4	255.93	1/4	11.84	1/4		1/4		1/4		1/4		1/4	
1/2	1,001.82	1/2	750.17	1/2	498.76	1/2	250.68	1/2	9.21	1/2		1/2		1/2		1/2		1/2	
3/4	996.57	3/4	744.92	3/4	493.64	3/4	245.44	3/4	6.59	3/4		3/4		3/4		3/4		3/4	
5	991.33	5	739.68	5	488.52	5	240.20	5	3.96	5		5		5		5		5	
1/4	986.09	1/4	734.44	1/4	483.40	1/4	234.95	1/4	3.09	1/4		1/4		1/4		1/4		1/4	
1/2	980.85	1/2	729.20	1/2	478.28	1/2	229.71	1/2	2.21	1/2		1/2		1/2		1/2		1/2	
3/4	975.60	3/4	723.95	3/4	473.15	3/4	224.47	3/4	1.34	3/4		3/4		3/4		3/4		3/4	
6	970.36	6	718.71	6	468.03	6	219.22	6	0.46	6		6		6		6		6	
1/4	965.12	1/4	713.47	1/4	462.91	1/4	213.98	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	959.87	1/2	708.23	1/2	457.79	1/2	208.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	954.63	3/4	702.98	3/4	452.67	3/4	203.49	3/4		3/4		3/4		3/4		3/4		3/4	
7	949.39	7	697.74	7	447.55	7	198.24	7		7		7		7		7		7	
1/4	944.15	1/4	692.50	1/4	442.43	1/4	193.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	938.90	1/2	687.25	1/2	437.30	1/2	187.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	933.66	3/4	682.01	3/4	432.18	3/4	182.51	3/4		3/4		3/4		3/4		3/4		3/4	
8	928.42	8	676.77	8	427.06	8	177.27	8		8		8		8		8		8	
1/4	923.18	1/4	671.53	1/4	421.94	1/4	172.02	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	917.93	1/2	666.28	1/2	416.82	1/2	166.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	912.69	3/4	661.04	3/4	411.69	3/4	161.53	3/4		3/4		3/4		3/4		3/4		3/4	
9	907.45	9	655.80	9	406.57	9	156.29	9		9		9		9		9		9	
1/4	902.20	1/4	650.56	1/4	401.45	1/4	151.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	896.96	1/2	645.31	1/2	396.33	1/2	145.81	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	891.72	3/4	640.07	3/4	391.21	3/4	140.57	3/4		3/4		3/4		3/4		3/4		3/4	
10	886.48	10	634.83	10	386.08	10	135.33	10		10		10		10		10		10	
1/4	881.23	1/4	629.58	1/4	380.96	1/4	130.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	875.99	1/2	624.34	1/2	375.83	1/2	124.87	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	870.75	3/4	619.10	3/4	370.70	3/4	119.64	3/4		3/4		3/4		3/4		3/4		3/4	
11	865.51	11	613.86	11	365.58	11	114.41	11		11		11		11		11		11	
1/4	860.26	1/4	608.61	1/4	360.45	1/4	109.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	855.02	1/2	603.37	1/2	355.32	1/2	104.00	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	849.78	3/4	598.13	3/4	350.20	3/4	98.79	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/31/2008 CL - SW
CALCULATED: 11/04/2008 CL
VERIFIED: 02/08/2024 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2024



BARGE "MER 11"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-05 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	2,866.83	0	2,613.52	0	2,360.21	0	2,106.90	0	1,853.59	0	1,600.27	0	1,346.96
1/4		1/4		1/4		1/4	2,861.55	1/4	2,608.24	1/4	2,354.93	1/4	2,101.62	1/4	1,848.31	1/4	1,595.00	1/4	1,341.69
1/2		1/2		1/2		1/2	2,856.27	1/2	2,602.96	1/2	2,349.65	1/2	2,096.34	1/2	1,843.03	1/2	1,589.72	1/2	1,336.41
3/4		3/4		3/4		3/4	2,851.00	3/4	2,597.68	3/4	2,344.37	3/4	2,091.06	3/4	1,837.75	3/4	1,584.44	3/4	1,331.13
1		1		1		1	2,845.72	1	2,592.41	1	2,339.10	1	2,085.79	1	1,832.48	1	1,579.17	1	1,325.86
1/4		1/4		1/4		1/4	2,840.44	1/4	2,587.13	1/4	2,333.82	1/4	2,080.51	1/4	1,827.20	1/4	1,573.89	1/4	1,320.58
1/2		1/2		1/2		1/2	2,835.16	1/2	2,581.85	1/2	2,328.54	1/2	2,075.23	1/2	1,821.92	1/2	1,568.61	1/2	1,315.30
3/4		3/4		3/4		3/4	2,829.89	3/4	2,576.58	3/4	2,323.27	3/4	2,069.95	3/4	1,816.64	3/4	1,563.33	3/4	1,310.02
2		2		2		2	2,824.61	2	2,571.30	2	2,317.99	2	2,064.68	2	1,811.37	2	1,558.06	2	1,304.75
1/4		1/4		1/4		1/4	2,819.33	1/4	2,566.02	1/4	2,312.71	1/4	2,059.40	1/4	1,806.09	1/4	1,552.78	1/4	1,299.47
1/2		1/2		1/2		1/2	2,814.05	1/2	2,560.74	1/2	2,307.43	1/2	2,054.12	1/2	1,800.81	1/2	1,547.50	1/2	1,294.19
3/4		3/4		3/4		3/4	2,808.78	3/4	2,555.47	3/4	2,302.16	3/4	2,048.85	3/4	1,795.54	3/4	1,542.22	3/4	1,288.91
3		3		3		3	2,803.50	3	2,550.19	3	2,296.88	3	2,043.57	3	1,790.26	3	1,536.95	3	1,283.64
1/4		1/4		1/4		1/4	2,798.22	1/4	2,544.91	1/4	2,291.60	1/4	2,038.29	1/4	1,784.98	1/4	1,531.67	1/4	1,278.36
1/2		1/2		1/2		1/2	2,792.94	1/2	2,539.63	1/2	2,286.32	1/2	2,033.01	1/2	1,779.70	1/2	1,526.39	1/2	1,273.08
3/4		3/4		3/4		3/4	2,787.67	3/4	2,534.36	3/4	2,281.05	3/4	2,027.74	3/4	1,774.43	3/4	1,521.12	3/4	1,267.81
4		4		4		4	2,782.39	4	2,529.08	4	2,275.77	4	2,022.46	4	1,769.15	4	1,515.84	4	1,262.53
1/4		1/4		1/4		1/4	2,777.11	1/4	2,523.80	1/4	2,270.49	1/4	2,017.18	1/4	1,763.87	1/4	1,510.56	1/4	1,257.25
1/2		1/2		1/2		1/2	2,771.84	1/2	2,518.53	1/2	2,265.21	1/2	2,011.90	1/2	1,758.59	1/2	1,505.28	1/2	1,251.97
3/4		3/4		3/4		3/4	2,766.56	3/4	2,513.25	3/4	2,259.94	3/4	2,006.63	3/4	1,753.32	3/4	1,500.01	3/4	1,246.70
5		5		5		5	2,761.28	5	2,507.97	5	2,254.66	5	2,001.35	5	1,748.04	5	1,494.73	5	1,241.42
1/4		1/4		1/4		1/4	2,756.00	1/4	2,502.69	1/4	2,249.38	1/4	1,996.07	1/4	1,742.76	1/4	1,489.45	1/4	1,236.14
1/2		1/2		1/2		1/2	2,940.72	1/2	2,750.73	1/2	2,497.42	1/2	2,244.11	1/2	1,990.80	1/2	1,737.48	1/2	1,484.17
3/4		3/4		3/4		3/4	2,940.28	3/4	2,745.45	3/4	2,492.14	3/4	2,238.83	3/4	1,985.52	3/4	1,732.21	3/4	1,478.90
6		6		6		6	2,939.84	6	2,740.17	6	2,486.86	6	2,233.55	6	1,980.24	6	1,726.93	6	1,473.62
1/4		1/4		1/4		1/4	2,939.40	1/4	2,734.89	1/4	2,481.58	1/4	2,228.27	1/4	1,974.96	1/4	1,721.65	1/4	1,468.34
1/2		1/2		1/2		1/2	2,938.96	1/2	2,729.62	1/2	2,476.31	1/2	2,223.00	1/2	1,969.69	1/2	1,716.38	1/2	1,463.07
3/4		3/4		3/4		3/4	2,937.64	3/4	2,724.34	3/4	2,471.03	3/4	2,217.72	3/4	1,964.41	3/4	1,711.10	3/4	1,457.79
7		7		7		7	2,936.32	7	2,719.06	7	2,465.75	7	2,212.44	7	1,959.13	7	1,705.82	7	1,452.51
1/4		1/4		1/4		1/4	2,935.00	1/4	2,713.79	1/4	2,460.47	1/4	2,207.16	1/4	1,953.85	1/4	1,700.54	1/4	1,447.23
1/2		1/2		1/2		1/2	2,933.68	1/2	2,708.51	1/2	2,455.20	1/2	2,201.89	1/2	1,948.58	1/2	1,695.27	1/2	1,441.96
3/4		3/4		3/4		3/4	2,931.48	3/4	2,703.23	3/4	2,449.92	3/4	2,196.61	3/4	1,943.30	3/4	1,689.99	3/4	1,436.68
8		8		8		8	2,929.29	8	2,697.95	8	2,444.64	8	2,191.33	8	1,938.02	8	1,684.71	8	1,431.40
1/4		1/4		1/4		1/4	2,927.09	1/4	2,692.68	1/4	2,439.37	1/4	2,186.06	1/4	1,932.74	1/4	1,679.43	1/4	1,426.12
1/2		1/2		1/2		1/2	2,924.89	1/2	2,687.40	1/2	2,434.09	1/2	2,180.78	1/2	1,927.47	1/2	1,674.16	1/2	1,420.85
3/4		3/4		3/4		3/4	2,921.81	3/4	2,682.12	3/4	2,428.81	3/4	2,175.50	3/4	1,922.19	3/4	1,668.88	3/4	1,415.57
9		9		9		9	2,918.73	9	2,676.84	9	2,423.53	9	2,170.22	9	1,916.91	9	1,663.60	9	1,410.29
1/4		1/4		1/4		1/4	2,915.65	1/4	2,671.57	1/4	2,418.26	1/4	2,164.95	1/4	1,911.64	1/4	1,658.33	1/4	1,405.01
1/2		1/2		1/2		1/2	2,912.57	1/2	2,666.29	1/2	2,412.98	1/2	2,159.67	1/2	1,906.36	1/2	1,653.05	1/2	1,399.74
3/4		3/4		3/4		3/4	2,908.62	3/4	2,661.01	3/4	2,407.70	3/4	2,154.39	3/4	1,901.08	3/4	1,647.77	3/4	1,394.46
10		10		10		10	2,904.66	10	2,655.73	10	2,402.42	10	2,149.11	10	1,895.80	10	1,642.49	10	1,389.18
1/4		1/4		1/4		1/4	2,900.70	1/4	2,650.46	1/4	2,397.15	1/4	2,143.84	1/4	1,890.53	1/4	1,637.22	1/4	1,383.91
1/2		1/2		1/2		1/2	2,896.74	1/2	2,645.18	1/2	2,391.87	1/2	2,138.56	1/2	1,885.25	1/2	1,631.94	1/2	1,378.63
3/4		3/4		3/4		3/4	2,891.90	3/4	2,639.90	3/4	2,386.59	3/4	2,133.28	3/4	1,879.97	3/4	1,626.66	3/4	1,373.35
11		11		11		11	2,887.06	11	2,634.63	11	2,381.32	11	2,128.00	11	1,874.69	11	1,621.38	11	1,368.07
1/4		1/4		1/4		1/4	2,882.22	1/4	2,629.35	1/4	2,376.04	1/4	2,122.73	1/4	1,869.42	1/4	1,616.11	1/4	1,362.80
1/2		1/2		1/2		1/2	2,877.38	1/2	2,624.07	1/2	2,370.76	1/2	2,117.45	1/2	1,864.14	1/2	1,610.83	1/2	1,357.52
3/4		3/4		3/4		3/4	2,872.10	3/4	2,618.79	3/4	2,365.48	3/4	2,112.17	3/4	1,858.86	3/4	1,605.55	3/4	1,352.24

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 30'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MER 11"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-05 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,093.65	0	840.34	0	587.03	0	336.39	0	83.59	0		0		0		0		0	
1/4	1,088.38	1/4	835.07	1/4	581.76	1/4	331.12	1/4	78.38	1/4		1/4		1/4		1/4		1/4	
1/2	1,083.10	1/2	829.79	1/2	576.48	1/2	325.84	1/2	73.18	1/2		1/2		1/2		1/2		1/2	
3/4	1,077.82	3/4	824.51	3/4	571.20	3/4	320.56	3/4	68.01	3/4		3/4		3/4		3/4		3/4	
1	1,072.54	1	819.23	1	565.92	1	315.29	1	62.84	1		1		1		1		1	
1/4	1,067.27	1/4	813.96	1/4	560.65	1/4	310.01	1/4	57.67	1/4		1/4		1/4		1/4		1/4	
1/2	1,061.99	1/2	808.68	1/2	555.37	1/2	304.73	1/2	52.50	1/2		1/2		1/2		1/2		1/2	
3/4	1,056.71	3/4	803.40	3/4	550.09	3/4	299.46	3/4	47.39	3/4		3/4		3/4		3/4		3/4	
2	1,051.44	2	798.13	2	544.81	2	294.18	2	42.28	2		2		2		2		2	
1/4	1,046.16	1/4	792.85	1/4	539.54	1/4	288.90	1/4	37.17	1/4		1/4		1/4		1/4		1/4	
1/2	1,040.88	1/2	787.57	1/2	534.26	1/2	283.63	1/2	32.06	1/2		1/2		1/2		1/2		1/2	
3/4	1,035.60	3/4	782.29	3/4	528.98	3/4	278.35	3/4	27.67	3/4		3/4		3/4		3/4		3/4	
3	1,030.33	3	777.02	3	523.71	3	273.07	3	23.29	3		3		3		3		3	
1/4	1,025.05	1/4	771.74	1/4	518.43	1/4	267.79	1/4	18.91	1/4		1/4		1/4		1/4		1/4	
1/2	1,019.77	1/2	766.46	1/2	513.15	1/2	262.52	1/2	14.53	1/2		1/2		1/2		1/2		1/2	
3/4	1,014.49	3/4	761.18	3/4	507.88	3/4	257.24	3/4	11.89	3/4		3/4		3/4		3/4		3/4	
4	1,009.22	4	755.91	4	502.61	4	251.96	4	9.25	4		4		4		4		4	
1/4	1,003.94	1/4	750.63	1/4	497.34	1/4	246.69	1/4	6.62	1/4		1/4		1/4		1/4		1/4	
1/2	998.66	1/2	745.35	1/2	492.07	1/2	241.41	1/2	3.98	1/2		1/2		1/2		1/2		1/2	
3/4	993.39	3/4	740.08	3/4	486.91	3/4	236.13	3/4	3.10	3/4		3/4		3/4		3/4		3/4	
5	988.11	5	734.80	5	481.74	5	230.86	5	2.22	5		5		5		5		5	
1/4	982.83	1/4	729.52	1/4	476.57	1/4	225.58	1/4	1.34	1/4		1/4		1/4		1/4		1/4	
1/2	977.55	1/2	724.24	1/2	471.40	1/2	220.30	1/2	0.46	1/2		1/2		1/2		1/2		1/2	
3/4	972.28	3/4	718.97	3/4	466.23	3/4	215.03	3/4		3/4		3/4		3/4		3/4		3/4	
6	967.00	6	713.69	6	461.06	6	209.75	6		6		6		6		6		6	
1/4	961.72	1/4	708.41	1/4	455.89	1/4	204.47	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	956.44	1/2	703.13	1/2	450.73	1/2	199.20	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	951.17	3/4	697.86	3/4	445.56	3/4	193.92	3/4		3/4		3/4		3/4		3/4		3/4	
7	945.89	7	692.58	7	440.39	7	188.64	7		7		7		7		7		7	
1/4	940.61	1/4	687.30	1/4	435.22	1/4	183.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	935.34	1/2	682.02	1/2	430.05	1/2	178.09	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	930.06	3/4	676.75	3/4	424.88	3/4	172.82	3/4		3/4		3/4		3/4		3/4		3/4	
8	924.78	8	671.47	8	419.71	8	167.55	8		8		8		8		8		8	
1/4	919.50	1/4	666.19	1/4	414.54	1/4	162.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	914.23	1/2	660.92	1/2	409.38	1/2	157.00	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	908.95	3/4	655.64	3/4	404.21	3/4	151.74	3/4		3/4		3/4		3/4		3/4		3/4	
9	903.67	9	650.36	9	399.04	9	146.47	9		9		9		9		9		9	
1/4	898.39	1/4	645.08	1/4	393.87	1/4	141.21	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	893.12	1/2	639.81	1/2	388.70	1/2	135.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	887.84	3/4	634.53	3/4	383.53	3/4	130.69	3/4		3/4		3/4		3/4		3/4		3/4	
10	882.56	10	629.25	10	378.36	10	125.44	10		10		10		10		10		10	
1/4	877.28	1/4	623.97	1/4	373.19	1/4	120.19	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	872.01	1/2	618.70	1/2	368.02	1/2	114.93	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	866.73	3/4	613.42	3/4	362.75	3/4	109.70	3/4		3/4		3/4		3/4		3/4		3/4	
11	861.45	11	608.14	11	357.48	11	104.47	11		11		11		11		11		11	
1/4	856.18	1/4	602.87	1/4	352.22	1/4	99.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	850.90	1/2	597.59	1/2	346.95	1/2	94.00	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	845.62	3/4	592.31	3/4	341.67	3/4	88.80	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/31/2008 CL - SW
CALCULATED: 11/04/2008 CL
VERIFIED: 02/08/2024 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2024



BARGE "MER 11"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-06 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	2,906.59	0	2,651.80	0	2,396.56	0	2,141.32	0	1,886.08	0	1,630.84	0	1,375.60
1/4		1/4		1/4		1/4	2,901.73	1/4	2,646.49	1/4	2,391.25	1/4	2,136.01	1/4	1,880.77	1/4	1,625.53	1/4	1,370.29
1/2		1/2		1/2		1/2	2,896.41	1/2	2,641.17	1/2	2,385.93	1/2	2,130.69	1/2	1,875.45	1/2	1,620.21	1/2	1,364.97
3/4		3/4		3/4		3/4	2,891.09	3/4	2,635.85	3/4	2,380.61	3/4	2,125.37	3/4	1,870.13	3/4	1,614.89	3/4	1,359.65
1		1		1		1	2,885.77	1	2,630.53	1	2,375.29	1	2,120.05	1	1,864.81	1	1,609.57	1	1,354.33
1/4		1/4		1/4		1/4	2,880.46	1/4	2,625.22	1/4	2,369.98	1/4	2,114.74	1/4	1,859.50	1/4	1,604.26	1/4	1,349.02
1/2		1/2		1/2		1/2	2,875.14	1/2	2,619.90	1/2	2,364.66	1/2	2,109.42	1/2	1,854.18	1/2	1,598.94	1/2	1,343.70
3/4		3/4		3/4		3/4	2,869.82	3/4	2,614.58	3/4	2,359.34	3/4	2,104.10	3/4	1,848.86	3/4	1,593.62	3/4	1,338.38
2		2		2		2	2,864.50	2	2,609.26	2	2,354.02	2	2,098.78	2	1,843.54	2	1,588.30	2	1,333.06
1/4		1/4		1/4		1/4	2,859.19	1/4	2,603.95	1/4	2,348.71	1/4	2,093.47	1/4	1,838.23	1/4	1,582.99	1/4	1,327.75
1/2		1/2		1/2		1/2	2,853.87	1/2	2,598.63	1/2	2,343.39	1/2	2,088.15	1/2	1,832.91	1/2	1,577.67	1/2	1,322.43
3/4		3/4		3/4		3/4	2,848.55	3/4	2,593.31	3/4	2,338.07	3/4	2,082.83	3/4	1,827.59	3/4	1,572.35	3/4	1,317.11
3		3		3		3	2,843.23	3	2,587.99	3	2,332.75	3	2,077.51	3	1,822.27	3	1,567.03	3	1,311.79
1/4		1/4		1/4		1/4	2,837.92	1/4	2,582.68	1/4	2,327.44	1/4	2,072.20	1/4	1,816.96	1/4	1,561.72	1/4	1,306.48
1/2		1/2		1/2		1/2	2,832.60	1/2	2,577.36	1/2	2,322.12	1/2	2,066.88	1/2	1,811.64	1/2	1,556.40	1/2	1,301.16
3/4		3/4		3/4		3/4	2,827.28	3/4	2,572.04	3/4	2,316.80	3/4	2,061.56	3/4	1,806.32	3/4	1,551.08	3/4	1,295.84
4		4		4		4	2,821.96	4	2,566.72	4	2,311.48	4	2,056.24	4	1,801.00	4	1,545.76	4	1,290.52
1/4		1/4		1/4		1/4	2,816.65	1/4	2,561.41	1/4	2,306.17	1/4	2,050.93	1/4	1,795.69	1/4	1,540.45	1/4	1,285.21
1/2		1/2		1/2		1/2	2,811.33	1/2	2,556.09	1/2	2,300.85	1/2	2,045.61	1/2	1,790.37	1/2	1,535.13	1/2	1,279.89
3/4		3/4		3/4		3/4	2,806.01	3/4	2,550.77	3/4	2,295.53	3/4	2,040.29	3/4	1,785.05	3/4	1,529.81	3/4	1,274.57
5		5		5		5	2,800.69	5	2,545.45	5	2,290.21	5	2,034.97	5	1,779.73	5	1,524.49	5	1,269.25
1/4		1/4		1/4		1/4	2,795.38	1/4	2,540.14	1/4	2,284.90	1/4	2,029.66	1/4	1,774.42	1/4	1,519.18	1/4	1,263.94
1/2		1/2		1/2		1/2	2,790.06	1/2	2,534.82	1/2	2,279.58	1/2	2,024.34	1/2	1,769.10	1/2	1,513.86	1/2	1,258.62
3/4		3/4		3/4		3/4	2,784.74	3/4	2,529.50	3/4	2,274.26	3/4	2,019.02	3/4	1,763.78	3/4	1,508.54	3/4	1,253.30
6		6		6		6	2,779.42	6	2,524.18	6	2,268.94	6	2,013.70	6	1,758.46	6	1,503.22	6	1,247.98
1/4		1/4		1/4		1/4	2,965.50	1/4	2,774.11	1/4	2,518.87	1/4	2,263.63	1/4	1,753.15	1/4	1,497.91	1/4	1,242.67
1/2		1/2		1/2		1/2	2,965.06	1/2	2,768.79	1/2	2,513.55	1/2	2,258.31	1/2	1,747.83	1/2	1,492.59	1/2	1,237.35
3/4		3/4		3/4		3/4	2,964.62	3/4	2,763.47	3/4	2,508.23	3/4	2,252.99	3/4	1,742.51	3/4	1,487.27	3/4	1,232.03
7		7		7		7	2,964.17	7	2,758.15	7	2,502.91	7	2,247.67	7	1,992.43	7	1,481.95	7	1,226.71
1/4		1/4		1/4		1/4	2,963.73	1/4	2,752.84	1/4	2,497.60	1/4	2,242.36	1/4	1,987.12	1/4	1,476.64	1/4	1,221.40
1/2		1/2		1/2		1/2	2,962.40	1/2	2,747.52	1/2	2,492.28	1/2	2,237.04	1/2	1,981.80	1/2	1,471.32	1/2	1,216.08
3/4		3/4		3/4		3/4	2,961.07	3/4	2,742.20	3/4	2,486.96	3/4	2,231.72	3/4	1,976.48	3/4	1,466.00	3/4	1,210.76
8		8		8		8	2,959.74	8	2,736.88	8	2,481.64	8	2,226.40	8	1,971.16	8	1,460.68	8	1,205.44
1/4		1/4		1/4		1/4	2,958.41	1/4	2,731.57	1/4	2,476.33	1/4	2,221.09	1/4	1,965.85	1/4	1,455.37	1/4	1,200.13
1/2		1/2		1/2		1/2	2,956.20	1/2	2,726.25	1/2	2,471.01	1/2	2,215.77	1/2	1,960.53	1/2	1,450.05	1/2	1,194.81
3/4		3/4		3/4		3/4	2,953.98	3/4	2,720.93	3/4	2,465.69	3/4	2,210.45	3/4	1,955.21	3/4	1,444.73	3/4	1,189.49
9		9		9		9	2,951.77	9	2,715.61	9	2,460.37	9	2,205.13	9	1,949.89	9	1,694.65	9	1,439.41
1/4		1/4		1/4		1/4	2,949.55	1/4	2,710.30	1/4	2,455.06	1/4	2,199.82	1/4	1,944.58	1/4	1,689.34	1/4	1,434.10
1/2		1/2		1/2		1/2	2,946.45	1/2	2,704.98	1/2	2,449.74	1/2	2,194.50	1/2	1,939.26	1/2	1,684.02	1/2	1,428.78
3/4		3/4		3/4		3/4	2,943.35	3/4	2,699.66	3/4	2,444.42	3/4	2,189.18	3/4	1,933.94	3/4	1,678.70	3/4	1,423.46
10		10		10		10	2,940.24	10	2,694.34	10	2,439.10	10	2,183.86	10	1,928.62	10	1,673.38	10	1,418.14
1/4		1/4		1/4		1/4	2,937.14	1/4	2,689.03	1/4	2,433.79	1/4	2,178.55	1/4	1,923.31	1/4	1,668.07	1/4	1,412.83
1/2		1/2		1/2		1/2	2,933.15	1/2	2,683.71	1/2	2,428.47	1/2	2,173.23	1/2	1,917.99	1/2	1,662.75	1/2	1,407.51
3/4		3/4		3/4		3/4	2,929.17	3/4	2,678.39	3/4	2,423.15	3/4	2,167.91	3/4	1,912.67	3/4	1,657.43	3/4	1,402.19
11		11		11		11	2,925.18	11	2,673.07	11	2,417.83	11	2,162.59	11	1,907.35	11	1,652.11	11	1,396.87
1/4		1/4		1/4		1/4	2,921.19	1/4	2,667.76	1/4	2,412.52	1/4	2,157.28	1/4	1,902.04	1/4	1,646.80	1/4	1,391.56
1/2		1/2		1/2		1/2	2,916.32	1/2	2,662.44	1/2	2,407.20	1/2	2,151.96	1/2	1,896.72	1/2	1,641.48	1/2	1,386.24
3/4		3/4		3/4		3/4	2,911.46	3/4	2,657.12	3/4	2,401.88	3/4	2,146.64	3/4	1,891.40	3/4	1,636.16	3/4	1,380.92

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 31'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "MER 11"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-06 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,120.36	0	865.12	0	609.88	0	354.92	0	100.00	0		0		0		0		0	
1/4	1,115.05	1/4	859.81	1/4	604.57	1/4	349.60	1/4	94.72	1/4		1/4		1/4		1/4		1/4	
1/2	1,109.73	1/2	854.49	1/2	599.25	1/2	344.29	1/2	89.48	1/2		1/2		1/2		1/2		1/2	
3/4	1,104.41	3/4	849.17	3/4	593.93	3/4	338.97	3/4	84.23	3/4		3/4		3/4		3/4		3/4	
1	1,099.09	1	843.85	1	588.61	1	333.65	1	78.98	1		1		1		1		1	
1/4	1,093.78	1/4	838.54	1/4	583.30	1/4	328.33	1/4	73.73	1/4		1/4		1/4		1/4		1/4	
1/2	1,088.46	1/2	833.22	1/2	577.98	1/2	323.02	1/2	68.53	1/2		1/2		1/2		1/2		1/2	
3/4	1,083.14	3/4	827.90	3/4	572.66	3/4	317.70	3/4	63.32	3/4		3/4		3/4		3/4		3/4	
2	1,077.82	2	822.58	2	567.34	2	312.38	2	58.11	2		2		2		2		2	
1/4	1,072.51	1/4	817.27	1/4	562.03	1/4	307.07	1/4	52.90	1/4		1/4		1/4		1/4		1/4	
1/2	1,067.19	1/2	811.95	1/2	556.71	1/2	301.75	1/2	47.75	1/2		1/2		1/2		1/2		1/2	
3/4	1,061.87	3/4	806.63	3/4	551.39	3/4	296.43	3/4	42.60	3/4		3/4		3/4		3/4		3/4	
3	1,056.55	3	801.31	3	546.07	3	291.11	3	37.45	3		3		3		3		3	
1/4	1,051.24	1/4	796.00	1/4	540.76	1/4	285.80	1/4	32.30	1/4		1/4		1/4		1/4		1/4	
1/2	1,045.92	1/2	790.68	1/2	535.44	1/2	280.48	1/2	27.89	1/2		1/2		1/2		1/2		1/2	
3/4	1,040.60	3/4	785.36	3/4	530.12	3/4	275.16	3/4	23.47	3/4		3/4		3/4		3/4		3/4	
4	1,035.28	4	780.04	4	524.80	4	269.85	4	19.05	4		4		4		4		4	
1/4	1,029.97	1/4	774.73	1/4	519.49	1/4	264.53	1/4	14.64	1/4		1/4		1/4		1/4		1/4	
1/2	1,024.65	1/2	769.41	1/2	514.17	1/2	259.21	1/2	11.98	1/2		1/2		1/2		1/2		1/2	
3/4	1,019.33	3/4	764.09	3/4	508.85	3/4	253.89	3/4	9.32	3/4		3/4		3/4		3/4		3/4	
5	1,014.01	5	758.77	5	503.53	5	248.58	5	6.66	5		5		5		5		5	
1/4	1,008.70	1/4	753.46	1/4	498.22	1/4	243.26	1/4	4.01	1/4		1/4		1/4		1/4		1/4	
1/2	1,003.38	1/2	748.14	1/2	492.91	1/2	237.94	1/2	3.12	1/2		1/2		1/2		1/2		1/2	
3/4	998.06	3/4	742.82	3/4	487.60	3/4	232.63	3/4	2.23	3/4		3/4		3/4		3/4		3/4	
6	992.74	6	737.50	6	482.30	6	227.31	6	1.35	6		6		6		6		6	
1/4	987.43	1/4	732.19	1/4	476.99	1/4	221.99	1/4	0.46	1/4		1/4		1/4		1/4		1/4	
1/2	982.11	1/2	726.87	1/2	471.69	1/2	216.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	976.79	3/4	721.55	3/4	466.38	3/4	211.36	3/4		3/4		3/4		3/4		3/4		3/4	
7	971.47	7	716.23	7	461.08	7	206.04	7		7		7		7		7		7	
1/4	966.16	1/4	710.92	1/4	455.77	1/4	200.72	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	960.84	1/2	705.60	1/2	450.46	1/2	195.41	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	955.52	3/4	700.28	3/4	445.16	3/4	190.09	3/4		3/4		3/4		3/4		3/4		3/4	
8	950.20	8	694.96	8	439.85	8	184.77	8		8		8		8		8		8	
1/4	944.89	1/4	689.65	1/4	434.55	1/4	179.45	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	939.57	1/2	684.33	1/2	429.24	1/2	174.14	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	934.25	3/4	679.01	3/4	423.93	3/4	168.83	3/4		3/4		3/4		3/4		3/4		3/4	
9	928.93	9	673.69	9	418.63	9	163.52	9		9		9		9		9		9	
1/4	923.62	1/4	668.38	1/4	413.32	1/4	158.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	918.30	1/2	663.06	1/2	408.02	1/2	152.90	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	912.98	3/4	657.74	3/4	402.71	3/4	147.59	3/4		3/4		3/4		3/4		3/4		3/4	
10	907.66	10	652.42	10	397.40	10	142.29	10		10		10		10		10		10	
1/4	902.35	1/4	647.11	1/4	392.10	1/4	136.98	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	897.03	1/2	641.79	1/2	386.79	1/2	131.69	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	891.71	3/4	636.47	3/4	381.48	3/4	126.40	3/4		3/4		3/4		3/4		3/4		3/4	
11	886.39	11	631.15	11	376.18	11	121.11	11		11		11		11		11		11	
1/4	881.08	1/4	625.84	1/4	370.87	1/4	115.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	875.76	1/2	620.52	1/2	365.56	1/2	110.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	870.44	3/4	615.20	3/4	360.24	3/4	105.27	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/31/2008 CL - SW
CALCULATED: 11/04/2008 CL
VERIFIED: 02/08/2024 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2024