



BARGE "MER 9"

INNAGE TRIM CORRECTIONS

COMPARTMENT	1 ft		2 ft		3 ft		4 ft		5 ft		6 ft	
	Down by	STERN	Down by	STERN	Down by	STERN	Down by	STERN	Down by	STERN	Down by	STERN
1 CENTER	00- 2/8	-00- 2/8	00- 4/8	-00- 4/8	00- 6/8	-00- 6/8	01	-01	01- 2/8	-01- 2/8	01- 4/8	-01- 4/8
2 CENTER	00- 1/8	-00- 1/8	00- 3/8	-00- 3/8	00- 4/8	-00- 4/8	00- 6/8	-00- 6/8	00- 7/8	-00- 7/8	01	-01
3 CENTER	00- 2/8	-00- 2/8	00- 3/8	-00- 3/8	00- 5/8	-00- 5/8	00- 7/8	-00- 7/8	01	-01	01- 2/8	-01- 2/8

EXAMPLE FOR USE OF TRIM CORRECTION:
 FWD DRAFT = 6'-0"
 AFT DRAFT = 9'-0"
 DIFFERENCE = 3'-0" (DOWN BY STERN)

TRIM CORRECTION FOR 3'-0" DOWN BY STERN FOR COMPARTMENT 1 CENTER IS -00- 6/8
 TO OBSERVED INNAGE GAUGE OF 1'- 0", THE TRIM CORRECTED INNAGE IS 0' .

LENGTH BETWEEN DRAFT MARKS = 154.5'

STRAPPED BY: CJ 06/24/05
 COMPUTED BY: JF 06/26/05
SAYBOLT LP.

D. Endrean

SAYBOLT LP.
 U.S. Headquarters
 400 Swenson Drive
 Kenilworth, NJ 07033

BARGE MER-9

1 CENTER
 INNAGE TABLE

GAUGE HEIGHT 13'-6 3/4"

COMPUTED IN U.S. GALLONS

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	0	0	0	0	0	0	0
1/4	43	9,255	19,834	30,320	40,820	51,520	62,120	72,701	83,303	93,906
1/2	80	9,898	20,050	30,561	41,140	51,740	62,340	72,922	83,524	94,127
3/4	117	9,919	20,482	30,982	41,582	52,182	62,782	73,383	83,966	94,569
1	154	10,140	20,698	31,203	41,803	52,403	63,003	73,584	84,187	94,790
1 1/4	284	10,361	20,814	31,424	42,024	52,624	63,223	73,805	84,408	95,011
1 1/2	475	10,583	21,131	31,731	42,245	52,845	63,443	74,026	84,629	95,232
3/4	486	10,804	21,347	31,986	42,465	53,065	63,664	74,247	84,850	95,453
2	586	11,025	21,563	32,086	42,686	53,286	63,884	74,468	85,071	95,673
1 1/4	780	11,246	21,779	32,307	42,907	53,507	64,104	74,689	85,292	95,894
1 1/2	964	11,467	21,995	32,528	43,128	53,728	64,324	74,910	85,512	96,115
3/4	1,148	11,689	22,211	32,749	43,349	53,949	64,544	75,130	85,733	96,336
3	1,332	11,910	22,428	33,032	43,570	54,170	64,765	75,351	85,954	96,557
1 1/4	1,548	12,131	22,644	33,181	43,791	54,390	64,985	75,572	86,175	96,778
1 1/2	1,705	12,352	22,850	33,411	44,011	54,611	65,205	75,793	86,396	96,999
3/4	1,981	12,574	23,076	33,632	44,232	54,832	65,425	76,014	86,617	97,220
4	2,187	12,795	23,292	33,853	44,453	55,053	65,645	76,235	86,838	97,441
1 1/4	2,416	13,016	23,508	34,074	44,674	55,274	65,866	76,456	87,059	97,661
1 1/2	2,634	13,237	23,724	34,295	44,895	55,495	66,086	76,677	87,280	97,882
3/4	2,853	13,458	23,940	34,516	45,115	55,715	66,306	76,898	87,500	98,103
5	3,071	13,680	24,155	34,735	45,336	55,936	66,526	77,119	87,721	98,324
1 1/4	3,291	13,901	24,372	34,957	45,557	56,157	66,747	77,339	87,942	98,545
1 1/2	3,511	14,122	24,588	35,178	45,778	56,378	66,967	77,560	88,163	98,766
3/4	3,730	14,343	24,804	35,399	45,999	56,599	67,187	77,781	88,384	98,987
6	3,950	14,564	25,020	35,620	46,220	56,820	67,407	78,002	88,605	99,208
1 1/4	4,171	14,785	25,241	35,841	46,440	57,040	67,627	78,223	88,826	99,429
1 1/2	4,391	15,007	25,461	36,061	46,661	57,261	67,848	78,444	89,047	99,650
3/4	4,612	15,228	25,682	36,282	46,882	57,482	68,068	78,665	89,268	99,871
7	4,832	15,449	25,903	36,503	47,103	57,703	68,288	78,886	89,488	100,091
1 1/4	5,053	15,671	26,124	36,724	47,324	57,924	68,508	79,107	89,709	100,312
1 1/2	5,274	15,892	26,345	36,945	47,545	58,145	68,728	79,327	89,930	100,533
3/4	5,495	16,113	26,566	37,166	47,766	58,365	68,949	79,548	90,151	100,754
8	5,716	16,334	26,786	37,386	47,986	58,586	69,169	79,768	90,372	100,975
1 1/4	5,937	16,555	27,007	37,607	48,207	58,807	69,389	79,989	90,593	101,196
1 1/2	6,158	16,777	27,228	37,828	48,428	59,028	69,609	80,211	90,814	101,417
3/4	6,380	16,998	27,449	38,049	48,649	59,249	69,830	80,432	91,035	101,638
9	6,601	17,219	27,670	38,270	48,870	59,470	70,050	80,653	91,256	101,859
1 1/4	6,822	17,440	27,891	38,491	49,090	59,690	70,271	80,874	91,477	102,079
1 1/2	7,043	17,661	28,111	38,711	49,311	59,911	70,492	81,095	91,697	102,300
3/4	7,264	17,883	28,332	38,932	49,532	60,132	70,713	81,315	91,918	102,521
10	7,485	18,104	28,553	39,153	49,753	60,353	70,934	81,536	92,139	102,742
1 1/4	7,707	18,325	28,774	39,374	49,974	60,574	71,154	81,757	92,360	102,963
1 1/2	7,928	18,546	28,995	39,595	50,195	60,795	71,375	81,978	92,581	103,184
3/4	8,149	18,767	29,216	39,816	50,415	61,015	71,596	82,199	92,802	103,405
11	8,371	18,988	29,436	40,036	50,635	61,235	71,817	82,420	93,023	103,626
1 1/4	8,592	19,209	29,657	40,257	50,855	61,457	72,038	82,641	93,244	103,847
1 1/2	8,813	19,430	29,878	40,478	51,075	61,678	72,259	82,862	93,465	104,067
3/4	9,034	19,651	30,099	40,699	51,295	61,899	72,480	83,083	93,685	104,288

GAUGE LOCATED ON CENTERLINE AND
 24'-0" FORWARD OF AFT BULKHEAD.

L.S.D.M. 184.89'
 TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/10/05

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JF 06/27/05
 STRAPPED BY: CJ 06/24/05

SAYBOLT LP.
J. Endicott

COMPUTED IN U. S. GALLONS

GAUGE HEIGHT 13'-6 3/4"

IN	10 FT.	IN	11 FT.
0	104,809	0	115,112
1/4	104,730	1/4	115,333
1/2	104,651	1/2	115,554
3/4	105,172	3/4	115,775
1	105,393	1	115,996
1 1/4	105,614	1 1/4	116,217
1 1/2	105,834	1 1/2	116,437
3/4	106,055	3/4	116,658
2	106,276	2	116,879
1/4	106,497	1/4	117,100
1/2	106,718	1/2	117,321
3/4	106,939	3/4	117,542
3	107,160	3	117,763
1/4	107,381	1/4	117,984
1/2	107,602	1/2	118,205
3/4	107,823	3/4	118,426
4	108,043	4	118,647
1/4	108,264	1/4	118,867
1/2	108,485	1/2	119,087
3/4	108,706	3/4	119,308
5	108,927	5	119,528
1/4	109,148	1/4	119,747
1/2	109,369	1/2	119,966
3/4	109,590	3/4	120,186
6	109,811	6	120,406
1/4	110,031	1/4	120,627
1/2	110,252	1/2	120,848
3/4	110,473	3/4	121,068
7	110,694	7	121,288
1/4	110,915	1/4	121,509
1/2	111,136	1/2	121,729
3/4	111,357	3/4	121,949
8	111,578	8	122,169
1/4	111,799	1/4	122,389
1/2	112,019	1/2	122,609
3/4	112,240	3/4	122,829
9	112,461	9	123,049
1/4	112,682	1/4	123,269
1/2	112,903	1/2	123,489
3/4	113,124	3/4	123,709
10	113,345	10	123,929
1/4	113,566	1/4	124,149
1/2	113,787	1/2	124,369
3/4	114,008	3/4	124,589
11	114,228	11	124,809
1/4	114,449	1/4	125,029
1/2	114,670	1/2	125,249
3/4	114,891	3/4	125,469

GAUGE LOCATED ON CENTERLINE AND
 24'-0" FORWARD OF AFT BULKHEAD.

L.B.D.M. 164,89'
 TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/05

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JF 06/27/05
 STRAPPED BY: CJ 06/24/05

Saybolt LP.

BARGE MER-9

2 CENTER
 INNAGE TABLE

GAUGE HEIGHT 13'-7 3/8"

COMPUTED IN U. S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1/4	43	1/4	9,306	1/4	19,945	1/4	30,520	1/4	41,195	1/4	51,871	1/4	62,547	1/4	73,223	1/4	83,899	1/4	94,574	1/4	105,250
1/2	80	1/2	9,750	1/2	20,380	1/2	30,964	1/2	41,618	1/2	52,316	1/2	63,040	1/2	73,790	1/2	84,566	1/2	95,378	1/2	106,226
3/4	118	3/4	9,973	3/4	20,598	3/4	31,187	3/4	41,863	3/4	52,538	3/4	63,214	3/4	73,890	3/4	84,566	3/4	95,242	3/4	105,918
1	155	1	10,195	1	20,815	1	31,409	1	42,085	1	52,761	1	63,437	1	74,113	1	84,789	1	95,464	1	106,140
1 1/4	266	1 1/4	10,418	1 1/4	21,033	1 1/4	31,632	1 1/4	42,307	1 1/4	52,983	1 1/4	63,658	1 1/4	74,335	1 1/4	85,011	1 1/4	95,686	1 1/4	106,362
1 1/2	377	1 1/2	10,640	1 1/2	21,251	1 1/2	31,854	1 1/2	42,530	1 1/2	53,206	1 1/2	63,881	1 1/2	74,557	1 1/2	85,233	1 1/2	95,908	1 1/2	106,588
1 3/4	488	1 3/4	10,862	1 3/4	21,468	1 3/4	32,076	1 3/4	42,752	1 3/4	53,428	1 3/4	64,104	1 3/4	74,780	1 3/4	85,455	1 3/4	96,131	1 3/4	106,807
2	598	2	11,085	2	21,685	2	32,299	2	42,975	2	53,650	2	64,326	2	75,002	2	85,678	2	96,354	2	107,030
1/4	784	1/4	11,307	1/4	21,904	1/4	32,521	1/4	43,197	1/4	53,873	1/4	64,549	1/4	75,225	1/4	85,900	1/4	96,576	1/4	107,256
1/2	969	1/2	11,530	1/2	22,121	1/2	32,744	1/2	43,419	1/2	54,095	1/2	64,771	1/2	75,447	1/2	86,123	1/2	96,799	1/2	107,481
3/4	1,154	3/4	11,752	3/4	22,339	3/4	32,966	3/4	43,642	3/4	54,318	3/4	64,994	3/4	75,669	3/4	86,345	3/4	97,021	3/4	107,707
1	1,339	1	11,975	1	22,557	1	33,188	1	43,864	1	54,540	1	65,216	1	75,892	1	86,568	1	97,243	1	107,933
1 1/4	1,557	1 1/4	12,197	1 1/4	22,774	1 1/4	33,411	1 1/4	44,089	1 1/4	54,763	1 1/4	65,438	1 1/4	76,114	1 1/4	86,790	1 1/4	97,466	1 1/4	108,159
1 1/2	1,774	1 1/2	12,419	1 1/2	22,992	1 1/2	33,633	1 1/2	44,309	1 1/2	54,985	1 1/2	65,661	1 1/2	76,337	1 1/2	87,012	1 1/2	97,692	1 1/2	108,385
1 3/4	1,992	1 3/4	12,642	1 3/4	23,210	1 3/4	33,856	1 3/4	44,532	1 3/4	55,207	1 3/4	65,883	1 3/4	76,559	1 3/4	87,235	1 3/4	97,917	1 3/4	108,611
2	2,209	2	12,864	2	23,427	2	34,078	2	44,754	2	55,430	2	66,106	2	76,781	2	87,457	2	98,133	2	108,837
1/4	2,429	1/4	13,087	1/4	23,646	1/4	34,301	1/4	44,976	1/4	55,652	1/4	66,328	1/4	77,004	1/4	87,680	1/4	98,356	1/4	109,063
1/2	2,649	1/2	13,309	1/2	23,863	1/2	34,523	1/2	45,199	1/2	55,875	1/2	66,550	1/2	77,226	1/2	87,902	1/2	98,578	1/2	109,289
3/4	2,868	3/4	13,531	3/4	24,080	3/4	34,745	3/4	45,421	3/4	56,097	3/4	66,773	3/4	77,449	3/4	88,124	3/4	98,800	3/4	109,515
1	3,088	1	13,754	1	24,298	1	34,968	1	45,643	1	56,319	1	66,995	1	77,671	1	88,347	1	99,023	1	109,741
1 1/4	3,309	1 1/4	13,976	1 1/4	24,519	1 1/4	35,190	1 1/4	45,866	1 1/4	56,542	1 1/4	67,218	1 1/4	77,893	1 1/4	88,569	1 1/4	99,245	1 1/4	109,967
1 1/2	3,530	1 1/2	14,199	1 1/2	24,740	1 1/2	35,413	1 1/2	46,088	1 1/2	56,764	1 1/2	67,440	1 1/2	78,116	1 1/2	88,792	1 1/2	99,469	1 1/2	110,193
1 3/4	3,751	1 3/4	14,421	1 3/4	24,961	1 3/4	35,635	1 3/4	46,311	1 3/4	56,987	1 3/4	67,662	1 3/4	78,338	1 3/4	89,014	1 3/4	99,691	1 3/4	110,419
2	3,972	2	14,643	2	25,182	2	35,857	2	46,533	2	57,209	2	67,885	2	78,561	2	89,237	2	99,912	2	110,645
1/4	4,193	1/4	14,866	1/4	25,404	1/4	36,080	1/4	46,756	1/4	57,431	1/4	68,107	1/4	78,783	1/4	89,459	1/4	99,135	1/4	110,871
1/2	4,415	1/2	15,088	1/2	25,626	1/2	36,302	1/2	46,978	1/2	57,654	1/2	68,330	1/2	79,006	1/2	89,681	1/2	99,361	1/2	111,097
3/4	4,637	3/4	15,311	3/4	25,849	3/4	36,525	3/4	47,200	3/4	57,876	3/4	68,552	3/4	79,228	3/4	89,904	3/4	99,587	3/4	111,323
1	4,858	1	15,533	1	26,071	1	36,747	1	47,423	1	58,099	1	68,775	1	79,450	1	90,126	1	100,802	1	111,549
1 1/4	5,081	1 1/4	15,756	1 1/4	26,294	1 1/4	36,969	1 1/4	47,645	1 1/4	58,321	1 1/4	69,097	1 1/4	79,672	1 1/4	90,349	1 1/4	101,024	1 1/4	111,775
1 1/2	5,303	1 1/2	15,978	1 1/2	26,516	1 1/2	37,192	1 1/2	47,868	1 1/2	58,544	1 1/2	69,319	1 1/2	79,895	1 1/2	90,571	1 1/2	101,247	1 1/2	112,001
3/4	5,526	3/4	16,200	3/4	26,739	3/4	37,414	3/4	48,090	3/4	58,766	3/4	69,542	3/4	80,118	3/4	90,793	3/4	101,468	3/4	112,227
1	5,747	1	16,423	1	26,961	1	37,637	1	48,313	1	58,988	1	69,764	1	80,340	1	91,016	1	101,691	1	112,453
1 1/4	5,989	1 1/4	16,645	1 1/4	27,183	1 1/4	37,859	1 1/4	48,535	1 1/4	59,211	1 1/4	69,987	1 1/4	80,562	1 1/4	91,238	1 1/4	101,914	1 1/4	112,679
1 1/2	6,192	1 1/2	16,868	1 1/2	27,406	1 1/2	38,082	1 1/2	48,757	1 1/2	59,433	1 1/2	70,109	1 1/2	80,785	1 1/2	91,461	1 1/2	102,136	1 1/2	112,905
3/4	6,414	3/4	17,090	3/4	27,628	3/4	38,304	3/4	48,980	3/4	59,656	3/4	70,331	3/4	81,007	3/4	91,683	3/4	102,359	3/4	113,131
1	6,637	1	17,312	1	27,851	1	38,526	1	49,202	1	59,878	1	70,554	1	81,230	1	91,905	1	102,581	1	113,357
1 1/4	6,859	1 1/4	17,535	1 1/4	28,073	1 1/4	38,749	1 1/4	49,425	1 1/4	60,100	1 1/4	70,776	1 1/4	81,452	1 1/4	92,128	1 1/4	102,804	1 1/4	113,583
1 1/2	7,081	1 1/2	17,757	1 1/2	28,295	1 1/2	38,971	1 1/2	49,647	1 1/2	60,323	1 1/2	71,009	1 1/2	81,674	1 1/2	92,350	1 1/2	103,026	1 1/2	113,809
3/4	7,304	3/4	17,980	3/4	28,518	3/4	39,194	3/4	49,869	3/4	60,545	3/4	71,221	3/4	81,897	3/4	92,573	3/4	103,249	3/4	114,035
1	7,526	1	18,202	1	28,740	1	39,416	1	50,092	1	60,768	1	71,443	1	82,119	1	92,795	1	103,471	1	114,261
1 1/4	7,749	1 1/4	18,420	1 1/4	28,963	1 1/4	39,638	1 1/4	50,314	1 1/4	60,990	1 1/4	71,666	1 1/4	82,342	1 1/4	93,018	1 1/4	103,693	1 1/4	114,487
1 1/2	7,971	1 1/2	18,638	1 1/2	29,185	1 1/2	39,861	1 1/2	50,537	1 1/2	61,212	1 1/2	71,888	1 1/2	82,564	1 1/2	93,240	1 1/2	103,916	1 1/2	114,713
3/4	8,194	3/4	18,856	3/4	29,407	3/4	40,083	3/4	50,759	3/4	61,435	3/4	72,111	3/4	82,787	3/4	93,462	3/4	104,138	3/4	114,939
1	8,418	1	19,074	1	29,630	1	40,305	1	50,982	1	61,657	1	72,333	1	83,009	1	93,685	1	104,361	1	115,165
1 1/4	8,638	1 1/4	19,292	1 1/4	29,852	1 1/4	40,528	1 1/4	51,204	1 1/4	61,880	1 1/4	72,555	1 1/4	83,231	1 1/4	93,907	1 1/4	104,583	1 1/4	115,391
1 1/2	8,861	1 1/2	19,509	1 1/2	30,075	1 1/2	40,751	1 1/2	51,426	1 1/2	62,102	1 1/2	72,778	1 1/2	83,454	1 1/2	94,130	1 1/2	104,805	1 1/2	115,617
3/4	9,083	3/4	19,727	3/4	30,297	3/4	40,973	3/4	51,649	3/4	62,325	3/4	73,000	3/4	83,676	3/4	94,352	3/4	105,028	3/4	115,843

GAUGE LOCATED ON CENTERLINE AND 25'-1" FORWARD OF AFT BULKHEAD.

L.R.D.M. 194,89'
 TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 09/10/05

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JF
 STRAPPED BY: CJ
 SAYBOLT LP.
 06/24/05

J. F. Johnson

BARGE MER-9

**2 CENTER
 INNAGE TABLE**

GAUGE HEIGHT 13'-7 3/8"

COMPUTED IN U. S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.
0	105,250	0	115,926	0	123,923
1/4	105,473	1/4	116,148		
1/2	105,695	1/2	116,371		
3/4	105,917	3/4	116,593		
1	106,140	1	116,816		
1/4	106,362	1/4	117,038		
1/2	106,585	1/2	117,261		
3/4	106,807	3/4	117,483		
2	107,030	2	117,705		
1/4	107,252	1/4	117,928		
1/2	107,474	1/2	118,150		
3/4	107,697	3/4	118,373		
3	107,919	3	118,595		
1/4	108,142	1/4	118,817		
1/2	108,364	1/2	119,040		
3/4	108,586	3/4	119,262		
4	108,809	4	119,485		
1/4	109,031	1/4	119,707		
1/2	109,254	1/2	119,929		
3/4	109,476	3/4	120,151		
5	109,698	5	120,373		
1/4	109,921	1/4	120,593		
1/2	110,143	1/2	120,814		
3/4	110,366	3/4	121,034		
6	110,588	6	121,255		
1/4	110,811	1/4	121,476		
1/2	111,033	1/2	121,697		
3/4	111,255	3/4	121,918		
7	111,478	7	122,139		
1/4	111,700	1/4	122,360		
1/2	111,923	1/2	122,581		
3/4	112,145	3/4	122,802		
8	112,367	8	123,023		
1/4	112,590	1/4	123,244		
1/2	112,812	1/2	123,465		
3/4	113,034	3/4	123,686		
9	113,257	9	123,907		
1/4	113,480	1/4	124,128		
1/2	113,702	1/2	124,349		
3/4	113,924	3/4	124,570		
10	114,147	10	124,791		
1/4	114,369	1/4	125,012		
1/2	114,592	1/2	125,233		
3/4	114,814	3/4	125,454		
11	115,036	11	125,675		
1/4	115,258	1/4	125,896		
1/2	115,481	1/2	126,117		
3/4	115,704	3/4	126,338		

GAUGE LOCATED ON CENTERLINE AND
 25'-1" FORWARD OF AFT BULKHEAD.

L.B.D.M. 104,50'

TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/05

PAGE 4

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JF 06/27/05
 STRAPPED BY: CJ 06/24/05

SAYBOLT LP.

J. Endicott

SAVBOLT LP.
 U. S. Headquarters
 400 Swanton Drive
 Kenilworth, N.J. 07033

BARGE MER-9

**3 CENTER
 INNAGE TABLE**

GAUGE HEIGHT 13'-7 3/8"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	6	0	9.311	0	19.988	0	30.661	0	41.334	0	52.025	0	62.707	0	73.389	0	84.071	0	94.753
1/4	4.3	1/4	9.533	1/4	20.210	1/4	30.884	1/4	41.566	1/4	52.248	1/4	62.930	1/4	73.611	1/4	84.293	1/4	94.975
1/2	8.1	1/2	9.756	1/2	20.432	1/2	31.106	1/2	41.788	1/2	52.470	1/2	63.152	1/2	73.834	1/2	84.516	1/2	95.198
3/4	11.8	3/4	9.979	3/4	20.654	3/4	31.329	3/4	42.011	3/4	52.693	3/4	63.376	3/4	74.058	3/4	84.739	3/4	95.421
1	15.5	1	10.201	1	20.876	1	31.551	1	42.233	1	52.915	1	63.597	1	74.279	1	84.961	1	95.643
1 1/4	26.6	1 1/4	10.424	1 1/4	21.098	1 1/4	31.774	1 1/4	42.456	1 1/4	53.138	1 1/4	63.820	1 1/4	74.502	1 1/4	85.184	1 1/4	95.866
1 1/2	37.7	1 1/2	10.646	1 1/2	21.320	1 1/2	31.996	1 1/2	42.678	1 1/2	53.360	1 1/2	64.042	1 1/2	74.724	1 1/2	85.406	1 1/2	96.088
3/4	48.8	3/4	10.868	3/4	21.542	3/4	32.219	3/4	42.901	3/4	53.583	3/4	64.265	3/4	74.947	3/4	85.629	3/4	96.311
2	60.0	2	11.091	2	21.764	2	32.441	2	43.123	2	53.805	2	64.487	2	75.169	2	85.851	2	96.533
1 1/4	75.8	1 1/4	11.314	1 1/4	21.986	1 1/4	32.664	1 1/4	43.346	1 1/4	54.028	1 1/4	64.710	1 1/4	75.392	1 1/4	86.074	1 1/4	96.756
1 1/2	87.0	1 1/2	11.536	1 1/2	22.208	1 1/2	32.886	1 1/2	43.568	1 1/2	54.250	1 1/2	64.932	1 1/2	75.614	1 1/2	86.296	1 1/2	96.978
3/4	1.155	3/4	11.759	3/4	22.430	3/4	33.108	3/4	43.791	3/4	54.473	3/4	65.155	3/4	75.837	3/4	86.519	3/4	97.201
1	1.340	1	11.981	1	22.652	1	33.332	1	44.014	1	54.695	1	65.377	1	76.059	1	86.741	1	97.423
1 1/4	1.558	1 1/4	12.204	1 1/4	22.874	1 1/4	33.554	1 1/4	44.236	1 1/4	54.918	1 1/4	65.600	1 1/4	76.282	1 1/4	86.964	1 1/4	97.646
1 1/2	1.776	1 1/2	12.427	1 1/2	23.096	1 1/2	33.777	1 1/2	44.459	1 1/2	55.141	1 1/2	65.823	1 1/2	76.505	1 1/2	87.186	1 1/2	97.868
3/4	1.993	3/4	12.649	3/4	23.318	3/4	33.999	3/4	44.681	3/4	55.363	3/4	66.045	3/4	76.727	3/4	87.408	3/4	98.091
4	2.211	4	12.872	4	23.540	4	34.222	4	44.904	4	55.585	4	66.268	4	76.949	4	87.632	4	98.314
1 1/4	2.430	1 1/4	13.094	1 1/4	23.762	1 1/4	34.444	1 1/4	45.126	1 1/4	55.808	1 1/4	66.490	1 1/4	77.172	1 1/4	87.854	1 1/4	98.536
1 1/2	2.650	1 1/2	13.317	1 1/2	23.985	1 1/2	34.667	1 1/2	45.349	1 1/2	56.031	1 1/2	66.713	1 1/2	77.395	1 1/2	88.077	1 1/2	98.759
3/4	2.870	3/4	13.539	3/4	24.207	3/4	34.889	3/4	45.571	3/4	56.253	3/4	66.935	3/4	77.617	3/4	88.299	3/4	98.981
5	3.090	5	13.762	5	24.430	5	35.112	5	45.794	5	56.476	5	67.158	5	77.840	5	88.522	5	99.204
1 1/4	3.311	1 1/4	13.984	1 1/4	24.652	1 1/4	35.334	1 1/4	46.016	1 1/4	56.698	1 1/4	67.380	1 1/4	78.062	1 1/4	88.744	1 1/4	99.426
1 1/2	3.532	1 1/2	14.207	1 1/2	24.875	1 1/2	35.557	1 1/2	46.239	1 1/2	56.920	1 1/2	67.603	1 1/2	78.285	1 1/2	88.967	1 1/2	99.649
3/4	3.753	3/4	14.429	3/4	25.098	3/4	35.779	3/4	46.461	3/4	57.143	3/4	67.825	3/4	78.507	3/4	89.189	3/4	99.871
4	3.974	4	14.652	4	25.320	4	36.002	4	46.684	4	57.366	4	68.048	4	78.730	4	89.412	4	100.094
1 1/4	4.196	1 1/4	14.874	1 1/4	25.543	1 1/4	36.225	1 1/4	46.907	1 1/4	57.589	1 1/4	68.270	1 1/4	78.952	1 1/4	89.634	1 1/4	100.316
1 1/2	4.418	1 1/2	15.097	1 1/2	25.765	1 1/2	36.447	1 1/2	47.129	1 1/2	57.811	1 1/2	68.493	1 1/2	79.175	1 1/2	89.857	1 1/2	100.539
3/4	4.639	3/4	15.320	3/4	25.988	3/4	36.670	3/4	47.352	3/4	58.034	3/4	68.716	3/4	79.398	3/4	90.080	3/4	100.762
7	4.861	7	15.542	7	26.210	7	36.892	7	47.574	7	58.256	7	68.938	7	79.620	7	90.302	7	100.984
1 1/4	5.083	1 1/4	15.765	1 1/4	26.433	1 1/4	37.115	1 1/4	47.797	1 1/4	58.479	1 1/4	69.161	1 1/4	79.843	1 1/4	90.525	1 1/4	101.207
1 1/2	5.306	1 1/2	15.987	1 1/2	26.655	1 1/2	37.337	1 1/2	48.019	1 1/2	58.701	1 1/2	69.383	1 1/2	80.065	1 1/2	90.747	1 1/2	101.429
3/4	5.528	3/4	16.210	3/4	26.878	3/4	37.560	3/4	48.242	3/4	58.924	3/4	69.606	3/4	80.288	3/4	90.970	3/4	101.652
8	5.750	8	16.432	8	27.100	8	37.782	8	48.464	8	59.146	8	69.828	8	80.510	8	91.192	8	101.874
1 1/4	5.973	1 1/4	16.655	1 1/4	27.323	1 1/4	38.005	1 1/4	48.687	1 1/4	59.368	1 1/4	70.051	1 1/4	80.733	1 1/4	91.415	1 1/4	102.097
1 1/2	6.195	1 1/2	16.877	1 1/2	27.545	1 1/2	38.227	1 1/2	48.909	1 1/2	59.591	1 1/2	70.273	1 1/2	80.955	1 1/2	91.637	1 1/2	102.319
3/4	6.418	3/4	17.100	3/4	27.768	3/4	38.450	3/4	49.132	3/4	59.814	3/4	70.496	3/4	81.178	3/4	91.860	3/4	102.542
9	6.640	9	17.322	9	27.991	9	38.673	9	49.354	9	60.036	9	70.718	9	81.400	9	92.082	9	102.764
1 1/4	6.863	1 1/4	17.545	1 1/4	28.213	1 1/4	38.895	1 1/4	49.577	1 1/4	60.259	1 1/4	70.941	1 1/4	81.623	1 1/4	92.305	1 1/4	102.987
1 1/2	7.086	1 1/2	17.768	1 1/2	28.436	1 1/2	39.118	1 1/2	49.800	1 1/2	60.482	1 1/2	71.164	1 1/2	81.846	1 1/2	92.527	1 1/2	103.209
3/4	7.308	3/4	17.990	3/4	28.658	3/4	39.340	3/4	50.022	3/4	60.704	3/4	71.386	3/4	82.068	3/4	92.750	3/4	103.432
10	7.531	10	18.213	10	28.881	10	39.563	10	50.245	10	60.927	10	71.609	10	82.291	10	92.973	10	103.655
1 1/4	7.753	1 1/4	18.435	1 1/4	29.103	1 1/4	39.785	1 1/4	50.467	1 1/4	61.149	1 1/4	71.831	1 1/4	82.513	1 1/4	93.195	1 1/4	103.877
1 1/2	7.976	1 1/2	18.657	1 1/2	29.326	1 1/2	40.006	1 1/2	50.690	1 1/2	61.372	1 1/2	72.054	1 1/2	82.736	1 1/2	93.418	1 1/2	104.100
3/4	8.198	3/4	18.878	3/4	29.548	3/4	40.230	3/4	50.912	3/4	61.594	3/4	72.276	3/4	82.958	3/4	93.640	3/4	104.322
11	8.421	11	19.100	11	29.771	11	40.453	11	51.135	11	61.817	11	72.499	11	83.181	11	93.863	11	104.545
1 1/4	8.643	1 1/4	19.322	1 1/4	29.993	1 1/4	40.675	1 1/4	51.357	1 1/4	62.038	1 1/4	72.721	1 1/4	83.403	1 1/4	94.085	1 1/4	104.767
1 1/2	8.866	1 1/2	19.544	1 1/2	30.216	1 1/2	40.898	1 1/2	51.580	1 1/2	62.262	1 1/2	72.944	1 1/2	83.626	1 1/2	94.308	1 1/2	104.990
3/4	9.088	3/4	19.766	3/4	30.438	3/4	41.120	3/4	51.802	3/4	62.484	3/4	73.166	3/4	83.848	3/4	94.530	3/4	105.212

COMPUTED IN U. S. GALLONS

GAUGE LOCATED ON CENTERLINE AND
 24"-8" FORWARD OF AFT BULKHEAD.

L.B.D.M. 184,89
 TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/05

PAGE 5

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JF
 STRAPPED BY: CJ
SAVBOLT LP.
C. Cochran
 06/27/05
 06/24/05

BARGE MER-9

**3 CENTER
 INNAGE TABLE**

GAUGE HEIGHT 13'-7 3/8"

COMPUTED IN U. S. GALLONS

IN	10 FT.		11 FT.		12 FT.	
	IN	0	IN	0	IN	0
0	105,435	0	116,117	0	124,119	0
1/4	105,657	1/4	116,339			
1/2	105,880	1/2	116,562			
3/4	106,103	3/4	116,784			
1	106,325	1	117,007			
1/4	106,548	1/4	117,230			
1/2	106,770	1/2	117,452			
3/4	106,993	3/4	117,675			
2	107,215	2	117,897			
1/4	107,438	1/4	118,120			
1/2	107,660	1/2	118,342			
3/4	107,883	3/4	118,565			
3	108,105	3	118,787			
1/4	108,328	1/4	119,010			
1/2	108,550	1/2	119,233			
3/4	108,773	3/4	119,455			
4	108,995	4	119,678			
1/4	109,218	1/4	119,900			
1/2	109,441	1/2	120,122			
3/4	109,663	3/4	120,344			
5	109,886	5	120,566			
1/4	110,108	1/4	120,787			
1/2	110,331	1/2	121,007			
3/4	110,553	3/4	121,228			
6	110,776	6	121,449			
1/4	110,998	1/4	121,653			
1/2	111,221	1/2	121,857			
3/4	111,443	3/4	122,060			
7	111,666	7	122,264			
1/4	111,888	1/4	122,431			
1/2	112,111	1/2	122,598			
3/4	112,334	3/4	122,765			
8	112,556	8	122,932			
1/4	112,779	1/4	123,092			
1/2	113,001	1/2	123,192			
3/4	113,224	3/4	123,321			
9	113,446	9	123,451			
1/4	113,669	1/4	123,544			
1/2	113,891	1/2	123,637			
3/4	114,114	3/4	123,729			
10	114,337	10	123,822			
1/4	114,559	1/4	123,878			
1/2	114,782	1/2	123,933			
3/4	115,004	3/4	123,989			
11	115,227	11	124,045			
1/4	115,449	1/4	124,063			
1/2	115,672	1/2	124,082			
3/4	115,894	3/4	124,100			

GAUGE LOCATED ON CENTERLINE AND
 24"-9" FORWARD OF AFT BULKHEAD.

L.B.D.M. 164,89'

TABLES APPLY ONLY WHEN VESSEL IS ON EVEN KEEL.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 06/05

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JF 06/27/05
 STRAPPED BY: CJ 06/24/05

SAYBOLT LP.

O. Endicott