

United States of America Department of Homeland Security **United States Coast Guard**

28 Sep 2020 Certification Date: 28 Sep 2021 **Expiration Date:**

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name

Official Number

IMO Number

MER 9

1172319

Tank Barge

Hailing Port

Place Built

HOUSTON, TX

Hull Materia

Horsepower

Propulsion

FRP (Fiberglas

MORRISON

UNITED STATES

Delivery Date

Keel Laid Date

Gross Tons

Net Tons

DWT

Length

FREEPORT, TX

01Jul2005

04Oct2004

R-764

R-764

R-200.0 1-0

UNITED STATES

Owner

MERICHEM COMPANY 5455 OLD SPANISH TRAIL Houston, TX 77023-5013 UNITED STATES

MERICHEM COMPANY 5455 OLD SPANISH TRAIL Houston, TX 77023-5013 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters

0 Licensed Mates

0 Chief Engineers

0 Oilers

n Chief Mates

0 First Class Pilots

0 First Assistant Engineers

0 Second Mates

0 Radio Officers

0 Second Assistant Engineers

0 Third Mates

0 Able Seamen

0 Third Assistant Engineers

0 Master First Class Pilot 0 Mate First Class Pilots

0 Ordinary Seamen 0 Deckhands

0 Licensed Engineers

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

0 Qualified Member Engineer

Route Permitted And Conditions Of Operation:

--- Lakes, Bays, and Sounds---

Also, in fair weather only, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Freeport, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection Signature Zone A/P/R Date

sued by This certific E. M. CARRERO CDR, USCG, BY DIRECTION

Officer in Charge, Marine Inspection

Houston-Galveston

Inspection Zone



United States of America Department of Homeland Security **United States Coast Guard**

28 Sep 2020 Certification Date: 28 Sep 2021 **Expiration Date:**

Temporary Certificate of Inspection

Vessel Name: MER 9

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Jul2030

04Sep2020

16Jul2010

Internal Structure

31Jul2025

04Sep2020

03Sep2015

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE A AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

8815

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number

Max Cargo Weight per Tank (short tons)

Maximum Density (lbs/gal)

1

593

13.6

2

593

13.6

3

593

13.6

Loading Constraints - Stability

Hull Type

Maximum Load Maximum Draft (short tons)

Max Density

Route Description

11

1549

(ft/in) 9ft 4in (lbs/gal) 13,6

III

1639

9ft 9in

13.6

Conditions Of Carriage

Only those cargoes names in the vessel's Cargo Authority Attachment (CAA), Serial # C2-0402994, dated November 24, 2004, may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.6 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.

Oil Prohibition - No Vessel Response Plan

This vessel is prohibited from carrying those cargoes that are considered an "oil" for the purposes of the Federal Water Pollution Control Act as amended by the Oil Pollution Act of 1990 which requires a vessel response plan in accordance with 33 CFR 155 subpart D.



United States of America Department of Homeland Security **United States Coast Guard**

28 Sep 2020 Certification Date: 28 Sep 2021 **Expiration Date:**

Temporary Certificate of Inspection

Vessel Name: MER 9

In accordance with 46 CFR Part 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by MSC letter Serial # C2-0402994, dated November 26, 2004 and has been found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column. The VCS has been approved with a pressure side of 1.7 psig P/V valve with Coast Guard Approval 162.017/148. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.0 psig.

--- Inspection Status ---

Cargo Tanks

	Internal Exam			External Exam	í -	
Tank Id	Previous	Last	Next	Previous	Last	Next
1	03Sep2015	04Sep2020	01Jul2030	.=	-	-
2	03Sep2015	04Sep2020	01Jul2030		1	8
3	30Sep2015	04Sep2020	01Jul2030	÷	2	*
			Hydro Test			
Tank Id	Safety Valves		Previous	Last	Next	
1	•		-	₩ 0	-	
2			***	**	-	
3	-		-		÷	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

40-B

END

^{*}Vapor Control Authorization*





Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MER 9

Official #: 1172319

Shipyard: Texas Barge & Boat

Serial #: C2-0402994

Hull #: 02

46 CFR 151 Tank Tank Group Information	Cargo	Identificat	ion		Cargo		Tanks		Carg		Enviror		Fire	Special Require	ments	T	T
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Type	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1-3C	13.6	Atmos.	Amb.	11	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b),	55-1(b), (c), (e), (f), (j), 56-1(a), (b), (d), (e), (f), (g), 58-1(a).	NR	No


Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification							Co	nditio	ns of Carriage
							Vapor R	ecovery	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Authorized Subchapter O Cargoes									
Acetonitrile	ATN	37	0	С	111	Α	No	N/A	No
Acrylic acid	ACR	4 2	0	D	111	Α	No	N/A	.50-70(a), .50-73, .50-81, .58-1(a)
Acrylonitrile	ACN	15 ²	0	С	11	Α	No	N/A	.50-70(a), .55-1(e)
Adiponitrile	ADN	37	0	Ε	11	Α	Yes	1	No
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	111	Α	No	N/A	.50-81, .50-86
Aminoethylethanolamine	AEE	8	Ó	E	[]]	Α	Yes	1	.55-1(b)
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	11	Α	No	N/A	No
Benzene	BNZ	32	0	C	111	Α	Yes	1	.50-60
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	C	111	Α	Yes	1	.50-60
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	Α	Yes	1	.50-60
Butyl acrylate (all isomers)	BAR	14	0	D	[]]	A	No	N/A	.50-70(a), .50-81(a), (b)
Butyl methacrylate	ВМН	14	0	D	111	Α	No	N/A	.50-70(a), .50-81(a), (b)
Butyraldehyde (all isomers)	BAE	19	0	C	III	Α	Yes	1	.55-1(h)
Camphor oil (light)	CPO	18	0	D	II	A	No	N/A	No
Carbon tetrachloride	CBT	36	0	NA	III	A	No	N/A	No
Caustic potash solution	CPS	5 ²	0	NA	111	Α	No	N/A	.50-73, .55-1(j)
Caustic soda solution	CSS	5 2	0	NA	III	Α	No	N/A	.50-73, .55-1(j)
Chemical Oil (refined, containing phenolics)	COD	21	0	E	II	Α	No	N/A	.50-73
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No
Chloroform	CRF	36	0	E	III	A	No	N/A	No
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	.50-73
Creosote	CCW	21 2	0	E	111	Α	Yes	1	No
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	.50-73, .55-1(b)
Cresylic acid tar	CRX		0	E	Ш	Α	Yes	1	.55-1(f)
Crotonaldehyde	CTA	19 ²	0	С	11	Α	No	N/A	.55-1(h)
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG		O	С	111	Α	No	N/A	No
Cyclohexanone	ССН	18	0	D	111	Α	Yes	1	.56-1(a), (b)
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	111	Α	Yes	1	.56-1 (b)
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	50-60, .56-1(b)
iso-Decyl acrylate	IAI	14	0	E	111	Α	No	N/A	.50-70(a)50-81(a), (b), .55-1(c)
Dichlorobenzene (all isomers)	DBX	36	0	E	111	A	No	N/A	.56-1(a), (b)
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***





Vessel Name: MER 9 Official #: 1172319

Shipyard: Texas Barge & Boat

Serial #: C2-0402994

Generated: 24-Nov-04

Cargo Identification							Co	nditio	ns of Carriage
			т				Vapor R		no or ournage
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	vcs	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
2,2'-Dichloroethyl ether	DEE	41	0	D	11	Α	Yes	1	.55-1(f)
Dichloromethane	DCM	36	0	NA	111	Α	No	N/A	No
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less)	DDA		0	LFG	III	Α	No	N/A	.55-1(b)
1,1-Dichloropropane	DPB	36	0	С	111	Α	No	N/A	No
1,2-Dichloropropane	DPP	36	0	С	111	Α	No	N/A	No
1,3-Dichloropropane	DPC	36	0	С	111	Α	No	N/A	No
1,3-Dichloropropene	DPU	15	0	D	11	Α	No	N/A	No
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	11	Α	Yes	1	No
Diethanolamine	DEA	8	0	E	111	Α	Yes	1	.55-1(c)
Diethylamine	DEN	7	0	С	Ш	Α	No	N/A	.55-1(c)
Diethylenetriamine	DET	7 2	0	E	111	A	Yes	1	.55-1(c)
Diisobutylamine	DBU	7	0	D	III	Α	No	N/A	.55-1(c)
Díisopropanolamine	DIP	8	0	E	(1)	Α	Yes	1	.55-1(c)
Diisopropylamine	DIA	7	0	С	II	Α	No	N/A	.55-1(c)
N,N-Dimethylacetamide	DAC	10	0	E	111	Α	No	N/A	.56-1(b)
Dimethylformamide	DMF	10	0	D	Ш	Α	Yes	1	.55-1(e)
Di-n-propylamine	DNA	7	0	С	11	Α	No	N/A	.55-1(c)
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	111	Α	No	N/A	.56-1(b)
Ethanolamine	MEA	8	0	E	111	Α	Yes	1	.55-1(c)
Ethyl acrylate	EAC	14	0	C	111	A	No	N/A	.50-70(a), .50-81(a), (b)
Ethylamine solution (72% or less)	EAN	7	0	A	11	Α	No	N/A	.55-1(b)
N-Ethylbutylamine	EBA	7	0	D	111	A	No	N/A	.55-1(b)
N-Ethylcyclohexylamine	ECC	7	0	D	III	Α	Yes	1	.55-1(b)
Ethylene cyanohydrin	ETC	20	0	E	111	Α	Yes	1	No
Ethylenediamine	EDA	7 2	0	D	III	A	Yes	1	.55-1(c)
Ethylene dichloride	EDC	36 ²	0	С	111	Α	Yes	1	No
Ethylene glycol hexyl ether	EGH	40	0	E	111	A	No	N/A	No
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	111	Α	Yes	1	No
Ethylene glycol propyl ether	EGP	40	0	E	111	A	Yes	1	No
2-Ethylhexyl acrylate	EAI	14	0	E	111	Α	No	N/A	.50-70(a), .50-81(a), (b)
Ethyl methacrylate	ETM	14	0	D/E	111	A	No	N/A	.50-70(a)
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	111	A	Yes	1	No
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E		Α	Yes	1	.55-1(h)
Furfural	FFA	19	0	E	111	A	Yes	1	.55-1(h)
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	111	Α	No	N/A	No
Hexamethylenediamine solution	НМС	7	0	E	111	A	Yes	1	.55-1(c)
Hydrocarbon 5-9	HFN		0	Ċ	III	Α	Yes	1	.50-70(a), .50-81(a), (b)
Isoprene	IPR	30	0	Α	111	Α	No	N/A	.50-70(a), .50-81(a), (b)
Isoprene, Pentadiene mixture	IPN		0	В	111	A	No	N/A	.50-70(a), .55-1(c)
Mesityl oxide	MSO	18 ²	0	0	111	A	Yes	1	No
Methyl acrylate	MAM	14	0	C	111	<u>A</u>	No	N/A	.50-70(a), .50-81(a), (b)
Methylcyclopentadiene dimer	MCK	30	0	c	111	A	Yes	1	No
2-Methyl-5-ethylpyridine	MEP	9	0	E	-111	<u></u>	Yes	. 1	.55-1(e)
Methyl methacrylate	MMM	14		C			No	N/A	.50-70(a), .50-81(a), (b)
	MPR	9	-	<u> </u>	- -	A	No	N/A	.55-1(c)
2-Methylpyridine alpha-Methylstyrene	MSR	30	0	D	111	$\frac{}{A}$	No	N/A	.50-70(a), .50-81(a), (b)
	MPL	7 2	0	D	111	$\frac{}{A}$	Yes	1	.55-1(c)
Morpholine	NPM	42		D	111	A	Yes	1	.50-81
1- or 2-Nitropropane	PDE	30	0	A	111	A	No	N/A	50-70(a), .50-81
1,3-Pentadiene	FUE	3U	U	Α	111	^	INO	IN/A	





Vessel Name: MER 9 Official #: 1172319

Shipyard: Texas Barge & Boat

Serial #: C2-0402994

Generated: 24-Nov-04

Cargo Identification			Co	nditio	ns of Carriage				
		T				1	Vapor Re		
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Perchloroethylene	PER	36	0	NA	III	Α	No	N/A	No
Polyethylene polyamines	PEB	7 2	0	E	111	Α	Yes	1	55-1(e)
iso-Propanolamine	MPA	8	0	E	111	Α	Yes	1	.55-1(c)
iso-Propylamine	IPP	7	0	Α	11	Α	No	N/A	.55-1(c)
Pyridine	PRD	9	0	С	[1]	Α	Yes	1	.55-1(e)
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP		0		111	Α	No	N/A	.50-73, .55-1(j)
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	111	A	No	N/A	.50-73
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	111	A	No	N/A	.50-73, .56-1(a), (b)
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2		NA	111	A	Yes	1	.50-73, .55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2		NA	111	Α	No	N/A	.50-73, .55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2		NA	11	Α	No	N/A	.50-73, .55-1(b)
Sodium thiocyanate solution (56% or less)	STS	0 1,2	0	NA	111	A	No	N/A	.58-1(a)
Styrene (crude)	STX		0	D	111	Α	No	N/A	No
Styrene monomer	STY	30	0	D	111	Α	No	N/A	.50-70(a), .50-81(a), (b)
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	Α	No	N/A	No
Tetraethylenepentamine	TTP	7	0	E	Ш	Α	Yes	1	.55-1(c)
Tetrahydrofuran	THF	41	0	С	111	Α	Yes	1	.50-70(b)
1,2,4-Trichlorobenzene	TCB	36	0	E	Ш	Α	Yes	1	No
1,1,2-Trichloroethane	TCM	36	0	NA	111	Α	Yes	1	.50-73, .56-1(a)
Trichloroethylene	TCL	36 ²	0	NA	111	Α	Yes	1	No
1,2,3-Trichloropropane	TCN	36	0	E	11	Α	No	N/A	.50-73, .56-1(a)
Triethanolamine	TEA	8 2	0	E	111	Α	Yes	1	.55-1(b)
Triethylamine	TEN	7	0	С	II	A	No	N/A	.55-1(e)
Triethylenetetramine	TET	7 2	0	E	111	Α	Yes	1	.55-1(b)
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	111	Α	No	N/A	.56-1(b)
Vinyl acetate	VAM	13	0	C	111	Α	No	N/A	.50-70(a), .50-81(a), (b)
Vinyl neodecanate	VND	13	0	E	III	Α	No	N/A	.50-70(a), .50-81(a), (b)
Subchapter D Cargoes Authorized for Vapor Control									
Acetone	ACT	18 ²	D	С		A	Yes		
Acetophenone	ACP	18	D	E		Α	Yes	1	
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1	
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		A	Yes	1	
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	11	
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1	
Benzyl alcohol	BAL	21	D	E		Α	Yes	1	
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1	
Butyl acetate (all isomers)	BAX	34	D	D		A	Yes	1	
Butyl alcohol (iso-)	IAL	20 2	D	D		Α	Yes	1	
Butyl alcohol (n-)	BAN		D	D		Α	Yes	1	
Butyl alcohol (sec-)	BAS		D	С		Α	Yes	1	
Butyl alcohol (tert-)	BAT		D	С		A	Yes	1	
Butyl benzyl phthalate	BPH	34	D	E		A	Yes	1	
Dutyi berizyi pritrialate							V		
	BUE	32	D	D		Α	Yes	1	
Butyl toluene	CLS	32 22	D	E		A	Yes	<u>1</u>	
					~~~				





Vessel Name: MER 9 Official #: 1172319


Shipyard: Texas Barge & Boat

Serial #: C2-0402994

Generated: 24-Nov-04

Cargo Identification							Co	nditio	ons of Carriage
	T		I				Vapor R		T
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 y General and Mat'ls of Construction
p-Cymene	СМР	32	D	D		Α	Yes	1	
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1	
n-Decaldehyde	DAL	19	D	Е		Α	Yes	1	
Decene	DCE	30	D	D		Α	Yes	1	
Decyl alcohol (all isomers)	DAX	20 ²	D	E		Α	Yes	1	
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1	
Diacetone alcohol	DAA	20 ²	D	E		Α	Yes	1	
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1	
Diethylbenzene	DEB	32	D	D		A	Yes	1	
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	1	
Diisobutylene	DBL	30	D	С		Α	Yes	1	
Diisobutyl ketone	DIK	18	D	D		A	Yes	1	
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	1	
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1	
Dioctyl phthalate	DOP	34	D	E		A	Yes	1	
Dipentene	DPN	30	D	D		Α	Yes	1	
Diphenyl	DIL	32	D	D/E		A	Yes	1	
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E	***********	A	Yes	1	
Diphenyl ether	DPE	41	D	{E}		A	Yes	1	
Dipropylene glycol	DPG	40	D	E		A	Yes	1	
Distillates: Flashed feed stocks	DFF	33	D	E		A	Yes	1	
Distillates: Straight run	DSR	33	D	E		A	Yes	1	
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1	
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		A	Yes	1	
2-Ethoxyethyl acetate	EEA	34	D	D		A	Yes	1	
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1	
Ethyl acetate	ETA	34	D	С		A	Yes	1	***************************************
Ethyl acetoacetate	EAA	34	D	E		A	Yes	1	
Ethyl alcohol	EAL	20 2	D	C		A	Yes	1	
Ethylbenzene	ETB	32	D	C		A	Yes	1	
Ethyl butanol	EBT	20	D			A	Yes	<u>-</u>	
	EBE	41	D	C		A	Yes	1	
Ethyl tert-butyl ether	EBR	34	D			A	Yes	1	
Ethyl butyrate	ECY	31		D		A	Yes	<del>-</del>	
Ethylogo glygol	EGL	20 2		E			Yes	1	
Ethylene glycol	EMA	34	D	E		— <u>A</u>	Yes	1	
Ethylene glycol butyl ether acetate									
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	1	
Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1	
Ethyl-3-ethoxypropionate	EEP	34	D	E		A	Yes	1	
2-Ethylhexanol	EHX	20	D	E		A	Yes	1	
Ethyl propionate	EPR	34	D	C		A	Yes		
Ethyl toluene	ETE	32	D	E		A	Yes	1	
Formamide	FAM	10	D	E		A	Yes		
Furfuryl alcohol	FAL	20 ²	D	E		Α	Yes		
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes	1	
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1	
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	<u>C</u>		A	Yes	1	
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	11	
Gasolines: Casinghead (natural)	GCS	33	D	A/C		A	Yes	1	

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***





# Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MER 9
Official #: 1172319

Page 5 of 7

Shipyard: Texas Barge & Boat

Serial #: C2-0402994

Generated: 24-Nov-04

Cargo Identification		***************************************					Co	nditio	ons of Carriage
							Vapor R	ecovery	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
Gasolines: Polymer	GPL	33	D	A/C		A	Yes	1	
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1	
Glycerine	GCR	20 2	D	Ε		Α	Yes	1	
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ	31	D	С		Α	Yes	1	
Heptanoic acid	HEP	4	D	Е		Α	Yes	1	
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1	H. Carlotte
Heptyl acetate	HPE	34	D	D		Α	Yes	1	
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1	
Hexanoic acid	HXO	4	D	E		Α	Yes	1	
Hexanol	HXN	20	D	D		Α	Yes	1	
Hexylene glycol	HXG	20	D	E		Α	Yes	1	
Isophorone	IPH	18 ²	D	E		Α	Yes	1	
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1	
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	1	
Kerosene	KRS	33	D	D		Α	Yes	1	
Methyl acetate	MTT	34	D	D		Α	Yes	1	
Methyl alcohol	MAL	20 2	D	С		A	Yes	1	
Methylamyl acetate	MAC	34	D	D		A	Yes	1	
Methylamyl alcohol	MAA	20	D	D		A	Yes	1	
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1	
Methyl tert-butyl ether	MBE	41 2	D	С		A	Yes	1	
Methyl butyl ketone	MBK	18	D	C		A	Yes	1	
Methyl butyrate	MBU	34	D	C		Α	Yes	1	
Methyl ethyl ketone	MEK	18 ²	D	С		A	Yes	1	
Methyl heptyl ketone	МНК	18	D	D		Α	Yes	1	
Methyl isobutyl ketone	MIK	18 ²	D	C		A	Yes	1	
Methyl naphthalene (molten)	MNA	32	D	E		A	Yes	1	
Mineral spirits	MNS	33	D	D		A	Yes	1	
Myrcene	MRE	30	D	D		Α	Yes	1	
Naphtha: Heavy	NAG	33	D	#		A	Yes	1	
Naphtha: Petroleum	PTN	33	D	#		A	Yes	1	
Naphtha: Solvent	NSV	33	D	D		A	Yes	<del>.</del>	
Naphtha: Stoddard solvent	NSS	33		D		A	Yes	1	
Naphtha: Varnish makers and painters (75%)	NVM	33				<u>^</u> -	Yes	1	
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D			<u>A</u>	Yes	1	
	NNS	20 2	D	E		A	Yes	1	
Nonyl alcohol (all isomers)	NNP	21	D	E		A	Yes	1	
Nonyl phenol	NPE	40	_ D	E		A	Yes	<del>-  </del>	
Nonyl phenol poly(4+)ethoxylates Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	C			Yes	1	
	OAY	4	D	E		A		1	
Octanoic acid (all isomers)	OCX	20 2	D	E	~~~~~		Yes	1	
Octanol (all isomers)				D/E		A .			
Oil, fuel: No. 2	OTO	33	D			A	Yes	1	
Oil, fuel: No. 2-D	OTD	33	<u>D</u>	D		A	Yes	1	
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	1	
Oil, fuel: No. 5	OFV	33	<u>D</u>	D/E		A	Yes		
Oil, fuel: No. 6	OSX	33		E		<u>A</u>	Yes		
Oil, misc: Crude	OIL	33	<u>D</u>	C/D		A	Yes		
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1	
Oil, misc: Lubricating	OLB	33	D	E		A	Yes	1	





Vessel Name: MER 9 Official #: 1172319

Page 6 of 7

Shipyard: Texas Barge & Boat

Generated: 24-Nov-04

Cargo Identification						Conditions of Carriage				
							Vapor F	Recovery	_	
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	
Oil, misc: Residual	ORL	33	D	E		А	Yes	1		
Oil, misc: Turbine	OTB	33	D	Е		A	Yes	1		
alpha-Pinene	PIO	30	D	D		Α	Yes	1		
beta-Pinene	PIP	30	D	D		Α	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		Α	Yes	1		
Polybutene	PLB	30	D	Е		Α	Yes	1		
Polypropylene glycol	PGC	40	D	E		A	Yes	1		
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1		
n-Propyl acetate	PAT	34	D	С		A	Yes	1		
iso-Propyl alcohol	IPA	20 2	D	С		Α	Yes	1		
n-Propyl alcohol	PAL	20 2	D	С		A	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1		
Propylene glycol	PPG	20 ²	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E		Α	Yes	1		
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1		
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		A	Yes	1		
Triethylbenzene	TEB	32	D	E		A	Yes	1		
Triethylene glycol	TEG	40	D	E		A	Yes	1		
Triethyl phosphate	TPS	34	D	E	~~~~~	Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1		
Undecene	UDC	30	D	D/E		A	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



#### Department of Homeland Security **United States Coast Guard**

Serial # C2-0402994 Generated: 24-Nov-04

## Certificate of Inspection

Cargo Authority Attachment

Vessel Name: MER 9 Official #: 1172319

Page 7 of 7

Shipyard: Texas Barge &

Hull #: 02

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Note 1

Note 2

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No. The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (G-MSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

(202) 267-1217

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified. Those flammable and combustible liquids listed in 46 CFR Table 30.25-1. Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2. Subchapter

Subchapter D Subchapter O

Note 3 Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "( )" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

A. B. C

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

Hull Type The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Vapor Recovery Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo Approved (Y or N)

No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

Conditions of Carriage

Vapor Recover

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo. Tank Group

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo

Approved (Y or N) No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category: The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 Category 1

and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b))

must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2 (Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could

lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester

Category 3 (Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture dlsk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9.

This requirement is in addition to the requirements of Category 1.

Category 4 (Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air Category 5

mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. Category 6 (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5 Category 7

The cargo has not been evaluated/classified for use in vapor control systems. none



U.S. Coast Guard Witness

16917 Market St, Channelview, TX 77530 (713)453-0413

LVT Sales Order	LV-6484-SO	
Barge Name	MER 9	
Work Order #	LV-6647-WO	

## **Shop Order & Test Report**

Customer:	Kirby Inland Marine	9	Order#	CW 683511	
Make	Tank Tech	Size	6"	Model#	KSPA/KSPV6
Serial #	KLPH 50215113	Inlet	6" 150	Outlet	NA
Constrution:	P/V			Cap:	N/A
Set Pressure:	1.7 psi pressure/ 0.5 p	osi vacuum			
Tag;	TATE OF THE PARTY		Orifice:	N/A	8
Work Require	d: Complet	e Overhaul		Test A	Air
Condition Rec	elved: Ne	ed Repair			
	Condition Pre-rep	air			
Inlat	Dirty		Spring		
Inlet			141-1-1	CT	
Seats	Dirty		Work	ST Langed Seats	Panlacad gaskats
Seats Guide	Dirty Dirty		Work Repairs	ST Lapped Seats	Replaced gaskets
Seats	Dirty				Replaced gaskets
Seats Guide Outlet	Dirty Dirty	See attac		Lapped Seats	Replaced gaskets
Seats Guide Outlet	Dirty Dirty Dirty	See attac	Repairs	Lapped Seats	Replaced gaskets
Seats Guide Outlet	Dirty Dirty Dirty	See attac	Repairs	Lapped Seats	Replaced gaskets
Seats Guide Outlet	Dirty Dirty Dirty	See attac	Repairs	Lapped Seats	Replaced gaskets
Seats Guide Outlet	Dirty Dirty and other work:	-	Repairs	Lapped Seats	Replaced gaskets
Seats Guide Outlet	Dirty Dirty and other work:	-	Repairs	Lapped Seats	Replaced gaskets
Seats Guide Outlet	Dirty Dirty A and other work:	inal T	Repairs	Lapped Seats	Replaced gaskets
Seats Guide Outlet Parts replaced  Date Set Pressure	Dirty Dirty Dirty  A and other work:   8/10/2020  1.7 psi press/0.5 psi v	inal T	Repairs	Lapped Seats	Replaced gaskets
Seats Guide Outlet Parts replaced Date Set Pressure Nozzle Ring Se	Dirty Dirty Dirty  A and other work:  8/10/2020 1.7 psi press/0.5 psi vetting N/A	inal T	Repairs	eport	
Seats Guide Outlet Parts replaced  Date Set Pressure	Dirty Dirty Dirty  A and other work:  8/10/2020 1.7 psi press/0.5 psi vetting N/A	inal T	Repairs	eport	Replaced gaskets  By: 1 Gebara



16917 Market St, Channelview, TX 77530 (713)453-0413

LVT Sales Order	LV-6484-SO	
Barge Name	MER 9	
Work Order	LV-6648-WO	

## **Shop Order & Test Report**

Customer:	Kirby Inland Marin	е	Order#	CW 683511	W	
Make	Kunkle	Size	4" x 4"	Model #	91K-M02	
Serial #	1120	Inlet	4"250	Outlet	4"125	
Constrution:	Conventional RV			Cap:	Plain	
Set Pressure:	125 psi pressure	AND 100				
Tag:			Orlfice:	М		
Work Require	d: Comple	te Overhaul	W. Colonia Col	Test Ai	<u>r</u>	
Condition Rec	eived:	Good				
General C	ondition Pre-rep	pair				
Inlet	Dirty		Spring	Good Cond.	Installed Gaskets	
Seats	Dirty		Work	ST		
Guide Outlet	Dirty Dirty		Repairs	V		
Parts replaced	I and other work:					
	F	inal T	est R	eport		
Date	8/10/2020					
Set Pressure	125 psi pressure					
Nozzle Ring Se	etting N/A					
Back Pressure	30 PSI				10.0	dor
Tested By:	and Drew			Witnessed/Assy	: Auga Poo	loon
U.S. Coast Gua	ard Witness					